

Daftar Pustaka

- Aimoni, C., Crema, L., Savini, S., Negossi, L., Rosignoli, M., Sacchetto, L., *et al.* (2018). Hearing threshold estimation by auditory steady state responses (ASSR) in children. *Acta Otorhinolaryngol Ital* 38 : 361–368.
- Aslam, M.A., Javed, A., & Moiz, A. (2019). Comparison of auditory brainstem response and auditory steady state response audiometry by evaluating the hearing thresholds obtained in children with different severity of hearing loss. *Pak J Med Sci* 35 : 320–324.
- British Society of Audiology (2022). Auditory Steady State Response (ASSR) Testing.
- Celik, O., Eskiizmir, G., & Uz, U. (2016). A Comparison of Thresholds of Auditory Steady-State Response and Auditory Brainstem Response in Healthy Term Babies. *Int Adv Otol* 12 : 277–281.
- Cheng, T.-Y., Tsai, C.-F., & Luan, C.-W. (2021). The Correlation Between Click-Evoked Auditory Brainstem Responses and Future Behavioral Thresholds Determined Using Universal Newborn Hearing Screening. *INQUIRY* 58 : 00469580211049010.
- Clark, J.G. (1981). Uses and abuses of hearing loss classification. *ASHA* 23 : 493–500.
- Cone-Wesson, B., Dowell, R.C., Tomlin, D., Rance, G., & Ming, W.J. (2002). The Auditory Steady-State Response: Comparisons with the Auditory Brainstem Response. *J Am Acad Audiol* 13 : 173–187.
- de Nava, A., & Lasrado, S. (2023). Physiology, Ear, in: *StatPearls*. Treasure Island (FL) : StatPearls Publishing.
- Ehrmann-Müller, D., Cebulla, M., Hagen, R., & Shehata-Dieler, W. (2020). Can the ASSR be misleading in the diagnosis of auditory neuropathy spectrum disorder (ANSD)?, in: *Laryngo-Rhino-Otologie*. Presented at the Abstract- und Posterband – 91. Jahresversammlung der Deutschen Gesellschaft für HNO-Heilkunde, Kopf- und Hals-Chirurgie e.V., Bonn – Welche Qualität macht den Unterschied, © Georg Thieme Verlag KG.
- Ehrmann-Müller, D., Shehata-Dieler, W., Alzoubi, A., Hagen, R., & Cebulla, M. (2021). Using ASSR with narrow-band chirps to evaluate hearing in children and adults. *Eur Arch Otorhinolaryngol* 278 : 49–56.
- François, M., Dehan, E., Carlevan, M., & Dumont, H. (2016). Use of auditory steady-state responses in children and comparison with other electrophysiological and behavioral tests. *European Annals of Otorhinolaryngology, Head and Neck Diseases* 133 : 331–335.
- Hall, J., & Antonelli, P. (2014). Assessment of peripheral and central auditory function, 5th ed. Philadelphia : Lippincot Williams and Wilkins.
- Herdman, A.T., & Stapells, D.R. (2003). Auditory steady-state response thresholds of adults with sensorineural hearing impairments: Umbrales de las respuestas auditivas de estado estable en adultos con hipoacusia sensorineural. *International Journal of Audiology* 42 : 237–248.
- Joint Committee on Infant Hearing (2007). Year 2007 Position Statement:

- Principles and Guidelines for Early Hearing Detection and Intervention Programs. *Pediatrics* 120 : 898–921.
- Kandogan, T., & Dalgic, A. (2013). Reliability of Auditory Steady-State Response (ASSR): Comparing Thresholds of Auditory Steady-State Response (ASSR) with Auditory Brainstem Response (ABR) in Children with Severe Hearing Loss. *Indian J Otolaryngol Head Neck Surg* 65 : 604–607.
- Kementerian Kesehatan Republik Indonesia (2022). Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/1989/2022 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Tuli Sensorineural Kongenital.
- Korczak, P., Smart, J., Delgado, R., M. Strobel, T., & Bradford, C. (2012). Auditory Steady-State Responses. *J Am Acad Audiol* 23 : 146–170.
- Krishnan, A. (2023). Auditory brainstem evoked responses: clinical and research applications. San Diego, CA : Plural Publishing, Inc.
- Lee, H.S., Ahn, J.H., Chung, J.W., Yoon, T.H., & Lee, K.-S. (2008). Clinical Comparison of the Auditory Steady-State Response with the Click Auditory Brainstem Response in Infants. *Clin Exp Otorhinolaryngol* 1 : 184–188.
- Lemajić-Komazec, S., Komazec, Z., Čupić, M.B., Knežević, S., & Vajs, O. (2019). Comparison of hearing threshold estimation using auditory steady state responses and brainstem auditory evoked potentials in children. *Acta Clinica Croatica* 58 : 701.
- Linares, A.E., Costa-Filho, O.A., & Martinez, M.A.N. de S. (2010). Auditory steady state response in pediatric audiology. *Braz. j. otorhinolaryngol. (Impr.)* 76 : 723–728.
- McCreery, R.W., Kaminski, J., Beauchaine, K., Lenzen, N., Simms, K., & Gorga, M.P. (2015). The impact of degree of hearing loss on auditory brainstem response predictions of behavioral thresholds. *Ear Hear* 36 : 309–319.
- Mourtzouchos, K., Riga, M., Cebulla, M., Danielides, V., & Naxakis, S. (2018). Comparison of click auditory brainstem response and chirp auditory steady-state response thresholds in children. *International Journal of Pediatric Otorhinolaryngology* 112 : 91–96.
- Munir, A., Mumtaz, N., Saqulain, G., & Ahmad, M. (2019). Comparison of auditory steady state response (ASSR) & auditory brainstem response (ABR) hearing thresholds in young children. *Journal of Shifa Tameer-e-Millat University* 2 : 17–21.
- Rance, G., Rickards, F.W., Cohen, L.T., De Vidi, S., & Clark, G.M. (1995). The Automated Prediction of Hearing Thresholds in Sleeping Subjects Using Auditory Steady-State Evoked Potentials. *Ear and Hearing* 16 : 499–507.
- Rodrigues, G.R.I., Lewis, D.R., & Fichino, S.N. (2010). Steady-state auditory evoked responses in audiological diagnosis in children: a comparison with brainstem evoked auditory responses. *Braz. j. otorhinolaryngol.* 76 : 96–101.
- Sommerfeldt, J., & Kolb, C.M. (2023). Hearing Loss Assessment In Children, in: *StatPearls*. Treasure Island (FL) : StatPearls Publishing.
- Swanepoel, D., & Ebrahim, S. (2009). Auditory steady-state response and auditory brainstem response thresholds in children. *Eur Arch Otorhinolaryngol* 266

: 213–219.

- Tan, L.I.C., Reyes-Quintos, M.R.T., Tantoco, M.L.C., & Chiong, C.M. (2009). Comparative Study of the Auditory Steady-State Response (ASSR) and Click Auditory Brainstem Evoked Response (ABR) Thresholds among Filipino Infants and Young Children. *Philippine Journal of Otolaryngology Head and Neck Surgery* 24 : 9–12.
- The Joint Committee on Infant Hearing (2019). Year 2019 Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. *JEHDI* 4 : 1–44.
- Van Maanen, A., & Stapells, D.R. (2009). Normal Multiple Auditory Steady-State Response Thresholds to Air-Conducted Stimuli in Infants. *J Am Acad Audiol* 20 : 196–207.
- Wang, X., Cheng, Y., Shi, J., Sheng, X., Wu, D., Zhao, Y., *et al.* (2020). Comparison of auditory steady-state response and click-evoked auditory brain response in infants with different types and degrees of hearing loss. *Acta Oto-Laryngologica* 140 : 116–121.
- Werff, K.R.V., Brown, C.J., Gienapp, B.A., & Clay, K.M.S. (2002). Comparison of Auditory Steady-State Response and Auditory Brainstem Response Thresholds in Children. *J Am Acad Audiol* 13 : 227–235.
- Wijana, W. (2018). Auditory Brainstem Response. Bandung : Penerbit Paramedia Komunikatama.
- Zachreini, I., & Bashiruddin, J. (2022). Survei deteksi dan intervensi penderita tuli kongenital di Indonesia. UI Publishing.