



DAFTAR PUSTAKA

- Berman B, Amini S, Viera M.H, 2009. Keloid and Hypertrophic Scar. <http://emedicine.medscape.com/article/1057599>. Accessed 20 August, 2009.
- Bock O., Schmid-Ott G., Malewski P., Mrowietz U. 2006. Quality of life of patients with keloid and hypertrophic scarring. *Archives of Dermatological Research*. 297: 433-438.
- Butler P.D., Longaker M.T., Yang G.P. 2008. Current Progress in Keloid Research and Treatment. *Journal of The American College of Surgeon*. 206: 731-741
- Calderon M., Lawrence W. T., Banes A., 1996. Increased Proliferation in keloid Fibroblast Wounded *in vitro*. *Journal of Surgical Research* ; 61 : 343 – 347.
- Charles B: *Wound Healing*. In: *Schwartz Principles of Surgery* 8th ed.2004. McGraw Hill Companies: 165-189
- Carroll LA, Hanasono MM, Mikulec AA, Kita M, Koch RJ, 2002, Triamcinolone Stimulates bFGF production and hibits TGF-B, production by human fibroblast. *Dermal Surgery*; 28: 704 – 709.
- Clare M.M, Nanchahal JD, 2005. Advances in the Modulation of Cutaneous Wound Healing and Scarring. *Biodrug* 2005, pp:363-376
- Diegelmann, R.F., Bryant C.P., Cohen I.K., 1977. Tissue alpha-globulins in keloid formation. *Plast reconst Surg* 59: 418 – 423
- Froelich K, Staudenmaier R., Klesinsasser N, Hagen R, 2007. Therapy of Auricular Keloid : Review of Different Treatment Modalities and Proposal for Theraupetic Algorithm. *Eur arch Otorhinolaryngol* 2007,264 :1497-1508



- Geoffrey, C.: *Wound Healing: Normal and Abnormal. In: Grabb & Smith's Plastic Surgery 6 th ed*, Charles, H., Robert, W., Shereen, J. Lippincot William & Willkins, Philadelphia, 2007, p 15-23
- Golladay, E.S., 1988. Treatment of keloid by single intraoperative perilesional injection of repository steroid. *South med J* 81: 736 – 738.
- Heng E.C., Huang CCN2, connective tissue growth factor, stimulates collagen deposition by gingival fibroblast via module 3 and alpha6-and beta-1 integrin. *J.Cell.Biochem.*, 98(2) : 409-20.
- Kokoska M.S, Prendiville, 2007. Hypertrophic Scarring and Keloids.
<http://emidicine.medscape.com/article/876214>. Accessed 20 August, 2009.
- Lee S.S., Yosipovitch G., Chan Y.H., Goh C.L. 2004. Pruritus, pain, and small nerve fiber function in keloids: A controlled study. *Journal of The American Academy of Dermatology*; 51: 1002-1006.
- Lewinson H, Liu W, Peled Z, 2002, 5-fluouracyl inhibits keloid fibroblast proliferation and krlويد fibroblast populated collagen lattice contraction. Dipublikasikan 15 Januari 2002, didapat dari <http://www.journalofburns.com>
- Manuskiati W., Fitzpatrick R.E., 2002, Treatment response of Keloidal and hypertropic sternotomi scars : Comparison among intralesional corticosteroid 5-flourouracyl, and 585-nm flash lamp pumped pulsed-dye laser treatment. *Archive dermatology*. 138: 1149 – 1155.
- Mercandetti M, Cohen A. *Wound healing, healing and repair*. EMedicine. October 7. 2002. <http://www.eMedicine.com.Inc>



- Murray RK, Keeley FW. *The extracellular matrix*. In: Murray RK, Mayes P, eds. *Harper's Biochemistry*. Norwalk, Conn: Appleton; 1993:. 634-46.
- Newsome R.E, Tandon R, Bolling R.P, Wang A.R, Jansen D.A, 2009. Wound Healing, Keloids. <http://emedicine.medscape.com/article/1298013>. Accessed 20 August, 2009.
- Pranoto A, Retno Pudjiati S, Wirohadidjojo YW, The combination effect of triamcinolone acetonide and tamoxifen citrate on fibroblast populated collagen lattice contractions, *Berk Ilmu Kedokt.*, 2008
- Perdanakusuma D.S, Noer M.S, 2006. *Penanganan Parut Hipertrofik Dan Keloid*. Surabaya : Airlangga University Press. p. 43-61
- Poochaeron, V.N., Berman B., 2003. New therapies for the management of keloids. *J Craniofac Surg* 14 : 654 – 657.
- Porras-Reyes BH, Mustoe TA. *Wound healing*. In: Cohen M, ed. *Mastery of Plastic and Reconstructive Surgery*. Boston, Mass: Little Brown; 1994:. 3-13.
- Robles D.T. MD PhD, Moore E, Draznin M. MD, Berg D. MD, 2007. Keloids: Pathophysiology and Management. *Dermatology Online Journal* 2007, 13 (3): 9.
- Sabiston CD. *Wound healing : Biologic and Clinical Features*. *Textbook of Surgery The Biological Basis of Modern Surgical Practice*, 15th ed.1997. WB Saunders Comp. Philadelphia: 207 – 219
- Seifert O., Mrowietz U. 2009. Keloid scarring: bench and bedside. *Archives of Dermatology Research*. 301:259-272.



- Shejbal D., Bedeković V., Lvkić M., Kalogjera L., Aleric Z., Drviš P. 2004. Strategies in the treatment of keloid and hypertrophic scarr. *Acta Clinica Croatia*. 43:417-422.
- Teeluck-Singh, S., Balkaran B., Ganeshmoorthi A., Arthur P., 2002. Prolonged childhood cushing's syndrom secondary to intralesional triamcinolone acetoneide. *Ann trop Paediatr Mar*: 22 (1) : 89 – 91.
- Wilhelmi B.J, 2008. Wound Healing, Widened and Hypertrophic Scars. <http://emedicine.medscape.com/article/1298541>. Accessed 20 August, 2009.

