

DAFTAR PUSTAKA

- Abose A, Adhena G and Dessie Y (2021) 'Assessment of Male Involvement in Long-Acting and Permanent Contraceptive Use of Their Partner in West Badewacho, Southern Ethiopia', *Open Access Journal of Contraception*, Volume 12:63–72, doi:10.2147/OAJC.S297267.
- Adani, Nadhila, Sukarno, Trihartini F, Pratama FB, Daisy L, Hartiti W, Nugraheni I, Rosita T, Mardani H, Maulana N, Sutanto E, Pattnaik A and Trihono (2022) *The Implementation of Family Planning Services in the Jaminan Kesehatan Nasional (JKN) Program: Indonesia Brief 4*, Jakarta, Indonesia.
- Adde KS, Ameyaw EK, Dickson KS, Paintsil JA, Oladimeji O and Yaya S (2022) 'Women's empowerment indicators and short- and long-acting contraceptive method use: evidence from DHS from 11 countries', *Reproductive Health*, 19(1):222, doi:10.1186/s12978-022-01532-5.
- Adokiya MN, Boah M and Adampah T (2021) 'Women's autonomy and modern contraceptive use in Ghana: a secondary analysis of data from the 2014 Ghana Demographic and Health Survey', *The European Journal of Contraception & Reproductive Health Care*, 26(5):383–389, doi:10.1080/13625187.2021.1910234.
- Alfian SD, Griselda M, Pratama MAA, Alshehri S and Abdulah R (2025) 'Factors associated with decision-making autonomy in healthcare utilization among married women from the Indonesia demographic health survey 2017', *Scientific Reports*, 15(1):9770, doi:10.1038/s41598-025-94057-3.
- Andersen RM (1995) *Revisiting the Behavioral Model and Access to Medical Care: Does it Matter?*
- Askew I, Raney L, Kerrigan M and Sridhar A (2024) 'Family planning saves maternal and newborn lives: Why universal access to contraception must be prioritized in national maternal and newborn health policies, financing, and programs', *International Journal of Gynecology & Obstetrics*, 164(2):536–540, doi:10.1002/ijgo.15127.
- Asres AW, Tiruneh AA, Ferede AG and Hunegnaw WA (2022) 'Determinants of long-acting reversible contraceptive use among women in Jawi woreda, North West Ethiopia: A case-control study', *SAGE Open Medicine*, 10, doi:10.1177/20503121221094658.
- Aychew EW, Bekele YA, Ayele AD, Dessie AM and Dagnaw GW (2022) 'Utilization of long-acting contraceptive methods and associated factors among married women in Farta Woreda, Northwest Ethiopia: a community-based mixed method study', *BMC Women's Health*, 22(1):533, doi:10.1186/s12905-022-02092-3.
- Bansode OM SMCDB (2024) *Contraception*. [Updated 2023 Jul 24]., In: *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing.
- Bertrand JT, Ross JA and Sauter SR (2022) 'Trends in contraceptive method mix among adolescents and youth aged 15-24 in low- and middle-income countries.', *Frontiers in global women's health*, 3:1061648, doi:10.3389/fgwh.2022.1061648.

- Bhowmik J, Biswas RK, Williams J and Dey SR (2024) ‘Women’s decision-making power can influence modern contraceptive use: Evidence from Bangladesh’, *The International Journal of Health Planning and Management*, 39(5):1503–1515, doi:10.1002/hpm.3822.
- Biswas RK, Farzana M, Bhar S and Bhowmik J (2023) ‘Contraceptive use in South and South-East Asian region: assessment of sustainable development goal 3.7 through indicator 3.7.1’, *Journal of Public Health*, 45(2):450–461, doi:10.1093/pubmed/fdac105.
- BKKBN (2020) *Peraturan Badan Kependudukan dan Keluarga Berencana Nasional Republik Indonesia Nomor 6 Tahun 2020 Tentang Rencana Strategis Badan Kependudukan dan Keluarga Berencana Nasional Tahun 2020-2024*, www.peraturan.go.id.
- (2023) *Peraturan Badan Kependudukan dan Keluarga Berencana Nasional Republik Indonesia Nomor 1 Tahun 2023 Tentang Pemenuhan Kebutuhan Alat dan Obat Kontrasepsi Bagi Pasangan Usia Subur dalam Pelayanan Keluarga Berencana*, <https://peraturan.bpk.go.id/Details/254345/peraturan-bkkbn-no-1-tahun-2023>, accessed 22 June 2025.
- BKKBN, BPS, Kemenkes and ICF (2018) *Indonesia Demographic and Health Survey 2017*, BKKBN, BPS, Kemenkes, and ICF, Jakarta, Indonesia, <http://dhsprogram.com/pubs/pdf/FR342/FR342.pdf>.
- Boah M, Issah A-N, Demuyakor I and Hyzam D (2022) ‘Long-acting reversible contraceptives utilization and its determinants among married Yemeni women of childbearing age who no longer want children’, doi:10.1097/MD.00000000000030717.
- Bolarinwa OA and Olagunju OS (2020) ‘Knowledge and factors influencing long-acting reversible contraceptives use among women of reproductive age in Nigeria’, *Gates Open Research*, 3:7, doi:10.12688/gatesopenres.12902.3.
- Bongaarts J (2001) ‘Fertility and Reproductive Preferences in Post-Transitional Societies’, *Population and Development Review*, 27:260–281, <http://www.jstor-org.ezproxy.ugm.ac.id/stable/3115260>.
- Bradley SEK and Shiras T (2022) ‘Where Women Access Contraception in 36 Low- and Middle-Income Countries and Why It Matters’, *Global Health: Science and Practice*, 10(3):e2100525, doi:10.9745/GHSP-D-21-00525.
- Branisa B, Klasen S and Ziegler M (2013) ‘Gender Inequality in Social Institutions and Gendered Development Outcomes’, *World Development*, 45:252–268, doi:10.1016/j.worlddev.2012.12.003.
- Croft, Trevor N, Marshall AMJ and Allen CK (2018) *Guide to DHS Statistics*, ICF, Rockville, Maryland, USA, https://www.dhsprogram.com/pubs/pdf/DHSG1/Guide_to_DHS_Statistics_DHS-7.pdf, accessed 19 June 2025.
- Damayanti R, Nisa H, Ariawan I, Titaley C, Dachlia D, Wahyuningrum Y and Storey D (2019) ‘Why Don’t Couples Use the Contraceptive That’s Best for Them? Social Determinants of Long Acting and Permanent Contraceptive Method Use in Indonesia’, *Indian Journal of Public Health Research & Development*, 10(2):617, doi:10.5958/0976-5506.2019.00361.9.

- Dayanti AA, Nurrochmah S and Alma LR (2022) 'The relationship between husband support and husband's education level with fertility of women of childbearing age in East Nusa Tenggara Province, Indonesia', *Journal of Public Health in Africa*, 13(2):5, doi:10.4081/jphia.2022.2397.
- D'Souza P, Bailey J V., Stephenson J and Oliver S (2022) 'Factors influencing contraception choice and use globally: a synthesis of systematic reviews', *The European Journal of Contraception & Reproductive Health Care*, 27(5):364–372, doi:10.1080/13625187.2022.2096215.
- Ekorian M, Muthmainnah M, Titisari A, Devi YP, Widodo T and Purwoko E (2023) 'The average age of first marriage for Indonesian women in their reproductive period who give birth to an average of two children: National survey (2017 – 2019)', *F1000Research*, 12:35, doi:10.12688/f1000research.126816.1.
- Frick AP (2021) 'Advanced maternal age and adverse pregnancy outcomes', *Best Practice & Research Clinical Obstetrics & Gynaecology*, 70:92–100, doi:10.1016/j.bpobgyn.2020.07.005.
- Gafar A, Suza DE, Efendi F, Has EMM, Pramono AP and Susanti IA (2020) 'Determinants of contraceptive use among married women in Indonesia', *F1000Research*, 9:193, doi:10.12688/f1000research.22482.1.
- Gashaye KT, Tsegaye AT, Abebe SM, Woldetsadik MA, Ayele TA and Gashaw ZM (2020) 'Determinants of long acting reversible contraception utilization in Northwest Ethiopia: An institution-based case control study', *PLOS ONE*, 15(10):e0240816, doi:10.1371/journal.pone.0240816.
- Gayatri M (2020) 'The Utilization of Long-Acting Reversible Contraception and Associated Factors Among Women in Indonesia', *Global Journal of Health Science*, 12(3):110, doi:10.5539/gjhs.v12n3p110.
- (2022) 'The use of long-acting and permanent contraceptive methods (LAPMs) among women who have completed childbearing in Indonesia: does informed choice matter?', *The European Journal of Contraception & Reproductive Health Care*, 27(1):28–33, doi:10.1080/13625187.2021.2008347.
- Gayatri M and Utomo B (2019) 'Contraceptive method use in Indonesia: Trends and Determinants between 2007, 2012 and 2017', *Indian Journal of Public Health Research & Development*, 10(12):1818, doi:10.37506/v10/i12/2019/ijphrd/192130.
- Götmark F and Andersson M (2020) 'Human fertility in relation to education, economy, religion, contraception, and family planning programs', *BMC Public Health*, 20(1):265, doi:10.1186/s12889-020-8331-7.
- Ibitoye M, Casterline JB and Zhang C (2022) 'Fertility Preferences and Contraceptive Change in Low- and Middle-Income Countries', *Studies in Family Planning*, 53(2):361–376, doi:10.1111/sifp.12202.
- Idris IB, Hamis AA, Bukhori ABM, Hoong DCC, Yusop H, Shaharuddin MA-A, Fauzi NAFA and Kandayah T (2023) 'Women's autonomy in healthcare decision making: a systematic review', *BMC Women's Health*, 23(1):643, doi:10.1186/s12905-023-02792-4.

- Jin F, Yang Y, Sun J, Li R, Yao F and Liu X (2024) 'Factors that influence the choice of long-acting reversible contraceptive use among adolescents post-abortion in Chongqing, China: a cross-sectional study', *Journal of Obstetrics and Gynaecology*, 44(1), doi:10.1080/01443615.2024.2316625.
- Kabir S, Tareq M and Hossain MdI (2024) 'Examining the decline in modern contraception usage among married women in Bangladesh: Applying Blinder-Oaxaca decomposition analysis', *PLOS ONE*, 19(5):e0304122, doi:10.1371/journal.pone.0304122.
- Kapadia-Kundu N, Tamene H, Ayele M, Dana F, Heliso S, Velu S, Berhanu T, Alemayehu G, Leslie L and Kaufman M (2022) 'Applying a gender lens to social norms, couple communication and decision making to increase modern contraceptive use in Ethiopia, a mixed methods study.', *Reproductive health*, 19(Suppl 1):138, doi:10.1186/s12978-022-01440-8.
- Kementerian Kesehatan Republik Indonesia (2021) *Pedoman Pelayanan Kontrasepsi*.
- Laksono AD, Wulandari RD, Widya Sukoco NE and Suharmiati S (2022) 'Husband's involvement in wife's antenatal care visits in Indonesia: What factors are related?', *Journal of Public Health Research*, 11(2), doi:10.1177/22799036221104156.
- Lanzola E and Ketvertis K (2023) 'Intrauterine Device', in *StatPearls [Internet]*, Treasure Island (FL): StatPearls Publishing, <https://www.ncbi.nlm.nih.gov/books/NBK557403/>, accessed 12 January 2025.
- Lederle M, Tempes J and Bitzer EM (2021) 'Application of Andersen's behavioural model of health services use: a scoping review with a focus on qualitative health services research.', *BMJ open*, 11(5):e045018, doi:10.1136/bmjopen-2020-045018.
- MacQuarrie KLD and Aziz A (2022) 'Women's decision-making and contraceptive use in Pakistan: an analysis of Demographic and Health Survey data', *Sexual and Reproductive Health Matters*, 29(2), doi:10.1080/26410397.2021.2020953.
- Maharani A, Sujarwoto S and Ekoriano M (2023) 'Health insurance and contraceptive use, Indonesian Family Planning Census 2021', *Bulletin of the World Health Organization*, 101(08):513–521, doi:10.2471/BLT.22.289438.
- Mahendra IGAA, Wilopo SA and Putra IGNE (2019) 'The role of decision-making pattern on the use of long-acting and permanent contraceptive methods among married women in Indonesia', *The European Journal of Contraception & Reproductive Health Care*, 24(6):480–486, doi:10.1080/13625187.2019.1670345.
- Mangimela-Mulundano A, Black KI and Cheney K (2022) 'A cross-sectional study of women's autonomy and modern contraception use in Zambia', *BMC Women's Health*, 22(1):550, doi:10.1186/s12905-022-02101-5.
- Marino S, Canela CD and Jenkins SM (2024) *Tubal Sterilization*, *StatPearls [Internet]*.

- Marphatia AA, Ambale GS and Reid AM (2017) ‘Women’s Marriage Age Matters for Public Health: A Review of the Broader Health and Social Implications in South Asia’, *Frontiers in Public Health*, 5, doi:10.3389/fpubh.2017.00269.
- McDonald-Mosley R and Burke A (2010) ‘Contraceptive Implants’, *Seminars in Reproductive Medicine*, 28(02):110–117, doi:10.1055/s-0030-1248135.
- McNeilly AS (2001) ‘Chapter 14 Neuroendocrine changes and fertility in breast-feeding women’, doi:10.1016/S0079-6123(01)33015-7.
- Mehari M, Maeruf H, Robles CC, Woldemariam S, Adhena T, Mulugeta M, Haftu A, Hagose H and Kumsa H (2020) ‘Advanced maternal age pregnancy and its adverse obstetrical and perinatal outcomes in Ayder comprehensive specialized hospital, Northern Ethiopia, 2017: a comparative cross-sectional study’, *BMC Pregnancy and Childbirth*, 20(1):60, doi:10.1186/s12884-020-2740-6.
- Melka AS, Beyene TT and Tesso DW (2015) ‘Determinants of long acting and permanent contraceptive methods utilization among married women of reproductive age groups in western Ethiopia: a cross-sectional study’, *Pan African Medical Journal*, 21, doi:10.11604/pamj.2015.21.246.5835.
- Meriggiola MC and Goulis DG (2024) ‘Contraceptive counseling: Shared decision on contraceptive choices’, *Andrology*, 12(7):1525–1528, doi:10.1111/andr.13688.
- Odimegwu C, Phiri M, Tapera T and Simona S (2023) ‘Patterns and correlates of intention to use contraceptives among fecund sexually active women in developing countries’, *Global Health Action*, 16(1), doi:10.1080/16549716.2023.2255043.
- OlaOlorun FM and Hindin MJ (2014) ‘Having a Say Matters: Influence of Decision-Making Power on Contraceptive Use among Nigerian Women Ages 35–49 Years’, *PLoS ONE*, 9(6):e98702, doi:10.1371/journal.pone.0098702.
- Rahayu S, Romadlona NA, Utomo B, Aryanty RI, Liyanto E, Hidayat M and Magnani RJ (2023) ‘Reassessing the level and implications of male involvement in family planning in Indonesia’, *BMC Women’s Health*, 23(1):220, doi:10.1186/s12905-023-02354-8.
- Ram R, Kumar M and Kumari N (2022) ‘Association between women’s autonomy and unintended pregnancy in India’, *Clinical Epidemiology and Global Health*, 15:101060, doi:10.1016/j.cegh.2022.101060.
- Rohmah N, Yusuf Ah, Hargono R, Laksono AD, Masruroh M, Prahastuti Sujoso AD, Ibrahim I, Marasabessy NB, Pakaya N, Abuk Seran A, Adriyani R and Walid S (2021) ‘Barrier to contraceptive use among childbearing age women in rural Indonesia’, *Malaysian Family Physician*, 16(3):16–22, doi:10.51866/oa1020.
- Ross JA (2021) ‘Contraceptive Use, Access to Methods, and Program Efforts in Urban Areas’, *Frontiers in Global Women’s Health*, 2, doi:10.3389/fgwh.2021.636581.
- Sarfraz M, Hamid S, Rawstorne P, Ali M and Jayasuriya R (2021) ‘Role of social network in decision making for increasing uptake and continuing use of long

- acting reversible (LARC) methods in Pakistan', *Reproductive Health*, 18(1):96, doi:10.1186/s12978-021-01149-0.
- Shalev C (1998) 'Rights to sexual and reproductive health - The ICPD and the Convention on the Elimination of All Forms of Discrimination Against Women'.
- Stonehill A, Bishu SG and Taddese HB (2020) 'Factors associated with long-acting and short-acting reversible contraceptive use in Ethiopia: an analysis of the 2016 Demographic and Health Survey', *The European Journal of Contraception & Reproductive Health Care*, 25(5):350–358, doi:10.1080/13625187.2020.1795116.
- Suhail Z, Hussain M, Hasan SU, Huda A, Raza T and Javaid A (2025) 'The Impact of Education on Knowledge and Use of Contraceptive Methods: A Comparative Analysis of Educated and Under educated Populations', *Pakistan Journal of Health Sciences* 254–259, doi:10.54393/pjhs.v6i1.2124.
- Sujarwoto S, Ekoriano M, Purwoko E, Titisari AS, Rahmadhony A and Sari DP (2023) 'Can a National Health Insurance Policy Increase Modern Contraceptive Use? A Cross-Sectional Study of the Indonesian Government Performance and Accountability Survey (GPAS) 2019', *Sage Open*, 13(1), doi:10.1177/21582440231160665.
- Thi Hai Yen N, Sukontamarn P and Ngoc Hoang Dang T (2021) 'Sex-Composition of Living Children and Women's Fertility Desire in Vietnam', *Journal of Family & Reproductive Health*, doi:10.18502/jfrh.v14i4.5207.
- Thomson E (2015) 'Family Size Preferences', in *International Encyclopedia of the Social & Behavioral Sciences*, Elsevier, doi:10.1016/B978-0-08-097086-8.31064-9.
- Trussell J (2014) 'Contraceptive Efficacy', *The Global Library of Women's Medicine*, doi:10.3843/GLOWM.10375.
- United Nations Department of Economic and Social Affairs PD (2022) (2022) *World Family Planning 2022: Meeting the changing needs for family planning: Contraceptive use by age and method*, New York.
- United Nations Population Fund (2024) *Family Planning*, <https://www.unfpa.org/family-planning#readmore-expand>, accessed 29 September 2024.
- VandeVusse A, Hussain R, Stillman M, Beavin C, Kirstein M and Kavanaugh ML (2023) 'Cost-related barriers to sexual and reproductive health care: Results from a longitudinal qualitative study in Arizona', *SSM - Qualitative Research in Health*, 4:100360, doi:10.1016/j.ssmqr.2023.100360.
- Wahdi AE, Sutanto E, Setyawan A, Astrini YP, Adani N, Mardani H, Maulana N, Pattnaik A, Trihono T and Wilopo SA (2024) 'National health insurance contribution to family planning program funding in Indonesia: A fund flow analysis', *Gates Open Research*, 7:105, doi:10.12688/gatesopenres.14642.2.
- Wang X and Cheng Z (2020) 'Cross-Sectional Studies: Strengths, Weaknesses, and Recommendations', *CHEST*, 158(1):S65–S71, doi:10.1016/j.chest.2020.03.012.

- Van der Wijden C and Manion C (2015) 'Lactational amenorrhoea method for family planning', *Cochrane Database of Systematic Reviews*, 2015(10), doi:10.1002/14651858.CD001329.pub2.
- World Health Organization Department of Sexual and Reproductive Health and Research (WHO/SRH), Johns Hopkins Bloomberg School of Public Health/Center for Communication Programs (CCP) and Knowledge SUCCESS (2022) *Family planning: A global handbook for providers (2022 update)*, CCP and WHO, Baltimore and Geneva, <https://fphandbook.org/sites/default/files/WHO-JHU-FPHandbook-2022Ed-v221114b.pdf>, accessed 15 January 2025.
- Wu JP, Moniz MH and Ursu AN (2018) 'Long-acting Reversible Contraception—Highly Efficacious, Safe, and Underutilized', *JAMA*, 320(4):397, doi:10.1001/jama.2018.8877.
- Yimer AH, Seid MS, Walelign F, Damtie Y and Seid AM (2023) 'Utilization of long-acting contraceptive methods and associated factors among female healthcare providers in South Wollo Zone hospitals, Northeast, Ethiopia. A cross-sectional multicenter study', *PLOS Global Public Health*, 3(3):e0001692, doi:10.1371/journal.pgph.0001692.
- Zelege LB, Alemu AA, Kassahun EA, Aynalem BY, Hassen HY and Kassa GM (2021) 'Individual and community level factors associated with unintended pregnancy among pregnant women in Ethiopia', *Scientific Reports*, 11(1):12699, doi:10.1038/s41598-021-92157-4.