

## DAFTAR PUSTAKA

- Afriyia, F. (2019). Keanekaragaman Jenis-Jenis Penyakit dan Cara Pengendaliannya di Pembibitan Kelapa Sawit (*Elaeis guineensis* Jacq) PT. Perkebunan Nusantara I Langsa. *Biologica Samudra*, 1(1), 34-40.
- Alviodinasyari, R., Martina, A., & Lestari, W. (2015). *Pengendalian Ganoderma boninense oleh Trichoderma sp. SBJ8 pada kecambah dan bibit kelapa sawit (Elaeis guineensis jacq.) di tanah gambut.* (Doctoral dissertation). Riau University, Riau, Indonesia.
- Azahar, T. M., Mustapha, J. C., Mazliham, S., & Boursier, P. (2011). Temporal analysis of basal stem rot disease in oil palm plantations: An analysis on peat soil. *Internat. J. Engine. Technol*, 11(3), 96-101.
- Aziz, M. H., Khairunniza-Bejo, S., Wayayok, A., Hashim, F., Kondo, N., & Azmi, A. N. (2021). Temporal changes analysis of soil properties associated with *Ganoderma boninense* pat. Infection in oil palm seedlings in a controlled environment. *Agronomy*, 11(11), 2279.
- Badan Pusat Statistik. 2022. *Statistik Kelapa Sawit Indonesia*. Jakarta: Badan Pusat Statistik Publisher
- Bharudin, I., Ab Wahab, A. F. F., Abd Samad, M. A., Xin Yie, N., Zairun, M. A., Abu Bakar, F. D., & Abdul Murad, A. M. (2022). Review update on the life cycle, plant–microbe interaction, genomics, detection and control strategies of the oil palm pathogen *Ganoderma boninense*. *Biology*, 11(2), 251.
- Bilir, Ö., Göl, D., Hong, Y., McDowell, J. M., & Tör, M. (2022). Small RNA-based plant protection against diseases. *Frontiers in Plant Science*, 13, 951097.
- Bolognesi, R., Ramaseshadri, P., Anderson, J., Bachman, P., Clinton, W., Flannagan, R., & Segers, G. (2012). Characterizing the mechanism of action of double-stranded RNA activity against western corn rootworm (*Diabrotica virgifera virgifera* LeConte). *PLoS ONE* 7(10).
- Cai, Q., Qiao, L., Wang, M., He, B., Lin, F. M., Palmquist, J., ... & Jin, H. (2018). Plants send small RNAs in extracellular vesicles to fungal pathogen to silence virulence genes. *Science*, 360(6393), 1126-1129.
- Chong, K. P., Dayou, J., Alexander, A., Chong, K. P., Dayou, J., & Alexander, A. (2017). Pathogenic nature of *Ganoderma boninense* and basal stem rot disease. *Detection and control of Ganoderma boninense in oil palm crop*, 5-12.

- Cooper, A. M., Song, H., Yu, Z., Biondi, M., Bai, J., Shi, X., & Zhu, K. Y. (2021). Comparison of strategies for enhancing RNA interference efficiency in *Ostrinia nubilalis*. *Pest management science*, *77*(2), 635-645.
- Costa-Rezende, D. H., Robledo, G. L., Góes-Neto, A., Reck, M. A., Crespo, E., & Drechsler-Santos, E. R. (2017). Morphological reassessment and molecular phylogenetic analyses of *Amauroderma* s. lat. raised new perspectives in the generic classification of the Ganodermataceae family. *Persoonia-Molecular Phylogeny and Evolution of Fungi*, *39*(1), 254-269.
- Dalakouras, A., Koidou, V., & Papadopoulou, K. (2024). DsRNA-based pesticides: Considerations for efficiency and risk assessment. *Chemosphere*, 141530.
- Degnan, R. M., McTaggart, A. R., Shuey, L. S., Pame, L. J. S., Smith, G. R., Gardiner, D. M., ... & Sawyer, A. (2023). Exogenous double-stranded RNA inhibits the infection physiology of rust fungi to reduce symptoms in planta. *Molecular Plant Pathology*, *24*(3), 191-207.
- Dousis, A., Ravichandran, K., Hobert, E. M., Moore, M. J., & Rabideau, A. E. (2023). An engineered T7 RNA polymerase that produces mRNA free of immunostimulatory byproducts. *Nature biotechnology*, *41*(4), 560-568.
- Duanis-Assaf, D., Galsurker, O., Davydov, O., Maurer, D., Feygenberg, O., Sagi, M., ... & Alkan, N. (2022). Double-stranded RNA targeting fungal ergosterol biosynthesis pathway controls *Botrytis cinerea* and postharvest grey mould. *Plant biotechnology journal*, *20*(1), 226-237.
- Du, Z., Dong, C. H., Wang, K., & Yao, Y. J. (2019). Classification, biological characteristics and cultivations of *Ganoderma*. *Ganoderma and Health: Biology, Chemistry and Industry*, 15-58.
- Dvorak, P., Chrast, L., Nikel, P. I., Fedr, R., Soucek, K., Sedlackova, M., & Damborsky, J. (2015). Exacerbation of substrate toxicity by IPTG in *Escherichia coli* BL21 (DE3) carrying a synthetic metabolic pathway. *Microbial cell factories*, *14*(1), 1-15.
- Farhana, B., Ilyas, S., & Budiman, L. F. (2013). Pematihan Dormansi Benih Kelapa Sawit (*Elaeis guineensis* Jacq.) dengan Perendaman dalam Air Panas dan Variasi Konsentrasi Ethephon. *Buletin Agrohorti*, *1*(1), 72-78.
- Fletcher, S. J., Reeves, P. T., Hoang, B. T., & Mitter, N. (2020). A perspective on RNAi-based biopesticides. *Frontiers in Plant Science*, *11*(1), 51.
- Guan, R., Chu, D., Han, X., Miao, X., & Li, H. (2021). Advances in the development of microbial double-stranded RNA production systems for application of RNA interference in agricultural pest control. *Frontiers in Bioengineering and Biotechnology*, *9*, 753790.

- He, W., Xu, W., Xu, L., Fu, K., Guo, W., Bock, R., & Zhang, J. (2020). Length-dependent accumulation of double-stranded RNAs in plastids affects RNA interference efficiency in the Colorado potato beetle. *Journal of Experimental Botany*, *71*(9), 2670-2677.
- Ho, C. L., Tan, Y. C., Yeoh, K. A., Ghazali, A. K., Yee, W. Y., & Hoh, C. C. (2016). De novo transcriptome analyses of host-fungal interactions in oil palm (*Elaeis guineensis* Jacq.). *BMC genomics*, *17*, 1-19.
- Hough, J., Howard, J. D., Brown, S., Portwood, D. E., Kilby, P. M., & Dickman, M. J. (2022). Strategies for the production of dsRNA biocontrols as alternatives to chemical pesticides. *Frontiers in Bioengineering and Biotechnology*, *10*, 980592.
- Horbach, R., Navarro-Quesada, A. R., Knogge, W., & Deising, H. B. (2011). When and how to kill a plant cell: infection strategies of plant pathogenic fungi. *Journal of plant physiology*, *168*(1), 51-62.
- Hue, Y., Stenlid, J., Elfstrand, M., & Olson, Å. (2013). Evolution of RNA interference proteins dicer and argonaute in Basidiomycota. *Mycologia*, *105*(6), 1489-1498.
- Idris, A. S., Kushairi, A., Ismail, S., & Ariffin, D. (2004). Selection for partial resistance in oil palm progenies to *Ganoderma* basal stem rot. *J Oil Palm Res*, *16*(2), 12-18.
- Irma, A., Meryandini, A., & Rupaedah, B. (2018). Biofungicide producing bacteria: an in vitro inhibitor of *Ganoderma boninense*. *Hayati Journal of Biosciences*, *25*(4), 151-151
- Jazuli, N. A., Kamu, A., Chong, K. P., Gabda, D., Hassan, A., Abu Seman, I., & Ho, C. M. (2022). A review of factors affecting *Ganoderma* basal stem rot disease progress in oil palm. *Plants*, *11*(19), 2462.
- Jiang, X., Attiogbe, K. B., Guo, Y., & Wu, X. (2024). Production of Double-Stranded RNA Using the Prokaryotic Promoter-Mediated Bidirectional Transcription. In *Double-Stranded RNA: Methods and Protocols* (pp. 47-55). New York, NY: Springer US.
- Kaur, R., Gupta, M., Singh, S., Joshi, N., & Sharma, A. (2020). Enhancing RNAi efficiency to decipher the functional response of potential genes in *Bemisia tabaci* AsiaII-1 (Gennadius) through dsRNA feeding assays. *Frontiers in Physiology*, *11*, 123.

- Kaur, R., Choudhury, A., Chauhan, S., Ghosh, A., Tiwari, R., & Rajam, M. V. (2021). RNA interference and crop protection against biotic stresses. *Physiology and Molecular Biology of Plants*, 27(10), 2357-2377.
- Khoo, Y. W., & Chong, K. P. (2023). Ganoderma boninense: general characteristics of pathogenicity and methods of control. *Frontiers in plant science*, 14, 1156869.
- Lim, F. H., Abd Rasid, O., Idris, A. S., As' wad, A. W. M., Vadamalai, G., Parveez, G. K. A., & Wong, M. Y. (2024). Gene silencing of Ganoderma boninense Lanosterol 14 $\alpha$ -demethylase (GBERG11) affects ergosterol biosynthesis and pathogenicity towards oil palm. *Scientia Horticulturae*, 332, 113198.
- Lorang, J. (2019). Necrotrophic exploitation and subversion of plant defense: a lifestyle or just a phase, and implications in breeding resistance. *Phytopathology*, 109(3), 332-346.
- Ma, Z. Z., Zhou, H., Wei, Y. L., Yan, S., & Shen, J. (2020). A novel plasmid–Escherichia coli system produces large batch dsRNAs for insect gene silencing. *Pest management science*, 76(7), 2505-2512.
- McLoughlin, A. G., Wytinck, N., Walker, P. L., Girard, I. J., Rashid, K. Y., de Kievit, T., ... & Belmonte, M. F. (2018). Identification and application of exogenous dsRNA confers plant protection against Sclerotinia sclerotiorum and Botrytis cinerea. *Scientific reports*, 8(1), 7320.
- Mendiola, S. Y., Civitello, D. J., & Gerardo, N. M. (2020). An integrative approach to symbiont-mediated vector control for agricultural pathogens. *Current opinion in insect science*, 39, 57-62.
- Moraleva, A. A., Deryabin, A. S., Rubtsov, Y. P., Rubtsova, M. P., & Dontsova, O. A. (2022). Eukaryotic Ribosome Biogenesis: The 40S Subunit. *Acta Naturae*, 14(1), 14.
- Naher, L., Yusuf, U. K., Habib, S. H., Ky, H. U. Y. N. H., & Siddiquee, S. H. A. F. I. Q. U. Z. Z. A. M. A. N. (2018). Mycoparasitism activity of Trichoderma harzianum associated with chitinase expression against Ganoderma boninense. *Pak. J. Bot*, 50(3), 1241-1245.
- Nainggolan, Y., Divia, D., Hutapea, D. L., Sirait, W. F., Sirait, M., & Sianturi, R. (2025). Anava Satu Jalur (One Way–Anova). *Innovative: Journal Of Social Science Research*, 5(1), 5670-5682.
- Nanda, A., Mohapatra, B. B., Mahapatra, A. P. K., Mahapatra, A. P. K., & Mahapatra, A. P. K. (2021). Multiple comparison test by Tukey's honestly significant difference (HSD): Do the confident level control type I

error. *International Journal of Statistics and Applied Mathematics*, 6(1), 59-65.

- Nerva, L., Sandrini, M., Gambino, G., & Chitarra, W. (2020). Double-stranded RNAs (dsRNAs) as a sustainable tool against gray mold (*Botrytis cinerea*) in grapevine: Effectiveness of different application methods in an open-air environment. *Biomolecules*, 10(2), 200.
- Niño-Sánchez, J., Chen, L. H., De Souza, J. T., Mosquera, S., & Stergiopoulos, I. (2021). Targeted delivery of gene silencing in fungi using genetically engineered bacteria. *Journal of Fungi*, 7(2), 125.
- Nurfatriani, F., Sari, G. K., Saputra, W., & Komarudin, H. (2022). Oil palm economic benefit distribution to regions for environmental sustainability: Indonesia's revenue-sharing scheme. *Land*, 11(9), 1452.
- Nwokeoji, A. O., Nwokeoji, E. A., Chou, T., & Togola, A. (2022). A novel sustainable platform for scaled manufacturing of double-stranded RNA biopesticides. *Bioresources and Bioprocessing*, 9(1), 1-16.
- Okolo, C. C., Okolo, E. C., Nnadi, A. L., Obikwelu, F. E., Obalum, S. E., & Igwe, C. A. (2019). The oil palm (*Elaeis guineensis* Jacq): nature's ecological endowment to eastern Nigeria. *Agro-Science*, 18(3), 48-57.
- Priwiratama, H., Prasetyo, A. E., & Susanto, A. (2014). Pengendalian penyakit busuk pangkal batang kelapa sawit secara kultur teknis. *Jurnal Fitopatologi Indonesia*, 10(1), 1-1.
- Qiao, L., Lan, C., Capriotti, L., Ah-Fong, A., Nino Sanchez, J., Hamby, R., ... & Jin, H. (2021). Spray-induced gene silencing for disease control is dependent on the efficiency of pathogen RNA uptake. *Plant Biotechnology Journal*, 19(9), 1756-1768.
- Ray, P., Sahu, D., Aminedi, R., & Chandran, D. (2022). Concepts and considerations for enhancing RNAi efficiency in phytopathogenic fungi for RNAi-based crop protection using nanocarrier-mediated dsRNA delivery systems. *Frontiers in Fungal Biology*, 3, 977502.
- Rupaedah, B., Wachid, W. A., Safarrida, A., Purwoko, D., & Masruri, M. (2024). Volatile organic compounds (VOCs) produced by indigenous Bacterium strain BS1727 as antifungal agents against *Ganoderma boninense*. *Journal of the Saudi Society of Agricultural Sciences*.
- Schmeing, T. M., & Ramakrishnan, V. (2009). What recent ribosome structures have revealed about the mechanism of translation. *Nature*, 461(7268), 1234-1242.

- Sharma, R., Sharad, S., Minhas, G., Sharma, D. R., Bhatia, K., & Sharma, N. K. (2023). DNA, RNA isolation, primer designing, sequence submission, and phylogenetic analysis. In *Basic biotechniques for bioprocess and bioentrepreneurship* (pp. 197-206). Academic Press.
- Shcherbakova, L., Kartashov, M., Statsyuk, N., Pasechnik, T., & Dzhavakhiya, V. (2020). Assessment of the sensitivity of some plant pathogenic fungi to 6-demethylmevinolin, a putative natural sensitizer able to help overcome the fungicide resistance of plant pathogens. *Antibiotics*, 9(12), 842.
- Siddiqui, Y., Surendran, A., Paterson, R. R. M., Ali, A., & Ahmad, K. (2021). Current strategies and perspectives in detection and control of basal stem rot of oil palm. *Saudi Journal of Biological Sciences*, 28(5), 2840-2849.
- Silver, K., Cooper, A. M., & Zhu, K. Y. (2021). Strategies for enhancing the efficiency of RNA interference in insects. *Pest Management Science*, 77(6), 2645-2658.
- Spada, M., Pugliesi, C., Fambrini, M., & Pecchia, S. (2021). Silencing of the SlT2-type MAP kinase Bmp3 in *Botrytis cinerea* by application of exogenous dsRNA affects fungal growth and virulence on *Lactuca sativa*. *International journal of molecular sciences*, 22(10), 5362.
- Susanto, A., Prasetyo, A. E., & Wening, S. (2013). Laju infeksi *Ganoderma* pada empat kelas tekstur tanah. *Jurnal Fitopatologi Indonesia*, 9(2), 39-39.
- Timmons, L., Court, D. L., & Fire, A. (2001). Ingestion of bacterially expressed dsRNAs can produce specific and potent genetic interference in *Caenorhabditis elegans*. *Gene*, 263(1-2), 103-112.
- Toyobo. (2025). *Toyobo Research Reagents: Target Clone and Target Clone -Plus*. Retrieved from [https://www.toyobo-global.com/products/lifescience/products/clon\\_010/index.html](https://www.toyobo-global.com/products/lifescience/products/clon_010/index.html)
- Turner, P. D. (1981). *Oil palm diseases and disorders*. Malaysia: Oxford University Press
- Verdonckt, T. W., & Vanden Broeck, J. (2022). Methods for the cost-effective production of bacteria-derived double-stranded RNA for in vitro knockdown studies. *Frontiers in Physiology*, 13, 836106.
- Voloudakis, A. E., Holeva, M. C., Sarin, L. P., Bamford, D. H., Vargas, M., Poranen, M. M., & Tenllado, F. (2015). Efficient double-stranded RNA production methods for utilization in plant virus control. *Plant Virology Protocols: New Approaches to Detect Viruses and Host Responses*, 255-274.

- Wang, M., Weiberg, A., Lin, F. M., Thomma, B. P., Huang, H. D., & Jin, H. (2016). Bidirectional cross-kingdom RNAi and fungal uptake of external RNAs confer plant protection. *Nature plants*, 2(10), 1-10.
- Wuthisathid, K., Chaijarasphong, T., Chotwiwatthanakun, C., Somrit, M., Sritunyalucksana, K., & Itsathitphaisarn, O. (2021). Co-expression of double-stranded RNA and viral capsid protein in the novel engineered Escherichia coli DualX-B15 (DE3) strain. *BMC microbiology*, 21, 1-11.
- Woittiez, L. S., Van Wijk, M. T., Slingerland, M., Van Noordwijk, M., & Giller, K. E. (2017). Yield gaps in oil palm: A quantitative review of contributing factors. *European Journal of Agronomy*, 83, 57-77.
- Zhang, Y., Wu, M., Zhang, H., Li, Y., Wang, Y., Meng, F., ... & Luo, C. X. (2024). The Bacteria-Derived dsRNA Was Used for Spray-Induced Gene Silencing for Rice False Smut Control. *Journal of Agricultural and Food Chemistry*, 72(51), 28246-28254.
- Zotti, M., Dos Santos, E. A., Cagliari, D., Christiaens, O., Taning, C. N. T., & Smagghe, G. (2018). RNA interference technology in crop protection against arthropod pests, pathogens and nematodes. *Pest management science*, 74(6), 1239-1250.