



Kepustakaan

- Aromataris, E., & Munn, Z. (Eds.). (2020). *JBI manual for evidence synthesis*. JBI.
- A.A.A. Manik J. Djelantik, Geert E. Smid, Anna Mroz, Rolf J. Kleber, & Paul A. Boelen. (2020). *The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: Systematic review and meta regression analysis*. 265, 146–156. <https://doi.org/10.1016/j.jad.2020.01.034>
- Aeschlimann, A., Heim, E., Killikelly, C., Arafa, M., & Maercker, A. (2024). Culturally sensitive grief treatment and support: A scoping review. *SSM - Mental Health*, 5, 100325. <https://doi.org/10.1016/j.ssmmh.2024.100325>
- Alonso-Llácer, L., Barreto Martín, P., Ramos-Campos, M., Mesa-Gresa, P., Lacomba-Trejo, L., & Pérez-Marín, M. (2020). Mindfulness y duelo: Programa MADED, mindfulness para la aceptación del dolor, las emociones y el duelo. *Psicooncología*, 17(1), 105–116. <https://doi.org/10.5209/psic.68244>
- Bai, Y., Ma, J.-H., Yu, Y., & Wang, Z.-W. (2022). Effect of Cognitive-Behavioral Therapy or Mindfulness Therapy on Pain and Quality of Life in Patients with Diabetic Neuropathy: A Systematic Review and Meta-Analysis. *Pain Management Nursing*, 23(6), 861–870. <https://doi.org/10.1016/j.pmn.2022.05.005>
- Batista, J., Alves, D., Pires, N., Silva, J. R., Mendes, I., Magalhães, C., Rosa, C., Oliveira, J. T., Gonçalves, M. M., & Neimeyer, R. A. (2025). The Meaning in Loss protocol: A clinical trial of online grief therapy. *Death Studies*, 49(1), 8–20. Scopus. <https://doi.org/10.1080/07481187.2024.2370633>
- Beck, K., Vincent, A., Becker, C., Keller, A., Hasret Cam, Schaefer, R., Reinhardt, T., Sutter, R., Tisljar, K., Bassetti, S., Schuetz, P., & Hunziker, S. (2021). Prevalence and factors associated with psychological burden in COVID-19 patients and their relatives: A prospective observational cohort study. *PLoS One*, 16(5). Publicly Available Content Database. <https://doi.org/10.1371/journal.pone.0250590>
- Belsher, B. E., Beech, E., Evatt, D., Smolenski, D. J., Shea, M. T., Otto, J. L., Rosen, C. S., & Schnurr, P. P. (2019). Present-centered therapy (PCT) for post-traumatic stress disorder (PTSD) in adults. *Cochrane Database of Systematic Reviews*, 2019(11). <https://doi.org/10.1002/14651858.cd012898.pub2>
- Boelen, P. A., De Keijser, J., & Smid, G. (2015). Cognitive-behavioral variables mediate the impact of violent loss on post-loss psychopathology. *Psychological Trauma: Theory, Research, Practice, and Policy*, 7(4), 382–390. <https://doi.org/10.1037/tra0000018>
- Boelen, P. A., Lenferink, L. I. M., & Spuij, M. (2021). CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. *American Journal of Psychiatry*, 178(4), 294–304. <https://doi.org/10.1176/appi.ajp.2020.20050548>
- Boelen, P. A., & O'Connor, M. (2025). *COGNITIVE THERAPY FOR TRANSDIAGNOSTIC COMPLICATED GRIEF*. <https://doi.org/10.13140/RG.2.2.33920.34561>
- Bonanno, G. A., & Malgaroli, M. (2020). Trajectories of grief: Comparing symptoms from the DSM-5 and ICD-11 diagnoses. *Depression and Anxiety*, 37(1), 17–25. Scopus. <https://doi.org/10.1002/da.22902>
- Bonanno, G. A., Neria, Y., Mancini, A., Coifman, K. G., Litz, B., & Insel, B. (2007). Is there more to complicated grief than depression and posttraumatic stress disorder? A test of incremental validity. *Journal of Abnormal Psychology*, 116(2), 342–351. <https://doi.org/10.1037/0021-843X.116.2.342>



- Brewin, C. R. (n.d.). *Episodic Memory, Perceptual Memory, and their Interaction*.
- Brodbeck, J., Berger, T., Biesold, N., Rockstroh, F., & Znoj, H. J. (2019). Evaluation of a guided internet-based self-help intervention for older adults after spousal bereavement or separation/divorce: A randomised controlled trial. *Journal of Affective Disorders, 252*, 440–449. Scopus. <https://doi.org/10.1016/j.jad.2019.04.008>
- Bryant, R. A., Azevedo, S., Yadav, S., Cahill, C., Kenny, L., Maccallum, F., Tran, J., Choi-Christou, J., Rawson, N., Tockar, J., Garber, B., Keyan, D., & Dawson, K. S. (2024). Cognitive Behavior Therapy vs Mindfulness in Treatment of Prolonged Grief Disorder: A Randomized Clinical Trial. *JAMA Psychiatry, 81*(7), 646–654. <https://doi.org/10.1001/jamapsychiatry.2024.0432>
- Bryant, R. A., Kenny, L., Joscelyne, A., Rawson, N., Maccallum, F., Cahill, C., & Hopwood, S. (2017). Predictors of treatment response for cognitive behaviour therapy for prolonged grief disorder. *European Journal of Psychotraumatology, 8*(sup6), 1556551. <https://doi.org/10.1080/20008198.2018.1556551>
- Bryant, R. A., Kenny, L., Joscelyne, A., Rawson, N., Maccallum, F., Cahill, C., Hopwood, S., Aderka, I., & Nickerson, A. (2014). Treating Prolonged Grief Disorder: A Randomized Clinical Trial. *JAMA Psychiatry, 71*(12), 1332. <https://doi.org/10.1001/jamapsychiatry.2014.1600>
- Bui, E. (Ed.). (2018). *Clinical Handbook of Bereavement and Grief Reactions*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-65241-2>
- Çınaroğlu, M., Yilmazer, E., Ülker, S. V., & Çınar, F. (2025). Effects of Ericksonian Hypnotherapy Versus Cognitive Behavioral Therapy on Prolonged Grief Among University Students: A Randomized Clinical Trial. *International Journal of Clinical and Experimental Hypnosis*. Scopus. <https://doi.org/10.1080/00207144.2025.2464747>
- Comtesse, H., Smid, G. E., Rummel, A.-M., Spreuwenberg, P., Lundorff, M., & Dückers, M. L. A. (2024). Cross-national analysis of the prevalence of prolonged grief disorder. *Journal of Affective Disorders, 350*, 359–365. <https://doi.org/10.1016/j.jad.2024.01.094>
- Debrot, A., Efinger, L., Kheyar, M., Pomini, V., & Berthoud, L. (2024). A French-Language Web-Based Intervention Targeting Prolonged Grief Symptoms in People Who Are Bereaved and Separated: Randomized Controlled Trial. *JMIR Formative Research, 8*. <https://doi.org/10.2196/57294>
- Egan, J. (2005). *Dropout and Related Factors in Therapy*.
- Eisma, M. C., Boelen, P. A., Van Den Bout, J., Stroebe, W., Schut, H. A. W., Lancee, J., & Stroebe, M. S. (2015). Internet-Based Exposure and Behavioral Activation for Complicated Grief and Rumination: A Randomized Controlled Trial. *Behavior Therapy, 46*(6), 729–748. <https://doi.org/10.1016/j.beth.2015.05.007>
- Eisma, M. C., De Lang, T. A., & Stroebe, M. S. (2022). Restoration-oriented stressors of bereavement. *Anxiety, Stress, & Coping, 35*(3), 339–353. <https://doi.org/10.1080/10615806.2021.1957849>
- Elinger, G., Hasson-Ohayon, I., Bar-Shachar, Y., & Peri, T. (2023). A quasi-experimental trial of narrative reconstruction for prolonged grief disorder: Symptomatic improvement and enhanced memory integration. *Journal of Clinical Psychology, 79*(12), 2849–2868. Scopus. <https://doi.org/10.1002/jclp.23583>
- Elinger, G., Hasson-Ohayon, Ilanit, Barkalifa, Eran, Boelen, Paul A., & Peri, T. (2021). Narrative reconstruction therapy for prolonged grief disorder – a pilot study. *European Journal of Psychotraumatology, 12*(1), 1896126.



- <https://doi.org/10.1080/20008198.2021.1896126>
- Erickson, M. H. (2011). Naturalistic Techniques of Hypnosis. *American Journal of Clinical Hypnosis*, 333-340.
- Galatzer-Levy, I. R., Huang, S. H., & Bonanno, G. A. (2018). Trajectories of resilience and dysfunction following potential trauma: A review and statistical evaluation. *Clinical Psychology Review*, 63, 41–55. <https://doi.org/10.1016/j.cpr.2018.05.008>
- Freud, S., Strachey, J., Freud, A., Strachey, A., & Tyson, A. (n.d.). *The Standard Edition of the Complete Psychological Works of*.
- Holland, J. M., Plant, C. P., Klingspon, K. L., & Neimeyer, R. A. (2020). Bereavement-related regrets and unfinished business with the deceased. *Death Studies*, 44(1), 42–47. <https://doi.org/10.1080/07481187.2018.1521106>
- Jacob, D. A. (2024). *The Mourning Process from Shattering to Integration*. 6(1).
- Johannsen, M., Schlander, C., Farver-Vestergaard, I., Lundorff, M., Wellnitz, K. B., Jordan, A. H., & Litz, B. T. (2014). Prolonged grief disorder: Diagnostic, assessment, and treatment considerations. *Professional Psychology: Research and Practice*, 45(3), 180–187. <https://doi.org/10.1037/a0036836>
- Johnson, J. G., First, M. B., Block, S., Vanderwerker, L. C., Zivin, K., Zhang, B., & Prigerson, H. G. (2009). Stigmatization and Receptivity to Mental Health Services Among Recently Bereaved Adults. *Death Studies*, 33(8), 691–711. <https://doi.org/10.1080/07481180903070392>
- Kaiser, J., Nagl, M., Hoffmann, R., Linde, K., & Kersting, A. (2022). Therapist-Assisted Web-Based Intervention for Prolonged Grief Disorder After Cancer Bereavement: Randomized Controlled Trial. *JMIR Mental Health*, 9(2). <https://doi.org/10.2196/27642>
- Karangoda, M. D., Breen, Lauren J., & Mazzucchelli, T. G. (2021). Brief behavioural activation for prolonged grief disorder: A case series. *Clinical Psychologist*, 25(1), 88–97. <https://doi.org/10.1080/13284207.2020.1829942>
- Kendall, P. C., & Frank, H. E. (2018). Implementing evidence-based treatment protocols: Flexibility within fidelity. *Clinical Psychology: Science and Practice*, 25(4). <https://doi.org/10.1111/cpsp.12271>
- Kirmayer, L. J., Gómez-Carrillo, A., Sukhanova, E., & Garrido, E. (2023). Narrative Medicine. In J. E. Mezzich, W. J. Appleyard, P. Glare, J. Snaedal, & C. R. Wilson (Eds.), *Person Centered Medicine* (pp. 235–255). Springer International Publishing. https://doi.org/10.1007/978-3-031-17650-0_14
- Koda, R., Fujisawa, D., Kawaguchi, M., & Kasai, H. (2023). Experience of application of the meaning-centered psychotherapy to Japanese bereaved family of patients with cancer – A mixed-method study. *Palliative and Supportive Care*, 21(4), 594–602. <https://doi.org/10.1017/S147895152200150X>
- Komischke-Konnerup, K. B., O'Connor, M., Hoijsink, H., & Boelen, P. A. (2025). Cognitive-Behavioral Therapy for Complicated Grief Reactions: Treatment Protocol and Preliminary Findings From a Naturalistic Setting. *Cognitive and Behavioral Practice*, 32(1), 29–43. <https://doi.org/10.1016/j.cbpra.2023.11.001>
- Komischke-Konnerup, K. B., Zachariae, R., Boelen, P. A., Marengo, M. M., & O'Connor, M. (2024a). Grief-focused cognitive behavioral therapies for prolonged grief symptoms: A systematic review and meta-analysis. *Journal of Consulting and Clinical Psychology*, 92(4), 236–248. <https://doi.org/10.1037/ccp0000884>
- Komischke-Konnerup, K. B., Zachariae, R., Boelen, P. A., Marengo, M. M., & O'Connor, M.



- (2024b). Grief-focused cognitive behavioral therapies for prolonged grief symptoms: A systematic review and meta-analysis. *Journal of Consulting and Clinical Psychology*, 92(4), 236–248. <https://doi.org/10.1037/ccp0000884>
- Komischke-Konnerup, K. B., Zachariae, R., Johannsen, M., Nielsen, L. D., & O'Connor, M. (2021). Co-occurrence of prolonged grief symptoms and symptoms of depression, anxiety, and posttraumatic stress in bereaved adults: A systematic review and meta-analysis. *Journal of Affective Disorders Reports*, 4, 100140. <https://doi.org/10.1016/j.jadr.2021.100140>
- Komischke-Konnerup, K. B., & O'Connor, M. (2022). Group-based compassion-focused therapy for prolonged grief symptoms in adults – Results from a randomized controlled trial. *Psychiatry Research*, 314, 114683. <https://doi.org/10.1016/j.psychres.2022.114683>
- Lenferink, L. I. M., Eisma, M. C., Buitter, M. Y., de Keijser, J., & Boelen, P. A. (2023). Online cognitive behavioral therapy for prolonged grief after traumatic loss: A randomized waitlist-controlled trial. *Cognitive Behaviour Therapy*, 52(5), 508–522. Scopus. <https://doi.org/10.1080/16506073.2023.2225744>
- Lenferink, L. I. M., Eisma, M. C., De Keijser, J., & Boelen, P. A. (2017). Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. *European Journal of Psychotraumatology*, 8(sup6). <https://doi.org/10.1080/20008198.2017.1378052>
- Levi-Belz, Y. (2023). Interpersonal facilitators of complicated grief and depression in the aftermath of suicide loss: The mediated roles of suicide-related shame and guilt. *Suicide and Life-Threatening Behavior*, 53(4), 680–691. Scopus. <https://doi.org/10.1111/sltb.12973>
- Lichtenthal, W. G., Catarozoli, C., Masterson, M., Slivjak, E., Schofield, E., Roberts, K. E., Neimeyer, R. A., Wiener, L., Prigerson, H. G., Kissane, D. W., Li, Y., & Breitbart, W. (2019). An open trial of meaning-centered grief therapy: Rationale and preliminary evaluation. *Palliative and Supportive Care*, 17(1), 2–12. Scopus. <https://doi.org/10.1017/S1478951518000925>
- Lundorff, M., Holmgren, H., Zachariae, R., Farver-Vestergaard, I., & O'Connor, M. (2017). Prevalence of prolonged grief disorder in adult bereavement: A systematic review and meta-analysis. *Journal of Affective Disorders*, 212, 138–149. <https://doi.org/10.1016/j.jad.2017.01.03>
- Maass, U., Hofmann, L., Perlinger, J., & Wagner, B. (2022). Effects of bereavement groups—a systematic review and meta-analysis. *Death Studies*, 46(3), 708–718. <https://doi.org/10.1080/07481187.2020.1772410>
- Maccallum, F., Dawson, K., Azevedo, S., & Bryant, R. A. (2025). Challenges in Grief-Focused Cognitive Behavior Therapy for Prolonged Grief Disorder. *Cognitive and Behavioral Practice*, 32(1), 18–28. Scopus. <https://doi.org/10.1016/j.cbpra.2023.10.002>
- Mahatthanadull, S. (2020). *Life Coaching: A View from Buddhist Psychotherapy and Counseling*. 11(1).
- Mancini, A. D., Bonanno, G. A., & Clark, A. E. (2011). Stepping Off the Hedonic Treadmill: Individual Differences in Response to Major Life Events. *Journal of Individual Differences*, 32(3), 144–152. <https://doi.org/10.1027/1614-0001/a000047>
- Marco, J. H., Llombart, P., Romero, R., García-Conde, A., Corral, V., Guillen, V., & Perez, S. (2024). Meaning-Centered Psychotherapy Versus Cognitive Behavioral Therapy



- for Cancer Survivors: A Randomized Controlled Trial☆. *Behavior Therapy*, 55(5), 1071–1083. <https://doi.org/10.1016/j.beth.2024.03.005>
- Musiat, P., & Tarrier, N. (2014). Collateral outcomes in e-mental health: A systematic review of the evidence for added benefits of computerized cognitive behavior therapy interventions for mental health. *Psychological Medicine*, 44(15), 3137–3150. <https://doi.org/10.1017/S0033291714000245>
- Nesci, D. A., Chiarella, S. G., Corona, E., Savoia, V., Zampogna, M., Nesci, F. A., Porcaro, G., Mari, G., Nappa, M. R., Palummieri, A., Calabrese, L., Raffone, A., Averna, S., Dunn, L. B., Almadori, G., & Paludetti, G. (2021). Multimedia Psychotherapy: Brief report of a pilot study. *Rivista Di Psichiatria*, 56(3), 149–156. <https://doi.org/10.1708/3635.36156>
- Peri, T., Hasson-Ohayon, I., Garber, S., Tuval-Mashiach, R., & Boelen, P. A. (2016). Narrative reconstruction therapy for prolonged grief disorder—Rationale and case study. *European Journal of Psychotraumatology*, 7(1), 30687. <https://doi.org/10.3402/ejpt.v7.30687>
- Pop-Jordanova, N. (2021). Grief: Aetiology, Symptoms and Management. *PRILOZI*, 42(2), 9–18. <https://doi.org/10.2478/prilozi-2021-0014>
- Prigerson, H. G., Singer, J., & Killikelly, C. (2024). Prolonged Grief Disorder: Addressing Misconceptions With Evidence. *The American Journal of Geriatric Psychiatry*, 32(5), 527–534. <https://doi.org/10.1016/j.jagp.2023.10.020>
- Reitsma, L., Boelen, P. A., De Keijser, J., & Lenferink, L. I. M. (2023). Self-guided online treatment of disturbed grief, posttraumatic stress, and depression in adults bereaved during the COVID-19 pandemic: A randomized controlled trial. *Behaviour Research and Therapy*, 163, 104286. <https://doi.org/10.1016/j.brat.2023.104286>
- Rodriguez-Villar, S., Okegbola, E. O., Arevalo-Serrano, J., Duval, Y., Mathew, A., Rodriguez-Villar, C., Smith, K. V., Kennedy, R. C., & Prigerson, H. G. (2024). Grief and coping among relatives of patients who died of COVID-19 in intensive care during the height of the COVID-19 pandemic. *BJPsych Open*, 10(6). Coronavirus Research Database; Publicly Available Content Database. <https://doi.org/10.1192/bjo.2024.741>
- Rosner, R., Rau, J., Kersting, A., Rief, W., Steil, R., Rummel, A.-M., Vogel, A., & Comtesse, H. (2025). Grief-Specific Cognitive Behavioral Therapy vs Present-Centered Therapy: A Randomized Clinical Trial. *JAMA Psychiatry*, 82(2), 109–117. <https://doi.org/10.1001/jamapsychiatry.2024.3409>
- Sabucedo, P., Evans, C., Gaitanidis, A., & Hayes, J. (2021). When experiences of presence go awry: A survey on psychotherapy practice with the ambivalent-to-distressing ‘hallucination’ of the deceased. *Psychology and Psychotherapy: Theory, Research and Practice*, 94(S2), 464–480. Scopus. <https://doi.org/10.1111/papt.12285>
- Short, D. N. (2021). What is Ericksonian therapy: The use of core competencies to operationally define a nonstandardized approach to psychotherapy. *Clinical Psychology: Science and Practice*, 28(3), 282–292. <https://doi.org/10.1037/cps0000014>
- Srivastava, T., Lee, K., Ehrenkranz, R., Cozzolino, P. J., Wise, F. A., Burns, M., McCormick, T., Yaden, D., Agrawal, M., & Penberthy, J. K. (2025). The efficacy of psychotherapeutic interventions for prolonged grief disorder: A systematic review. *Journal of Affective Disorders*, 380, 561–575. <https://doi.org/10.1016/j.jad.2025.03.173>
- Sveen, J., Eisma, Maarten C., Boelen, Paul A., Arnberg, Filip K., & Eklund, R. (n.d.).



- My grief app for prolonged grief in bereaved parents: A randomised waitlist-controlled trial. *Cognitive Behaviour Therapy*, 1–17. <https://doi.org/10.1080/16506073.2024.2429068>
- Szuhany, K. L., Malgaroli, M., Miron, C. D., & Simon, N. M. (2021). Prolonged Grief Disorder: Course, Diagnosis, Assessment, and Treatment. *Focus*, 19(2), 161–172. <https://doi.org/10.1176/appi.focus.20200052>
- Tang, S., & Xiang, Z. (2021). Who suffered most after deaths due to COVID-19? Prevalence and correlates of prolonged grief disorder in COVID-19 related bereaved adults. *Globalization and Health*, 17(1), 19. <https://doi.org/10.1186/s12992-021-00669-5>
- Testoni, I., Bregoli, J., Pompele, S., & Maccarini, A. (2020). Social Support in Perinatal Grief and Mothers' Continuing Bonds: A Qualitative Study With Italian Mourners. *Affilia*, 35(4), 485–502. <https://doi.org/10.1177/0886109920906784>
- Thompson, B. L., & Waltz, J. (2008). Self-compassion and PTSD symptom severity. *Journal of Traumatic Stress*, 21(6), 556–558. <https://doi.org/10.1002/jts.20374>
- Treml, J., Nagl, M., Linde, K., Kündiger, C., Peterhänsel, C., & Kersting, A. (2021). Efficacy of an Internet-based cognitive-behavioural grief therapy for people bereaved by suicide: A randomized controlled trial. *European Journal of Psychotraumatology*, 12(1). Publicly Available Content Database. <https://doi.org/10.1080/20008198.2021.1926650>
- Tur, C., Campos, D., Suso-Ribera, C., Kazlauskas, E., Castilla, D., Zaragoza, I., García-Palacios, A., & Quero, S. (2022). An Internet-delivered Cognitive-Behavioral Therapy (iCBT) for Prolonged Grief Disorder (PGD) in adults: A multiple-baseline single-case experimental design study. *Internet Interventions*, 29, 100558. <https://doi.org/10.1016/j.invent.2022.100558>
- Vogel, A., Comtesse, H., Nocon, A., Kersting, A., Rief, W., Steil, R., & Rosner, R. (2021). Feasibility of Present-Centered Therapy for Prolonged Grief Disorder: Results of a Pilot Study. *Frontiers in Psychiatry*, 12, 534664. <https://doi.org/10.3389/fpsy.2021.534664>
- Wells, A. (2005). Detached Mindfulness In Cognitive Therapy: A Metacognitive Analysis And Ten Techniques. *Journal of Rational-Emotive & Cognitive-Behavior Therapy*, 23(4), 337–355. <https://doi.org/10.1007/s10942-005-0018-6>
- Wenn, J., O'Connor, M., Breen, L. J., Kane, R. T., & Rees, C. S. (2015). Efficacy of metacognitive therapy for prolonged grief disorder: Protocol for a randomised controlled trial. *BMJ Open*, 5(12), e007221. <https://doi.org/10.1136/bmjopen-2014-007221>
- Wenn, J. A., O'Connor, M., Kane, R. T., Rees, C. S., & Breen, L. J. (2019). A pilot randomised controlled trial of metacognitive therapy for prolonged grief. *BMJ Open*, 9(1), e021409. <https://doi.org/10.1136/bmjopen-2017-021409>
- Wittouck, C., Van Autreve, S., De Jaegere, E., Portzky, G., & Van Heeringen, K. (2011). The prevention and treatment of complicated grief: A meta-analysis. *Clinical Psychology Review*, 31(1), 69–78. <https://doi.org/10.1016/j.cpr.2010.09.005>
- Xiu, D., He, L., Killikelly, C., & Maercker, A. (2020). Prolonged Grief Disorder and Positive Affect Improved by Chinese Brush Painting Group in Bereaved Parents: A Pilot Study. *Journal of Social Work in End-of-Life & Palliative Care*, 16(2), 116–132. <https://doi.org/10.1080/15524256.2020.1749923>