

DAFTAR PUSTAKA

- Argudín, M.A., Mendoza, M.C., dan Rodicio, M.R. 2010. Food Poisoning and *Staphylococcus aureus* Enterotoxins. *Toxins*, 2(7), 1751–1773.
- Arisanti, R.R., Indriani, C., dan Wilopo, S.A. 2018. Kontribusi agen dan faktor penyebab kejadian luar biasa keracunan pangan di Indonesia: kajian sistematis Contribution of agents and factors causing foodborne outbreak in Indonesia: a systematic review. *Berita Kedokteran Masyarakat (BKM Journal of Community Medicine and Public Health)*, 34(3), 99–106.
- Asao, T., Kumeda, Y., Kawai, T., Shibata, H., Oda, K., Haruki, K., Nakazawa, H., dan Kozaki, S. 2003. An extensive outbreak of staphylococcal food poisoning due to low-fat milk in Japan : estimation of enterotoxin A in the incriminated milk and powdered skim milk. *Epidemiology Infection*, 33–40.
- Ascoli, C.A., and Anggeler, B., 2018. Review: *Overlooked benefits of using polyclonal antibodies*. *Bio-Technique* 65;167-136. 10.2144/btn-2018-065.
- Aziz, F., Junzo, H., liansheng, Y., Junko, K., Utsuke, S., Ono, H. K., Masuda, K., Yamaoka, M., Siti Isrina Oktavia, S., Nakane, A., Ohge, H., Kusunoki, Y., dan Sugai, M. 2020. *Staphylococcus aureus* isolated from skin from atopic-dermatitis patients produces staphylococcal enterotoxin y, which predominantly induces t-cell receptor V α -specific expansion of T Cells. *Infection and Immunity*, 88(2), 1–15.
- Aziz, F., lestari, F.B., Sarah, S.N., Purwati, E., dan Salasia, S.I.O. 2020. Deteksi *Staphylococcus aureus* dan *Staphylococcus* sp. Secara langsung Dari Susu Segar Kambing Peranakan Etawa dengan Teknik PCR. *Jurnal Sain Veteriner*, 38(2), 168.
- Balaban, N., dan Rasooly, A. 2019. Staphylococcal Enterotoxin. *International Journal of Food Microbiology*, 1605(November 2000), 1–10.
- Baz, A.A., Bakhiet, E.K., Raouf, U.A., dan Abdelkhalek, A. 2021. Prevalence of enterotoxin genes (SEA to SEE) and antibacterial resistant pattern of *Staphylococcus aureus* isolated from clinical specimens in Assiut city of Egypt. *Egyptian Journal of Medical Human Genetics*, 22(84).
- Bennett, R.W. 2005. Staphylococcal Enterotoxin and Its Rapid Identification in Foods by Enzyme-linked Immunosorbent Assay – Based Methodology. *Journal of Food Protection*, 68(6), 1264–1270.

BPOM. 2018. laporan Tahunan Badan POM 2017. Jakarta.

Brakstad, O.G., Aasbakk, K., and Maeland, J.A. 1992. Detection of *Staphylococcus aureus* by polymerase chain reaction amplification of the nuc gene. *J. Clin. Microbiol.*, 30(7): 1654-1660.

Burgess, G.W. 1988. *ELISA Technology in Diagnostic and Research*. Teknologi ELISA. Cetakan Pertama. Artama, W.T. 1995. Yogyakarta: Gadjah Mada University Press, 50-61.

Ceccarelli, F., Perricone, C., Olivieri, G., Cipriano, E., Spinelli, F.R., Valesini, G., dan Conti, F. 2019. *Staphylococcus aureus* Nasal Carriage and Autoimmune Diseases: From Pathogenic Mechanisms to Disease Susceptibility and Phenotype. *International Journal of Molecular Sciences*, 20(5624), 1–17.

Chen, Q., Zhao, G., Yang, W., Chen, F., Qi, Y., and lou, Z. 2023. Investigation Into Prevalence of Enterotoxin Genes and Genetic Background of *Staphylococcus aureus* isolates from retain foods in Huangzhou, China. *BMC Microbiology*, 23:294.

Ciupescu, I., Auvray, F., Nicorescu, I. M., Meheut, T., Ciupescu, V., Iardeux, A., Tanasica, R., and Hennekinne, J. 2018. Characterization of *Staphylococcus aureus* strains and evidence for the involvement of non-classical enterotoxin genes in food poisoning outbreaks. *FEMS Microbiology letters*, June, 1–7.

Cieza, M.Y.R., Bonsaglia, E.C.R., Rall, V.I.M., Santos, M.V.d 2024. Review Staphylococcal enterotoxins: description and importance in food. *Pathogens* 13, 676.

Clarisse, T., Michèle, S., Olivier, T., Valérie, E., Vincent, I. M., Jacques-Antoine, H., Michel, G., and Florence, V. 2013. Detection and quantification of staphylococcal enterotoxin A in foods with specific and sensitive polyclonal antibodies. *Food Control*, 32(1), 255–261.

Cooper, H.M., Paterson, Y. 2009. Production of Polyclonal Antisera. Willey Interscience. 5,5.1-5.5

Cremonesi, P., Iuzzana, M., Brasca, M., Morandi, S., Iodi, R., Vimercati, C., and Castiglioni, B. 2005. Development of a multiplex PCR assay for the identification of *Staphylococcus aureus* enterotoxigenic strains isolated 127 from milk and dairy products. *Molecular and Cellular Probes*, 19(5), 299-305.

- Das, D., and Bishayi, B. 2009. Staphylococcal catalase protects intracellularly survived bacteria by destroying H₂O₂ produced by the murine peritoneal macrophages. *Microb Pathog.* Aug;47(2):57-67.
- Denayer, S., dan Delbrassinne, I. 2017. Food-Borne Outbreak Investigation and Molecular Typing: High Diversity of *Staphylococcus aureus* Strains and Importance of Toxin Detection. *Toxins*, 9, 407.
- Deng, H.W., Zhou, Y., Recker, R.R., Johnson, M.L., Li, J. 2000. Fragment Size Difference between Multiplex and Singleplex PCR Products and Their Practical Implications. *BioTechniques*, 29:2, 298-308.
- Deshpande, S.S. 1996. Enzyme Immunoassay from concept to product development, 1st ed. *Kluwer Academic Publishers*, New York.
- Dincer, C., Bruch, R., Costa-rama, E., Fernández-abadul, M. T., Merkoçi, A., Manz, A., Urban, G. A., and Güder, F. 2019. Disposable Sensors in Diagnostics, Food, and Environmental Monitoring. *Advance Material*, 1806739(31), 1–28.
- Ercoli, I., Gallina, S., Nia, Y., Auvray, F., Primavilla, S., Guidi, F., Pierucci, B., Graziotti, C., Decastelli, I., and Scuota, S. 2017. Investigation of a Staphylococcal Food Poisoning Outbreak from a Chantilly Cream Dessert, in Umbria (Italy). *Foodborne Pathogens and Disease*, 14(7), 407–413.
- Etter, D., Schelin, J., Schlupper, M., and Johler, S. 2020. Staphylococcal enterotoxin C—an update on SEC variants, their structure and properties, and their role in foodborne intoxications. *Toxins* 12, 584.
- Fang, R., Cui, J., Cui, T., Guo, H., Ono, H.K., Park, C.H., Okamura, M., Nakane, A., and Hu, D.I. 2019. Staphylococcal enterotoxin C is an important virulence factor for mastitis. *Toxins*, 11, 141.
- Fatchiyah, Arunmingtyas E. I. Widyarti, S., Rahayu, S. 2011. *Biologi Molekular Prinsip Dasar Analisis*. Jakarta: Erlangga.
- Fisher, E.I., Otto, M., and Cheung, G. Y. C. 2018. Basis of virulence in enterotoxin-mediated staphylococcal food poisoning. *Frontiers in Microbiology*, 9(MAR), 1–18.
- Gillaspy, A.F., and Iandolo, J. J. 2014. Staphylococcus: Introduction. *Encyclopedia of Food Microbiology: Second Edition*, 3, 482–486.

- Godjevargova, T., Becheva, Z., Ivanov, Y., and Tchorbanov, A. 2019. Immunofluorescence Assay using monoclonal and polyclonal antibodies for detection of Staphylococcal Enterotoxins A in milk. *The Open Biotechnology Journal*, 13(1874), 137–145.
- Grispoldi, I., Karama, M., Armani, A., and Cenci-goga, B. T. 2021. *Staphylococcus aureus* enterotoxin in food of animal origin and staphylococcal food poisoning risk assessment from farm to table. *Italian Journal of Animal Science*, 20(1), 677–690.
- Hamdan, E.M., Hassan, A.A., Amin, S.A., Ahmed, H.A., Ataelmanan, A.E., and Elhasan, M.M. 2022. High prevalence of Staphylococcal Enterotoxins (SEs) virulence genes among Methicillin-Resistant *Staphylococcus aureus* isolated from patients with different clinical manifestations in Khartoum State, Sudan. *Egypt. Acad. J. Biolog. Sci.*, 14(1):77-83.
- Harijani, N., Wandari, A., Effendi, M.H and Tyasningsih, W. 2020. Molecular detection of encoding Enterotoxin C gene and profile of antibiotic resistant On *Staphylococcus aureus* isolated from several dairy farms in East Java, Indonesia. *Biochem. Cell. Arch.* 20 (1): 3081-3085.
- Hayat, M., Mapiliandari, I., Djanis, R. I., Asrorudin, U., and Putra, P. 2021. Review : Perkembangan dan aplikasi biosensor untuk mendeteksi aflatoksin. *Warta Akab*, 45(2), 71–77.
- Hazra A., and Gogtay, N. 2017. Biostatistics series module7: The statistics of diagnostic tests. *Indian J Dermatol*;62:18-24.
- Hookey, J.V., Richardson, J.F., Cookson, B.D. 1998. Molecular typing of *Staphylococcus aureus* based on PCR restriction fragment length polymorphism and DNA sequence analysis of the coagulase gene. *J Clin Microbiol.* Apr;36(4):1083-9.
- Hong, H., le, T., Dalsgaard, A., Andersen, P.S., Nguyen, H.M., and Ta, Y.T. 2021. large-Scale *Staphylococcus aureus* foodborne disease poisoning outbreak among primary school children. *Microbiology Research*, 12, 43–52.
- Hu, D., Ono, H.K., Isayama, S., Okada, R., Okamura, M., lei, I. C., liu, Z. S., and Zhang, X. 2017. Biological characteristics of staphylococcal enterotoxin Q and its potential risk for food poisoning. *Journal of Applied Microbiology*, 122, 1672–1679.

- Hu, D., li, S., Fang, R., and Ono, H. K. 2021. Update on molecular diversity and multipathogenicity of staphylococcal superantigen toxins. *Animal Disease*, 1–7, 1–15.
- Hu, D., and Nakane, A. 2013. Mechanisms of staphylococcal enterotoxin-induced emesis. *European Journal of Pharmacology*, 1–13.
- Ivens, K.O., Baumert, J.I., and Taylor, S.I. 2016. Commercial milk Enzyme-linked Immunosorbent Assay (ELISA) kit reactivities to purified milk proteins and milk-derived ingredients. *J Food Sci.* Jul;81(7):T1871-8.
- Ibraheim, H.K., Fayez, R.A., Jasim, A.S., and Gharban, H.A.J. 2023. Role of nuc gene in Staphylococcus aureus to phagocytic activity in different cattle infections. *Open Veterinary Journal*, Vol 13(8): 1021-1026.
- Ibrahim, M. K., El-shatoury, E., and Hussein, H. 2017. Cloning, Sequencing and Production of Recombinant Polyclonal Antibodies against Egyptian Staphylococcal Enterotoxin A. *American Journal of Microbiological Research*, 5(6), 131–137.
- Jia, R., Cheng, A., Wang, M., Qi, X., Zhu, D., Ge, H., Luo, Q., Liu, F., Guo, Y., Chen, X. 2009. Development and evaluation of an antigen-capture ELISA for detection of the UL24 antigen of the duck enteritis virus, based on a polyclonal antibody against the UL24 expression protein. *J Virol Methods*. Oct;161(1):38-43.
- Johora, F.T, Rizvi, S.M.S., Rahman, I., Jahan, N., Khatun, and Miah, R.A. 2021. Distribution of Staphylococcal Enterotoxin Genes among Clinical Isolates. *Bangladesh Med Res Counc Bull*; 47:90-97
- Jovanovic, J., Ornelis, V. F. M., Madder, A., and Rajkovic, A. 2021. Bacillus cereus food intoxication and toxicoinfection. *Compr Rev Food Sci Food Saf*, 20, 3719–3761.
- Kadariya, J., Smith, T. C., and Thapaliya, D. 2014. *Staphylococcus aureus and Staphylococcal Food-Borne Disease : an ongoing challenge in public health. Biomed Res Int.* 2014:827965.
- Katz, D.S. 2010. Coagulase test protocol. *American society for microbiology*
- Keim, K.C., George, I.K., Reynold, I., and Smith, A.C. 2020. The clinical significant of *Staphylococcus aureus* small colony variant. 2020. Clinical laboratory Science.

- Kumar M., Nandi, S., Chidri, S. 2010. Development of a polyclonal antibody-based AC-ELISA and its comparison with PCR for diagnosis of canine parvovirus infection. *Virol Sin.* Oct;25(5):352-60.
- Larasati, S.A., Windria, S., and Cahyadi, A.I. 2020. Virulence factors of *Staphylococcus aureus* which play an important role in the occurrence of mastitis in dairy cattle: a lature review. *Indonesia Medicus Veterinus*, pISSN: 2301-7848; eISSN: 2477-6637.
- Lasne, froncois. 2001. Double-*blotting*: a solution to the problem of non-specific binding of secondary antibodies in immunoblotting procedures. *Journal of Immunological Methods*. Vo. 253, issues 1-2, pages 125-131.
- Leenaars, M., and Hendrikson, C.F.M., 2005. Critical steps in production of polyclonal and monoclonal antibodies: evaluation and recomendations. *ILAR J.* 46(3):269-79.
- Locatelli, C., Gattolin., S., Monistero, V., Castiglioni, B., Moroni, P., Addis, M.F., and Cremonesi, P. 2023. *Staphylococcus aureus* coa gene sequence analysis can prevent misidentification coagulase-negative strains and contribute to their control in dairy cow heards. *Front Microbiol* 14;1120305.
- Loir, Y.l., and Hennekinne, J. A. 2014. *Staphylococcus*: Detection of Staphylococcal Enterotoxins. In *Encyclopedia of Food Microbiology: Second Edition* (Second Edi, Vol. 3, Issue 2001). Elsevier.
- Liu, Y., Chen, W., Ali, T., Alkasir, R., Yin, J., liu, G., and Han, B. 2014. Staphylococcal Enterotoxin H Induced Apoptosis of Bovine Mammary Epithelial Cells in Vitro. *Toxins*, 6, 3552–3567.
- Macharo, V., Pardo, l., Cuello, D., Giuduce, G., luna, P.C., Vesela, G.V., Camau, T., and Schelotto, F. 2020. Presence of genes encoding enterotoxins in *Staphylococcus aureus* isolates recovered from food, food establishment surfaces and cases of foodborne diseases. *Rev Inst Med Trop Sao Paolo*, 62:e5.
- Mandrekar, J.N. 2010. Simple statistical measures for diagnostic accuracy assessment. *Journal of Thoracic Oncology*. Vol.2. No.6 (June).
- Mahmood, T., and Yang, P. 2012. Western *blot*: technique, theory, and trouble shooting. *Technical Article North American Journal of Medical Science*, Vol.4, Issue 9.

- Mahmoudi, H., Arabestani, M.R., Mousavi, S.F., Alikhani, M.Y. 2017. Molecular analysis of the coagulase gene in clinical and nasal carrier isolates of methicillin-resistant *Staphylococcus aureus* by restriction fragment length polymorphism. *J Glob Antimicrob Resist.* Mar;8:41-45.
- McHugh, M.I. 2012. Interrater reliability: the kappa statistic. *Biochem Med (Zagreb)*. 22(3):276-82.
- Medina, M.B. 2006. A Biosensor method for detection of Staphylococcal Enterotoxin A in raw whole egg. *Journal of Rapid Methods and Automation in Microbiology in Microbiology*, 14(215), 119–132.
- Michels, R., last, K., Becker, S.I., and Papan, C. 2021. Update on coagulase-negative staphylococci: What the clinician should know. *Microorganisms*, 9(4):830.
- Minutillo, R., Pirard, B., Fatihi, A., Cavauiolo, M., Iefebvre, D., Gérard, A., Taminiau, B., Nia, Y., Hennekinne, J., Daube, G., and Clinquart, A. 2023. The Enterotoxin gene profiles and enterotoxin production of *staphylococcus aureus* strains isolated from artisanal cheeses in Belgium. *Foods*, 12, 4019.
- Miskiyah. 2011. Kajian standar nasional Indonesia susu cair di Indonesia. *Jurnal Standarisasi*, 13(1), 1–7.
- Mustafa, H.S.I. 2014. *Staphylococcus Aureus* can Produce Catalase Enzyme when React with Human Wbcs as a Source of H₂O₂ Productions in Human Plasma or Serum in the Laboratory. *Journal of Medical Microbiology & Diagnosa*. Vol.3.Issue 4. 1000160.
- Nashev, D., Toshkova, K., Salasia, S.I.O., Hassan, A. A., Christoph, I., and Zsch, M. 2004. Distribution of virulence genes of *Staphylococcus aureus* isolated from stable nasal carriers. *FEMS Microbiology letters*, 233(2004), 45–52.
- Nazari, R., Godarzi, H., Baghi, F.R., and Moeinrad, M. 2014. Enterotoxin gene profiles among *Staphylococcus aureus* isolated from raw milk. *Iran. J. Vet. Res.* vol. 15 no 4 pp 409–412.
- Necidova, I., Bursova, S., and Harustikova, D.B. 2019. Effect of heat treatment on activity of staphylococcal enterotoxins of type A, B, and C in milk. *J. Dairy Sci*, 3924–3932.
- Nisa, H. C., Purnomo, B. S., Damayanti, T.I., Hariadi, M., Sidik, R., and Harijani,

- N. 2019. Analisis Faktor yang Mempengaruhi Kejadian Mastitis Subklinis dan Klinis pada Sapi Perah. *Ovozoa*, Vol. 8 No. 1, 66-70.
- Novitasari, E., and Diptaningsari, D. 2022. Patogen Pembawa Penyakit *Staphylococcus aureus* dan Prevalensinya pada Pangan Hasil Pertanian Foodborne Pathogen of *Staphylococcus aureus* and its Prevalence in Agricultural Food Products. *Jurnal RIset Agribisnis Dan Peternakan*, 7(1), 1–13.
- Ono, H. K., Hachiya, N., Suzuki, Y., Naito, I., Hirose, S., Asano, K., Omoe, K., Nakane, A., Hu, D.L. 2018. Development of an Immunoassay for Detection of Staphylococcal Enterotoxin-Like J, A Non-Characterized Toxin. *Toxins*, 10(11), 458.
- Omoe, K., Hu, D., Takahashi-omoe, H., Nakane, A., and Shinagawa, K. 2005. *Comprehensive analysis of classical and newly described staphylococcal superantigenic toxin genes in Staphylococcus aureus isolates*. 246, 191–198.
- Ote, I., Taminiau, B., Duprez, I.N., Dizier, I., and Mail, J.G. 2011. Genotypic characterization by Polymerase Chain Reaction of *Staphylococcus aureus* isolates associated with bovine mastitis. *Vet. Microbiol.*, 153, 285–292.
- Pal, M., Ketchakmadze, D., Durglishvili, N., and Ketchakmadze, I. 2022. *Staphylococcus aureus* : A Major Pathogen of Food Poisoning *Staphylococcus aureus* : A Major Pathogen of Food Poisoning. *Journal of Nutrition and Food Processing*, 46–49.
- Pelisser, M.R., Klein, C.S., Ascoli, K.R., Zotti, T.R., Arisi, A.C. 2009. Ocurrance of *Staphylococcus aureus* and multiplex pcr detection of classic enterotoxin genes in cheese and meat products. *Braz J Microbiol.* 2009 Jan;40(1):145-8..
- Pillai-Kastoori, I, Schutz-Geschwender, A.R., and Harford, J.A. 2020. A systematic approach to quantitative Western blot analysis. *Analytical Biochemistry* 593 (113608). Elsevier.
- Pinchuk, I.V., Beswick, E. J., and Reyes, V. E. 2010. Staphylococcal Enterotoxins. *Toxins*, 2(8), 2177–2197.
- Puacz, E., Ilcyszyn, W. M., Kosecka, M., Buda, A., Dudziak, W., Polakowska, K., Panz, T., Białecka, A., Kasproicz, A., lisowski, A., Krukowski, H., Cuteri, V., and Międzobrodzki, J. 2015. Clustering of *Staphylococcus aureus* bovine mastitis strains from regions of Central-Eastern Poland based on their

biochemical and genetic characteristics. *Polish Journal of Veterinary Sciences*, 18(2), 333–342.

Rasooly, R., and Hernlem, B. 2012. *TNF as Biomarker for Rapid Quantification of Active Staphylococcus Enterotoxin A in Food*. 5978–5985.

Salasia, S.I.O., Tato, S., Sugiyono, N., Ariyanti, D., and Prabawanti, F. 2011. Genotypic characterization of *Staphylococcus aureus* isolated from bovines, humans, and food in Indonesia. *J. Vet. Sci.*, 12(4), 353–361.

Salasia, S. I. O. 2014. *Streptococcus suis Penyebab Meningitis Zoonotik Pada Babi dan Manusia: Pengembangan Diagnostik* (M. Huda (ed.)). *Samudra Biru Press*, Yogyakarta.

Salasia, S.I.O., Khusnan, Z., lämpuler, C., and Zschöck, M. 2004. Comparative studies on pheno- and genotypic properties of *Staphylococcus aureus* isolated from bovine subclinical mastitis in central Java in Indonesia and Hesse in Germany. *Journal of Veterinary Science*, 5, 103–109.

Santini, A., Man,A., and Voidazan, S. 2020. Accuracy of diagnostic tests. *The Journal of Critical Care Medicinine*, 7(3):241-248.

Santosa, B. 2021. *Teknik ELISA Metode ELISA Untuk Pengukuran Protein Metallothionein Pada Daun Padi Ir Bagendit* (M. S. M. Dr. Budi Santosa, S.KM. (ed.); ISBN:978-6, Issue 18). *Unismus Press*.

Santosa, C. M., lestari, F. B., Widayanti, R., dan Salasia, S.I.O. 2020. Klasterisasi *Staphylococcus aureus* Resisten Neutrofil Berdasar Assesory Gene Regulator. *Jurnal Sain Veteriner*, 38(2), 93–101.

Saraiva, M.M., De Leon, C.M., Santos, SC., Stipp, D.T., Souza, M.M., Santos, F. L., Gebreyes, W.A., Oliveira, C.J. 2018. Accurac.y of PCR targeting different markers for *Staphylococcus aureus* identification: a comparative study using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry as the gold standard. *J Vet Diagn Invest*. 2018 Mar;30(2):252-255.

Sayed, M. A., Rahman, M. A., Bari, M. S., Islam, A., Rahman, M. M., and Hoque, M. A. 2020. Prevalence of Subclinical Mastitis and Associated Risk Factors at Cow level in Dairy Farms in Jhenaidah. *Bangladesh Advance in Animal and Veterinary Sciences*. 8(S2): 112- 121.

Shoyaib, A.A., Archie, S.R., and Karamyan, S.T. 2019. Intraperitoneal route of drug administration: Should it be used in experimental animal studies?.

Springer. *Pharm. Res* 37:12.

Sia, M., Sum, H., Yee, S. F., Eng, I., Poili, E., and Iamdin, J. (2017). Development of an Indirect ELISA and *Dot-Blot* Assay for Serological Detection of Rice Tungro Disease. *BioMed Research International*, 2017, 1–7.

Sitch, A.J., Dekkers, O.M., Scholefield, B.R., Takwoingi, Y. 2021. Introduction to diagnostic test accuracy studies. *Eur J Endocrinol*. Feb;184(2):E5-E9.

Sospedra, I., Soler, C., Mañes, J., and Soriano, J. M. 2012. Rapid whole protein quantitation of staphylococcal enterotoxins A and B by liquid chromatography/mass spectrometry. *Journal of Chromatography A*, 1238, 54-59.

Souza, S.G., Campos, G.B., Oliveira, P.S., Sousa, D.S., Da Silva, D.C.C., Santos, V.M., Amorim, A.T., Santos, A.M.O.G., Timenetsky, J., Cruz, M.P., Yatsuda, R. and Marques, L.M. 2014. Virulence Factors in Methicillin-Resistant Staphylococcus aureus Isolated from ICU Units in Brazil. *Advances in Microbiology*, 4, 207-215.

Stills, H. 2012. Polyclonal antibody production. In S. H. Weisbroth, R. E. Flatt, A. L. Kraus (Eds.), *The Biology of the Laboratory Rabbit*. New York: Academic Press. (pp. 435–448),

Sumiati, T., Sukenda., Nuryati, S., dan Lusastuti, A.M. 2015. Pengembangan metode ELISA untuk mendeteksi respon imun spesifik pada ikan nila (*Oreochromis niloticus*) yang divaksinasi terhadap *Aeromonas hydrophila* dan *Streptococcus agalactiae*. *Jurnal Riset Akuakultur* Volume 10 Nomor 2.

Supriyanta, B., dan Setiawan, B. 2021. Sensitivitas, spesifisitas, nilai prediksi positif, nilai prediksi negatif dan akurasi metode lateral immuno assay (IFIA) dengan mikroskopis pada diagnosis gonore. *Puinovakesmas*; Vol.2, No.2, November; p. 40-44.

Terato, K., Do, C.T., Cutter, D., Waritani, T., and Shionoya, H. 2014. Preventing intense false positive and negative reactions attributed to the principle of ELISA to re-investigate antibody studies in autoimmune diseases. *Journal of Immunological Methods*. Vol. 407. pages 15-25.

Tarisse, C.F., Goulard-Huet, C., Nia, Y., Devilliers, K., Marcé, D., Dambrune, C., Lefebvre, D., Hennekinne, J.A., Simon, S. 2021. Highly Sensitive and Specific Detection of Staphylococcal Enterotoxins SEA, SEG, SEH, and SEI by Immunoassay. *Toxins (Basel)*. Feb 9;13(2):130.

- The Humane Society of the United States (HSUS). 2003. Pain and distress associated with polyclonal antibody production: discussion and recommendations. *Animal Research*. 1.
- Tsen, H.Y., Chen, T.R. 1992. Use of the polymerase chain reaction for specific detection of type A, D and E enterotoxigenic *Staphylococcus aureus* in foods. *Appl Microbiol Biotechnol*. Aug;37(5):685-90.
- Wicaksono, A., dan Sudarwanto, M. 2016. Prevalensi mastitis subklinis dan mikrobiologi susu peternakan rakyat di Boyolali. *Acta Veterinaria Indonesiana*, Vol. 4. No. 2:51-56
- Widyaningrum, S., Sarasati, W., Fatkhanuddin, A., and Salasia, S.I.O. 2021. Classical Enterotoxin Genes of *Staphylococcus aureus* Isolated from the Raw Milk of Cows and Goats in Yogyakarta Indonesia. *Biological Sciences Research*, 12(Icvaes 2020), 15–19.
- Windria, S., Desy C.W., Aziz, F., and Salasia, S.I.O. 2020. Prevalence of newer enterotoxin-encoding genes of *Staphylococcus aureus* isolated from raw milk of bovine and goats in yogyakarta indonesia. *Veterinary Practitioner*, 21(2), 403–405.
- Windria, S., Salasia, S.I.O., Nugroho, W., and Widayanti, R. 2021. Development of ELISA against milk haptoglobin for diagnosis of subclinical mastitis in goats. *Heliyon*, 7 (October 2020), e06314.
- Yosyana, A.R.P., Salasia, S.I.O., Wasissa, M., Alhadz, G.G, and Aziz, F. 2025. Deteksi resistensi antibiotik *Staphylococcus aureus* isolat asal sapi perah dan hewan kesayangan di Yogyakarta dan Jawa Tengah Indonesia. *Jurnal Sain Veteriner*, Vol. 43, No.1, Hal 20-33.
- Zhu, Z., Hu, Z., li, S., Fang, R., Ono, H.K., Hu, D.l. 2024. Molecular characteristics and pathogenicity of *Staphylococcus aureus* exotoxins. *Int. J. Mol. Sci.* 25, 395.