

## DAFTAR PUSTAKA

- Abeshu, M. A., Lelisa, A., & Geleta, B. (2016). Complementary Feeding: Review of Recommendations, Feeding Practices, and Adequacy of Homemade Complementary Food Preparations in Developing Countries – Lessons from Ethiopia. *Frontiers in Nutrition*, 3. <https://doi.org/10.3389/fnut.2016.00041>
- Ahmad, I., Khalique, N., Khalil, S., Urfi, & Maroof, M. (2018). Dietary diversity and stunting among infants and young children: A cross-sectional study in Aligarh. *Indian Journal of Community Medicine*, 43(1), 34–36. [https://doi.org/10.4103/ijcm.IJCM\\_382\\_16](https://doi.org/10.4103/ijcm.IJCM_382_16)
- Ahmed, K. Y., Page, A., Arora, A., & Ogbo, F. A. (2020). Trends and factors associated with complementary feeding practices in Ethiopia from 2005 to 2016. *Maternal and Child Nutrition*, 16(2). <https://doi.org/10.1111/mcn.12926>
- Ahmed, M. S., Sen, L. C., Farhana, J. A., & Yunus, F. M. (2022). Association between dietary diversity and nutritional status of the children aged 6–23 months in Bangladesh: evidence from the Multiple Indicator Cluster Survey 2019. *Nutrire*, 47(1). <https://doi.org/10.1186/s41110-022-00155-x>
- Aisyah, I. S., Khomsan, A., Tanziha, I., & Riyadi, H. (2024). A Multiple Logistic Regression Analysis of Household Food and Nutrition Insecurity in Stunting and Non-Stunting Toddlers. *Current Research in Nutrition and Food Science*, 12(1), 452–461. <https://doi.org/10.12944/CRNFSJ.12.1.36>
- Ajomiwe, N., Boland, M., Phongthai, S., Bagiyal, M., Singh, J., & Kaur, L. (2024). Protein Nutrition: Understanding Structure, Digestibility, and Bioavailability for Optimal Health. *Foods*, 13(11). <https://doi.org/10.3390/foods13111771>
- Akrom, A., Hidayati, T., Kencana, O. W., Kurniawan, N. U., & Bintarum, P. (2022). Infection and undernutrition increase the risk of stunting among rural children. *International Journal of Public Health Science*, 11(3), 920–926. <https://doi.org/10.11591/ijphs.v11i3.21592>
- Ali, M., Raihan, M. J., Siddiqua, T. J., Haque, M. A., Farzana, F. D., Ahmed, S. M. T., Rahman, S., Naz, F., Faruque, A. S. G., & Ahmed, T. (2022). Factors associated with low and medium household dietary diversity compared with high dietary diversity among marginalised households in rural Bangladesh: Findings from a Suchana baseline survey. *BMJ Open*, 12(11). <https://doi.org/10.1136/bmjopen-2022-062143>
- Aweke, M. N., Mesfin, A., Alemu, G. G., Mengistu, B., Alemu, T. G., & Abuhay, H. W. (2025). Spatial distribution of animal source food consumption and associated factors among children aged 6–23 months in Ethiopia: A geographically weighted regression analysis. *PLoS ONE*, 20(5 May). <https://doi.org/10.1371/journal.pone.0324855>
- Azriani, D., Masita, Qinthara, N. S., Yulita, I. N., Agustian, D., Zuhairini, Y., & Dhamayanti, M. (2024). Risk factors associated with stunting incidence in under five children in Southeast Asia: a scoping review. In *Journal of health, population, and nutrition* (Vol. 43, Issue 1, p. 174). <https://doi.org/10.1186/s41043-024-00656-7>

- Ballard, O., & Morrow, A. L. (2013). Human Milk Composition. Nutrients and Bioactive Factors. *Pediatric Clinics of North America*, *60*(1), 49–74. <https://doi.org/10.1016/j.pcl.2012.10.002>
- Basri, H., Hadju, V., Zulkifli, A., Syam, A., Ansariadi, Stang, Indriasari, R., & Helmiyanti, S. (2021). Dietary diversity, dietary patterns and dietary intake are associated with stunted children in Jeneponto District, Indonesia. *Gaceta Sanitaria*, *35*, S483–S486. <https://doi.org/10.1016/j.gaceta.2021.10.077>
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L. M. (2018). A review of child stunting determinants in Indonesia. *Maternal and Child Nutrition*, *14*(4). <https://doi.org/10.1111/mcn.12617>
- Beckerman-Hsu, J. P., Kim, R., Sharma, S., & Subramanian, S. V. (2020). Dietary variation among children meeting and not meeting minimum dietary diversity: An empirical investigation of food group consumption patterns among 73,036 children in India. *Journal of Nutrition*, *150*(10), 2818–2824. <https://doi.org/10.1093/jn/nxaa223>
- Belayneh, M., Loha, E., & Lindtj rn, B. (2020). Seasonal Variation of Household Food Insecurity and Household Dietary Diversity on Wasting and Stunting among Young Children in A Drought Prone Area in South Ethiopia: A Cohort Study. *Ecology of Food and Nutrition*, 1–26. <https://doi.org/10.1080/03670244.2020.1789865>
- Benjamin-Chung, J., Mertens, A., Colford, J. M., Hubbard, A. E., van der Laan, M. J., Coyle, J., Sofrygin, O., Cai, W., Nguyen, A., Pokpongkiat, N. N., Djajadi, S., Seth, A., Jilek, W., Jung, E., Chung, E. O., Rosete, S., Hejazi, N., Malenica, I., Li, H., ... Yori, P. P. (2023). Early-childhood linear growth faltering in low- and middle-income countries. *Nature*, *621*(7979), 550–557. <https://doi.org/10.1038/s41586-023-06418-5>
- Berhe, K., Seid, O., Gebremariam, Y., Berhe, A., & Etsay, N. (2019). Risk factors of stunting (chronic undernutrition) of children aged 6 to 24 months in Mekelle City, Tigray Region, North Ethiopia: An unmatched case-control study. *PLoS ONE*, *14*(6). <https://doi.org/10.1371/journal.pone.0217736>
- BKKBN, BPS, Kemenkes RI, & ICF. (2018). *Indonesia Demographic and Health Survey 2017*. BKKBN, BPS, Kemenkes, and ICF.
- Boulom, S., Essink, D. R., Kang, M. H., Kounnavong, S., & Broerse, J. E. W. (2020). Factors associated with child malnutrition in mountainous ethnic minority communities in Lao PDR. *Global Health Action*, *13*(sup2). <https://doi.org/10.1080/16549716.2020.1785736>
- Chakona, G., & Shackleton, C. M. (2018). Household Food Insecurity along an Agro-Ecological Gradient Influences Children’s Nutritional Status in South Africa. *Frontiers in Nutrition*, *4*. <https://doi.org/10.3389/fnut.2017.00072>
- Dafursa, K., & Gebremedhin, S. (2019). Dietary Diversity among Children Aged 6-23 Months in Aleta Wondo District, Southern Ethiopia. *Journal of Nutrition and Metabolism*, 2019. <https://doi.org/10.1155/2019/2869424>
- Das, S., Fahim, S. M., Rasul, M. G., Afrin, S., Alam, M. A., Uz Zaman, M., Chowdhury, M., Arifeen, S. El, & Ahmed, T. (2023). Nutritional and dietary diversity status of under-5 children and adolescent girls among forcibly displaced Myanmar nationals living in Bhasan Char relocation camp,

- Bangladesh: A cross-sectional survey. *BMJ Open*, 13(3).  
<https://doi.org/10.1136/bmjopen-2022-068875>
- de Onis, M., & Branca, F. (2016). Childhood stunting: A global perspective. *Maternal and Child Nutrition*, 12, 12–26. <https://doi.org/10.1111/mcn.12231>
- Dello Russo, M., Formisano, A., Lauria, F., Ahrens, W., Bogl, L. H., Eiben, G., De Henauw, S., Hebestreit, A., Intemann, T., Hunsberger, M., Lissner, L., Molnar, D., Pala, V., Papoutsou, S., Santaliestra-Pasias, A. M., Veidebaum, T., Wolters, M., Siani, A., & Russo, P. (2023). Dietary Diversity and Its Association with Diet Quality and Health Status of European Children, Adolescents, and Adults: Results from the I.Family Study. *Foods*, 12(24).  
<https://doi.org/10.3390/foods12244458>
- Dewey, K. G., & Begum, K. (2011). Long-term consequences of stunting in early life. *Maternal and Child Nutrition*, 7(SUPPL. 3), 5–18.  
<https://doi.org/10.1111/j.1740-8709.2011.00349.x>
- Dil Farzana, F., Rahman, A. S., Sultana, S., Raihan, M. J., Haque, M. A., Waid, J. L., Choudhury, N., & Ahmed, T. (2017). Coping strategies related to food insecurity at the household level in Bangladesh. *PLoS ONE*, 12(4).  
<https://doi.org/10.1371/journal.pone.0171411>
- Elmighrabi, N. F., Fleming, C. A. K., & Agho, K. E. (2024). Factors Associated with Childhood Stunting in Four North African Countries: Evidence from Multiple Indicator Cluster Surveys, 2014–2019. *Nutrients*, 16(4).  
<https://doi.org/10.3390/nu16040473>
- Endrinikapoulos, A., Afifah, D. N., Mexitalia, M., Andoyo, R., Hatimah, I., & Nuryanto, N. (2023). Study of the importance of protein needs for catch-up growth in Indonesian stunted children: a narrative review. *SAGE Open Medicine*, 11. <https://doi.org/10.1177/20503121231165562>
- Fikawati, S., Syafiq, A., Ririyanti, R. K., & Gemily, S. C. (2021). Energy and protein intakes are associated with stunting among preschool children in Central Jakarta, Indonesia: a case-control study. *Malaysian Journal of Nutrition*, 27(1), 81–91. <https://doi.org/10.31246/MJN-2020-0074>
- Fufa, D. A. (2022). Determinants of stunting in children under five years in dibate district of Ethiopia: A case-control study. *Human Nutrition and Metabolism*, 30. <https://doi.org/10.1016/j.hnm.2022.200162>
- Gassara, G., & Chen, J. (2021). Household food insecurity, dietary diversity, and stunting in sub-saharan africa: A systematic review. *Nutrients*, 13(12).  
<https://doi.org/10.3390/nu13124401>
- Harper, A., Goudge, J., Chirwa, E., Rothberg, A., Sambu, W., & Mall, S. (2022). Dietary diversity, food insecurity and the double burden of malnutrition among children, adolescents and adults in South Africa: Findings from a national survey. *Frontiers in Public Health*, 10.  
<https://doi.org/https://doi.org/10.3389/fpubh.2022.948090>
- Hastuti, V. N., Afifah, D. N., Sugianto, D. N., Anjani, G., & Noer, E. R. (2024). Socio-demographics, dietary diversity score, and nutritional status of children aged 2–5 years: A cross-sectional study of Indonesian coastal areas. *Clinical Epidemiology and Global Health*, 27.  
<https://doi.org/10.1016/j.cegh.2024.101599>

- Headey, D., Hirvonen, K., & Hoddinott, J. (2018). Animal sourced foods and child stunting. *American Journal of Agricultural Economics*, *100*(5), 1302–1319. <https://doi.org/10.1093/ajae/aay053>
- Indriani, D., Dewi, Y. L. R., Murti, B., & Qadrijati, I. (2018). Prenatal Factors Associated with the Risk of Stunting: A Multilevel Analysis Evidence from Nganjuk, East Java. *Journal of Maternal and Child Health*, *03*(04), 294–300. <https://doi.org/10.26911/thejmch.2018.03.04.07>
- Inzaghi, E., Pampanini, V., Deodati, A., & Cianfarani, S. (2022). The Effects of Nutrition on Linear Growth. *Nutrients*, *14*(9). <https://doi.org/10.3390/nu14091752>
- Islam, B., Ibrahim, T. I., Wang, T., Wu, M., & Qin, J. (2025). Current trends in household food insecurity, dietary diversity, and stunting among children under five in Asia: a systematic review. *Journal of Global Health*, *15*, 04049. <https://doi.org/10.7189/jogh.15.04049>
- Jokhu, L. A., Syauqy, A., Lin, L. Y., Dieny, F. F., & Rahadiyanti, A. (2024). Determinants of stunting among children 6–23 months: a population-based study in Indonesia. *Nutrition and Food Science*, *54*(8), 1369–1382. <https://doi.org/10.1108/NFS-01-2024-0025>
- Kang, Y., Heidkamp, R. A., Mako-Mushaniga, K., Garg, A., Matji, J. N., Nyawo, M., Craig, H. C., & Thorne-Lyman, A. L. (2023). Factors associated with diet diversity among infants and young children in the Eastern and Southern Africa region. *Maternal and Child Nutrition*, *19*(3). <https://doi.org/10.1111/mcn.13487>
- Kementerian Kesehatan RI. (2020). *Peraturan Menteri Kesehatan No. 2 Tahun 2020 tentang Standar Antropometri Anak*.
- Kementerian Kesehatan RI. (2023). *Buku Saku Hasil Survei Status Gizi Indonesia (SSGI) 2022*. Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2024). *Survei Kesehatan Indonesia (SKI) Tahun 2023*. Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2025). *Survei Status Gizi Indonesia (SSGI) 2024 Dalam Angka*. Kemenkes RI.
- Kennedy, G., Ballard, T., & Dop, M. (2011). *Guidelines for measuring household and individual dietary diversity*. Food and Agriculture Organization. [www.foodsec.org](http://www.foodsec.org)
- Kojima, Y., Murayama, N., & Suga, H. (2020). Dietary diversity score correlates with nutrient intake and monetary diet cost among Japanese adults. *Asia Pacific Journal of Clinical Nutrition*, *29*(2), 382–394. [https://doi.org/10.6133/apjcn.202007\\_29\(2\).0021](https://doi.org/10.6133/apjcn.202007_29(2).0021)
- Kolliesuah, N. P., Olum, S., & Ongeng, D. (2023). Status of household dietary diversity and associated factors among rural and urban households of Northern Uganda. *BMC Nutrition*, *9*(1). <https://doi.org/10.1186/s40795-023-00739-4>
- Kumar, I., & Gautam, M. (2022). Correlation between Individual Dietary Diversity Score and Nutrients Adequacy Ratio in the Rural Community. *The Indian Journal of Nutrition and Dietetics*, *59*(1). <https://doi.org/10.21048/IJND.2021.58.4.28220>

- Laksono, A. D., Wulandari, R. D., Ibad, M., & Kusrini, I. (2021). The effects of mother's education on achieving exclusive breastfeeding in Indonesia. *BMC Public Health*, *21*(1). <https://doi.org/10.1186/s12889-020-10018-7>
- Lestari, E., Siregar, A., Hidayat, A. K., & Yusuf, A. A. (2024). Stunting and its association with education and cognitive outcomes in adulthood: A longitudinal study in Indonesia. *PLoS ONE*, *19*(5). <https://doi.org/10.1371/journal.pone.0295380>
- Limardi, S., Hasanah, D. M., & Utami, N. M. D. (2022). Dietary intake and stunting in children aged 6-23 months in rural Sumba, Indonesia. *Paediatrica Indonesiana(Paediatrica Indonesiana)*, *62*(5), 341–356. <https://doi.org/10.14238/pi62.5.2022.341-56>
- Lukman, T. N. E., Anwar, F., Riyadi, H., Harjomidjojo, H., & Martianto, D. (2021). Birth Weight and Length Associated with Stunting among Children Under-Five in Indonesia. *J. Gizi Pangan*, *16*, 99–108.
- Mahfouz, E. M., Mohammed, E. S., Alkilany, S. F., & Rahman, T. A. A. (2022). The relationship between dietary intake and stunting among pre-school children in Upper Egypt. *Public Health Nutrition*, *25*(8), 2179–2187. <https://doi.org/10.1017/S136898002100389X>
- Mahmudiono, T., Sumarmi, S., & Rosenkranz, R. R. (2017). Household dietary diversity and child stunting in East Java, Indonesia. *Asia Pacific Journal of Clinical Nutrition*, *26*(2), 317–325. <https://doi.org/10.6133/apjcn.012016.01>
- Mamun, A. Al, Mahmudiono, T., Yudhastuti, R., Triatmaja, N. T., & Chen, H. L. (2023). Effectiveness of Food-Based Intervention to Improve the Linear Growth of Children under Five: A Systematic Review and Meta-Analysis. In *Nutrients* (Vol. 15, Issue 11). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/nu15112430>
- Manggala, A. K., Kenwa, K. W. M., Kenwa, M. M. L., Sakti, A. A. G. D. P. J., & Sawitri, A. A. S. (2018). Risk factors of stunting in children aged 24-59 months. *Paediatrica Indonesiana*, *58*(5), 205–212. <https://doi.org/10.14238/pi58.5.2018.205-12>
- Masuke, R., Msuya, S. E., Mahande, J. M., Diarz, E. J., Stray-Pedersen, B., Jahanpour, O., & Mgongo, M. (2021). Effect of inappropriate complementary feeding practices on the nutritional status of children aged 6-24 months in urban Moshi, Northern Tanzania: Cohort study. *PLoS ONE*, *16*(5 May). <https://doi.org/10.1371/journal.pone.0250562>
- McGovern, M. E., Krishna, A., Aguayo, V. M., & Subramanian, S. V. (2017). A review of the evidence linking child stunting to economic outcomes. *International Journal of Epidemiology*, *46*(4), 1171–1191. <https://doi.org/10.1093/ije/dyx017>
- Mediani, H. S. (2020). Predictors of Stunting Among Children Under Five Year of Age in Indonesia: A Scoping Review. *Global Journal of Health Science*, *12*(8), 83. <https://doi.org/10.5539/gjhs.v12n8p83>
- Millward, D. J. (2015). Energy: Intake and Energy Requirements. In *Encyclopedia of Food and Health* (pp. 511–518). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-384947-2.00250-6>

- Molani Gol, R., Kheirouri, S., & Alizadeh, M. (2022). Association of Dietary Diversity With Growth Outcomes in Infants and Children Aged Under 5 Years: A Systematic Review. *Journal of Nutrition Education and Behavior*, *54*(1), 65–83. <https://doi.org/10.1016/j.jneb.2021.08.016>
- Molla, W., Adem, D. A., Tilahun, R., Shumye, S., Kabthymmer, R. H., Kebede, D., Mengistu, N., Ayele, G. M., & Assefa, D. G. (2021). Dietary diversity and associated factors among children (6–23 months) in Gedeo zone, Ethiopia: cross - sectional study. *Italian Journal of Pediatrics*, *47*(1). <https://doi.org/10.1186/s13052-021-01181-7>
- Muts, J., Lukowski, J. I. A., Twisk, J. W. R., Schoonderwoerd, A., Van Goudoever, J. B., Van Keulen, B. J., & Van Den Akker, C. H. P. (2024). Macronutrient concentrations in human milk beyond the first half year of lactation: A cohort study. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, *110*, F248–F252. <https://doi.org/10.1136/archdischild-2024-327319>
- Nurhayati, E., Paramashanti, B. A., Astiti, D., & Aji, A. S. (2020). Dietary diversity, vitamin D intake and childhood stunting: A case-control study in Bantul, Indonesia. *Malaysian Journal of Nutrition*, *26*(2), 273–287. <https://doi.org/10.31246/MJN-2020-0021>
- Pangesti, D. P., Andadari, S., & Mahmudiono, T. (2017). Keragaman Pangan dan Tingkat Kecukupan Energi serta Protein Pada Balita (Dietary Diversity, Energy and Protein Adequacy in Children). *Amerta Nutr*, 23–33. <https://doi.org/10.2473/amnt.v1i3.2017.172-179>
- Pangestuti, M., Khomsan, A., & Ekayanti, I. (2023). Determinants of stunting in children aged 6-24 months in rural areas: Case control study. *Action: Aceh Nutrition Journal*, *8*(3), 318. <https://doi.org/10.30867/action.v8i3.918>
- Paramashanti, B. A., & Benita, S. (2020). Early introduction of complementary food and childhood stunting were linked among children aged 6-23 months. *Jurnal Gizi Klinik Indonesia*, *17*(1), 1. <https://doi.org/10.22146/ijcn.53788>
- Paramashanti, B. A., Paratmanitya, Y., & Marsiswati. (2017). Individual dietary diversity is strongly associated with stunting in infants and young children. *Jurnal Gizi Klinik Indonesia*, *14*(1), 19–26. <https://doi.org/https://doi.org/10.22146/ijcn.15989>
- Prendergast, A. J., & Humphrey, J. H. (2014). The stunting syndrome in developing countries. *Paediatrics and International Child Health*, *34*(4), 250–265. <https://doi.org/10.1179/2046905514Y.0000000158>
- Rachmi, C. N., Agho, K. E., Li, M., & Baur, L. A. (2016). Stunting, underweight and overweight in children aged 2.0-4.9 years in Indonesia: Prevalence trends and associated risk factors. *PLoS ONE*, *11*(5). <https://doi.org/10.1371/journal.pone.0154756>
- Rahman, M. M., Seling, N. R., & Kiyu, A. (2021). Under-five Nutritional Status and its Relationship with Household Dietary Diversity and Food Security Among the Dayak Communities in Sarawak, Malaysia. *Bangladesh Medical Research Council Bulletin*, *47*(2), 127–135. <https://doi.org/10.3329/bmrcb.v47i2.57770>
- Reyes, H., Pérez-Cuevas, R., Sandoval, A., Castillo, R., Santos, J. I., Doubova, S. V., & Gutiérrez, G. (2004). The family as a determinant of stunting in children

- living in conditions of extreme poverty: A case-control study. *BMC Public Health*, 4. <https://doi.org/10.1186/1471-2458-4-57>
- Rios-Leyvraz, M., & Yao, Q. (2023). The Volume of Breast Milk Intake in Infants and Young Children: A Systematic Review and Meta-Analysis. *Breastfeeding Medicine*, 18(3), 188–197. <https://doi.org/10.1089/bfm.2022.0281>
- Roba, A. A., Bařdař, Ö., Brewis, A., & Roba, K. T. (2024). Maternal and household factors affecting the dietary diversity of preschool children in eastern Ethiopia: a cross-sectional study. *BMJ Open*, 14(3), e080616. <https://doi.org/10.1136/bmjopen-2023-080616>
- Roediger, R., Taylor Hendrixson, D., & Manary, M. J. (2020). A roadmap to reduce stunting. *American Journal of Clinical Nutrition*, 112, 773S-776S. <https://doi.org/10.1093/ajcn/nqaa205>
- Rolfe, E. D. L., França, G. V. A. De, Vianna, C. A., Gigante, D. P., Miranda, J. J., Yudkin, J. S., Horta, B. L., & Ong, K. K. (2018). Associations of stunting in early childhood with cardiometabolic risk factors in adulthood. *PLoS ONE*, 13(4). <https://doi.org/10.1371/journal.pone.0192196>
- Saha, J., Chouhan, P., Malik, N. I., Ghosh, T., Das, P., Shahid, M., Ahmed, F., & Tang, K. (2023). Effects of Dietary Diversity on Growth Outcomes of Children Aged 6 to 23 Months in India: Evidence from National Family and Health Survey. *Nutrients*, 15(1). <https://doi.org/10.3390/nu15010159>
- Samosir, O. B., Radjiman, D. S., & Aninditya, F. (2023). Food consumption diversity and nutritional status among children aged 6-23 months in Indonesia: The analysis of the results of the 2018 Basic Health Research. *PLoS ONE*, 18(3 March). <https://doi.org/10.1371/journal.pone.0281426>
- Semba, R. D., Trehan, I., Gonzalez-Freire, M., Kraemer, K., Moaddel, R., Ordiz, M. I., Ferrucci, L., & Manary, M. J. (2016). Perspective: The potential role of essential amino acids and the mechanistic target of rapamycin complex 1 (mTORC1) pathway in the pathogenesis of child stunting. *Advances in Nutrition*, 7(5), 853–865. <https://doi.org/10.3945/an.116.013276>
- Sjarif, D. R., Yulianti, K., & Iskandar, W. J. (2019). Daily consumption of growing-up milk is associated with less stunting among Indonesian toddlers. *Medical Journal of Indonesia*, 28(1), 70–76. <https://doi.org/10.13181/mji.v28i1.2607>
- Soliman, A., De Sanctis, V., Alaaraj, N., Ahmed, S., Alyafei, F., Hamed, N., & Soliman, N. (2021). Early and long-term consequences of nutritional stunting: From childhood to adulthood. *Acta Biomedica*, 92(1). <https://doi.org/10.23750/abm.v92i1.11346>
- Stewart, C. P., Iannotti, L., Dewey, K. G., Michaelsen, K. F., & Onyango, A. W. (2013). Contextualising complementary feeding in a broader framework for stunting prevention. *Maternal and Child Nutrition*, 9(S2), 27–45. <https://doi.org/10.1111/mcn.12088>
- Suratri, M. A. L., Putro, G., Rachmat, B., Nurhayati, Ristrini, Pracoyo, N. E., Yulianto, A., Suryatma, A., Samsudin, M., & Raharni. (2023). Risk Factors for Stunting among Children under Five Years in the Province of East Nusa Tenggara (NTT), Indonesia. *International Journal of Environmental Research and Public Health*, 20(2). <https://doi.org/10.3390/ijerph20021640>

- Swindale, A., & Bilinsky, P. (2006). *Household Dietary Diversity Score (HDDS) for Measurement of Household Food Access: Indicator Guide (Version 2)*. Food and Nutrition Technical Assistance III Project (FANTA). [www.fantaproject.org](http://www.fantaproject.org)
- Tambe, A. B., Akeh, M. L., Tendongfor, N., Dhlamini, T., Chipili, G., & Mbhenyane, X. (2023). The predictors of food security and dietary diversity among internally displaced persons' children (6–59 months) in Bamenda health district, Cameroon. *Conflict and Health*, 17(1). <https://doi.org/10.1186/s13031-023-00511-2>
- Thahir, A. I. A., Li, M., Holmes, A., & Gordon, A. (2023). Exploring Factors Associated with Stunting in 6-Month-Old Children: A Population-Based Cohort Study in Sulawesi, Indonesia. *Nutrients*, 15(15). <https://doi.org/10.3390/nu15153420>
- Trisasmitha, L., Sudiarti, T., Sartika, R. A. D., & Setiarini, A. (2020). Identification of dietary diversity associated with stunting in Indonesia. *Malaysian Journal of Nutrition*, 26(1), 85–92. <https://doi.org/10.31246/MJN-2019-0128>
- Trumbo, P., Schlicker, S., Yates, A. A., & Poos, M. (2002). Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein and Amino Acids. *Journal of the American Dietetic Association*, 102(11), 1621–1630. [https://doi.org/doi:10.1016/s0002-8223\(02\)90346-9](https://doi.org/doi:10.1016/s0002-8223(02)90346-9)
- UNICEF, Bappenas, & Kemenkes RI. (2018). *Framework of Action for Complementary Feeding*.
- UNICEF, WHO, & World Bank Group. (2021). *Levels and trends in child malnutrition: Key findings of the 2021 edition of the Joint Child Malnutrition Estimates*. United Nations Children's Fund.
- Vaivada, T., Akseer, N., Akseer, S., Somaskandan, A., Stefopoulos, M., & Bhutta, Z. A. (2020). Stunting in childhood: An overview of global burden, trends, determinants, and drivers of decline. *American Journal of Clinical Nutrition*, 112, 777S–791S. <https://doi.org/10.1093/ajcn/nqaa159>
- Verger, E. O., Le Port, A., Borderon, A., Bourbon, G., Moursi, M., Savy, M., Mariotti, F., & Martin-Prevel, Y. (2021). Dietary Diversity Indicators and Their Associations with Dietary Adequacy and Health Outcomes: A Systematic Scoping Review. *Advances in Nutrition*, 12(5), 1659–1672. <https://doi.org/10.1093/advances/nmab009>
- Weerasekara, P. C., Withanachchi, C. R., Ginigaddara, G. A. S., & Ploeger, A. (2020). Understanding Dietary Diversity, Dietary Practices and Changes in Food Patterns in Marginalised Societies in Sri Lanka. *Foods*, 9(11). <https://doi.org/10.3390/foods9111659>
- Wemakor, A., & Laari, J. (2018). Association between household dietary diversity and nutritional status of children (6–36 months) in Wenchi Municipality, Brong Ahafo Region, Ghana. *Nutrire*, 43(1). <https://doi.org/10.1186/s41110-018-0081-2>
- WHO. (2014). Childhood Stunting: Challenges and opportunities. Report of a Promoting Healthy Growth and Preventing Childhood Stunting colloquium. *WHO Geneva*, 34.

- WHO. (2016). *Childhood Stunting: Context, Causes and Consequences Conceptual framework*. World Health Organization.
- WHO, & UNICEF. (2021). *Indicators for assessing infant and young child feeding practices: Definitions and measurement methods*. World Health Organization and the United Nations Children's Fund (UNICEF).
- WHO/FAO/UNU. (2007). *Protein and amino acid requirements in human nutrition. Report of a Joint WHO/FAO/UNU Expert Consultation. WHO Technical Report Series*.
- Wicaksono, R. A., Arto, K. S., Mutiara, E., Deliana, M., Lubis, M., & Batubara, J. R. L. (2021). Risk factors of stunting in Indonesian children aged 1 to 60 months. *Paediatrica Indonesiana (Paediatrica Indonesiana)*, *61*(1), 12–19. <https://doi.org/10.14238/pi61.1.2021.12-9>
- Workicho, A., Belachew, T., Feyissa, G. T., Wondafrash, B., Lachat, C., Verstraeten, R., & Kolsteren, P. (2016). Household dietary diversity and Animal Source Food consumption in Ethiopia: Evidence from the 2011 Welfare Monitoring Survey. *BMC Public Health*, *16*(1). <https://doi.org/10.1186/s12889-016-3861-8>
- Zemene, M. A., Kebede, N., Anteneh, R. M., Moges, N., Tsega, S. S., Dessie, A. M., Belete, M. A., Anley, D. T., Alemayehu, E., Chanie, E. S., & Gebeyehu, A. A. (2024). Determinants of animal source food consumption among children aged 6-23 months in sub-Saharan Africa: multilevel mixed effect model. *Scientific Reports*, *14*(1), 26294. <https://doi.org/10.1038/s41598-024-73840-8>
- Zhao, W., Yu, K., Tan, S., Zheng, Y., Zhao, A., Wang, P., & Zhang, Y. (2017). Dietary diversity scores: An indicator of micronutrient inadequacy instead of obesity for Chinese children. *BMC Public Health*, *17*(1). <https://doi.org/10.1186/s12889-017-4381-x>