

- [1] WHO, “Who director general opening remarks at the media briefing on covid-19,” Maret 2020. [Online]. Available: <https://www.who.int/director-general/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-on-covid-19>
- [2] Kemenkes, “Infeksi emerging.” [Online]. Available: <https://infeksiemerging.kemkes.go.id/dashboard/covid-19>
- [3] CDC, May 2023. [Online]. Available: https://www.cdc.gov/niosh/topics/publicppe/community-ppe.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fprevent-getting-sick%2Fabout-face-coverings.html
- [4] “COVID-19: Considerations for Wearing Masks | CDC,” 2020. [Online]. Available: <https://www.cdc.gov/coronavirus/2019-ncov/>
- [5] J. Howard, A. Huang, Z. Li, Z. Tufekci, V. Zdimal, H.-M. van der Westhuizen, A. von Delft, A. Price, L. Fridman, L.-H. Tang, V. Tang, G. L. Watson, C. E. Bax, R. Shaikh, F. Questier, D. Hernandez, L. F. Chu, C. M. Ramirez, and A. W. Rimoin, “An evidence review of face masks against covid-19,” *Proceedings of the National Academy of Sciences*, vol. 118, no. 4, p. e2014564118, 2021. [Online]. Available: <https://www.pnas.org/doi/abs/10.1073/pnas.2014564118>
- [6] A. Anwar and A. Raychowdhury, “Masked Face Recognition for Secure Authentication,” Aug. 2020, arXiv:2008.11104 [cs, eess]. [Online]. Available: <http://arxiv.org/abs/2008.11104>
- [7] X.-Y. Peng, J. Cao, and F.-Y. Zhang, “Masked face detection based on locally nonlinear feature fusion,” in *Proceedings of the 2020 9th International Conference on Software and Computer Applications*, ser. ICSCA '20. New York, NY, USA: Association for Computing Machinery, 2020, p. 114–118. [Online]. Available: <https://doi.org/10.1145/3384544.3384568>
- [8] B. S. Bayu Dewantara and D. Twinda Rhamadhaningrum, “Detecting multi-pose masked face using adaptive boosting and cascade classifier,” in *2020 International Electronics Symposium (IES)*, 2020, pp. 436–441.
- [9] A. S. Joshi, S. S. Joshi, G. Kanahasabai, R. Kapil, and S. Gupta, “Deep learning framework to detect face masks from video footage,” in *2020 12th International Conference on Computational Intelligence and Communication Networks (CICN)*, 2020, pp. 435–440.
- [10] Y. Li, K. Guo, Y. Lu, and L. Liu, “Cropping and attention based approach for masked face recognition,” *Applied Intelligence*, vol. 51, 05 2021.
- [11] Z. Wang, G. Wang, B. Huang, Z. Xiong, Q. Hong, H. Wu, P. Yi, K. Jiang, N. Wang, Y. Pei, H. Chen, Y. Miao, Z. Huang, and J. Liang, “Masked face recognition dataset and application,” 2020.

- [12] I. Balabanova and G. Georgiev, "Face Recognition by Wavelet Transformation, Deep FFNN and ANFIS Approach," in *2021 29th National Conference with International Participation (TELECOM)*. Sofia, Bulgaria: IEEE, Oct. 2021, pp. 96–99. [Online]. Available: <https://ieeexplore.ieee.org/document/9659749/>
- [13] M. A. K. O. et al., "Gabor-deep cnn based masked face recognition for fraud prevention," in *2021 5th International Conference on Computing Methodologies and Communication (ICCMC)*, 2021, pp. 990–995.
- [14] D. Gao and Z. Cai, "Face recognition based on Fourier-Bessel transformation," in *2016 35th Chinese Control Conference (CCC)*. Chengdu, China: IEEE, Jul. 2016, pp. 4127–4130. [Online]. Available: <http://ieeexplore.ieee.org/document/7553998/>
- [15] E. M. Saputra, R. Hidayat, and A. Bejo, "Variance-based geometric feature selection for face recognition system," in *2022 5th International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, 2022, pp. 625–630.
- [16] H. N. A. Sunarko, R. Hidayat, and R. Hartanto, "Comparative analysis of masked and unmasked for face recognition using vgg face and mtcnn." *EAI*, 6 2023.
- [17] S. Ge, J. Li, Q. Ye, and Z. Luo, "Detecting masked faces in the wild with lle-cnns," in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 426–434.
- [18] D. Gao and Z. Cai, "Face recognition based on fourier-bessel transformation," in *2016 35th Chinese Control Conference (CCC)*, 2016, pp. 4127–4130.
- [19] M. Zhou, H. Wei, X. Wang, P. Wen, and F. Liu, "Human Facial Feature Localisation by Gabor Filter and Clustering," in *2010 Second International Conference on Intelligent Human-Machine Systems and Cybernetics*. Nanjing, China: IEEE, Aug. 2010, pp. 14–17. [Online]. Available: <http://ieeexplore.ieee.org/document/5591075/>
- [20] Y. B. Jemaa and S. Khanfir, "Automatic local Gabor features extraction for face recognition," vol. 3, no. 1, 2009.
- [21] R. K, R. J, and K. N. A. Sattar, "Face recognition using modified histogram of oriented gradients and convolutional neural networks," *International Journal of Image, Graphics and Signal Processing (IJIGSP)*, vol. 15, no. 5, pp. 60–76, 2023.
- [22] P. C. Neto, J. R. Pinto, F. Boutros, N. Damer, A. F. Sequeira, and J. S. Cardoso, "Beyond masks: On the generalization of masked face recognition models to occluded face recognition," *IEEE Access*, vol. 10, pp. 86 222–86 233, 2022.
- [23] S. Mishra and H. Reza, "A face recognition method using deep learning to identify mask and unmask objects," in *2022 IEEE World AI IoT Congress (AIIoT)*, 2022, pp. 091–099.
- [24] P. P D and P. Nath Singh, "Masked unmasked face recognition using support vector machine classifier," in *2021 IEEE International Conference on Mobile Networks and Wireless Communications (ICMNBC)*, 2021, pp. 1–4.

- [25] P. Poonpinij, S. Tarnpradab, N. N. Lumpoon, and N. Wattanapongsakorn, "Masked face recognition and identification using convolutional neural networks," in *2023 10th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI)*, 2023, pp. 571–576.
- [26] T. T. Doan, T. Nguyen, T. Do, D. M. Tien, T. D. Ngo, and D.-D. Le, "Masked face recognition using eum feature extraction from unobstructed region," in *2023 International Conference on Multimedia Analysis and Pattern Recognition (MAPR)*, 2023, pp. 1–5.
- [27] R. G. Sharma, H. Garg, and L. K. Singh, "A framework for face mask detection and face recognition of masked images using resnet50 cnn with multi-task learning and cross- attention mechanism," in *2025 7th International Conference on Signal Processing, Computing and Control (ISPPCC)*, 2025, pp. 237–242.
- [28] F. Firdaus and R. Munir, "Masked face recognition using deep learning based on unmasked area," in *2022 Second International Conference on Power, Control and Computing Technologies (ICPC2T)*, 2022, pp. 1–6.
- [29] A. Cabani, K. Hammoudi, H. Benhabiles, and M. Melkemi, "Maskedface-net – a dataset of correctly/incorrectly masked face images in the context of covid-19," *Smart Health*, vol. 19, p. 100144, Mar. 2021. [Online]. Available: <http://dx.doi.org/10.1016/j.smhl.2020.100144>
- [30] S. Mathur and S. Gupta, "Classification and detection of automated facial mask to covid-19 based on deep cnn model," in *2023 IEEE 7th Conference on Information and Communication Technology (CICT)*, 2023, pp. 1–6.
- [31] P. Singh, R. Rani, N. Goel, A. Dev, and A. Sharma, "Face mask detection using an automated hybrid deep learning method in the covid scenario," in *2022 10th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO)*, 2022, pp. 1–6.
- [32] A. Rajasekharan Unnithan, A. T, A. PS, and J. Paul, "Real time multiple face recognition security system (rtm-fs)," 04 2013.
- [33] P. Viola and M. Jones, "Rapid object detection using a boosted cascade of simple features," in *Proceedings of the 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. CVPR 2001*, vol. 1, 2001, pp. I–I.
- [34] R. Lienhart and J. Maydt, "An extended set of haar-like features for rapid object detection," in *Proceedings. International Conference on Image Processing*, vol. 1, 2002, pp. I–I.
- [35] R. C. Gonzalez, R. E. Woods, and B. R. Masters, "Digital Image Processing, Third Edition," *Journal of Biomedical Optics*, vol. 14, no. 2, p. 029901, 2009.
- [36] R. N. Perdana, B. Irawan, C. Setianingsih, D. R. Wulandari, I. S. Pamungkas, F. Nurfausan, A. O. P. Sakinah, and M. R. Ramadhan, "Design of Smartdoor for Live Face Detection Based on Image Processing Using Physiological Motion Detection," *Proceedings - ISMODE 2022: 2nd International Seminar on Machine Learning, Optimization, and Data Science*, pp. 1–6, 2022.

- [37] P. V. Sandeep and N. S. Kumar, "Pain detection through facial expressions in children with autism using deep learning," *Soft Computing*, vol. 28, no. 5, pp. 4621–4630, 2024. [Online]. Available: <https://doi.org/10.1007/s00500-024-09696-x>
- [38] "Mediapipe." [Online]. Available: <https://developers.google.com/mediapipe,author={GoogleDeveloper},year={2024},note={Januari,2024}>
- [39] G. Valentin Bazarevsky, "MediaPipe BlazeFace," vol. 7, no. 3, p. 6, 2021.
- [40] Z.-T. Liu, S.-H. Li, W. Cao, D.-Y. Li, M. Hao, and R. Zhang, "Combining 2d gabor and local binary pattern for facial expression recognition using extreme learning machine," vol. 23, 05 2019, pp. 444–455.
- [41] R. Szeliski, *Computer Vision: Algorithms and Applications*, 1st ed. Berlin, Heidelberg: Springer-Verlag, 2010.
- [42] R. Gonzalez and R. Woods, *Digital Image Processing*. Pearson, 2018. [Online]. Available: <https://books.google.co.id/books?id=0F05vgAACAAJ>
- [43] A. Ahmed and F. S. Alghareb, "A hybrid roi extraction approach for mask and unmask facial recognition system using light-cnn," *International Journal of Computing and Digital Systems*, vol. 16, pp. 1–10, 03 2024.
- [44] S.-H. Cha, "Comprehensive survey on distance/similarity measures between probability density functions," *International Journal of Mathematical Models and Methods in Applied Sciences*, vol. 1, no. 4, pp. 300–307, 2007.
- [45] Z. Wang, W. Li, and L. Liu, "Face landmark localization based on distance measurement and geometric constraints," *IEEE Access*, vol. 6, pp. 67 145–67 155, 2018.
- [46] N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," in *2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05)*, vol. 1, 2005, pp. 886–893 vol. 1.
- [47] J. Zhang, Y. Li, X. Wang, Y. Qiao, and W. Zhang, "Face recognition based on hog and pca," *Proceedings of 2013 6th International Congress on Image and Signal Processing (CISP)*, pp. 118–122, 2013.
- [48] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L.-C. Chen, "Mobilenetv2: Inverted residuals and linear bottlenecks," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018, pp. 4510–4520.
- [49] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.
- [50] Y. Lecun and Y. Bengio, *Convolutional Networks for Images, Speech and Time Series*. The MIT Press, 1995, pp. 255–258.
- [51] M. Swapna, Y. K. Sharma, and B. Prasad, "Cnn architectures: Alex net, le net, vgg, google net, res net," *Int. J. Recent Technol. Eng*, vol. 8, no. 6, pp. 953–960, 2020.

- [52] A. G. Howard, M. Zhu, B. Chen, D. Kalenichenko, W. Wang, T. Weyand, M. Andreetto, and H. Adam, "Mobilenets: Efficient convolutional neural networks for mobile vision applications," *arXiv preprint arXiv:1704.04861*, 2017.
- [53] C. Luo and Q. Zhang, "Face mask wearing recognition based on mobilenetv2 with attention mechanism," *Procedia Computer Science*, vol. 184, pp. 348–354, 2021.
- [54] P. Mishra, C. M. Pandey, U. Singh, A. Gupta, C. Sahu, and A. Keshri, "Descriptive statistics and normality tests for statistical data," *Annals of cardiac anaesthesia*, vol. 22, no. 1, p. 67, 2019.
- [55] J. Cohen, *Statistical Power Analysis for the Behavioral Sciences*. Lawrence Erlbaum Associates, 1988.
- [56] D. Lakens, "Calculating and reporting effect sizes to facilitate cumulative science: a practical primer for t-tests and anovas," *Frontiers in Psychology*, vol. 4, 2013. [Online]. Available: <https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2013.00863>
- [57] E. Grishchenko, A. Petrov, and D. Nikitko, "Facial landmark localization using lightweight neural networks," in *Proceedings of the International Conference on Machine Vision*, 2020.
- [58] M. Loey, F. Smarandache, and N. E. M. Khalifa, "A hybrid deep transfer learning model with machine learning methods for face mask detection in the era of the covid-19 pandemic," *Measurement*, vol. 167, p. 108288, 2021.
- [59] A. Kumar, A. Kaur, and M. Kumar, "Face mask detection using deep learning: An approach to reduce risk of corona virus spread," *Journal of Biomedical Informatics*, vol. 117, p. 103748, 2021.
- [60] W. Zhao, R. Chellappa, P. J. Phillips, and A. Rosenfeld, "Face recognition: A literature survey," *ACM Computing Surveys (CSUR)*, vol. 35, no. 4, pp. 399–458, 2003.
- [61] L. Yin, X. Wei, Y. Sun, J. Wang, and M. J. Rosato, "A 3d facial expression database for facial behavior research," in *IEEE International Conference on Automatic Face and Gesture Recognition*. IEEE, 2006, pp. 211–216.
- [62] R. Singh, M. Vatsa, and A. Noore, "Face recognition with disguise and single gallery images using facial symmetry," *Image and Vision Computing*, vol. 28, no. 9, pp. 1213–1222, 2010.
- [63] J. Ashfaq and A. Iqbal, "Introduction to support vector machines and kernel methods," 04 2019.
- [64] T. Shin, "Understanding the confusion matrix and how to implement it in python," *A Fundamental Concept to Evaluate Your Models*, vol. 04, 2019.
- [65] K. Wabang, O. Nurhayati, and Farikhin, "Application of the naïve bayes classifier algorithm to classify community complaints," *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 6, pp. 872–876, 11 2022.