

DAFTAR PUSTAKA

- ACOG. 2020. Gestational Hypertension and Preeclampsia: ACOG Practice Bulletin, Number 222. *Obstet Gynecol.* 2020 Jun;135(6):e237-e260. doi: 10.1097/AOG.0000000000003891. PMID: 32443079.
- Ahearne CE, Boylan GB, Murray DM. Short and long term prognosis in perinatal asphyxia: An update. *World journal of clinical pediatrics.* 2016;5(1):67. doi: 10.5409/wjcp.v5.i1.67. [DOI] [PMC free article] [PubMed] [Google Scholar]
- Al-Nozha MM, Al-Mazrou YY, Al-Maatouq MA, Arafah MR, Khalil MZ, Khan NB, Al-Marzouki K, Abdullah MA, Al- Khadra AH, Al-Harhi SS, Al-Shahid MS. (2005). *Obesity in Saudi Arabia.* *Saudi medical journal.* 26(5):824-9.
- Alamneh YM, Negesse A, Aynalem YA, Shiferaw WS, Gedefew M, Tilahun M, Hune Y, Abebaw A, Biazin Y, Akalu TY. Risk Factors of Birth Asphyxia among Newborns at Debre Markos Comprehensive Specialized Referral Hospital, Northwest Ethiopia: Unmatched Case-Control Study. *Ethiop J Health Sci.* 2022 May;32(3):513-522. doi: 10.4314/ejhs.v32i3.6. PMID: 35813672; PMCID: PMC9214735.
- Amarin VN, Akasheh HF. (2001). Advanced maternal age and pregnancy outcome. *Eastern Mediterranean health journal = La revue de sante de la Mediterranee orientale = al-Majallah al-sihhiyah li-sharq al-mutawassit,* 7(4-5), 646–651.
- Amorim MM, Souza ASR, Katz L. Planned caesarean section versus planned vaginal birth for severe pre-eclampsia. *Cochrane Database Syst Rev.* 2017 Oct 23;10(10):CD009430.
- Anto EO, Ofori Boadu WI, Opoku S, Senu E, Tamakloe VCKT, Tawiah A, Ankobea F, Acheampong E, Anto AO, Appiah M, Wiafe YA, Annani-Akollor ME, Obirikorang C, Addai-Mensah O. (2022). Prevalence and Risk Factors of Preterm Birth Among Pregnant Women Admitted at the Labor Ward of the Komfo Anokye Teaching Hospital, Ghana. *Front Glob Womens Health,* 3, 801092. <https://doi.org/10.3389/fgwh.2022.801092>
- Antonucci R, Porcella A, Pilloni MD. Perinatal asphyxia in the term newborn. *Journal of Pediatric and Neonatal Individualized Medicine (JPNIM)* 2014;3(2):e030269.
- Aracil Moreno I, Rodríguez-Benitez P, Ruiz-Minaya M, Bernal Claverol M, Ortega Abad V, Hernández Martin C, Pintado Recarte P, Yllana F, Oliver-Barrecheuren C, Álvarez-Mon M, Ortega MA, De Leon-Luis JA. Maternal Perinatal Characteristics in Patients with Severe Preeclampsia: A Case-Control Nested Cohort Study. *Int J Environ Res Public Health.* 2021 Nov 10;18(22):11783. doi: 10.3390/ijerph182211783. PMID: 34831539; PMCID: PMC8623459.
- Aslam, H.M., Saleem, S., Afzal, R. dkk. (2014). “Risk factors of birth asphyxia”. *Ital J Pediatr;* 40, 94. <https://doi.org/10.1186/s13052-014-0094-2>
- Atamamen TF, Naing NN, Oyetunji JA, Wan-Arfah N. Systematic literature review on the neonatal outcome of preeclampsia. *Pan Afr Med J.* 2022 Jan 31;41:82. doi: 10.11604/pamj.2022.41.82.31413. PMID: 35432694; PMCID: PMC8977357.

- Bahri, S & Suheimi, D. (2019). *Severe preeclampsia-eclampsia and their associated factors*. Indonesian Journal of Obstetric and Gynecology, Vol. 7(2). DOI: <https://doi.org/10.32771/inajog.v7i2.897>
- Beardmore-Gray A, Seed PT, Fleminger J, Zwertbroek E, Bernardes T, Mol BW, Battersby C, Koopmans C, Broekhuijsen K, Boers K, Owens MY, Thornton J, Green M, Shennan AH, Groen H, Chappell LC. (2022). Planned delivery or expectant management in preeclampsia: An individual participant data meta-analysis. *American Journal of Obstetrics and Gynecology*, 227(2). <https://doi.org/10.1016/j.ajog.2022.04.034>
- Boron, D & Wender-Ozegowska, E. (2022). *Pregnancy Complicated by Sindrom HELLP in a Patient with Morbid Obesity*. Annals of Clinical Case Reports, Vol. 7
- Bramham K, Briley AL, Seed P, Poston L, Shennan AH, Chappell LC. Adverse maternal and perinatal outcomes in women with previous preeclampsia: a prospective study. *Am J Obstet Gynecol*. 2011 Jun;204(6):512.e1-9. doi: 10.1016/j.ajog.2011.02.014. Epub 2011 Mar 31. PMID: 21457915; PMCID: PMC3121955.
- Camargo RS, Pacagnella RC, Cecatti JG, Parpinelli MA, Souza JP, Sousa MH. (2011). Subsequent reproductive outcome in women who have experienced a potentially life-threatening condition or a maternal near-miss during pregnancy. *Clinics*, 66(8), 1367–1372. <https://doi.org/10.1590/s1807-59322011000800010>
- Coviello EM, Iqbal SN, Grantz KL, Huang CC, Landy HJ, Reddy UM. (2018). Early preterm preeclampsia outcomes by intended mode of delivery. *Am J Obstet Gynecol*. doi: 10.1016/j.ajog.2018.09.027. PMID: 30273585; PMCID: PMC7605098.
- Cedergren MI. (2004). *Maternal morbid obesity and the risk of adverse pregnancy outcome*. *Obstet Gynecol*;103:219–224.
- Chang KJ, Seow KM, Chen KH. Preeclampsia: Recent Advances in Predicting, Preventing, and Managing the Maternal and Fetal Life-Threatening Condition. *Int J Environ Res Public Health*. 2023 Feb 8;20(4):2994. doi: 10.3390/ijerph20042994. PMID: 36833689; PMCID: PMC9962022.
- Clowse ME. Lupus activity in pregnancy. *Rheum Dis Clin North Am*. 2007 May;33(2):237-52, v. doi: 10.1016/j.rdc.2007.01.002. PMID: 17499705; PMCID: PMC2745966.
- Committee on Obstetric Practice. (2015). *The Apgar Score*. The American College of Obstetricians and Gynecologists. Available at : <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2015/10/the-apgar-score#>
- Davies-Tuck M, Mockler JC, Stewart L, Knight M, Wallace EM. (2016). Obesity and pregnancy outcomes: Do the relationships differ by maternal region of birth? A retrospective cohort study. *BMC Pregnancy Childbirth*, 16(1), 288. <https://doi.org/10.1186/s12884-016-1087-5>
- Dewi, V. K. (2014). Hubungan Obesitas Dan Riwayat Hipertensi Dengan Kejadian Preeklamsi Di Puskesmas Rawat Inap Danau Panggang. *AnNadaa*, 1(2), 57–61

- Duley L. (2009). *The Global Impact of Pre-eclampsia and Eclampsia*. *Semin Perinatol*; 33(3):130–137. [PubMed: 19464502]
- Edvinsson C, Björnsson O, Erlandsson L, Hansson SR. (2024). Predicting intensive care need in women with preeclampsia using machine learning - a pilot study. *Hypertens Pregnancy*. 43(1):2312165. doi:10.1080/10641955.2024.2312165
- El-Gilany AH, Hammad S. (2010). *Body mass index and obstetric outcomes in Saudi Arabia: a prospective cohort study*. *Annals of Saudi medicine*.;30(5):376.
- Elsoadaa SS. (2013). *Overweight and Obesity among Saudi Female Population*. *Journal of American Science*.;9(12).
- Faucher MA, Barger MK. Gestational weight gain in obese women by class of obesity and select maternal/newborn outcomes: A systematic review. *Women Birth*. 2015 Sep;28(3):e70-9. doi: 10.1016/j.wombi.2015.03.006. Epub 2015 Apr 9. PMID: 25866207.
- Fernández Alba JJ, Mesa Páez C, Vilar Sánchez Á, Soto Pazos E, González Macías MDC, Serrano Negro E, Paublete Herrera MDC, & Moreno Corral LJ. (2018). *Sobrepeso y obesidad como factores de riesgo de los estados hipertensivos del embarazo: estudio de cohortes retrospectivo [Overweight and obesity at risk factors for hypertensive states of pregnancy: a retrospective cohort study]*. *Nutr. Hosp.*, 35(4), 874–880. <https://doi.org/10.20960/nh.1702>
- Fitzpatrick KE, Hinshaw K, Kurinczuk JJ, Knight M. (2014). Risk factors, management, and outcomes of hemolysis, elevated liver enzymes, and low platelets syndrome and elevated liver enzymes, low platelets syndrome. *Obstet Gynecol*. 123(3):618-627.
- Genc S, Emeklioglu CN, Cingillioglu B, Akturk E, Ozkan HT, Mihmanlı V. The effect of parity on obstetric and perinatal outcomes in pregnancies at the age of 40 and above: a retrospective study. *Croat Med J*. 2021 Apr 30;62(2):130-136. doi: 10.3325/cmj.2021.62.130. PMID: 33938652; PMCID: PMC8107994.
- Gifford RW, August PA, Cunningham FG, dkk. (2000). *Report of the National High Blood Pressure Working Group on Research on Hypertension in Pregnancy*. *Am J Obstet Gynecol*.; 183:S1–S22.
- Gillam-Krakauer M, Gowen Jr CW. (2022). *Birth Asphyxia*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-.
- Gong X, Li J, Jiang Y, Yuan P, Chen L, Yang Y, Li Y, Sun M, Zhao Y, Shi H, Wei Y. Risk of preeclampsia by gestational weight gain in women with varied prepregnancy BMI: A retrospective cohort study. *Front Endocrinol (Lausanne)*. 2022 Oct 14;13:967102. doi: 10.3389/fendo.2022.967102. PMID: 36313754; PMCID: PMC9616116.
- Goes AS, Oliveira AS, de Andrade TN, Alves BM, Neves SJ, Dias JM, de Lyra Júnior DP, de Oliveira Filho AD. (2022). Influence of drug-related problems on length of hospital stay of women with a history of preeclampsia: A multicenter study. *Pregnancy Hypertension*, 27, 8–13. <https://doi.org/10.1016/j.preghy.2021.11.005>

- Goldenberg RL, Rouse DJ. (1998). *Prevention of premature birth*. N Engl J Med.; 339(5):313–320. [PubMed: 9682045]
- Gouveia I, Costa C, Cunha P, Bartolo A, Milheiro R, Gonçalves C, Carvalho A, Cardoso T, Martins S, Magalhaes J. (2005). Pre-eclampsia in the intensive care unit: indicators of severity and hospital outcome. Crit Care 9 (Suppl 1), P216. <https://doi.org/10.1186/cc3279>
- Harmon QE, Huang L, Umbach DM, dkk. (2015). *Risk of fetal death with preeclampsia*. Obstet Gynecol; 125:628.
- Harper LM, Renth A, Cade WT, Colvin R, Macones GA, & Cahill AG. (2014). *Impact of obesity on maternal and neonatal outcomes in insulin-resistant pregnancy*. Am J Perinatol, 31(5), 383–388. <https://doi.org/10.1055/s-0033-1350057>
- Huang H, Liu B, Gao X, Wang Y. (2022). Clinical classification, pregnancy outcomes and risk factors analysis of severe preeclampsia complicated with HELLP syndrome. *Front Surg*, 9, 859180.
- Hutcheon, J.A., Stephansson, O., Cnattingius, S., Bodnar, L.M., Wikstrom, A.-K., & Johansson, K., 2019. Pregnancy weight gain before diagnosis and risk of pre-eclampsia: a population-based cohort study in nulliparous women. *Hypertension*, 72 (2), 433–441.
- Jančar N, Mihevc Ponikvar B, Tomšič S, Vrtačnik Bokal E, Korošec S. (2018). Is IVF/ICSI [corrected] an Independent Risk Factor for Spontaneous Preterm Birth in Singletons? A Population-Based Cohort Study. *BioMed Res Int*, 2018, 7124362. <https://doi.org/10.1155/2018/7124362>
- Jiang L, Lin J, Yan J, Lin X, Han Q, Zhang H. (2020). Prepregnancy body mass indexes are associated with perinatal outcomes in females with preeclampsia. *Exp Ther Med*. 20(1):500-504. doi:10.3892/etm.2020.8677
- Kahveci B, Melekoglu R, Evruke IC, Cetin C. (2018). The effect of advanced maternal age on perinatal outcomes in nulliparous singleton pregnancies. *BMC pregnancy and childbirth*, 18(1), 343. <https://doi.org/10.1186/s12884-018-1984-x>
- Kartika AR, Akbar MIA & Umiastuti P. (2018). *Risk factor of severe preeclampsia in Dr. Soetomo Hospital Surabaya in 2015*. Majalah Obstetri & Ginekologi, Vol 25(1), p.6-9. DOI: 10.20473/mog.V25I12017.6-9
- Khalid F, Mahendraker N, Tonismae T. (2022) *Sindrom HELLP*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan
- Khan B, Allah Yar R, Khakwani AK, Karim S, Arslan Ali H. Preeclampsia Incidence and Its Maternal and Neonatal Outcomes With Associated Risk Factors. *Cureus*. 2022 Nov 6;14(11):e31143. doi: 10.7759/cureus.31143. PMID: 36483900; PMCID: PMC9723483.
- Khumsat, Ratcharat et al. “Incidence and Risk Factors of HELLP Syndrome in Thai Pregnant Women with Severe Pre-eclampsia.” *Thai Journal of Obstetrics and Gynaecology* 16 (2017): 192-198
- Kilicci C, Abide CY, Ozkaya E, Ergen EB, Yenidede İ, Baksu NB, Karakus R, Kucukoglu S. (2018). Confounders for neonatal intensive care unit admission in neonates of mothers with preeclampsia. *Gyn Obs & Reprod Medi*, 24(3), 162-166.

- Kongwattanakul K, Saksiriwuttho P, Chaiyarach S, Thepsuthammarat K. Incidence, characteristics, maternal complications, and perinatal outcomes associated with preeclampsia with severe features and HELLP syndrome. *Int J Womens Health*. (2018) 10:371–7. 10.2147/IJWH.S168569
- Kristensen J, Vestergaard M, Wisborg K, Kesmodel U, Secher NJ. (2005). *Pre-pregnancy weight and the risk of stillbirth and neonatal death*. *BJOG: An International Journal of Obstetrics&Gynaecology*.;112(4):403-8.
- Kusumaningrum RY, Murti B, Prasetya H. (2019). *Low Birth, Prematurity, and Pre-Eclampsia as Risk Factors of Neonatal Asphyxia*. *Matern. Child Health J.* ;4(1):p.49-54. DOI: <https://doi.org/10.26911/thejmch.2019.04.01.07>
- Lamminpää R, Vehviläinen-Julkunen K, Gissler M, Heinonen S. (2012). *Preeclampsia complicated by advanced maternal age: a registry-based study on primiparous women in Finland 1997-2008*. *BMC Pregnancy Childbirth*, 12, 47. <https://doi.org/10.1186/1471-2393-12-47>
- Laopaiboon M, Lumbiganon P, Intarut N, Mori R, Ganchimeg T, Vogel JP, Souza JP, Gulmezoglu AM, WHO Multicountry Survey on Maternal Newborn Health Research Network. (2014). Advanced maternal age and pregnancy outcomes: a multicountry assessment. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121, 49-56.
- Leeners B, Rath W, Kuse S, Irawan C, Imthurn B, Neumaier-Wagner P. (2016). BMI: new aspects of a classical risk factor for hypertensive disorders in pregnancy. *Clin Sci (Lond)*. 111(1):81-86. doi:10.1042/CS20060015
- Lewandowska M, Więckowska B, Sajdak S. Pre-Pregnancy Obesity, Excessive Gestational Weight Gain, and the Risk of Pregnancy-Induced Hypertension and Gestational Diabetes Mellitus. *J Clin Med*. 2020 Jun 24;9(6):1980. doi: 10.3390/jcm9061980. PMID: 32599847; PMCID: PMC7355601.
- Lisonkova S, Joseph KS. (2013). *Incidence of preeclampsia: risk factors and outcomes associated with early- versus late-onset disease*. *Am J Obstet Gynecol* ; 209:544.e1.
- Lisonkova S, Razaz N, Sabr Y, Muraca GM, Boutin A, Mayer C, Joseph KS, Kramer MS. Maternal risk factors and adverse birth outcomes associated with HELLP syndrome: a population-based study. *BJOG*. 2020 Sep;127(10):1189-1198. doi: 10.1111/1471-0528.16225. Epub 2020 Apr 13. PMID: 32189413.
- Lisonkova S, Bone JN, Muraca GM, Razaz N, Wang LQ, Sabr Y, Boutin A, Mayer C, Joseph KS. Incidence and risk factors for severe preeclampsia, hemolysis, elevated liver enzymes, and low platelet count syndrome, and eclampsia at preterm and term gestation: a population-based study. *Am J Obstet Gynecol*. 2021 Nov;225(5):538.e1-538.e19. doi: 10.1016/j.ajog.2021.04.261. Epub 2021 May 8. PMID: 33974902.
- Little RE, Weinberg CR. (1993). *Risk factors for antepartum and intrapartum stillbirth*. *Am J Epidemiol*.; 137:1177–1189.
- Liu CM, Cheng PJ, Chang SD. (2008). Maternal complications and perinatal outcomes associated with gestational hypertension and severe preeclampsia in Taiwanese women. *J Formos Med Assoc*. doi: 10.1016/S0929-6646(08)60126-6. PMID: 18285245.

- Lopez-Jaramillo, P., Barajas, J., Rueda-Quijano, S. M., Lopez-Lopez, C., & Felix, C. (2018). *Obesity and preeclampsia: Common pathophysiological mechanisms*. *Frontiers in Physiology*, 9, 1838. doi:10.3389/fphys.2018.01838
- Lumentut, Anastasia & Tendean, Hermie. (2021). *Luaran Maternal dan Perinatal pada Preeklamsia Berat dan Eklamsia*. *JURNAL BIOMEDIK (JBM)*. 13. 18. 10.35790/jbm.13.1.2021.32109.
- Machado, L. S. (2012). *Cesarean section in morbidly obese parturients: practical implications and complications*. *North American Journal of Medical Sciences*, 4(1), 13–18. doi:10.4103/1947-2714.92895
- Magee LA, Nicolaides KH, von Dadelszen P. (2022). Preeclampsia. *N Engl J Med*. May 12;386(19):1817-1832. doi: 10.1056/NEJMra2109523. PMID: 35544388.
- Magley M, Hinson MR. (2022). *Eclampsia*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-.
- Malmström, O., & Morken, N.-H. (2018). *Sindrom HELLP, risk factors in first and second pregnancy: a population-based cohort study*. *Acta Obstetrica et Gynecologica Scandinavica*, 97(6), 709–716. doi:10.1111/aogs.13322
- Mamo SA, Teshome GS, Tesfaye T, Goshu AT . (2022) . *Perinatal asphyxia and associated factors among neonates admitted to a specialized public hospital in South Central Ethiopia: A retrospective cross-sectional study*. *PLoS ONE* 17(1): e0262619. <https://doi.org/10.1371/journal.pone.0262619>
- Mehrabadi A, Lisonkova S, Joseph KS. (2016). Heterogeneity of respiratory distress syndrome: Risk factors and morbidity associated with early and late gestation disease. *BMC Pregnancy Childbirth*, 16(1). <https://doi.org/10.1186/s12884-016-1085-7>
- Mei JY, Afshar Y. (2023). Hypertensive complications of pregnancy: Hepatic consequences of preeclampsia through HELLP syndrome. *Clin Liv Dis*, 22(6), 195-199.
- Mendola P, Mumford SL, Männistö TI, Holston A, Reddy UM, Laughon SK. (2015). Controlled direct effects of preeclampsia on neonatal health after accounting for mediation by preterm birth. *Epidemiology (Cambridge, Mass.)*, 26(1), 17–26. <https://doi.org/10.1097/EDE.0000000000000213>
- McHugh, M. L. (2013). *The chi-square test of independence*. *Biochemia Medica*, 23(2), 143–149. doi:10.11613/bm.2013.018
- Mifsud W, Sebire NJ. (2014). *Placental pathology in early-onset and late-onset fetal growth restriction*. *Fetal Diagn Ther*; 36:117.
- MoH-RI (2018) Laporan RISKESDAS Nasional 2018 (National Report of Basic Health Research 2018). Jakarta: Ministry of Health of the Republic of Indonesia (MOH-RI).
- Motedayen M, Rafiei M, Rezaei Tavirani M, Sayehmiri K, Dousti M. The relationship between body mass index and preeclampsia: A systematic review and meta-analysis. *Int J Reprod Biomed*. 2019 Jul 31;17(7):463-472. doi: 10.18502/ijrm.v17i7.4857. PMID: 31508571; PMCID: PMC6718883
- Nassar AH, Adra AM, Chakhtoura N, Gómez-Marín O, Beydoun S. (1998). Severe preeclampsia remote from term: labor induction or elective cesarean

- delivery? *Am J Obstet Gynecol.* doi: 10.1016/s0002-9378(98)70133-4. PMID: 9822502.
- N Patel, Vignesh L, Haritha Sagili, Subitha L,. Burden of excessive gestational weight gain and postpartum weight retention among Indian women - A systematic review and meta-analysis. *Clinical Epidemiology and Global Health*, Volume 23, 2023, 101364, ISSN 2213-3984, <https://doi.org/10.1016/j.cegh.2023.101364>.
- Nagarwal K, Chandrakanta GK, Manohar RK. (2015). Pregnancy outcome comparison in elderly and non-elderly primigravida. *International Multispeciality Journal Health*, 1(1), 24-30.
- Ngwenya, S. (2017). *Severe preeclampsia and eclampsia: incidence, complications, and perinatal outcomes at a low-resource setting, Mpilo Central Hospital, Bulawayo, Zimbabwe.* *International Journal of Women's Health*, 9, 353–357. doi:10.2147/IJWH.S131934
- Nurlaelah R., Hamzah H. (2021). *Hubungan Natara Jarak Kelahiran dan Usia Dengan Kejadian Pre Eklamsia Pada Ibu Hamil.* Penelitian Keperawatan Kontemporer. Vol.1, pp.1-9.Pi-Sunyer X. The medical risks of obesity. *Postgraduate med- icine.* 2009 Nov 1;121(6):21-33.
- Omani-Samani R, Sepidarkish M, Safiri S, Esmailzadeh A, Vesali S, Farzaneh F, Almasi-Hashiani A. Impact of Gestational Weight Gain on Cesarean Delivery Risk, Perinatal Birth Weight and Gestational Age in Women with Normal Pre-pregnancy BMI. *J Obstet Gynaecol India.* 2018 Aug;68(4):258-263. doi: 10.1007/s13224-017-1023-2. Epub 2017 Jun 15. PMID: 30065539; PMCID: PMC6046671.
- Pasokpuckdee K, Boriboonthirunsarn D. Incidence of Preeclampsia and Cesarean Section Rate According to the Robson Classification. *Cureus.* 2023 Dec 2;15(12):e49845. doi: 10.7759/cureus.49845. PMID: 38169664; PMCID: PMC10758345.
- Perkumpulan Obstetri dan Ginekologi Indonesia (POGI) Himpunan Kedokteran Fetomaternal (HFM). (2016). *Pedoman Nasional Pelayanan Kedokteran Diagnosis dan Tatalaksana Preeklamsia.* Jakarta: Perhimpunan Obstetri dan Ginekologi Indonesia.
- Persson, M., Johansson, S., Villamor, E., & Cnattingius, S. (2014). *Maternal overweight and obesity and risks of severe birth-asphyxia-related complications in term infants: a population-based cohort study in Sweden.* *PLoS Medicine*, 11(5), e1001648. doi:10.1371/journal.pmed.1001648
- Poniedziałek-Czajkowska E, Mierzyński R, Leszczyńska-Gorzela B. (2023). Preeclampsia and Obesity-The Preventive Role of Exercise. *Int J Environ Res Public Health.* doi: 10.3390/ijerph20021267. PMID: 36674022; PMCID: PMC9859423.
- Porreco RP, Barkey R.(2010). *Peripartum intensive care.* *J Matern Fetal Neonatal Med.*; 23(10):1136– 1138. [PubMed: 20540680]
- Putra, H. K., Adnan Abadi, & Dinda Radeta. (2021). Factors Affecting Delivery Methods in Severe Preeclampsia Patients at Dr. RSUP. Mohammad Hoesin Palembang January 2018 – December 2019. *Bioscientia Medicina : Journal*

- of Biomedicine and Translational Research*, 5(12), 1149-1158.
<https://doi.org/10.32539/bsm.v5i4.375>
- Putri NPC, Budipramana E, Andriani D. (2023). The Correlation of Preeclampsia in Pregnancy with The Incidence of Asphyxia Neonatorum at The Mangusada Badung Regional Hospital in Bali From January 2017 - December 2020. *J. Widya Medika Jr.*;5(1):p.28-32. DOI: <https://doi.org/10.33508/jwmj.v5i1.4419>
- Raatikainen K, Heiskanen N, Heinonen S. (2006). Transition from overweight to obesity worsens pregnancy outcome in a BMI-dependent manner. *Obesity*.;14(1):165-71.
- Rahman AEA, Mahmoud HAA, Rezaq GAG, Ismail MS & Ahmed ASM. (2022). Sindrom HELLP after Caesarean Section: Review Article. *The Egyptian Journal of Hospital Medicine*, Vol. 87, p.1540-1544.
- Rebahi H, Elizabeth Still M, Faouzi Y, Rhassane El Adib A. (2018). Risk factors for eclampsia in pregnant women with preeclampsia and positive neurosensory signs. *Turk J Obstet Gynecol.* 15(4):227-234. doi:10.4274/tjod.22308
- Roberts JM, Hubel CA. (1999) Is oxidative stress the link in the two-stage model of preeclampsia? *Lancet*; 354(9181):788-789. comment. [PubMed: 10485715]
- Roberts JM, Rich-Edwards JW, McElrath TF, dkk. (2021) Subtypes of Preeclampsia: Recognition and Determining Clinical Usefulness. *Hypertension*; 77:1430.
- Roes, E. M., Sieben, R., Raijmakers, M. T. M., Peters, W. H. M., & Steegers, E. A. P. (2005). *Severe Preeclampsia is Associated with a Positive Family History of Hypertension and Hypercholesterolemia. Hypertension in Pregnancy*, 24(3), 259-271. doi:10.1080/10641950500281076
- Say, Lale et al. Global causes of maternal death: a WHO systematic analysis. *Lancet Global Health.* (2014) 2:e323-e333.
- Sebire NJ, Jolly M, Harris JP, Wadsworth J, Joffe M, Beard RW, Regan L, Robinson S. (2001) Maternal obesity and pregnancy outcome: a study of 287 213 pregnancies in London. *International journal of obesity*;25(8):1175.
- Seely EW, Ecker J. (2014). Chronic hypertension in pregnancy. *Circulation*, 129(11), 1254-1261. doi:10.1161/CIRCULATIONAHA.113.003904
- Sekarwati TA, Darsini N, Husada D. (2020). Risk factors for neonatal asphyxia occurrence at general hospital Dr. M. Soewandhie, Surabaya. *Ind J of Pub Health Res Dev*, 11(4), 867-871.
- Shekari M, Shirzadfarjahromi M, Ranjbar A, Mehrnoush V, Darsareh F, Roozbeh N. (2022). Advanced maternal age and adverse obstetrical and neonatal outcomes of singleton pregnancies. *Gynecology and Obstetrics Clinical Medicine*, 2(4), 175-180.
- Short VL, Geller SE, Moore JL, McClure EM, Goudar SS, Dhaded SM, Kodkany BS, Saleem S, Naqvi F, Pasha O, Goldenberg RL, Patel AB, Hibberd PL, Garces AL, Koso-Thomas M, Miodovnik M, Wallace DD, Derman RJ. (2018). The Relationship between Body Mass Index in Pregnancy and Adverse Maternal, Perinatal, and Neonatal Outcomes in Rural India and

- Pakistan. *Am J Perinatol* 35(9), 844–851. <https://doi.org/10.1055/s-0037-1621733>
- Sibai BM. (2014). Diagnosis, controversies, and management of the syndrome of hemolysis, elevated liver enzymes, and low platelet count. *Obstet Gynecol*; 103:981.
- Sisti G, Colombi I. (2019). New blood pressure cut off for preeclampsia definition: 130/80 mmHg. *Eur J Obstet Gynecol Reprod Biol*; 240:322.
- Stegers EAP, von Dadelszen P, Duvekot JJ, Pijnenborg R. (2010). Pre-eclampsia. *The Lancet.*; 376(9741):631–644.
- Suheimi D, Bahri S. Severe preeclampsia-eclampsia and their associated factors. *Indonesian J Obstetrics Gynecology*. 2019:92-6. <https://doi.org/10.32771/inajog.v7i2.897>.
- Sun H, Xu F, Xiong H, Kang W, Bai Q, Zhang Y, Zhou C, Zhuang F, Wang X, Zhu C. (2013). Characteristics of respiratory distress syndrome in infants of different gestational ages. *Lung*, 191(4), 425–433. <https://doi.org/10.1007/s00408-013-9475-3>
- Sung S, Mahdy H. Cesarean Section. (2022). In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-.
- Sutan R, Aminuddin NA, Mahdy ZA. Prevalence, maternal characteristics, and birth outcomes of preeclampsia: A cross-sectional study in a single tertiary healthcare center in greater Kuala Lumpur Malaysia. *Front Public Health*. 2022 Oct 17;10:973271.
- Tangren JS, Adnan WM, Hafiz WA, Powe CE, Ecker J, Bramham K, et al. Risk of preeclampsia and pregnancy complications in women with a history of acute kidney injury. *Hypertension*. 2018; 72(2):451–9.
- Teefey CP, Durnwald CP, Srinivas SK, Levine LD. (2019). Adverse Maternal Outcomes Differ between Obese and Nonobese Women with Severe Preeclampsia. *Am J Perinatol*. 36(1):74-78. doi:10.1055/s-0038-1661403
- Teka H, Yemane A, Abraha HE, Berhe E, Tadesse H, Gebru F, Yahya M, Tadesse Y, Gebre D, Abrha M, Tesfay B, Tekle A, Gebremariam T, Amare B, Ebrahim MM, Zelelow YB, Mulugeta A. (2023) Clinical presentation, maternal-fetal, and neonatal outcomes of early-onset versus late onset preeclampsia-eclampsia syndrome in a teaching hospital in a low-resource setting: A retrospective cohort study. *PLoS One*;18(2):e0281952. doi: 10.1371/journal.pone.0281952. PMID: 36848332; PMCID: PMC9970097.
- The American College of Obstetricians and Gynecologists (ACOG). (2017). ACOG Committee Opinion No. 713. Antenatal corticosteroid therapy for fetal maturation. *Obstetrics and gynecology*. 130(2). doi:10.1097/aog.0000000000002237
- The American College of Obstetricians and Gynecologists (ACOG). (2020). *Gestational Hypertension and Preeclampsia: ACOG Practice Bulletin*, Number 222. *Obstet Gynecol*; 135:e237.
- Tolinggi, S., Mantualangi, K., & Nuryani, N. (2018). Kejadian Preeklampsia dan Faktor Risiko yang Mempengaruhinya. *Gorontalo Journal of Public Health*, 1(2), 85. <https://doi.org/10.32662/gjph.v1i2.320>
- Tyas BD, Lestari P, Aldika Akbar MI. (2019). Maternal Perinatal Outcomes

- Related to Advanced Maternal Age in Preeclampsia Pregnant Women. *Journal of family & reproductive health*, 13(4), 191–200.
- UNICEF Indonesia. Landscape analysis of overweight and obesity in Indonesia [Internet]. UNICEF Indonesia; 2022 [cited 2024 Jul 1]. Available from: <https://www.unicef.org/indonesia/reports/landscape-analysis-overweight-and-obesity-indonesia>.
- United Nation System on Standing Committee on Nutrition. Standing Committee on Nutrition. n.d. [Cited on 13th March 2023] [Available on: (<http://www.unscn.org/>)]
- Valensise H, Vasapollo B, Gagliardi G, Novelli GP. (2008) Early and late preeclampsia: two different maternal hemodynamic states in the latent phase of the disease. *Hypertension* ; 52:873.
- Vellanki VS, Kocherlakota VL, Kaul R. (2012) . High body mass index in pregnancy, its effects on maternal and fetal outcome. *Journal of Clinical Gynecology and Obstetrics.*;1(1):15-8
- Verma, M. K., Kapoor, P., Yadav, R., & Manohar, R. K. (2017). Risk factor assessment for preeclampsia: a case control study. *International Journal of Medicine and Public Health*, 7(3).
- Vernini, J.M., Moreli, J.B., Magalhães, C.G. *et al.* Maternal and fetal outcomes in pregnancies complicated by overweight and obesity. *Reprod Health* **13**, 100 (2016). <https://doi.org/10.1186/s12978-016-0206-0>
- Vinturache A, Moledina N, McDonald S, Slater D, Tough S. Pre-pregnancy Body Mass Index (BMI) and delivery outcomes in a Canadian population. *BMC Pregnancy Childbirth*. 2014 Dec 20;14:422. doi: 10.1186/s12884-014-0422-y. PMID: 25528667; PMCID: PMC4300169.
- Von Dadelszen P, Syngelaki A, Akolekar R, Magee LA, Nicolaidis KH. Preterm and term pre-eclampsia: Relative burdens of maternal and perinatal complications. *BJOG*. 2023; 130(5): 524–530. <https://doi.org/10.1111/1471-0528.17370>
- Wallis AB, Saftlas AF, Hsia J, Atrash HK. (2008). Secular Trends in the Rates of Preeclampsia, Eclampsia, and Gestational Hypertension, United States, 1987–2004. *Am J Hypertens.* ; 21(5):521–526. [PubMed: 18437143]
- Wang, X., & Cheng, Z. (2020). *Cross-Sectional Studies*. *Chest*, 158(1), S65–S71. doi:10.1016/j.chest.2020.03.012 DOI: 10.1016/j.chest.2020.03.012
- Wang, Y., Wu, N., & Shen, H. (2021). A review of research progress of pregnancy with twins with preeclampsia. *Risk Management and Healthcare Policy*, 14, 1999–2010. doi:10.2147/RMHP.S304040
- Weissgerber, T. L., & Mudd, L. M. (2015). Preeclampsia and diabetes. *Current Diabetes Reports*, 15(3), 9. doi:10.1007/s11892-015-0579-4
- World Health Organization. (2018). Overweight and obesity [Internet]. [cited 30 September 2018]. Available from: http://www.who.int/gho/ncd/risk_factors/overweight_obesity/bmi_trends_adults/en/
- Xiong, C., Zhou, A., Cao, Z. et al. Association of pre-pregnancy body mass index, gestational weight gain with cesarean section in term deliveries of China. *Sci Rep* 6, 37168 (2016). <https://doi.org/10.1038/srep37168>

- Yılmaz E. (2016). Perinatal outcomes in advanced age pregnancies. *Journal of Clinical and Experimental Investigations*, 7(2), 157-162.
- Yuval Bdolah, Uriel Elchalal, Shira Natanson-Yaron, Hadas Yechiam, Tali Bdolah-Abram, Caryn Greenfield, Debra Goldman-Wohl, Ariel Milwidsky, Sarosh Rana, S. Ananth Karumanchi, Simcha Yagel & Drorith Hochner-Celnikier (2014) Relationship between nulliparity and preeclampsia may be explained by altered circulating soluble fms-like tyrosine kinase 1, Hypertension in Pregnancy, 33:2, 250-259, DOI: 10.3109/10641955.2013.858745
- Zhang J, Yu KF. What's the Relative Risk? A Method of Correcting the Odds Ratio in Cohort Studies of Common Outcomes. *JAMA*. 1998;280(19):1690–1691. doi:10.1001/jama.280.19.1690