

## REFERENCES

- [1] A. T. Duchowski and A. T. Duchowski, *Eye tracking methodology: Theory and practice*. Springer, 2017.
- [2] D. W. Hansen and Q. Ji, “In the eye of the beholder: A survey of models for eyes and gaze,” *IEEE transactions on pattern analysis and machine intelligence*, vol. 32, no. 3, pp. 478–500, 2009.
- [3] G. R. Chhimpa, A. Kumar, S. Garhwal, and Dhiraj, “Development of a real-time eye movement-based computer interface for communication with improved accuracy for disabled people under natural head movements,” *Journal of Real-Time Image Processing*, vol. 20, no. 4, p. 81, 2023.
- [4] M. Donegan, J. D. Morris, F. Corno, I. Signorile, A. Chió, V. Pasian, A. Vignola, M. Buchholz, and E. Holmqvist, “Understanding users and their needs,” *Universal Access in the Information Society*, vol. 8, pp. 259–275, 2009.
- [5] P. Majaranta and K.-J. Rähkä, “Twenty years of eye typing: systems and design issues,” in *Proceedings of the 2002 symposium on Eye tracking research & applications*, 2002, pp. 15–22.
- [6] A. J. Hornof and A. Cavender, “Eyedraw: enabling children with severe motor impairments to draw with their eyes,” in *Proceedings of the SIGCHI conference on Human factors in computing systems*, 2005, pp. 161–170.
- [7] M. Wedel, R. Pieters *et al.*, “Eye tracking for visual marketing,” *Foundations and Trends® in Marketing*, vol. 1, no. 4, pp. 231–320, 2008.
- [8] V. Mäkelä, J. Winter, J. Schwab, M. Koch, and F. Alt, “Pandemic displays: Considering hygiene on public touchscreens in the post-pandemic era,” in *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems*, 2022, pp. 1–12.
- [9] H. He, Y. She, J. Xiahou, J. Yao, J. Li, Q. Hong, and Y. Ji, “Real-time eye-gaze based interaction for human intention prediction and emotion analysis,” in *Proceedings of computer graphics international 2018*, 2018, pp. 185–194.
- [10] D. D. Salvucci and J. H. Goldberg, “Identifying fixations and saccades in eye-tracking protocols,” in *Proceedings of the 2000 symposium on Eye tracking research & applications*, 2000, pp. 71–78.
- [11] S. Wibirama, S. Murnani, N. A. Setiawan, and H. Nurlatifa, “A survey of event detection methods for eye movements classification in smooth-pursuit-based interactive applications,” in *2020 International Symposium on Community-centric Systems (CCS)*. IEEE, 2020, pp. 1–6.

- [12] P. Blignaut, “Using smooth pursuit calibration for difficult-to-calibrate participants,” *Journal of Eye Movement Research*, vol. 10, no. 4, pp. 10–16 910, 2017.
- [13] K. Qian, T. Arichi, A. D. Edwards, and J. V. Hajnal, “Instant interaction driven adaptive gaze control interface,” *Scientific Reports*, vol. 14, no. 1, p. 11661, 2024.
- [14] S. Wibirama, S. Murnani, I. D. Sukowati, and R. Ferdiana, “Gaze-controlled digital signage for public health education during covid-19 pandemic,” in *2021 9th International Conference on Information and Communication Technology (ICoICT)*. IEEE, 2021, pp. 7–12.
- [15] V. Vinuela-Navarro, J. T. Erichsen, C. Williams, and J. M. Woodhouse, “Quantitative characterization of smooth pursuit eye movements in school-age children using a child-friendly setup,” *Translational vision science & technology*, vol. 8, no. 5, pp. 8–8, 2019.
- [16] N. Kose, O. Kopuklu, A. Unnervik, and G. Rigoll, “Real-time driver state monitoring using a cnn based spatio-temporal approach,” in *2019 IEEE Intelligent Transportation Systems Conference (ITSC)*. IEEE, 2019, pp. 3236–3242.
- [17] O. V. Komogortsev and A. Karpov, “Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades,” *Behavior research methods*, vol. 45, pp. 203–215, 2013.
- [18] D. B. Liston, A. E. Krukowski, and L. S. Stone, “Saccade detection during smooth tracking,” *Displays*, vol. 34, no. 2, pp. 171–176, 2013.
- [19] H. Nurlatifa, R. Hartanto, and S. Wibirama, “Spontaneous gaze-based application using 2d correlation and velocity threshold identification,” in *2021 5th International Conference on Informatics and Computational Sciences (ICICoS)*. IEEE, 2021, pp. 75–80.
- [20] R. Zemblys, “Eye-movement event detection meets machine learning,” *Biomedical Engineering 2016*, vol. 20, no. 1, 2017.
- [21] S. Wibirama, S. Murnani, and N. A. Setiawan, “Spontaneous gaze gesture interaction in the presence of noises and various types of eye movements,” in *ACM symposium on eye tracking research and applications*, 2020, pp. 1–5.
- [22] A. Nuraini, S. Murnani, I. Ardiyanto, and S. Wibirama, “Machine learning in gaze-based interaction: A survey of eye movements events detection,” in *2021 International Conference on Computer System, Information Technology, and Electrical Engineering (COSITE)*. IEEE, 2021, pp. 150–155.
- [23] M. Startsev, I. Agtzidis, and M. Dorr, “1d cnn with blstm for automated classification of fixations, saccades, and smooth pursuits,” *Behavior Research Methods*, vol. 51, pp. 556–572, 2019.

- [24] C. Elmadjian, C. Gonzales, and C. H. Morimoto, “Eye movement classification with temporal convolutional networks,” in *Pattern Recognition. ICPR International Workshops and Challenges: Virtual Event, January 10–15, 2021, Proceedings, Part III*. Springer, 2021, pp. 390–404.
- [25] A. H. Fristiana, S. A. I. Alfarozi, A. E. Permanasari, and S. Wibirama, “Improving deep learning-based eye movements classification using bayesian optimization,” in *2023 IEEE International Biomedical Instrumentation and Technology Conference (IBITeC)*. IEEE, 2023, pp. 197–202.
- [26] A. R. Suhari, R. Hartanto, and S. Wibirama, “Improving performance of eye movements classification using cnn-transformer model,” in *2023 International Conference on Advanced Mechatronics, Intelligent Manufacture and Industrial Automation (ICAMIMIA)*. IEEE, 2023, pp. 751–756.
- [27] M. Guhdar, R. J. Mstafa, and A. O. Mohammed, “Hybrid deep learning model for epileptic seizure classification by using 1d-cnn with multi-head attention mechanism,” *arXiv preprint arXiv:2501.10342*, 2025.
- [28] Z. Wang, B. Xie, S. Yang, D. Li, J. Wang, and S. Chan, “A deep residual sconv1d-attention intrusion detection model for industrial internet of things,” *Cluster Computing*, vol. 28, no. 2, p. 116, 2025.
- [29] S. Hoppe and A. Bulling, “End-to-end eye movement detection using convolutional neural networks,” *arXiv preprint arXiv:1609.02452*, 2016.
- [30] J. Goltz, M. Grossberg, and R. Etemadpour, “Exploring simple neural network architectures for eye movement classification,” in *Proceedings of the 11th ACM symposium on eye tracking research & Applications*, 2019, pp. 1–5.
- [31] K. Anusree and J. Amudha, “Eye movement event detection with deep neural networks,” in *Computational Vision and Bio-Inspired Computing: ICCVBIC 2019*. Springer, 2020, pp. 921–930.
- [32] R. Zemblys, D. C. Niehorster, and K. Holmqvist, “gazenet: End-to-end eye-movement event detection with deep neural networks,” *Behavior research methods*, vol. 51, pp. 840–864, 2019.
- [33] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin, “Attention is all you need,” *Advances in neural information processing systems*, vol. 30, 2017.
- [34] J. Sun, “Ecg signal classification based on attention mechanism and 1d-cnn,” in *2024 6th International Conference on Communications, Information System and Computer Engineering (CISCE)*. IEEE, 2024, pp. 569–573.

- [35] Y. Liu, H. Xie, Q. Cao, J. Yan, F. Wu, H. Zhu, and Y. Pan, “Multi-label classification of multi-lead ecg based on deep 1d convolutional neural networks with residual and attention mechanism,” in *2021 Computing in Cardiology (CinC)*, vol. 48. IEEE, 2021, pp. 1–4.
- [36] T. Akiba, S. Sano, T. Yanase, T. Ohta, and M. Koyama, “Optuna: A next-generation hyperparameter optimization framework,” in *Proceedings of the 25th ACM SIGKDD international conference on knowledge discovery & data mining*, 2019, pp. 2623–2631.
- [37] R. S. Hessels, D. C. Niehorster, C. Kemner, and I. T. Hooge, “Noise-robust fixation detection in eye movement data: Identification by two-means clustering (i2mc),” *Behavior research methods*, vol. 49, pp. 1802–1823, 2017.
- [38] M. Azizjon, A. Jumabek, and W. Kim, “1d cnn based network intrusion detection with normalization on imbalanced data,” in *2020 international conference on artificial intelligence in information and communication (ICAIIIC)*. IEEE, 2020, pp. 218–224.
- [39] P. Goyal, P. Dollár, R. Girshick, P. Noordhuis, L. Wesolowski, A. Kyrola, A. Tulloch, Y. Jia, and K. He, “Accurate, large minibatch sgd: Training imagenet in 1 hour,” *arXiv preprint arXiv:1706.02677*, 2017.
- [40] M. A. Fikri, I. K. A. Putra, and S. Wibirama, “Object selection using lstm networks for spontaneous gaze-based interaction,” in *2022 14th International Conference on Information Technology and Electrical Engineering (ICITEE)*. IEEE, 2022, pp. 1–5.
- [41] J. Zhu, H. Chen, and W. Ye, “Classification of human activities based on radar signals using 1d-cnn and lstm,” in *2020 IEEE International Symposium on Circuits and Systems (ISCAS)*. IEEE, 2020, pp. 1–5.
- [42] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, “Focal loss for dense object detection,” in *2017 IEEE International Conference on Computer Vision (ICCV)*, 2017, pp. 2999–3007.
- [43] P. Zhou, X. Xie, Z. Lin, and S. Yan, “Towards understanding convergence and generalization of adamw,” *IEEE transactions on pattern analysis and machine intelligence*, 2024.
- [44] B. M. Hussein and S. M. Shareef, “An empirical study on the correlation between early stopping patience and epochs in deep learning,” in *ITM Web of Conferences*, vol. 64. EDP Sciences, 2024, p. 01003.
- [45] A. Ahmadi, S. S. Sharif, and Y. M. Banad, “A comparative study of sampling methods with cross-validation in the fedhome framework,” *IEEE Transactions on Parallel and Distributed Systems*, 2025.

- [46] S. Szeghalmy and A. Fazekas, “A comparative study of the use of stratified cross-validation and distribution-balanced stratified cross-validation in imbalanced learning,” *Sensors*, vol. 23, no. 4, p. 2333, 2023.
- [47] V. W. Lumumba, D. Kiprotich, N. Makena, M. Kavita, and M. Mpaine, “Comparative analysis of cross-validation techniques: Loocev, k-folds cross-validation, and repeated k-folds cross-validation in machine learning models,” *Am. J. Theor. Appl. Stat*, vol. 13, pp. 127–137, 2024.
- [48] M. Sokolova and G. Lapalme, “A systematic analysis of performance measures for classification tasks,” *Information processing & management*, vol. 45, no. 4, pp. 427–437, 2009.
- [49] R. Jayanth, N. Gupta, and V. Prasanna, “Benchmarking edge ai platforms for high-performance ml inference,” in *2024 IEEE High Performance Extreme Computing Conference (HPEC)*. IEEE, 2024, pp. 1–7.
- [50] A. Ignatov, R. Timofte, W. Chou, K. Wang, M. Wu, T. Hartley, and L. Van Gool, “Ai benchmark: Running deep neural networks on android smartphones,” in *Proceedings of the European Conference on Computer Vision (ECCV) Workshops*, 2018, pp. 0–0.