

- [1] Y. Zhang, Y. Xu, and Z. Y. Dong, “Robust ensemble data analytics for incomplete pmu measurements-based power system stability assessment,” *IEEE Transactions on Power Systems*, vol. 33, no. 1, pp. 1124–1126, 2018.
- [2] P. Kundur, J. Paserba, V. Ajjarapu, G. Andersson, A. Bose, C. Canizares, N. Hatziargyriou, D. Hill, A. Stankovic, C. Taylor *et al.*, “Definition and classification of power system stability ieeecigre joint task force on stability terms and definitions,” *IEEE transactions on Power Systems*, vol. 19, no. 3, pp. 1387–1401, 2004.
- [3] L. M. Putranto, R. Hara, H. Kita, and E. Tanaka, “Multistage preventive scheme for improving voltage stability and security in an integrated renewable energy system,” *IEEE Transactions on Power and Energy*, vol. 137, no. 1, pp. 59–70, 2017.
- [4] J. J. Q. Yu, D. J. Hill, A. Y. S. Lam, J. Gu, and V. O. K. Li, “Intelligent time-adaptive transient stability assessment system,” *IEEE Transactions on Power Systems*, vol. 33, no. 1, pp. 1049–1058, 2018.
- [5] N. Amjady and S. F. Majedi, “Transient stability prediction by a hybrid intelligent system,” *IEEE Transactions on Power Systems*, vol. 22, no. 3, pp. 1275–1283, 2007.
- [6] N. W. Miller, M. Shao, R. D’aquila, S. Pajic, and K. Clark, “Frequency response of the us eastern interconnection under conditions of high wind and solar generation,” in *2015 Seventh Annual IEEE Green Technologies Conference*, 2015, pp. 21–28.
- [7] B. Jiang, C. Guo, and Z. Chen, “Frequency constrained unit commitment considering reserve provision of wind power,” *Applied Energy*, vol. 361, p. 122898, 2024.
- [8] Y. Zhang, Q. Guo, Y. Zhou, and H. Sun, “Frequency-constrained unit commitment for power systems with high renewable energy penetration,” *International Journal of Electrical Power & Energy Systems*, vol. 153, p. 109274, 2023.
- [9] N. Khosravi, M. Dowlatabadi, and K. Sabzevari, “A hierarchical deep learning approach to optimizing voltage and frequency control in networked microgrid systems,” *Applied Energy*, vol. 377, p. 124313, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0306261924016969>
- [10] P. Ge, F. Teng, C. Konstantinou, and S. Hu, “A resilience-oriented centralised-to-decentralised framework for networked microgrids management,” *Applied Energy*, vol. 308, p. 118234, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0306261921014987>
- [11] C. Zhang, Y. Li, Z. Yu, and F. Tian, “Feature selection of power system transient stability assessment based on random forest and recursive feature elimination,” in *2016 IEEE PES Asia-Pacific Power and Energy Engineering Conference (APPEEC)*, 2016, pp. 1264–1268.
- [12] Y. Zhou, R. Arghandeh, and C. Spanos, “Distribution network event detection with ensembles of bundle classifiers,” in *IEEE PES General Meeting*, vol. 6, 2016.

- [13] H. Li, Y. Weng, E. Farantatos, and M. Patel, "A hybrid machine learning framework for enhancing pmu-based event identification with limited labels," in *2019 International Conference on Smart Grid Synchronized Measurements and Analytics (SGSMA)*, 2019, pp. 1–8.
- [14] D. A. Velandia Cárdenas, E. J. L. Pulgarín, and J. I. Sofrony, "Data-driven fault detection in a thermocouple network using neighboring redundancy, xgboost classifier, and up–down counter," *IEEE Sensors Journal*, vol. 24, no. 4, pp. 5215–5223, 2024.
- [15] K. Garg, K. S. Gill, S. Malhotra, S. Devliyal, and G. Sunil, "Implementing the xgboost classifier for bankruptcy detection and smote analysis for balancing its data," in *2024 2nd International Conference on Computer, Communication and Control (IC4)*, 2024, pp. 1–5.
- [16] A. Aligholian, A. Shahsavari, E. M. Stewart, E. Cortez, and H. Mohsenian-Rad, "Unsupervised event detection, clustering, and use case exposition in micro-pmu measurements," *IEEE Transactions on Smart Grid*, vol. 12, no. 4, pp. 3624–3636, 2021.
- [17] N. D. S. S. Sarvan, V. Sai Ram Reddy, D. Jain, G. Rakesh, and D. K. Anguraj, "Machine learning - driven approaches for detection and analysis of phishing attacks: A robust framework for cybersecurity," in *2024 International Conference on Inventive Computation Technologies (ICICT)*, 2024, pp. 220–226.
- [18] X. Chen, Z. Chen, X. Han, and Y. Liu, "A method of frequency features prediction of post-disturbance power system based on xgboost algorithm," in *2020 IEEE/IAS Industrial and Commercial Power System Asia (I&CPS Asia)*. IEEE, 2020, pp. 1535–1540.
- [19] X. Chen, Y. Liu, Q. Kang, and J. Xiao, "A method of frequency security margin index prediction of post-disturbance power system based on classification and regression model of xgboost algorithm," in *2020 5th International Conference on Power and Renewable Energy (ICPRE)*. IEEE, 2020, pp. 278–285.
- [20] M. Senyuk, M. Safaraliev, F. Kamalov, and H. Sulieman, "Power system transient stability assessment based on machine learning algorithms and grid topology," *Mathematics*, vol. 11, no. 3, p. 525, 2023.
- [21] M. Ibrar, M. A. Hassan, K. Shaukat, T. M. Alam, K. S. Khurshid, I. A. Hameed, H. Aljuaid, and S. Luo, "A machine learning-based model for stability prediction of decentralized power grid linked with renewable energy resources," *Wireless Communications and Mobile Computing*, vol. 2022, no. 1, p. 2697303, 2022.
- [22] P. Liu, S. Han, and N. Rong, "Frequency stability prediction of renewable energy penetrated power systems using coatnet and shap values," *Engineering Applications of Artificial Intelligence*, vol. 123, p. 106403, 2023.
- [23] J. Xie and W. Sun, "A transfer and deep learning-based method for online frequency stability assessment and control," *IEEE access*, vol. 9, pp. 75 712–75 721, 2021.
- [24] S. Xu, J. Zhu, Y. Ning, J. Tang, J. Li, J. Lv, and C. Hu, "Power system frequency dynamic prediction based on physical-information driven," in *2024 9th Asia Conference on Power and Electrical Engineering (ACPEE)*. IEEE, 2024, pp. 2519–2524.

- [25] A. Jawad, S. R. Arnab, M. R. Uddin *et al.*, “Prediction of frequency response of power grid: An ensemble learning based approach,” in *2023 International Conference on Technology and Policy in Energy and Electric Power (ICT-PEP)*. IEEE, 2023, pp. 201–206.
- [26] Y. Yang, X. Zhang, and L. Yang, “Data-driven power system small-signal stability assessment and correction control model based on xgboost,” *Energy Reports*, vol. 8, pp. 710–717, 2022.
- [27] A. Panwar, Z. H. Rather, S. Doolla, A. Liebman, and R. Dargaville, “A machine learning based approach for frequency response prediction in low inertia power system,” in *2022 IEEE PES Innovative Smart Grid Technologies-Asia (ISGT Asia)*. IEEE, 2022, pp. 175–179.
- [28] North American Electric Reliability Corporation (NERC), “PRC-006-2 – Automatic Underfrequency Load Shedding (UFLS),” <https://www.nerc.com>, 2017, online; accessed 31-May-2025.
- [29] U.S.-Canada Power System Outage Task Force, “Final Report on the August 14, 2003 Blackout in the United States and Canada: Causes and Recommendations,” <https://www.energy.gov/sites/prod/files/oeprod/DocumentsandMedia/BlackoutFinal-Web.pdf>, 2004, online; accessed 31-May-2025.
- [30] W. A. Oyekanmi, G. Radman, and T. O. Ajewole, “Transient stability based dynamic security assessment indices,” *Cogent engineering*, vol. 4, no. 1, p. 1295506, 2017.
- [31] S. Gurung, F. Jurado, S. Naetiladdanon, and A. Sangswang, “Comparative analysis of probabilistic and deterministic approach to tune the power system stabilizers using the directional bat algorithm to improve system small-signal stability,” *Electric Power Systems Research*, vol. 181, p. 106176, 2020.
- [32] M. Tuo and X. Li, “Security-constrained unit commitment considering locational frequency stability in low-inertia power grids,” *IEEE Transactions on Power Systems*, vol. 38, no. 5, pp. 4134–4147, 2022.
- [33] Y. Son, Y. Ha, and G. Jang, “Frequency nadir estimation using the linear characteristics of frequency control in power systems,” *Energies*, vol. 17, no. 5, p. 1061, 2024.
- [34] R. W. A. Saputra and D. Nugroho, “Analisis integrasi pltb pada stabilitas frekuensi dalam jaringan kelistrikan sulbagsel berdasarkan rate of change of frequency,” *Elektrika*, vol. 16, no. 2, pp. 84–92, 2024.
- [35] S. Ye, X. Li, X. Wang, and Q. Qian, “Power system transient stability assessment based on adaboost and support vector machines,” in *2012 Asia-Pacific Power and Energy Engineering Conference*. IEEE, 2012, pp. 1–4.
- [36] P. Janik and T. Lobos, “Automated classification of power-quality disturbances using svm and rbf networks,” *IEEE transactions on power delivery*, vol. 21, no. 3, pp. 1663–1669, 2006.

- [37] K. Abhinav, P. Saini, P. Rai, A. Prakash, and S. Parida, "A data-driven forced oscillation detection using random forest," in *2023 IEEE International Conference on Energy Technologies for Future Grids (ETFG)*. IEEE, 2023, pp. 1–6.
- [38] P. Kundur, "Power system stability," *Power system stability and control*, vol. 10, no. 1, pp. 7–1, 2007.
- [39] N. I.-B. R. P. Task *et al.*, "Fast frequency response concepts and bulk power system reliability needs," *NERC*, p. 1, 2020.
- [40] Great Britain Grid Code, National Grid ESO, "Section oc6 and frequency requirements," Grid Code, 2022, available from: <https://www.nationalgrideso.com>.
- [41] ENTSO-E, "Network code on operational security," Brussels, 2020, available from: <https://www.entsoe.eu>.
- [42] S. B. Kotsiantis, I. Zaharakis, P. Pintelas *et al.*, "Supervised machine learning: A review of classification techniques," *Emerging artificial intelligence applications in computer engineering*, vol. 160, no. 1, pp. 3–24, 2007.
- [43] E. Alpaydin, *Introduction to machine learning*. MIT press, 2020.
- [44] M. I. Jordan and T. M. Mitchell, "Machine learning: Trends, perspectives, and prospects," *Science*, vol. 349, no. 6245, pp. 255–260, 2015.
- [45] D. Boswell, "Introduction to support vector machines," *Department of Computer Science and Engineering University of California San Diego*, vol. 11, pp. 16–17, 2002.
- [46] V. Vapnik, *The nature of statistical learning theory*. Springer science & business media, 2013.
- [47] T. Joachims, "Making large-scale svm learning practical," Technical report, Tech. Rep., 1998.
- [48] L. Breiman, "Random forests," *Machine learning*, vol. 45, pp. 5–32, 2001.
- [49] A. Liaw, M. Wiener *et al.*, "Classification and regression by randomforest," *R news*, vol. 2, no. 3, pp. 18–22, 2002.
- [50] C. Zhang, Y. Li, Z. Yu, and F. Tian, "Feature selection of power system transient stability assessment based on random forest and recursive feature elimination," in *2016 IEEE PES Asia-Pacific power and energy engineering conference (APPEEC)*. IEEE, 2016, pp. 1264–1268.
- [51] T. Chen and C. Guestrin, "Xgboost: A scalable tree boosting system," in *Proceedings of the 22nd acm sigkdd international conference on knowledge discovery and data mining*, 2016, pp. 785–794.
- [52] A. Blum, A. Kalai, and J. Langford, "Beating the hold-out: Bounds for k-fold and progressive cross-validation," in *Proceedings of the twelfth annual conference on Computational learning theory*, 1999, pp. 203–208.

- [53] D. Krstinić, M. Braović, L. Šerić, and D. Božić-Štulić, “Multi-label classifier performance evaluation with confusion matrix,” *Computer Science & Information Technology*, vol. 1, pp. 1–14, 2020.
- [54] P. Kundur, “Power system stability,” *Power system stability and control*, vol. 10, pp. 7–1, 2007.
- [55] M. Fathi and H. Bevrani, “Statistical cooperative power dispatching in interconnected microgrids,” *IEEE Transactions on Sustainable Energy*, vol. 4, no. 3, pp. 586–594, July 2013.
- [56] S. bin Uzayr, “Introduction to visual studio code,” in *Optimizing Visual Studio Code for Python Development: Developing More Efficient and Effective Programs in Python*. Springer, 2021, pp. 1–46.
- [57] C. Hamon, K. Elkington, and M. Ghandhari, “Doubly-fed induction generator modeling and control in digsilent powerfactory,” in *2010 International Conference on Power System Technology*. IEEE, 2010, pp. 1–7.
- [58] E. Sevinç, “An empowered adaboost algorithm implementation: A covid-19 dataset study,” *Computers Industrial Engineering*, vol. 165, p. 107912, 01 2022.
- [59] J. Liu, C. Wang, J. Zhao, and T. Bi, “Rocof constrained unit commitment considering spatial difference in frequency dynamics,” *IEEE Transactions on Power Systems*, vol. 39, no. 1, pp. 1111–1125, 2023.