

DAFTAR PUSTAKA

- Aksoy, R., Karakoc, A.Z., Cevirme, D., Elibol, A., Yigit, F., Yilmaz, Ü., Rabus, M.B., 2021. Predictive factors of prolonged ventilation following cardiac surgery with cardiopulmonary bypass. *Brazilian J. Cardiovasc. Surg.* 36: 780–787. doi:10.21470/1678-9741-2020-0164.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K. & Walter, P., 2002. Lymphocytes and the cellular basis of adaptive immunity. In: *Molecular Biology of the Cell*. 4th ed. New York: Garland Science, pp. 1203–1243.
- Anonim. 2021. *Laporan Tahunan Rumah Sakit Jantung dan Pembuluh Darah Harapan Kita 2020*. Jakarta.
- Anonim. 2023. *Laporan Tahunan RSUP Dr. Sardjito 2022*. Yogyakarta.
- Ascione, R., Caputo, M., Calori, G., Lloyd, C.T., Underwood, M.J., Angelini, G.D., 2000. Predictors of atrial fibrillation after conventional and beating heart coronary surgery: A prospective, randomized study. *Circulation* 102: 1530–1535. doi:10.1161/01.CIR.102.13.1530.
- Asimakopoulou, G., 2001. Systemic inflammation and cardiac surgery: An update. *Perfusion* 16: 353–360. doi:10.1177/026765910101600505.
- Charach, L., Spitzer, A., Zusmanovitch, L., Charach, G., 2024. Lymphocyte to White Blood Cell Count Ratio an Independent Risk Factor for Heart Failure. *Life* 14. doi:10.3390/life14101266.
- Chen, H., Li, M., Liu, L., Dang, X., Zhu, D., Tian, G., 2019. Monocyte/lymphocyte ratio is related to the severity of coronary artery disease and clinical outcome in patients with non-ST-elevation myocardial infarction. *Medicine (Baltimore)*. 98: e16267. doi:10.1097/MD.00000000000016267.
- Citradinata, C., Widyastiti, N.S., 2019. The relationship of lactic acid, neutrophil lymphocyte ratio and monocyte lymphocyte ratio with the outcomes of coronary arterial disease patients following coronary artery bypass surgery. *Bali Med. J.* 8: 363–367. doi:10.15562/bmj.v8i2.1422.
- Dahlan MS. 2010. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd edn. Jakarta: Salemba Medika. Dahlan MS. 2010. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd edn. Jakarta: Salemba Medika.
- de Castro, R.C.C., Costa, P.N., Rocha, E.A.V., Ribeiro, I.V. da C.P., Parreira, M.P., 2024. Lymphocyte Levels and Morbidity and Mortality in Cardiovascular Surgery With Cardiopulmonary Bypass. *Brazilian J. Cardiovasc. Surg.* 39.

doi:10.21470/1678-9741-2023-0136.

Dong, R., Jiang, J., Zhang, J., Ma, M., & Wang, Y. (2012). Lymphopenia during cardiopulmonary bypass is associated with postoperative morbidity and mortality in adult patients. *Journal of Cardiothoracic and Vascular Anesthesia*, 26(6), 1043–1049.

Freud M, Hecner F, Dany F alih bahasa. 2012. *Atlas Hematologi*. Jakarta: Buku Kedokteran EGC, pp.45-52.

Gaudriot, B., Uhel, F., Gregoire, M., Gacouin, A., Biedermann, S., Roisne, A., Flecher, E., Le Tulzo, Y., Tarte, K., Tadié, J.M., 2015. Immune Dysfunction after Cardiac Surgery with Cardiopulmonary Bypass: Beneficial Effects of Maintaining Mechanical Ventilation. *Shock* 44: 228–233. doi:10.1097/SHK.0000000000000416.

Gibbs, N.M. 2019. *Hensley's practical approach to cardiothoracic anaesthesia*. 6th edn. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins Health, pp.181-210.

Habermehl, P., Knuf, M., Kampmann, C., Mannhardt, W., Schranz, D., Kuroczynski, W., Wippermann, C.F., Zepp, F., 2003. Changes in lymphocyte subsets after cardiac surgery in children. *Eur. J. Pediatr.* 162: 15–21. doi:10.1007/s00431-001-0892-6.

Hessel A.E., M.S.G., G.C.R., G.N.J. 2013. *Cardiopulmonary bypass: equipment, circuit and pathophysiology in a practical approach to cardiac anaesthesia*. 5th edn. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins Health.

Hessel, A.E., Shann, G.K. 2015. Blood pump, circuitry, and cannulation techniques in cardiopulmonary bypass. *In: Cardiopulmonary bypass and mechanical support principal and practice*. 4th edn. Philadelphia: Woter Kluwer/Lippincott Williams & Wilkins Health.

Hotchkiss, R. S., Monneret, G., Payen, D. (2013). Sepsis-induced immunosuppression: From cellular dysfunctions to immunotherapy. *Nature Reviews Immunology*, 13(12), 862–874.

Hu, Y., et al. (2020). Dynamic changes in T lymphocyte subsets and immune function after cardiopulmonary bypass in patients undergoing cardiac surgery. *Frontiers in Immunology*, 11, 554137.

Huang, J. Bin, Wen, Z.K., Lu, C.C., Yang, J.R., Li, J.J., 2023. Risk factors of prolonged intensive care unit stay following cardiac surgery for infective endocarditis. *Med. (United States)* 102: E35128. doi:10.1097/MD.000000000000035128.

Ji, H., Li, Y., Fan, Z., Zuo, B., Jian, X., Li, L., Liu, T., 2017. Monocyte/lymphocyte

ratio predicts the severity of coronary artery disease: A syntax score assessment. *BMC Cardiovasc. Disord.* 17: 1–8. doi:10.1186/s12872-017-0507-4.

Kementerian Kesehatan RI. 2019. *Laporan Nasional Riskesdas 2018*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.

Kesumarini D, Widyastuti Y, Boom CE, Dinarti LK. 2024. Risk Factors Associated With Prolonged Mechanical Ventilation and Length of Stay After Repair of Tetralogy of Fallot. *World J Pediatr Congenit Heart Surg*, 15(1):81–88.

Kratofil RM, Kubes P, Deniset JF. Monocyte conversion during inflammation and injury. Vol. 37, *Arteriosclerosis, Thrombosis, and Vascular Biology*. Lippincott Williams and Wilkins; 2017. p. 35–42.

Kress JP, Hall JB. ICU-acquired weakness and recovery from critical illness. *N Engl J Med.* 2014 Apr 24;370(17):1626-35. doi: 10.1056/NEJMra1209390. PMID: 24758618.

Kurtul, A., Yarlioglu, M., Duran, M., Murat, S. N., Kocyigit, A., & Ocek, A. H. (2019). Association of monocyte-to-lymphocyte ratio with short-term mortality in patients undergoing coronary artery bypass grafting. *Medicine*, 98(38), e17229.

Levy, J. H., Tanaka, K. A. (2003). Inflammatory response to cardiopulmonary bypass. *Annals of Thoracic Surgery*, 75(2), S715–S720.

Li Y, Liu Y, Zhou C, Zhang Z, Zuo X, Li J, Cao Q. [Monocyte/lymphocyte ratio as a predictor of 30-day mortality and adverse events in critically ill patients: analysis of the MIMIC-III database]. *Zhonghua Wei Zhong Bing Ji Jiu Yi Xue.* 2021 May;33(5):582-586. *Chinese.* doi: 10.3760/cma.j.cn121430-20201223-00772. PMID: 34112297.

Liu, D., Liu, B., Liang, Z., Yang, Z., Ma, F., Yang, Y., Hu, W., 2021. Acute Kidney Injury following Cardiopulmonary Bypass: A Challenging Picture. *Oxid. Med. Cell. Longev.* doi:10.1155/2021/8873581.

Ma W, Zhang Z, Lin X, Zhang Y, Lin Z, Chen W, et al. Preoperative lymphocyte-to-monocyte ratio as a prognostic predictor of long-term mortality in cardiac surgery patients: A propensity score matching analysis. *Front Surg.* 2021;8:704345. doi:10.3389/fsurg.2021.704345.

Meziane, M., Koundi, A., Meskine, A., Bensghir, M., Hatim, A., Ahtil, R., Ait Houssa, M., Boulahya, A., Haimeur, C., Drissi, M., 2017. Facteurs prédictifs de long séjour en réanimation après chirurgie cardiaque programmée de l'adulte : étude rétrospective monocentrique sur 5 ans et demi. *Ann. Cardiol. Angeiol. (Paris).* 66: 66–73. doi:10.1016/j.ancard.2016.12.002.

Misharin, A. V., Morales-Nebreda, L., Reyfman, P.A., Cuda, C.M., Walter, J.M., McQuattie-Pimentel, A.C., Chen, C.I., Anekalla, K.R., Joshi, N., Williams, K.J.N., Abdala-Valencia, H., Yacoub, T.J., Chi, M., Chiu, S., Gonzalez-Gonzalez, F.J., Gates, K., Lam, A.P., Nicholson, T.T., Homan, P.J., Soberanes, S., Dominguez, S., Morgan, V.K., Saber, R., Shaffer, A., Hinchcliff, M., Marshall, S.A., Bharat, A., Berdnikovs, S., Bhorade, S.M., Bartom, E.T., Morimoto, R.I., Balch, W.E., Sznajder, J.I., Chandel, N.S., Mutlu, G.M., Jain, M., Gottardi, C.J., Singer, B.D., Ridge, K.M., Bagheri, N., Shilatifard, A., Budinger, G.R.S., Perlman, H., 2017a. Monocyte-derived alveolar macrophages drive lung fibrosis and persist in the lung over the life span. *J. Exp. Med.* 214: 2387–2404. doi:10.1084/JEM.20162152.

Moorthy, V., Sim, M.A., Liu, W., Chew, S.T.H., Ti, L.K., Kim, Y.K. 2019. Risk factors and impact of postoperative hyperglycemia in nondiabetic patients after cardiac surgery: A prospective study. *Medicine*, 98(23):1-9.

Mossanen JC, Jansen TU, Pracht J, Liepelt A, Buendgens L, Stoppe C, et al. Elevated circulating CD14++CD16+ intermediate monocytes are independently associated with extracardiac complications after cardiac surgery. *Sci Rep.* 2020 Jan 22;10(1):947.

Murphy, G.S., Hessel, E.A., Groom, R.C. 2009. Optimal Perfusion During Cardiopulmonary Bypass: An Evidence-Based Approach. *Anesth Analg*, 108(5):1394–1417.

Nambiar, P.M., Bhan, A., Mehta, Y., 2024. Prolonged Stay in ICU after Cardiac Surgery: Challenges –A Review. *J. Card. Crit. Care TSS* 8: 70–79. doi:10.25259/jccc_70_2023.

Rinder, C.S., Mathew, J.P., Rinder, H.M., Tracey, J.B., Davis, E. & Smith, B.R., 1997. Lymphocyte and monocyte subset changes during cardiopulmonary bypass: effects of aging and gender. *The Journal of Laboratory and Clinical Medicine*, 129(5), pp. 592–602.

Roberts, A., Duncan, E.C., Hargrave, P., Kingery, D.R., Barnes, J., Horstemeyer, D.L., Stahl, R.F. 2023. Complications of Cardiopulmonary Bypass From an Anesthesia Perspective: A Clinical Review. *HCA Health J Med*, 4(1):1-11.

Rochayati, N., Lestari, P., Handayani, S., 2023. Faktor- faktor yang mempengaruhi lama rawat pada pasien pasca bedah Coronary Artery Bypass Graft (CABG). *Holistik J. Kesehat.* 17: 158–171. doi:10.33024/hjk.v17i2.8829.

Sankar, A., Rotstein, A.J., Teja, B., Carrier, F.M., Belley-Côté, E.P., Bolliger, D., Saha, T., Carmona, P., Sander, M., Shehata, N., Thorpe, K.E., Mazer, C.D. 2022. Prolonged mechanical ventilation after cardiac surgery: substudy of the Transfusion Requirements in Cardiac Surgery III trial. *Canad J Anesth*, 69(12):1493–1506.

Shahid, F., Lip, G.Y.H., Shantsila, E., 2018. Role of monocytes in heart failure and atrial fibrillation. *J. Am. Heart Assoc.* doi:10.1161/JAHA.117.007849.

Shekar, P.S., 2006. On-pump and off-pump coronary artery bypass grafting. *Circulation* 113: 51–52. doi:10.1161/CIRCULATIONAHA.105.566737.

Shichkin, V.P., Antica, M., 2022. Key Factors for Thymic Function and Development. *Front. Immunol.* 13: 1–18. doi:10.3389/fimmu.2022.926516.

Sniecinski, R.M., Chandler, W.L. 2011. Activation of the Hemostatic System During Cardiopulmonary Bypass. *Anesth Analg*, 113(6):1319–1333.

Song, F.H., Zheng, Y.Y., Tang, J.N., Wang, W., Guo, Q.Q., Zhang, J.C., Bai, Y., Wang, K., Cheng, M.D., Jiang, L.Z., Zheng, R.J., Fan, L., Liu, Z.Y., Dai, X.Y., Zhang, Z.L., Yue, X.T., Zhang, J.Y., 2021. A Correlation Between Monocyte to Lymphocyte Ratio and Long-Term Prognosis in Patients With Coronary Artery Disease After PCI. *Clin. Appl. Thromb.* 27: 1–7. doi:10.1177/1076029621999717

Stephenson, L.W., Baciewicz Jr. F. A. 2015. Development of Cardiopulmonary Bypass. In: *Cardiopulmonary Bypass and Mechanical Support Principal and Practice*. 4th edn. Philadelphia: Woter Kluwer, 710–731.

Su, X., Wang, J., Lu, X., 2022. The association between Monocyte-to-Lymphocyte ratio and postoperative delirium in ICU patients in cardiac surgery. *J. Clin. Lab. Anal.* 36. doi:10.1002/jcla.24553.

Supomo, Sakti, H.L., Andrianto, G.A. 2021. Prognostic factor for prolonged ventilator usage and ICU occupancy time after mitral valve replacement surgery: a retrospective cohort study. *J Med Sci*, 53(1):1-8.

Székely, A., Levin, J., Miao, Y., Tudor, I.C., Vuylsteke, A., Ofner, P., Mangano, D.T. 2011. Impact of hyperglycemia on perioperative mortality after coronary artery bypass graft surgery. *J Thorac Cardiovasc Surg*, 142(2):1-13.

Urbanowicz, T., Ołasińska-Wiśniewska, A., Michalak, M., Rodzki, M., Witkowska, A., Straburzyńska-Migaj, E., Perek, B., Jemielity, M., 2022. The Prognostic Significance of Neutrophil to Lymphocyte Ratio (NLR), Monocyte to Lymphocyte Ratio (MLR) and Platelet to Lymphocyte Ratio (PLR) on Long-Term Survival in Off-Pump Coronary Artery Bypass Grafting (OPCAB) Procedures. *Biology (Basel)*. 11. doi:10.3390/biology11010034.

Vincent JL, Moreno R. Clinical review: scoring systems in the critically ill. *Crit Care*. 2010;14(2):207. doi: 10.1186/cc8204. Epub 2010 Mar 26. PMID: 20392287; PMCID: PMC2887099.

Wang J, Zhu QW, Cheng XY, Sha CX, Cui YB. Clinical significance of neutrophil-

lymphocyte ratio and monocyte-lymphocyte ratio in women with hyperglycemia. *Postgrad Med.* 2020 Nov;132(8):702-708. doi: 10.1080/00325481.2020.1764235. Epub 2020 May 19. PMID: 32425090.

World Health Organization. 2022. (Homepage on the Internet). *Cardiovascular diseases*. (Updated 2022 June 11; cited 2024 September 11). Available from: <https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-cvds>

Yamamoto, E., Sugiyama, S., Hirata, Y., Tokitsu, T., Tabata, N., Fujisue, K., Sugamura, K., Sakamoto, K., Tsujita, K., Matsumura, T., Kaikita, K., Hokimoto, S., 2016. Prognostic significance of circulating leukocyte subtype counts in patients with coronary artery disease. *Atherosclerosis* 255: 210–216. doi:10.1016/j.atherosclerosis.2016.08.033

Zakkar, M., Guida, G., Suleiman, M.S., Angelini, G.D., 2015. Cardiopulmonary bypass and oxidative stress. *Oxid. Med. Cell. Longev.* 2015: 10–12. doi:10.1155/2015/189863

Zawada AM, Rogacev KS, Schirmer SH, Sester M, Böhm M, Fliser D, et al. Monocyte heterogeneity in human cardiovascular disease. *Immunobiology.* 2012 Dec;217(12):1273–84.

Zhang, C., Yang, L., Shi, S., Fang, Z., Li, J., Wang, G. 2021. Risk Factors for Prolonged Mechanical Ventilation After Pulmonary Endarterectomy: 7 Years' Experience From an Experienced Hospital in China. *Front Surg*, 8:1-14.

Zhou, B., et al. (2020) Effects of Repeated-G_x Acceleration Exposure on Cardiac Structure in Rabbits. *Chinese Journal of Applied Physiology*, 36, 134-137.