



## DAFTAR PUSTAKA

- Agnello, L., Giglio, R.V., Bivona, G., Scazzone, C., Gambino, C.M., Iacona, A., *et al.* (2021). The Value of a Complete Blood Count (CBC) for Sepsis Diagnosis and Prognosis. *Diagnostics* 11 : 1–19.
- Allegranzi, B. (2017). *Report on the Burden of Endemic Health Care-Associated Infection Worldwide Clean Care is Safer Care*. World Health Organization. Switzerland : 16-21.
- Anwar, M.A., Basith, S., & Choi, S. (2013). Negative Regulatory Approaches to the Attenuation of Toll-Like Receptor Signaling. *Exp. Mol. Med.* 45 : 11–14.
- Arens, C., Bajwa, S.A., Koch, C., Siegler, B.H., Schneck, E., Hecker, A., *et al.* (2016). Sepsis-Induced Long-Term Immune Paralysis - Results of a Descriptive, Explorative Study. *Crit. Care* 20 : 1–11.
- Assinger, A., Schrottmaier, W.C., Salzman, M., & Rayes, J. (2019). Platelets in Sepsis: An Update on Experimental Models and Clinical Data. *Front. Immunol.* 10 : 1–19.
- Aziz, M.I., Nurhayatun, E., Dewi, R.T.K., & Susanto, A. (2023). Effect of Chronic Kidney Disease on Mortality Rate of Sepsis Patients The Sign of Clinical Medicine. *Sign Clin. Med.* 1 : 17–24.
- Ballmer-Weber, B.K., Dummer, R., Küng, E., Burg, G., & Ballmer, P.E. (1995). Interleukin 2-Induced Increase of Vascular Permeability without Decrease of the Intravascular Albumin Pool. *Br. J. Cancer* 71 : 78–82.
- Bauer, M.E., Balistreri, M., MacEachern, M., Cassidy, R., Schoenfeld, R., Sankar, K., *et al.* (2019). Normal Range for Maternal Lactic Acid During Pregnancy and Labor: A Systematic Review and Meta-Analysis of Observational Studies. *Am. J. Perinatol.* 36 : 898–906.
- Biedler, A., Schneider, S., Bach, F., Soltesz, S., Wilhelm, W., Ziegeler, S., *et al.* (2007). Methodological Aspects of Lactate Measurement - Evaluation of the Accuracy of Photometric and Biosensor Methods. *Open Anesthesiol. J.* 1 : 1–5.
- Caironi, P., Tognoni, G., Masson, S., Fumagalli, R., Pesenti, A., Romero, M., *et al.* (2014). Albumin Replacement in Patients with Severe Sepsis or Septic Shock. *N. Engl. J. Med.* 370 : 1412–1421.
- Cakir, E., & Turan, I.O. (2021). Lactate/Albumin Ratio is More Effective than Lactate or Albumin Alone in Predicting Clinical Outcomes in Intensive Care Patients with Sepsis. *Scand. J. Clin. Lab. Invest.* 81 : 225–229.
- Cao, Y., Su, Y., Guo, C., He, L., & Ding, N. (2023). Albumin Level is Associated with Short-Term and Long-Term Outcomes in Sepsis Patients Admitted in the ICU: A Large Public Database Retrospective Research. *Clin. Epidemiol.* 15 : 263–273.
- Chebl, R.B., Geha, M., Assaf, M., Kattouf, N., Haidar, S., Abdeldaem, K., *et al.* (2021). The prognostic value of the lactate/albumin ratio for predicting mortality in septic patients presenting to the emergency department: a prospective study. *Ann. Med.* 53 : 2268–2277.
- Effenberger-Neidnicht, K., & Hartmann, M. (2018). Mechanisms of Hemolysis During Sepsis. *Inflammation* 41 : 1569–1581.



- Effendi, B., Pitoyo, C.W., Sinto, R., & Suwanto, S. (2022). Procalcitonin Prognostic Value in Predicting Mortality among Adult Patients with Sepsis due to Gram-Negative Bacteria. *Med. J. Indones.* 31 : 50–55.
- Erdoğan, M., & Findikli, H.A. (2022). Prognostic Value of the Lactate/Albumin Ratio for Predicting Mortality in Patients with Pneumosepsis in Intensive Care Units. *Medicine (Baltimore)*. 101 : 1–6.
- Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C.M., French, C., *et al.* (2021). Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. *Intensive Care Med.* 47 : 1181–1247.
- Farkas, J.D. (2020). The Complete Blood Count to Diagnose Septic Shock. *J. Thorac. Dis.* 2 : 16–21.
- Gauer, R., Forbes, D., & Boyer, N. (2020). Sepsis: Diagnosis and Management. *Am. Fam. Physician* 101 : 409–418.
- Gharipour, A., Razavi, R., Gharipour, M., & Mukasa, D. (2020). Lactate/albumin ratio: An early prognostic marker in critically ill patients. *Am. J. Emerg. Med.* 38 : 2088–2095.
- Gómez-Cantarino, S., Agulló-Ortuño, M.T., de Dios-Aguado, M., Ugarte-Gurrutxaga, M.I., & Bouzas-Mosquera, C. (2020). Prevalence of Hypoproteinemia and Hypoalbuminemia in Pregnant Women from Three Different Socioeconomic Populations. *Int. J. Environ. Res. Public Health* 17 : 1–10.
- Gyawali, B., Ramakrishna, K., & Dharmoon, A.S. (2019). Sepsis: The Evolution in Definition, Pathophysiology, and Management. *SAGE Open Med.* 7 : 1–13.
- Haas, S.A., Lange, T., Saugel, B., Petzoldt, M., Fuhrmann, V., Metschke, M., *et al.* (2016). Severe Hyperlactatemia, Lactate Clearance and Mortality in Unselected Critically Ill Patients. *Intensive Care Med.* 42 : 202–210.
- Hernandez, G., Bellomo, R., & Bakker, J. (2019). The Ten Pitfalls of Lactate Clearance in Sepsis. *Intensive Care Med.* 45 : 82–85.
- Hoste, E.A.J., Bagshaw, S.M., Bellomo, R., Cely, C.M., Colman, R., Cruz, D.N., *et al.* (2015). Epidemiology of Acute Kidney Injury in Critically Ill Patients: the Multinational AKI-EPI Study. *Intensive Care Med.* 41 : 1411–1423.
- Huang, M., Cai, S., & Su, J. (2019). The Pathogenesis of Sepsis and Potential Therapeutic Targets. *Int. J. Mol. Sci.* 20 : 1–31.
- Ilmiah, M., Anniwati, L., & Soehartini (2014). Metode Bromcresol Green (BCG) Dan Bromcresol Purple (BCP) Pada Sirosis Hati Yang Mendapat Infus Albumin. *Indones. J. Clin. Pathol. Med. Lab.* 20 : 73–79.
- Jeong, S., Park, Y., Cho, Y., & Kim, H.S. (2012). Diagnostic utilities of procalcitonin and C-reactive protein for the prediction of bacteremia determined by blood culture. *Clin. Chim. Acta* 413 : 1731–1736.
- Jeppesen, J.B., Mortensen, C., Bendtsen, F., & Møller, S. (2013). Lactate Metabolism in Chronic Liver Disease. *Scand. J. Clin. Lab. Invest.* 73 : 293–299.
- Jiang, L., & Cheng, M. (2022). Impact of Diabetes Mellitus on Outcomes of Patients with Sepsis: an Updated Systematic Review and Meta-Analysis.



- Diabetol. Metab. Syndr.* 14 : 1–17.
- Kabra, R., Acharya, S., Shukla, S., Kumar, S., Wanjari, A., Mahajan, S., *et al.* (2023). Serum Lactate-Albumin Ratio: Soothers for Outcome in Sepsis. *Cureus* 15 : 1–15.
- Kang, C., Choi, S., Jang, E.J., Joo, S., Jeong, J.H., Oh, S.Y., *et al.* (2024). Prevalence and Outcomes of Chronic Comorbid Conditions in Patients with Sepsis in Korea: a Nationwide Cohort Study from 2011 to 2016. *BMC Infect. Dis.* 24 : 1–11.
- Kaukonen, K.M., Bailey, M., Suzuki, S., Pilcher, D., & Bellomo, R. (2014). Mortality Related to Severe Sepsis and Septic Shock Among Critically Ill Patients in Australia and New Zealand, 2000–2012. *JAMA* 311 : 1308–1316.
- Kawai, T., & Akira, S. (2010). The Role of Pattern-Recognition Receptors in Innate Immunity: Update on Toll-Like Receptors. *Nat. Immunol.* 11 : 373–384.
- Kim, G., Oh, D.K., Lee, S.Y., Park, M.H., & Lim, C.M. (2024). Impact of the Timing of Invasive Mechanical Ventilation in Patients with Sepsis: a Multicenter Cohort Study. *Crit. Care* 28 : 1–10.
- Kim, H.J., Son, Y.K., & An, W.S. (2013). Effect of Sodium Bicarbonate Administration on Mortality in Patients with Lactic Acidosis: A Retrospective Analysis. *PLoS One* 8 : 1–7.
- Kokkoris, S., Gkoufa, A., Katsaros, D.E., Karageorgiou, S., Kavallieratos, F., Tsilivarakis, D., *et al.* (2024). Lactate to Albumin Ratio and Mortality in Patients with Severe Coronavirus Disease-2019 Admitted to an Intensive Care Unit. *J. Clin. Med.* 13 : 1–14.
- Kumar, S., Gupta, E., Kaushik, S., Kumar Srivastava, V., Mehta, S.K., & Jyoti, A. (2018). Evaluation of oxidative stress and antioxidant status: Correlation with the severity of sepsis. *Scand. J. Immunol.* 87 : 1–11.
- Lambden, S., Laterre, P.F., Levy, M.M., & Francois, B. (2019). The SOFA Score - Development, Utility and Challenges of Accurate Assessment in Clinical Trials. *Crit. Care* 23 : 1–9.
- Lee, S.M., Kim, S.E., Kim, E. Bin, Jeong, H.J., Son, Y.K., & An, W.S. (2015). Lactate Clearance and Vasopressor Seem to Be Predictors for Mortality in Severe Sepsis Patients with Lactic Acidosis Supplementing Sodium Bicarbonate: A Retrospective Analysis. *PLoS One* 10 : 1–14.
- Leonidou, L., Michalaki, M., Leonardou, A., Polyzogopoulou, E., Fouka, K., Gerolymos, M., *et al.* (2008). Stress-Induced Hyperglycemia in Patients with Severe Sepsis: A Compromising Factor for Survival. *Am. J. Med. Sci.* 336 : 467–471.
- Levi, M., & Poll, T. Van Der (2010). Inflammation and Coagulation. *Crit. Care Med.* 38 : 1.
- Levy, M.M., Fink, M.P., Marshall, J.C., Abraham, E., Angus, D., Cook, D., *et al.* (2003). 2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. *Crit. Care Med.* 31 : 1250–1256.
- Li, F., Ye, Z., Zhu, J., Gu, S., Peng, S., Fang, Y., *et al.* (2023). Early Lactate/Albumin and Procalcitonin/ Albumin Ratios as Predictors of 28-Day Mortality in ICU-Admitted Sepsis Patients: A Retrospective Cohort Study.



- Med. Sci. Monit.* 29 : 1–16.
- Lichtenauer, M., Wernly, B., Ohnewein, B., Franz, M., Kabisch, B., Muessig, J., *et al.* (2017). The Lactate/Albumin Ratio: A Valuable Tool for Risk Stratification in Septic Patients Admitted to ICU. *Int. J. Mol. Sci.* 18 : 1–9.
- Liu, S., Yang, T., Jiang, Q., Zhang, L., Shi, X., Liu, X., *et al.* (2024). Lactate and Lactylation in Sepsis: A Comprehensive Review. *J. Inflamm. Res.* 17 : 4405–4417.
- Ljungström, L., Pernestig, A.K., Jacobsson, G., Andersson, R., Usener, B., & Tilevik, D. (2017). Diagnostic Accuracy of Procalcitonin, Neutrophil-Lymphocyte Count Ratio, C-Reactive Protein, and Lactate in Patients with Suspected Bacterial Sepsis. *PLoS One* 12 : 1–17.
- Loeches, I.M., Guia, M.C., Vallecocchia, M.S., Suarez, D., Ibarz, M., Irazabal, M., *et al.* (2019). Risk Factors for Mortality in Elderly and Very Elderly Critically Ill Patients with Sepsis: a Prospective, Observational, Multicenter Cohort Study. *Ann. Intensive Care* 9 : 1–9.
- Makram, E.F., Ibrahim, M.E., Rahman, A.H.A., & Aboraya, K.M. (2022). Serum Lactate/Albumin Ratio as a Predictor of Morbidity and Mortality in Patients with Severe Sepsis and Septic Shock. *Benha Med. J.* 27 : 4139–4151.
- Pangerang, A.M.N., & Madjid, A.S. (2020). De-Resuscitation on Sepsis Induced-Acute Respiratory Distress Syndrome. *Anesth. Crit. Care* 38 : 15–23.
- Pawar, R.D., Shih, J.A., Balaji, L., Grossestreuer, A. V., Patel, P. V., Hansen, C.K., *et al.* (2021). Variation in SOFA (Sequential Organ Failure Assessment) Score Performance in Different Infectious States. *J. Intensive Care Med.* 36 : 1217–1222.
- Peng, H., Su, Y., Luo, J., & Ding, N. (2024). Association between Admission Hemoglobin Level and Prognosis in Sepsis Patients Based on a Critical Care Database. *Sci. Rep.* 14 : 1–8.
- Poll, T. van der (2001). Immunotherapy of Sepsis. *Anesteziol. a Intenziv. Med.* 1 : 166–174.
- Purba, A.K.R., Mariana, N., Aliska, G., Wijaya, S.H., Wulandari, R.R., Hadi, U., *et al.* (2020). The burden and costs of sepsis and reimbursement of its treatment in a developing country: An observational study on focal infections in Indonesia. *Int. J. Infect. Dis.* 96 : 211–218.
- Quoilin, C., Mouithys-Mickalad, A., Lécart, S., Fontaine-Aupart, M.P., & Hoebeke, M. (2014). Evidence of Oxidative Stress and Mitochondrial Respiratory Chain Dysfunction in an in Vitro Model of Sepsis-Induced Kidney Injury. *Biochim. Biophys. Acta - Bioenerg.* 1837 : 1790–1800.
- Rahajeng, E.P. (2020). Analisis Laktat, Albumin dan Rasio Laktat Albumin Sebagai Prediktor Luaran Pada Pasien Sepsis dan Syok Septik di RSUP Dr. Wahidin Sudirohusodo Makassar. *J. Kesehat. Andalas* 9 : 26–32.
- Raymond, S.L., Holden, D.C., Mira, J.C., Stortz, J.A., Loftus, T.J., Mohr, A.M., *et al.* (2017). Microbial Recognition and Danger Signals in Sepsis and Trauma. *Biochim. Biophys. Acta - Mol. Basis Dis.* 1863 : 2564–2573.
- Resende, C.B., Borges, I., Gonçalves, W.A., Carneiro, R., Rezende, B.M., Pinho, V., *et al.* (2020). Neutrophil Activity in Sepsis: A Systematic Review. *Brazilian J. Med. Biol. Res.* 53 : 1–6.



- Seo, M.H., Choa, M., You, J.S., Lee, H.S., Hong, J.H., Park, Y.S., *et al.* (2016). Hypoalbuminemia, Low Base Excess Values, and Tachypnea Predict 28-Day Mortality in Severe Sepsis and Septic Shock Patients in the Emergency Department. *Yonsei Med. J.* 57 : 1361–1369.
- Seymour, C.W., Gesten, F., Prescott, H.C., Friedrich, M.E., Iwashyna, T.J., Phillips, G.S., *et al.* (2017). Time to Treatment and Mortality during Mandated Emergency Care for Sepsis. *N. Engl. J. Med.* 376 : 2235–2244.
- Shen, X.F., Cao, K., Jiang, J.P., Guan, W.X., & Du, J.F. (2017). Neutrophil Dysregulation During Sepsis: an Overview and Update. *J. Cell. Mol. Med.* 21 : 1687–1697.
- Singer, M., Deutschman, C.S., Seymour, C., Shankar-Hari, M., Annane, D., Bauer, M., *et al.* (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (sepsis-3). *JAMA - J. Am. Med. Assoc.* 315 : 801–810.
- Sonneville, R., Verdonk, F., Rauturier, C., Klein, I.F., Wolff, M., Annane, D., *et al.* (2013). Understanding Brain Dysfunction in Sepsis. *Ann. Intensive Care* 3 : 1–11.
- Soong, J., & Soni, N. (2012). Sepsis: Recognition and Treatment. *Clin. Med. J. R. Coll. Physicians London* 12 : 276–280.
- Sousa, C., Brandão, M., Ribeiro, O., & Cardoso, T. (2015). Community-Acquired Severe Sepsis: A Prospective Cohort Study. *Open J. Intern. Med.* 5 : 37–49.
- Sun, J.K., Sun, F., Wang, X., Yuan, S.T., Zheng, S.Y., & Mu, X.W. (2015). Risk Factors and Prognosis of Hypoalbuminemia in Surgical Septic Patients. *PeerJ* 3 : 1–14.
- Sun, L., Zhang, C., Song, P., Zhong, X., Xie, B., Huang, Y., *et al.* (2025). Hypertension and 28-Day Mortality in Sepsis Patients: An Observational and Mendelian Randomization Study. *Hear. Lung* 70 : 147–156.
- Tang, H., Qu, M., Xin, M., & He, T. (2025). Association between Lactate-Albumin Ratio and 28-Day Mortality in Patients with Sepsis-Associated Acute Kidney Injury: a Retrospective Cohort Study. *Nature* 15 : 1–11.
- Torres, V.B.L., Azevedo, L.C.P., Silva, U.V.A., Caruso, P., Torelly, A.P., Silva, E., *et al.* (2015). Sepsis-Associated Outcomes in Critically Ill Patients with Malignancies. *Ann. Am. Thorac. Soc.* 12 : 1185–1192.
- Tschaikowsky, K., Hedwig-Geissing, M., Braun, G.G., & Radespiel-Troeger, M. (2011). Predictive value of procalcitonin, interleukin-6, and C-reactive protein for survival in postoperative patients with severe sepsis. *J. Crit. Care* 26 : 54–64.
- Vijayan, A.L., Ravindran, S., Saikant, R., Lakshmi, S., Kartik, R., & Manoj, G. (2017). Procalcitonin: A promising diagnostic marker for sepsis and antibiotic therapy. *J. Intensive Care* 5 : 1–7.
- Wang, B., Chen, G., Cao, Y., Xue, J., Li, J., & Wu, Y. (2015). Correlation of lactate/albumin ratio level to organ failure and mortality in severe sepsis and septic shock. *J. Crit. Care* 30 : 271–275.
- Wardi, G., Tainter, C.R., Ramnath, V.R., Brennan, J.J., Tolia, V., Castillo, E.M., *et al.* (2021). Age-Related Incidence and Outcomes of Sepsis in California, 2008–2015. *J. Crit. Care* 62 : 1–14.



- Wiedermann, C.J. (2023). Controversies Surrounding Albumin Use in Sepsis: Lessons from Cirrhosis. *Int. J. Mol. Sci.* 24 : 1–17.
- Yau, Y.W., & Kuan, W. Sen (2016). Choice of Crystalloids in Sepsis: A Conundrum Waiting to be Solved. *Ann. Transl. Med.* 4 : 4–7.
- Yeo, Q.M., Hammond, D.A., Li, C., & Olsen, K.M. (2019). Impact of Chronic Hypertension on Time to Goal Mean Arterial Pressure and Clinical Outcomes in Critically Ill Patients with Septic Shock Requiring Vasopressors. *J. Crit. Care* 49 : 143–148.
- Yin, M., Si, L., Qin, W., Li, C., Zhang, J., Yang, H., *et al.* (2018). Predictive Value of Serum Albumin Level for the Prognosis of Severe Sepsis Without Exogenous Human Albumin Administration: A Prospective Cohort Study. *J. Intensive Care Med.* 33 : 687–694.
- Yoon, S.H., Choi, B., Eun, S., Bae, G.E., Koo, C.M., & Kim, M.K. (2022). Using the Lactate-to-Albumin Ratio to Predict Mortality in Patients with Sepsis or Septic Shock: a Systematic Review and Meta-Analysis. *Eur. Rev. Med. Pharmacol. Sci.* 26 : 1743–1752.
- Zampieri, F.G., & Mazza, B. (2017). Mechanical ventilation in sepsis: A reappraisal. *Shock* 47 : 41–46.