

DAFTAR PUSTAKA

- Ahmad, T. E., Rais, A., Azhari, D. R., Ode, L., Minsaris, A., Lestari, D. A., & Arifin, W. A. (2021). Penggunaan Iso Cluster Unsupervised Classification dalam Mengenali Garis Pantai, Studi Kasus: Rarowatu Utara, Sulawesi Tenggara. *Prosiding Seminar Nasional Ilmu Komputer*, 1(1).
- Baboo, D. S. S., & Devi, M. R. (2010). An Analysis of Different Resampling Methods in Coimbatore, District. *Global Journal of Computer Science and Technology*, 10(15), 61–66. http://globaljournals.org/GJCST_Volume10/10-An-Analysis-of-Different-Resampling-Methods-in-Coimbatore-District.pdf
- Balai Taman Nasional Baluran. (2016). *Buku Zona Pengelolaan Taman Nasional Baluran* (Issue 0333).
- Bisjoe, A. R. H. (2015). Kawasan Wallacea dan implikasinya bagi penelitian integratif lingkungan hidup dan kehutanan. *Balai Penelitian Kehutanan Makassar*, 12(2), 141–148. <http://nationalgeographic.co.id/berita/2013/11/dua-warisan-dari-nusantara->
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45, 5–32.
- Chaiyarat, R., Ingudomnukul, P., Yimphrai, N., Nakbun, S., & Youngpoy, N. (2023). The Preferred Habitat of Reintroduced Banteng (*Bos javanicus*) at the Core and the Edge of Salakphra Wildlife Sanctuary, Thailand. *Animals*, 13(14), 1–16. <https://doi.org/10.3390/ani13142293>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Andi Yogyakarta.
- Darmawan, Y., Munawar, Atmojo, D. A., Wahyujati, H., & Nainggolan, L. (2023). Accuracy assessment of spatial interpolations methods using ArcGIS. *E3S Web of Conferences*, 464. <https://doi.org/10.1051/e3sconf/202346409005>
- De Bruyn, M., Stelbrink, B., Morley, R. J., Hall, R., Carvalho, G. R., Cannon, C. H., Van Den Bergh, G., Meijaard, E., Metcalfe, I., Boitani, L., Maiorano, L., Shoup, R., & Von Rintelen, T. (2014). Borneo and Indochina are major evolutionary hotspots for Southeast Asian biodiversity. *Systematic Biology*, 63(6), 879–901. <https://doi.org/10.1093/sysbio/syu047>
- Doz, D., Cotič, M., & Felda, D. (2023). Random Forest Regression in Predicting Students' Achievements and Fuzzy Grades. *Mathematics*, 11(19).

<https://doi.org/10.3390/math11194129>

- Foster, M. S. (2012). Standard techniques for inventory and monitoring. *Reptile Biodiversity: Standard Methods for Inventory and Monitoring*, 205–271.
- França, R. P., Monteiro, A. C. B., Arthur, R., & Iano, Y. (2021). An overview of deep learning in big data, image, and signal processing in the modern digital age. In V. Piuri, S. Raj, A. Genovese, & R. Srivastava (Eds.), *Trends in Deep Learning Methodologies: Algorithms, Applications, and Systems* (pp. 63–87). Academic Press. [https://doi.org/https://doi.org/10.1016/B978-0-12-822226-3.00003-9](https://doi.org/10.1016/B978-0-12-822226-3.00003-9)
- Gardner, P., Hedges, S., Pudyatmoko, S., Gray, T. N. E., & Timmins, R. J. (2016). *Bos javanicus*, Banteng. [Http://Dx.Doi.Org/10.2305/IUCN.UK.2016-2.RLTS.T2888A46362970.En](http://Dx.Doi.Org/10.2305/IUCN.UK.2016-2.RLTS.T2888A46362970.En) Copyright:, 8235, 1–30. <http://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T2888A46362970.en>
- Garsetiasih, R., & Heriyanto, N. M. (2014). KARAKTERISTIK VEGETASI HABITAT BANTENG (*Bos javanicus* d’Alton 1832) DI TAMAN NASIONAL MERU BETIRI, JAWA TIMUR. *Jurnal Penelitian Hutan Dan Konservasi Alam*, *11*(1), 77–89. <https://doi.org/10.20886/jphka.2014.11.1.77-89>
- Garsetiasih, R., Sawitri, R., & Rianti, A. (2016). *Banteng Bioekologi dan Konservasi di Indonesia*. https://www.academia.edu/37899851/Banteng_Bioekologi_dan_Konservasi_di_Indonesia
- Ghareghan, F., Ghanbarian, G., Pourghasemi, H. R., & Safaeian, R. (2020). Prediction of habitat suitability of *Morina persica* L. species using artificial intelligence techniques. *Ecological Indicators*, *112*(August 2019). <https://doi.org/10.1016/j.ecolind.2020.106096>
- Guo, K., Yuan, S., Wang, H., Zhong, J., Wu, Y., Chen, W., Hu, C., & Chang, Q. (2021). Species distribution models for predicting the habitat suitability of Chinese fire-bellied newt *Cynops orientalis* under climate change. *Ecology and Evolution*, *11*(15), 10147–10154. <https://doi.org/10.1002/ece3.7822>
- Heydari, Z., & Stillwell, A. S. (2024). Comparative Analysis of Supervised Classification Algorithms for Residential Water End Uses. *Water Resources*

Research, 60(6). <https://doi.org/10.1029/2023WR036690>

Isti'anah, A. (2021). Attitudinal Language of Flora and Fauna Discourse on an Indonesian Tourism Website: Appraisal in Ecolinguistics. *PAROLE: Journal of Linguistics and Education*, 11(2), 163–174. <https://doi.org/10.14710/parole.v11i2.163-174>

KLHK. (2020). *Pertama di Indonesia, Banteng Hasil Perkembangbiakan Eksitu Kembali ke Habitat Alaminya*.

Kusumasumantri, P. Y. (2017). *Sejarah 5 Taman Nasional Pertama* (Issue 021).

Lazuardi, Prastowo, P., Prasetya, E., & Prakasa, H. (2020). Modelling the Distribution of *Dendrocygna javanica* in North Sumatera, Indonesia using Maximum Entropy Approach. *Journal of Physics: Conference Series*, 1462(1). <https://doi.org/10.1088/1742-6596/1462/1/012069>

Lillesand, T., Kiefer, R., & Chipman, J. (2008). *Remote Sensing and Image Interpretation*. John Willey & Sons Inc.

Longley, P. A., Goodchild, M. F., Maguire, D. J., & Rhind, D. W. (2015). *Geographic Information Science & Systems 4th*. John Wiley & Sons.

McDermid, G. J., Franklin, S. E., & LeDrew, E. F. (2005). Remote sensing for large-area habitat mapping. *Progress in Physical Geography*, 29(4), 449–474. <https://doi.org/10.1191/0309133305pp455ra>

Nagendra, H., Lucas, R., Honrado, J. P., Jongman, R. H. G., Tarantino, C., Adamo, M., & Mairota, P. (2013). Remote sensing for conservation monitoring: Assessing protected areas, habitat extent, habitat condition, species diversity, and threats. *Ecological Indicators*, 33, 45–59. <https://doi.org/10.1016/j.ecolind.2012.09.014>

Ngoc Thach, N., Bao-Toan Ngo, D., Xuan-Canh, P., Hong-Thi, N., Hang Thi, B., Nhat-Duc, H., & Dieu, T. B. (2018). Spatial pattern assessment of tropical forest fire danger at Thuan Chau area (Vietnam) using GIS-based advanced machine learning algorithms: A comparative study. *Ecological Informatics*, 46(May), 74–85. <https://doi.org/10.1016/j.ecoinf.2018.05.009>

Nichols, J. A., Herbert Chan, H. W., & Baker, M. A. B. (2019). Machine learning: applications of artificial intelligence to imaging and diagnosis. *Biophysical Reviews*, 11(1), 111–118. <https://doi.org/10.1007/s12551-018-0449-9>

- Nuryani, A., Suhardiman, A., Boer, C., Suba, R. B., Sulistioadi, Y. B., & Rayadin, Y. (2024). Studi Penggunaan Maximum Entropy untuk Pemodelan Kesesuaian Habitat Bekantan (*Naslais larvatus wurmb, 1787*) di Kawasan Cagar Alam Teluk Adang. *JURNAL ILMU LINGKUNGAN*, 22(5), 1174–1183.
- Oosterzee, P. Van. (1997). *The Wallace Line: Where Worlds Collide*. Cornell University Press.
- Purnomo, D. W., & Pudyatmoko, S. (2011). Karakteristik Habitat Banteng (*Bos javanicus* d'Alton, 1823) di Resort Rowobendo Taman Nasional Alas Purwo. *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati*, 16(1), 16–25. <https://doi.org/10.24002/biota.v16i1.55>
- Qi, Y. (2012). Random forest for bioinformatics. In *Ensemble Machine Learning: Methods and Applications* (pp. 307–323). https://doi.org/10.1007/9781441993267_10
- Rattan, P., Penrice, D. D., & Simonetto, D. A. (2022). Artificial Intelligence and Machine Learning: What You Always Wanted to Know but Were Afraid to Ask. *Gastro Hep Advances*, 1(1), 70–78. <https://doi.org/10.1016/j.gastha.2021.11.001>
- Read, J. M., & Torrado, M. (2009). Remote Sensing. *International Encyclopedia of Human Geography: Volume 1-12*, 1–12, 335–346. <https://doi.org/10.1016/B978-008044910-4.00508-3>
- Rew, J., Cho, Y., Moon, J., & Hwang, E. (2020). Habitat suitability estimation using a two-stage ensemble approach. *Remote Sensing*, 12(9). <https://doi.org/10.3390/RS12091475>
- Sakti, A. D., Adillah, K. P., Santoso, C., Faruqi, I. Al, Hendrawan, V. S. A., Sofan, P., Rustam, Fauzi, A. I., Setiawan, Y., Utami, I., Zain, A. F. M., & Kamal, M. (2024). Modeling Proboscis monkey conservation sites on Borneo using ensemble machine learning. *Global Ecology and Conservation*, 54(June 2023). <https://doi.org/10.1016/j.gecco.2024.e03101>
- Santoso, C., Sakti, A. D., Al Faruqi, I., Adillah, K. P., Mahezs, F. I., & Suropto, S. Z. M. (2023). Modeling habitat suitability for endemic Grizzled leaf monkey (*Presbytis comata*) using geospatial machine learning approach. *Remote Sensing Applications: Society and Environment*, 32(May).

<https://doi.org/10.1016/j.rsase.2023.101067>

Shiroyama, R., Wang, M., & Yoshimura, C. (2020). Effect of sample size on habitat suitability estimation using random forests: A case of bluegill, *Lepomis macrochirus*. *Annales de Limnologie*, 56.

<https://doi.org/10.1051/limn/2020010>

Simarmata, N., Wikantika, K., Tarigan, T. A., Aldyansyah, M., Tohir, R. K., Fauziah, A., & Purnama, Y. (2021). Analisis Transformasi Indeks Ndvi, Ndw Dan Savi Untuk Identifikasi Kerapatan Vegetasi Mangrove Menggunakan Citra Sentinel Di Pesisir Timur Provinsi Lampung. *JURNAL GEOGRAFI Geografi Dan Pengajarannya*, 19(2), 69–79.

<https://doi.org/10.26740/jggp.v19n2.p69-79>

Stevens, F. R., Gaughan, A. E., Linard, C., & Tatem, A. J. (2015). *Disaggregating Census Data for Population Mapping Using Random Forests with Remotely-Sensed and Ancillary Data*. 1–22.

<https://doi.org/10.1371/journal.pone.0107042>

Timmins, R. J., Duckworth, J. W., Hedges, S., Steinmetz, R., & Pattanavibool, A. (2016). *Bos javanicus*. *The IUCN Red List of Threatened Species 2008*. January 2008.

<https://doi.org/10.2305/IUCN.UK.2008.RLTS.T2888A9490684.en>

USDA. (1994). *Inherent Factors Affecting Soil Phosphorus*. Figure 1, 1–6.

Yarnell, S. M., Bondi, C., Lind, A. J., & Peek, R. A. (2011). *HABITAT MODELS FOR THE FOOTHILL YELLOW-LEGGED FROG (RANA BOYLII) IN THE SIERRA NEVADA OF CALIFORNIA Regional Habitat Suitability Criteria, and Instream Modeling Methods*. January 2011.

Yu, P. S., Yang, T. C., Chen, S. Y., Kuo, C. M., & Tseng, H. W. (2017). Comparison of random forests and support vector machine for real-time radar-derived rainfall forecasting. *Journal of Hydrology*, 552, 92–104.

<https://doi.org/10.1016/j.jhydrol.2017.06.020>