

DAFTAR PUSTAKA

- [1] D. D. McManus, M. Rienstra, and E. J. Benjamin, “An update on the prognosis of patients with atrial fibrillation,” *Circulation*, vol. 126, no. 10, pp. e143–6, Sep. 2012.
- [2] “Public health and aging: Trends in aging—united states and worldwide,” *JAMA*, vol. 289, no. 11, pp. 1371–1373, 03 2003. [Online]. Available: <https://doi.org/10.1001/jama.289.11.1371>
- [3] Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI), *Pedoman Tata Laksana Fibrilasi Atrium Non-Valvular*, 2nd ed., M. Munawar and Y. Yuniadi, Eds. Jl. Kapuas No. 10, Cideng, Jakarta Pusat 10150: PT. Trans Medical International, 2018, cetakan pertama, September 2018. xviii+144 hal.
- [4] A. Goldberger, L. Amaral, L. Glass, J. Hausdorff, P. C. Ivanov, R. Mark, and Stanley, “PhysioBank, PhysioToolkit, and PhysioNet: Components of a new research resource for complex physiologic signals,” *Circulation*, vol. 101, pp. e215–e220, 2000.
- [5] D. Marinucci, A. Sbrollini, I. Marcantoni, M. Morettini, C. A. Swenne, and L. Burattini, “Artificial neural network for atrial fibrillation identification in portable devices,” *Sensors*, vol. 20, no. 12, 2020. [Online]. Available: <https://www.mdpi.com/1424-8220/20/12/3570>
- [6] X. Chen, Z. Cheng, S. Wang, G. Lu, G. Xv, Q. Liu, and X. Zhu, “Atrial fibrillation detection based on multi-feature extraction and convolutional neural network for processing ecg signals,” *Computer Methods and Programs in Biomedicine*, vol. 202, p. 106009, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0169260721000845>
- [7] G. G. Geweid and J. D. Chen, “Automatic classification of atrial fibrillation from short single-lead ecg recordings using a hybrid approach of dual support vector machine,” *Expert Systems with Applications*, vol. 198, p. 116848, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0957417422003013>
- [8] B. B.-S. Chuang and A. C. Yang, “Optimization of using multiple machine learning approaches in atrial fibrillation detection based on a large-scale data set of 12-lead electrocardiograms: Cross-sectional study,” *JMIR Formative Research*, vol. 8, p. e47803, Mar. 2024. [Online]. Available: <http://dx.doi.org/10.2196/47803>
- [9] M. Wang, S. Rahardja, P. Fränti, and S. Rahardja, “Single-lead ecg recordings modeling for end-to-end recognition of atrial fibrillation with dual-path rnn,” *Biomedical Signal Processing and Control*, vol. 79, p. 104067, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1746809422005353>
- [10] C.-H. Hsieh, Y.-S. Li, B.-J. Hwang, and C.-H. Hsiao, “Detection of atrial fibrillation using 1d convolutional neural network,” *Sensors*, vol. 20, no. 7, 2020. [Online]. Available: <https://www.mdpi.com/1424-8220/20/7/2136>

- [11] M. Zihlmann, D. Perekrestenko, and M. Tschannen, "Convolutional recurrent neural networks for electrocardiogram classification," *CoRR*, vol. abs/1710.06122, 2017. [Online]. Available: <http://arxiv.org/abs/1710.06122>
- [12] J. Wasilewski and L. Poloński, *An Introduction to ECG Interpretation*. Springer London, Aug. 2011, p. 1–20. [Online]. Available: http://dx.doi.org/10.1007/978-0-85729-868-3_1
- [13] O. Campuzano and R. Brugada, *Atrial Fibrillation*. London: Springer London, 2010, pp. 173–178. [Online]. Available: https://doi.org/10.1007/978-1-84882-927-5_14
- [14] J. Pan and W. J. Tompkins, "A real-time qrs detection algorithm," *IEEE Transactions on Biomedical Engineering*, vol. BME-32, no. 3, pp. 230–236, 1985.
- [15] M. Zarrini and A. Sadr, "A real-time algorithm to detect inverted and symmetrical t-wave," in *2009 Second International Conference on Computer and Electrical Engineering*, vol. 1, 2009, pp. 318–322.
- [16] H. Shang, S. Wei, F. Liu, D. Wei, L. Chen, and C. Liu, "An improved sliding window area method for t wave detection," *Computational and Mathematical Methods in Medicine*, vol. 2019, p. 1–11, Apr. 2019. [Online]. Available: <http://dx.doi.org/10.1155/2019/3130527>
- [17] F. Yang, J. Du, J. Lang, W. Lu, L. Liu, C. Jin, and Q. Kang, "Missing value estimation methods research for arrhythmia classification using the modified kernel difference-weighted knn algorithms," *BioMed Research International*, vol. 2020, no. 1, Jan. 2020. [Online]. Available: <http://dx.doi.org/10.1155/2020/7141725>
- [18] G. Saranya and A. Pravin, "A novel feature selection approach with integrated feature sensitivity and feature correlation for improved prediction of heart disease," *Journal of Ambient Intelligence and Humanized Computing*, vol. 14, no. 9, p. 12005–12019, Apr. 2022. [Online]. Available: <http://dx.doi.org/10.1007/s12652-022-03750-y>
- [19] A. Goldberger, L. Amaral, L. Glass, J. Hausdorff, P. C. Ivanov, R. Mark, and Stanley, "PhysioBank, PhysioToolkit, and PhysioNet: Components of a new research resource for complex physiologic signals," *Circulation*, vol. 101, pp. e215–e220, 2000.
- [20] H.-M. Wang and S.-C. Huang, "Sdnn/rmsd as a surrogate for lf/hf: A revised investigation," *Modelling and Simulation in Engineering*, vol. 2012, p. 1–8, 2012. [Online]. Available: <http://dx.doi.org/10.1155/2012/931943>
- [21] S. Kokoska and D. Zwillinger, "Crc standard probability and statistics tables and formulae, student edition," Mar. 2000. [Online]. Available: <http://dx.doi.org/10.1201/b16923>
- [22] I. Fortran, W. Press, S. Teukolsky, W. Vetterling, and B. Flannery, "Numerical recipes," *Cambridge, UK, Cambridge University Press*, pp. 640–766, 01 1992.

- [23] M. Labdi, M. Bentoumi, M. Daoud, A. Larbi, and M. Abed, "On the framework of cardiac arrhythmia characterization using morphological and statistical features," in *2022 7th International Conference on Image and Signal Processing and their Applications (ISPA)*. IEEE, May 2022, p. 1–5. [Online]. Available: <http://dx.doi.org/10.1109/ISPA54004.2022.9786291>
- [24] C. E. Shannon, "A mathematical theory of communication," *Bell System Technical Journal*, vol. 27, no. 3, p. 379–423, Jul. 1948. [Online]. Available: <http://dx.doi.org/10.1002/j.1538-7305.1948.tb01338.x>
- [25] F. Jiao, Y. Guo, and Q. Jiao, "The analysis of ECG of different state based on approximate entropy," *Zhongguo Yi Liao Qi Xie Za Zhi*, vol. 36, no. 1, pp. 19–21, Jan. 2012.
- [26] V. Gupta, M. Mittal, V. Mittal, S. Diwania, and N. K. Saxena, "Ecg signal analysis based on the spectrogram and spider monkey optimisation technique," *Journal of The Institution of Engineers (India): Series B*, vol. 104, no. 1, p. 153–164, Jan. 2023. [Online]. Available: <http://dx.doi.org/10.1007/s40031-022-00831-6>
- [27] C. M. Bishop, *Pattern Recognition and Machine Learning*. New York, NY, USA: Springer, 2006.
- [28] G. S. Nayak, C. Puttamadappa, and A. S. Kamatha, *Statistical Analysis of ECG signals for Arrhythmia Detection*. Springer Berlin Heidelberg, pp. 251–253. [Online]. Available: http://dx.doi.org/10.1007/978-3-540-69139-6_65
- [29] S. Moon and J. Kim, *Ventricular Arrhythmia Classification Based on High-Order Statistical Features of ECG Signals*. Springer Singapore, Dec. 2017, pp. 1227–1231. [Online]. Available: http://dx.doi.org/10.1007/978-981-10-7605-3_195
- [30] M. S. Mahmud, M. M. R. Nayan, S. Hasan, and M. N. A. Taj, "A deep ensemble model with an efficient feature for multi-class arrhythmia classification utilizing 12-lead ecg signal," in *2022 12th International Conference on Electrical and Computer Engineering (ICECE)*. IEEE, Dec. 2022, p. 48–51. [Online]. Available: <http://dx.doi.org/10.1109/ICECE57408.2022.10088465>
- [31] M. Kallas, C. Francis, L. Kanaan, D. Merheb, P. Honeine, and H. Amoud, "Multi-class svm classification combined with kernel pca feature extraction of ecg signals," in *2012 19th International Conference on Telecommunications (ICT)*. IEEE, Apr. 2012, p. 1–5. [Online]. Available: <http://dx.doi.org/10.1109/ICTEL.2012.6221261>
- [32] Q. H. Hoang, X. B. Tran, L. H. Nguyen, A. V. Tran, and V. D. Nguyen, "Electrocardiography anomaly detection," in *2023 International Conference on Advanced Technologies for Communications (ATC)*. IEEE, Oct. 2023, p. 404–408. [Online]. Available: <http://dx.doi.org/10.1109/ATC58710.2023.10318912>
- [33] A. Mohapatra, A. Dastidar, S. K. Mohapatra, and M. N. Mohanty, "Abnormal ecg detection using optimized boosting tree classifier," in *2022 OITS International Conference on Information Technology (OCIT)*. IEEE, Dec. 2022, p. 7–11. [Online]. Available: <http://dx.doi.org/10.1109/OCIT56763.2022.00012>

- [34] R. Pardasani and N. Awasthi, "Classification of 12 lead ecg signal using 1d-cnn with class dependent threshold," in *2020 Computing in Cardiology Conference (CinC)*, ser. CinC2020. Computing in Cardiology, Dec. 2020. [Online]. Available: <http://dx.doi.org/10.22489/CinC.2020.277>
- [35] B. Fang, J. Chen, Y. Liu, W. Wang, K. Wang, A. K. Singh, and Z. Lv, "Dual-channel neural network for atrial fibrillation detection from a single lead ecg wave," *IEEE Journal of Biomedical and Health Informatics*, vol. 27, no. 5, pp. 2296–2305, 2023.
- [36] M. Zihlmann, D. Perekrestenko, and M. Tschannen, "Convolutional recurrent neural networks for electrocardiogram classification," in *2017 Computing in Cardiology (CinC)*, 2017, pp. 1–4.
- [37] M. Rizwan, B. M. Whitaker, and D. V. Anderson, "Af detection from ecg recordings using feature selection, sparse coding, and ensemble learning," *Physiological Measurement*, vol. 39, no. 12, p. 124007, dec 2018. [Online]. Available: <https://dx.doi.org/10.1088/1361-6579/aaf35b>
- [38] S. Datta, C. Puri, A. Mukherjee, R. Banerjee, A. D. Choudhury, R. Singh, A. Ukil, S. Bandyopadhyay, A. Pal, and S. Khandelwal, "Identifying normal, af and other abnormal ecg rhythms using a cascaded binary classifier," in *2017 Computing in Cardiology (CinC)*, 2017, pp. 1–4.