

- [1] M. I. Ansari, “Penugasan Pemerintah Pada Badan Usaha Milik Negara Sektor Ketenagalistrikan Dalam Perspektif Hukum Korporasi,” *Padjadjaran Jurnal Ilmu Hukum (Journal of Law)*, vol. 4, no. 3, pp. 551–568, 2017.
- [2] A. Purwanti, “Corporate branding sebagai peran public relations pln bright batam dalam meningkatkan pelayanan publik,” *Akrab Juara: Jurnal Ilmu-ilmu Sosial*, vol. 9, no. 2, pp. 439–449, 2024.
- [3] N. Azizah, “Analisis Kualitas Pelayanan Pelanggan PT. PLN (Persero) Rayon Natar Lampung Selatan,” 2019.
- [4] S. Suryani, “PT. Pln Persero Bengkalis Prosedur Pendaftaran Pelanggan Prabayar Dan Pascabayar Pln *Mobile*,” 2021.
- [5] Y. P. Yoanda, N. Nurmalasari, and T. Hidayat, “Rancang Bangun Chatbot Untuk Meningkatkan Pelayanan Customer Pada Aplikasi Traveloka,” *Jurnal Teknologi Sistem Informasi*, vol. 3, no. 2, pp. 337–352, 2022.
- [6] H. S. Putra, H. Santoso, and C. Cifran, “Implementation Of Chatbot Customer Service Features On PT Dian Prima Jayaraya Using Dialogflow,” *Infotech: Journal of Technology Information*, vol. 8, no. 2, pp. 143–148, 2022.
- [7] M. A. Khadija, Widyawan, and L. Edi Nugroho, “Deep learning Indonesian chatbot using PyTorch for customer support automation,” in *AIP Conference Proceedings*, 2023, p. 20015.
- [8] F. Fajri, B. Tutuko, and S. Sukemi, “Membandingkan Nilai Akurasi BERT dan DistilBERT pada Dataset Twitter,” *JUSIFO (Jurnal Sistem Informasi)*, vol. 8, no. 2, pp. 71–80, 2022.
- [9] D. Shah and T. J. Philip, “An assistive bot for healthcare using deep learning: Conversation-as-a-service,” in *Progress in Advanced Computing and Intelligent Engineering: Proceedings of ICACIE 2017, Volume 1*, 2019, pp. 109–118.
- [10] S. A. Sheikh, V. Tiwari, and S. Singhal, “Generative model chatbot for human resource using deep learning,” in *2019 International Conference on Data Science and Engineering (ICDSE)*, 2019, pp. 126–132.
- [11] S. P. R. Karri and B. S. Kumar, “Deep learning techniques for implementation of chatbots,” in *2020 International conference on computer communication and informatics (ICCCI)*, 2020, pp. 1–5.
- [12] A. Elholiqi and A. Musdholifah, “Chatbot in Bahasa Indonesia using NLP to provide banking information,” *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, vol. 14, no. 1, pp. 91–102, 2020.
- [13] P. Kandpal, K. Jasnani, R. Raut, and S. Bhorge, “Contextual chatbot for healthcare purposes (using deep learning),” in *2020 Fourth World Conference on Smart Trends in Systems, Security and Sustainability (WorldS4)*, 2020, pp. 625–634.
- [14] M. Dhyan and R. Kumar, “An intelligent Chatbot using deep learning with Bidirectional RNN and attention model,” *Mater Today Proc*, vol. 34, pp. 817–824, 2021.
- [15] E. Kasthuri and S. Balaji, “Natural Language Processing and deep learning chatbot using long short term memory algorithm,” *Mater Today Proc*, vol. 81, pp. 690–693, 2023.
- [16] G. Sperli, “A cultural heritage framework using a Deep Learning based Chatbot for supporting tourist journey,” *Expert Syst Appl*, vol. 183, p. 115277, 2021.
- [17] Y. Windiatmoko, R. Rahmadi, and A. F. Hidayatullah, “Developing facebook chatbot based on deep learning using rasa framework for university enquiries,” in *IOP conference series: materials science and engineering*, 2021, p. 12060.



- [18] N. A.-N. Kholifah, "Price Earning Ratio (Per) terhadap Harga Saham Perusahaan," *WADIAH*, vol. 4, no. 2, 2020.
- [19] R. T. Marry, A. Armawi, A. H. Hadna, and A. J. Pitoyo, "Panas bumi harta karun yang terpendam menuju ketahanan energi," *Jurnal Ketahanan Nasional*, vol. 23, no. 2, pp. 217–237, 2017.
- [20] T. Suhaemi, "Pembangunan Pembangkit Listrik Tenaga Nuklir (PLTN) Menopang Kebutuhan Eenergi Listrik Nasional," in *Seminar Nasional TEKNOKA_FT UHAMKA*, 2016, pp. 162–170.
- [21] M. F. Tahir, A. R. Ashar, and M. Thahir, "Studi Manajemen Trafo PT PLN (Persero) Unit Layanan Pelanggan Sungguminasa," in *Seminar Nasional Teknik Elektro dan Informatika (SNTEI)*, 2022, pp. 344–350.
- [22] T. F. Paat, "PERLINDUNGAN HUKUM TERHADAP KONSUMEN SEBAGAI PENGGUNA JASA PERUSAHAAN LISTRIK NEGARA," *LEX PRIVATUM*, vol. 7, no. 7, 2019.
- [23] L. Adam, "Dinamika sektor kelistrikan di Indonesia: kebutuhan dan performa penyediaan," *Jurnal Ekonomi Pembangunan*, vol. 24, no. 1, pp. 29–41, 2016.
- [24] S. M. K. Yeremias and T. M. Sunarharum, "ANALISIS PERAN SIMBIOSIS INDUSTRI PADA KAWASAN INDUSTRI MAKASSAR DALAM Mendukung IMPLEMENTASI GREEN ECONOMY".
- [25] S. Nabila, "ANALISIS PERAN PT. VALE DALAM PELESTARIAN LINGKUNGAN DI DESA SOROWAKO MELALUI PROGRAM PEMBANGUNAN BERKELANJUTAN 2018-2019," 2022.
- [26] Y. Goldberg, "A primer on neural network models for natural language processing," *Journal of Artificial Intelligence Research*, vol. 57, pp. 345–420, 2016.
- [27] K. Chowdhary and K. R. Chowdhary, "Natural language processing," *Fundamentals of artificial intelligence*, pp. 603–649, 2020.
- [28] D. Khurana, A. Koli, K. Khatter, and S. Singh, "Natural language processing: state of the art, current trends and challenges," *Multimed Tools Appl*, vol. 82, no. 3, pp. 3713–3744, 2023.
- [29] X. Qiu, T. Sun, Y. Xu, Y. Shao, N. Dai, and X. Huang, "Pre-trained models for natural language processing: A survey," *Sci China Technol Sci*, vol. 63, no. 10, pp. 1872–1897, Oct. 2020, doi: 10.1007/s11431-020-1647-3.
- [30] M. Rakhra *et al.*, "E-commerce assistance with a smart chatbot using artificial intelligence," in *2021 2nd international conference on intelligent engineering and management (ICIEM)*, 2021, pp. 144–148.
- [31] A. Saxena, "AI-Based Chatbot," *Int J Res Appl Sci Eng Technol*, vol. 10, no. 12, pp. 941–942, Dec. 2022, doi: 10.22214/ijraset.2022.47785.
- [32] S. Singh, R. Rautela, and others, "Chatbot: a bridge between technology and learn," in *2022 International Conference on Cyber Resilience (ICCR)*, 2022, pp. 1–3.
- [33] F. A. Masse and I. W. Sudarmawan, "ANALISIS TINGKAT KELULUSAN MAHASISWA SEKOLAH TINGGI MANAJEMEN INFORMATIKA DAN KOMPUTER (STMIK) BINA MULIA PALU MENGGUNAKAN ALGORITMA SUPPORT VECTOR MACHINE," *Jurnal Elektronik Sistem Informasi dan Komputer*, vol. 3, no. 2, pp. 27–38, 2017.
- [34] A. Siregar, S. Faisal, and B. Widiharto, "MODEL PREDIKSI PENDERITA COVID 19 DI INDONESIA MENGGUNAKAN METODE SUPPORT VECTOR REGRESION," *PROSIDING KONFERENSI NASIONAL PENELITIAN DAN PENGABDIAN UNIVERSITAS BUANA PERJUANGAN KARAWANG*, vol. 2, no. 1, pp. 79–90, 2022.
- [35] A. Zuhairah, "Penerapan Algoritma Random Forest, Support Vector Machines (SVM) Dan Gradient Boosted Tree (GBT) Untuk Deteksi Penipuan (Fraud Detection) Pada

- [36] D. Normawati and S. A. Prayogi, “Implementasi Naïve Bayes classifier dan *Confusion Matrix* pada analisis sentimen berbasis teks pada Twitter,” *J-SAKTI (Jurnal Sains Komputer dan Informatika)*, vol. 5, no. 2, pp. 697–711, 2021.
- [37] A. A. Maarif, “Penerapan Algoritma TF-IDF untuk Pencarian Karya Ilmiah,” *Dokumen Karya Ilmiah | Tugas Akhir | Program Studi Teknik Informatika-S1 | Fakultas Ilmu Komputer | Universitas Dian Nuswantoro Semarang*, vol. 5, no. 4, 2015.
- [38] A. A. Arifiyanti, “Klasifikasi Artikel Berita Berbahasa Indonesia Berbasis Naive Bayes Classifier Menggunakan Confix-Stripping Stemmer,” *Institut Teknologi Sepuluh Nopember Surabaya*, 2014.
- [39] C. Chairunnisa, I. Ernawati, and M. M. Santoni, “Klasifikasi Sentimen Ulasan Pengguna Aplikasi PeduliLindungi di Google Play Menggunakan Algoritma *Support Vector Machine* dengan Seleksi Fitur Chi-Square,” *Informatik: Jurnal Ilmu Komputer*, vol. 18, no. 1, pp. 69–79, 2022.
- [40] W. Afandi, S. N. Saputro, A. M. Kusumaningrum, H. Adriansyah, M. H. Kafabi, and S. Sudianto, “Klasifikasi Judul Berita Clickbait menggunakan RNN-LSTM,” *Jurnal Informatika: Jurnal Pengembangan IT*, vol. 7, no. 2, pp. 85–89, 2022.
- [41] R. Siringoringo, J. Jamaluddin, R. Perangin-angin, E. J. G. Harianja, G. Lumbantoruan, and E. N. Purba, “Model Bidirectional Lstm Untuk Pemrosesan Sekuensial Data Teks Spam,” *METHOMIKA: Jurnal Manajemen Informatika & Komputerisasi Akuntansi*, vol. 7, no. 2, pp. 265–271, 2023.
- [42] D. Rustiana and N. Rahayu, “Analisis sentimen pasar otomotif mobil: tweet twitter menggunakan Naïve Bayes,” *Simetris: Jurnal Teknik Mesin, Elektro Dan Ilmu Komputer*, vol. 8, no. 1, pp. 113–120, 2017.
- [43] J. D. M.-W. C. Kenton and L. K. Toutanova, “Bert: Pre-training of deep bidirectional transformers for language understanding,” in *Proceedings of naacL-HLT*, 2019.
- [44] Y. Hao, L. Dong, F. Wei, and K. Xu, “Visualizing and understanding the effectiveness of BERT,” *arXiv preprint arXiv:1908.05620*, 2019.
- [45] M. V Koroteev, “BERT: a review of applications in *Natural Language Processing* and understanding,” *arXiv preprint arXiv:2103.11943*, 2021.
- [46] Y. Peng, S. Yan, and Z. Lu, “Transfer learning in biomedical natural language processing: an evaluation of BERT and ELMo on ten benchmarking datasets,” *arXiv preprint arXiv:1906.05474*, 2019.
- [47] J. Ramos and others, “Using tf-idf to determine word relevance in document queries,” in *Proceedings of the first instructional conference on machine learning*, 2003, pp. 29–48.
- [48] S. Robertson, “Understanding inverse document frequency: on theoretical arguments for IDF,” *Journal of documentation*, vol. 60, no. 5, pp. 503–520, 2004.
- [49] G. Salton and C. Buckley, “Term-weighting approaches in automatic text retrieval,” in *Readings in information retrieval*, 1997, pp. 323–328.
- [50] C. Manning and H. Schütze, *Foundations of statistical natural language processing*. MIT press, 1999.
- [51] A. Aizawa, “An information-theoretic perspective of tf-idf measures,” *Inf Process Manag*, vol. 39, no. 1, pp. 45–65, 2003.
- [52] Wikipedia, “Naive Bayes spam filtering,” https://en.wikipedia.org/wiki/Naive_Bayes_spam_filtering.
- [53] I. Rish and others, “An empirical study of the naive Bayes classifier,” in *IJCAI 2001 workshop on empirical methods in artificial intelligence*, 2001, pp. 41–46.
- [54] H. Zhang, “The optimality of naive Bayes,” *Aa*, vol. 1, no. 2, p. 3, 2004.



- [55] A. McCallum, K. Nigam, and others, "A comparison of event models for naive bayes text classification," in *AAAI-98 workshop on learning for text categorization*, 1998, pp. 41–48.
- [56] A. M. Kibriya, E. Frank, B. Pfahringer, and G. Holmes, "Multinomial naive bayes for text categorization revisited," in *Australasian joint conference on artificial intelligence*, 2004, pp. 488–499.
- [57] T. Mikolov, "Efficient estimation of word representations in vector space," *arXiv preprint arXiv:1301.3781*, vol. 3781, 2013.
- [58] T. Mikolov, I. Sutskever, K. Chen, G. S. Corrado, and J. Dean, "Distributed representations of words and phrases and their compositionality," *Adv Neural Inf Process Syst*, vol. 26, 2013.
- [59] Z. Harris, "Distributional Structure," *Word*, vol. 10, no. 2–3, pp. 146–162, 1954.
- [60] Y. Goldberg and O. Levy, "word2vec Explained: deriving Mikolov et al.'s negative-sampling word-embedding method," *arXiv preprint arXiv:1402.3722*, 2014.
- [61] X. Rong, "word2vec parameter learning explained," *arXiv preprint arXiv:1411.2738*, 2014.
- [62] O. Levy and Y. Goldberg, "Dependency-based word embeddings," in *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, 2014, pp. 302–308.
- [63] T. Mikolov, W. Yih, and G. Zweig, "Linguistic regularities in continuous space word representations," in *Proceedings of the 2013 conference of the north american chapter of the association for computational linguistics: Human language technologies*, 2013, pp. 746–751.
- [64] C. Cortes and V. Vapnik, "Support-vector networks," *Mach Learn*, vol. 20, pp. 273–297, 1995.
- [65] N. Cristianini and J. Shawe-Taylor, *Support Vector Machines and other kernel-based learning methods*. Cambridge, 2004.
- [66] B. Schölkopf and A. J. Smola, *Learning with kernels: support vector machines, regularization, optimization, and beyond*. MIT press, 2002.
- [67] A. Ben-Hur and J. Weston, "A user's guide to support vector machines," in *Data mining techniques for the life sciences*, Springer, 2009, pp. 223–239.
- [68] T. Joachims, "Text categorization with support vector machines: Learning with many relevant features," in *European conference on machine learning*, 1998, pp. 137–142.
- [69] C.-W. Hsu, C.-C. Chang, C.-J. Lin, and others, "A practical guide to support vector classification," 2003, *Taipei, Taiwan*.
- [70] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov, "Enriching word vectors with subword information," *Trans Assoc Comput Linguist*, vol. 5, pp. 135–146, 2017.
- [71] A. Joulin, E. Grave, P. Bojanowski, and T. Mikolov, "Bag of tricks for efficient text classification," *arXiv preprint arXiv:1607.01759*, 2016.
- [72] T. Mikolov, E. Grave, P. Bojanowski, C. Puhersch, and A. Joulin, "Advances in pre-training distributed word representations," *arXiv preprint arXiv:1712.09405*, 2017.
- [73] A. Joulin, E. Grave, P. Bojanowski, M. Douze, H. Jégou, and T. Mikolov, "Fasttext. zip: Compressing text classification models," *arXiv preprint arXiv:1612.03651*, 2016.
- [74] M. Schuster and K. Nakajima, "Japanese and korean voice search," in *2012 IEEE international conference on acoustics, speech and signal processing (ICASSP)*, 2012, pp. 5149–5152.
- [75] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "Bert: Pre-training of deep bidirectional transformers for language understanding," in *Proceedings of the 2019 conference of the North American chapter of the association for computational*



- Linguistics: human language technologies, volume 1 (long and short papers)*, 2019, pp. 4171–4186.
- [76] T. Pires, E. Schlinger, and D. Garrette, “How multilingual is multilingual BERT?,” *arXiv preprint arXiv:1906.01502*, 2019.
- [77] S. Wu and M. Dredze, “Beto, bentz, becas: The surprising cross-lingual effectiveness of BERT,” *arXiv preprint arXiv:1904.09077*, 2019.
- [78] D. Kondratyuk and M. Straka, “75 languages, 1 model: Parsing universal dependencies universally,” *arXiv preprint arXiv:1904.02099*, 2019.
- [79] F. Koto, A. Rahimi, J. H. Lau, and T. Baldwin, “IndoLEM and IndoBERT: A benchmark dataset and pre-trained language model for Indonesian NLP,” *arXiv preprint arXiv:2011.00677*, 2020.
- [80] J. Hu, S. Ruder, A. Siddhant, G. Neubig, O. Firat, and M. Johnson, “Xtreme: A massively multilingual multi-task benchmark for evaluating cross-lingual generalisation,” in *International conference on machine learning*, 2020, pp. 4411–4421.
- [81] M. Mardiah and S. Syarifudin, “Model-model evaluasi pendidikan,” *MITRA ASH-SHIBYAN: Jurnal Pendidikan Dan Konseling*, vol. 2, no. 1, pp. 38–50, 2018.
- [82] L. Hakim, H. R. Rahmanto, S. P. Kristanto, and D. Yusuf, “Klasifikasi citra motif batik banyuwangi menggunakan convolutional neural network,” *Jurnal Teknoinfo*, vol. 17, no. 1, p. 203, 2023.
- [83] L. Yuwono, M. egi Fadillah, M. Indrayani, W. Maesarah, A. Ramadhan, and F. Panjaitan, “Klasifikasi Pendapatan Pedagang Kaki Lima Dan Pelaku Usaha Online Akibat Dampak Covid-19 Menggunakan Metode Naive Bayes,” *Bulletin of Applied Industrial Engineering Theory*, vol. 2, no. 1, 2021.
- [84] M. A. Ramadhan and R. Andarsyah, *Klasifikasi Text Spam Menggunakan Metode Support Vector Machine dan Naive Bayes*. Penerbit Buku Pedia, 2022.
- [85] Chicco, D., & Jurman, G. (2020). *The advantages of the Matthews Correlation Coefficient (MCC) over F1 score and accuracy in binary classification evaluation*. *BMC Genomics*, 21(1), 6.
- [86] McHugh, M. L. (2012). *Interrater reliability: the kappa statistic*. *Biochemia Medica*, 22(3), 276–282
- [87] Zhang, Y., & Wang, J. (2016). A joint model of intent determination and slot filling for spoken language understanding. *Proceedings of the Twenty-Fifth International Joint Conference on Artificial Intelligence*, 2993–2999.