

## DAFTAR PUSTAKA

- Abera, M. G., Hecker, C. A., & Bakker, W. (2019). (PDF) *CHARACTERIZATION OF ROCK SAMPLES USING SWIR-LWIR HYPERSPECTRAL IMAGING TECHNIQUES -AN EXAMPLE OF THE HIGH SULFIDATION EPITHERMAL SYSTEM OF RODALQUILAR, SOUTHEAST SPAIN*. ResearchGate.  
[https://www.researchgate.net/publication/343381799\\_CHARACTERIZATION\\_OF\\_ROCK\\_SAMPLES\\_USING\\_SWIR-LWIR\\_HYPERSPECTRAL\\_IMAGING\\_TECHNIQUES\\_AN\\_EXAMPLE\\_OF\\_THE\\_HIGH\\_SULFIDATION\\_EPITHERMAL\\_SYSTEM\\_OF\\_RODALQUILAR\\_SOUTHEAST\\_SPAIN](https://www.researchgate.net/publication/343381799_CHARACTERIZATION_OF_ROCK_SAMPLES_USING_SWIR-LWIR_HYPERSPECTRAL_IMAGING_TECHNIQUES_AN_EXAMPLE_OF_THE_HIGH_SULFIDATION_EPITHERMAL_SYSTEM_OF_RODALQUILAR_SOUTHEAST_SPAIN)
- Akbar, M. N., Faizal, A., Anugrah La Nafie, Y., Werorilangi, S., & Mashoreng, S. (2021). Seagrass carbon stock estimation in Panrangluhu coastal waters using remote sensing technology. *IOP Conference Series: Earth and Environmental Science*, 860(1), 012085. <https://doi.org/10.1088/1755-1315/860/1/012085>
- Alifatri, L. O., Kusnadi, A., Ainarwowan, A., & Supriyadi, I. H. (2022). Pemetaan Habitat Bentik Menggunakan Citra Sentinel-2 Di Kepulauan Kei, Maluku Tenggara. *Indonesian Conference of Maritime*, 1(1), Article 1.
- Ayuni, G. N., & Fitrihanah, D. (2020). Penerapan Metode Regresi Linear Untuk Prediksi Penjualan Properti pada PT XYZ. *Jurnal Telematika*, 14(2), 79–86. <https://doi.org/10.61769/telematika.v14i2.321>
- Aziizah, N. N., Siregar, V. P., & Agus, S. B. (2016). Analisa Spasial Luas Tutupan Lamun di Pulau Tunda Serang, Banten. *Omni-Akuatika*, 12(1), Article 1. <https://doi.org/10.20884/1.oa.2016.12.1.31>
- Bellwood, D. R., Tebbett, S. B., Bellwood, O., Mihalitsis, M., Morais, R. A., Streit, R. P., & Fulton, C. J. (2018). The role of the reef flat in coral reef trophodynamics: Past, present, and future. *Ecology and Evolution*, 8(8), 4108–4119. <https://doi.org/10.1002/ece3.3967>
- Bloomfield, A. L., & Gillanders, B. M. (2005). Fish and invertebrate assemblages in seagrass, mangrove, saltmarsh, and nonvegetated habitats. *Estuaries*, 28(1), 63–77. <https://doi.org/10.1007/BF02732754>
- Boardman, J. W. (1993, October 25). *Automating spectral unmixing of AVIRIS data using convex geometry concepts*. <https://ntrs.nasa.gov/citations/19950017428>
- Boardman, J. W., Kruse, F. A., & Green, R. O. (1995, January 23). *Mapping target signatures via partial unmixing of AVIRIS data*. <https://ntrs.nasa.gov/citations/19950027316>
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>

- Casal, G., Kutser, T., Domínguez-Gómez, J. A., Sánchez-Carnero, N., & Freire, J. (2011). Mapping benthic macroalgal communities in the coastal zone using CHRIS-PROBA mode 2 images. *Estuarine, Coastal and Shelf Science*, 94(3), 281–290. <https://doi.org/10.1016/j.ecss.2011.07.008>
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices, Third Edition* (3rd ed.). CRC Press. <https://doi.org/10.1201/9780429052729>
- Dahuri, R. (2003). *Keanekaragaman hayati laut: Aset pembangunan berkelanjutan Indonesia*. Gramedia Pustaka Utama.
- Duarte, C. M., Agusti, S., Barbier, E., Britten, G. L., Castilla, J. C., Gattuso, J.-P., Fulweiler, R. W., Hughes, T. P., Knowlton, N., Lovelock, C. E., Lotze, H. K., Predragovic, M., Poloczanska, E., Roberts, C., & Worm, B. (2020). Rebuilding marine life. *Nature*, 580(7801), 39–51. <https://doi.org/10.1038/s41586-020-2146-7>
- Duarte, C. M., Dennison, W. C., Orth, R. J. W., & Carruthers, T. J. B. (2008). The Charisma of Coastal Ecosystems: Addressing the Imbalance. *Estuaries and Coasts*, 31(2), 233–238. <https://doi.org/10.1007/s12237-008-9038-7>
- Duarte, C. M., Sintès, T., & Marbà, N. (2013). Assessing the CO<sub>2</sub> capture potential of seagrass restoration projects. *Journal of Applied Ecology*, 50(6), 1341–1349. <https://doi.org/10.1111/1365-2664.12155>
- Effrosynidis, D., Arampatzis, A., & Sylaios, G. (2018). Seagrass detection in the mediterranean: A supervised learning approach. *Ecological Informatics*, 48, 158–170. <https://doi.org/10.1016/j.ecoinf.2018.09.004>
- Fachruddin, F., Asri, S., & Saputra, M. A. (2023). Analisis Karakteristik Teknis Kawasan Waterfront Lokasi Rencana Galangan Kapal Kayu Pulau Bajo Manggarai Barat Nusa Tenggara Timur. *Jurnal Riset Teknologi Perkapalan*, 1(1), Article 1.
- Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R. N., Suwardana, S. W., Fadhilah, N., Nurmallasari, I., Apriyani, S., & Wicaksono, P. (2017). Assessing the Capability of Sentinel-2A Data for Mapping Seagrass Percent Cover in Jerowaru, East Lombok. *Indonesian Journal of Geography*, 49(2), 195. <https://doi.org/10.22146/ijg.28407>
- Fauzan, M. A., Wicaksono, P., & Hartono. (2021). Characterizing Derawan seagrass cover change with time-series Sentinel-2 images. *Regional Studies in Marine Science*, 48, 102048. <https://doi.org/10.1016/j.rsma.2021.102048>
- Ferwerda, J. G., De Leeuw, J., Atzberger, C., & Vekerdy, Z. (2007). Satellite-based monitoring of tropical seagrass vegetation: Current techniques and future developments. *Hydrobiologia*, 591(1), 59–71. <https://doi.org/10.1007/s10750-007-0784-5>

- Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012a). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7), 505–509. <https://doi.org/10.1038/ngeo1477>
- Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012b). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7), 505–509. <https://doi.org/10.1038/ngeo1477>
- Fyfe, S. K. (2003). Spatial and temporal variation in spectral reflectance: Are seagrass species spectrally distinct? *Limnology and Oceanography*, 48(1part2), 464–479. [https://doi.org/10.4319/lo.2003.48.1\\_part\\_2.0464](https://doi.org/10.4319/lo.2003.48.1_part_2.0464)
- Galparsoro, I., Borja, A., & Uyarra, M. C. (2014). Mapping ecosystem services provided by benthic habitats in the European North Atlantic Ocean. *Frontiers in Marine Science*, 1. <https://doi.org/10.3389/fmars.2014.00023>
- Gattuso, J.-P., Williamson, P., Duarte, C. M., & Magnan, A. K. (2021). The Potential for Ocean-Based Climate Action: Negative Emissions Technologies and Beyond. *Frontiers in Climate*, 2, 575716. <https://doi.org/10.3389/fclim.2020.575716>
- Genuer, R., & Poggi, J.-M. (2020). *Random Forests with R*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-56485-8>
- Ginting, D. N. B., Wicaksono, P., & Farda, N. M. (2024). Mapping Seagrass Percent Cover And Biomass In Nusa Lembongan, Bali, Indonesia. *GEOGRAPHY, ENVIRONMENT, SUSTAINABILITY*, 17(1), 16–27. <https://doi.org/10.24057/2071-9388-2023-2886>
- Goetz, S. J., Baccini, A., Laporte, N. T., Johns, T., Walker, W., Kelldorfer, J., Houghton, R. A., & Sun, M. (2009). Mapping and monitoring carbon stocks with satellite observations: A comparison of methods. *Carbon Balance and Management*, 4(1), 2. <https://doi.org/10.1186/1750-0680-4-2>
- Grech, A., Chartrand-Miller, K., Erfemeijer, P., Fonseca, M., McKenzie, L., Rasheed, M., Taylor, H., & Coles, R. (2012). A comparison of threats, vulnerabilities and management approaches in global seagrass bioregions. *Environmental Research Letters*, 7(2), 024006. <https://doi.org/10.1088/1748-9326/7/2/024006>
- Green, E., Edwards, A., & Clark, C. (2000). *Remote Sensing Handbook for Tropical Coastal Management*.
- Hafizt, M., & Danoedoro, B. P. P. (2016). Kajian Ekosistem di Perairan Dangkal Berbasis Spasial Menggunakan Citra Worldview-2 (Studi kasus: Pulau Kemujan, Kepulauan Karimunjawa) Study of Shallow Water Ecosystem Based on Spatial Using Worldview-2 Imagery (Case Study: Kemujan Island, Karimunjawa Islands). *Seminar Nasional Penginderaan Jauh*.

- [https://www.researchgate.net/profile/Muhammad-Hafizt/publication/317933751\\_Study\\_of\\_Shallow\\_Water\\_Ecosystem\\_Based\\_on\\_Spatial\\_Using\\_Worldview-2\\_Imagery\\_Case\\_Study\\_Kemujan\\_Island\\_Karimunjava\\_Islands/links/59521c76aca272a343db086f/Study-of-Shallow-Water-Ecosystem-Based-on-Spatial-Using-Worldview-2-Imagery-Case-Study-Kemujan-Island-Karimunjava-Islands.pdf](https://www.researchgate.net/profile/Muhammad-Hafizt/publication/317933751_Study_of_Shallow_Water_Ecosystem_Based_on_Spatial_Using_Worldview-2_Imagery_Case_Study_Kemujan_Island_Karimunjava_Islands/links/59521c76aca272a343db086f/Study-of-Shallow-Water-Ecosystem-Based-on-Spatial-Using-Worldview-2-Imagery-Case-Study-Kemujan-Island-Karimunjava-Islands.pdf)
- Hedley, J. D., Roelfsema, C., Brando, V., Giardino, C., Kutser, T., Phinn, S., Mumby, P. J., Barrilero, O., Laporte, J., & Koetz, B. (2018). Coral reef applications of Sentinel-2: Coverage, characteristics, bathymetry and benthic mapping with comparison to Landsat 8. *Remote Sensing of Environment*, 216, 598–614. <https://doi.org/10.1016/j.rse.2018.07.014>
- Heumann, B. W. (2011). Satellite remote sensing of mangrove forests: Recent advances and future opportunities. *Progress in Physical Geography: Earth and Environment*, 35(1), 87–108. <https://doi.org/10.1177/0309133310385371>
- Hochberg, E. (2003). Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing. *Remote Sensing of Environment*, 85(2), 159–173. [https://doi.org/10.1016/s0034-4257\(02\)00201-8](https://doi.org/10.1016/s0034-4257(02)00201-8)
- Holon, F., Boissery, P., Guilbert, A., Freschet, E., & Deter, J. (2015). The impact of 85 years of coastal development on shallow seagrass beds (*Posidonia oceanica* L. (Delile)) in South Eastern France: A slow but steady loss without recovery. *Estuarine, Coastal and Shelf Science*, 165, 204–212. <https://doi.org/10.1016/j.ecss.2015.05.017>
- Hossain, M. S., & Hashim, M. (2019). Potential of Earth Observation (EO) technologies for seagrass ecosystem service assessments. *International Journal of Applied Earth Observation and Geoinformation*, 77, 15–29. <https://doi.org/10.1016/j.jag.2018.12.009>
- Howard, J., Hoyt, S., Isensee, K., Telszewski, M., & Pidgeon, E. (2014). *Coastal blue carbon: Methods for assessing carbon stocks and emissions factors in mangroves, tidal salt marshes, and seagrasses*. <https://hdl.handle.net/10568/95127>
- Jaber, H. S. (2019). Estimation and Reduction of Noise from Remotely Sensed Imagery Using Minimum Noise Fraction Techniques. *Acta Scientific Agriculture*, 3(7), 102–106. <https://doi.org/10.31080/ASAG.2019.03.0525>
- Jensen, J. R. (1996). *Introductory digital image processing: A remote sensing perspective*. <https://www.cabidigitallibrary.org/doi/full/10.5555/20001911540>
- Jensen, J. R. (2014). *Remote sensing of the environment: An earth resource perspective* (Pearson new international, second edition). Pearson.

- Jensen, J. R. (2015). *Intorductory Digital Image Processing A Remote Sensing Perspective*. <http://repo.darmajaya.ac.id/4451/>
- Koedsin, W., Intararuang, W., Ritchie, R., & Huete, A. (2016). An Integrated Field and Remote Sensing Method for Mapping Seagrass Species, Cover, and Biomass in Southern Thailand. *Remote Sensing*, 8(4), 292. <https://doi.org/10.3390/rs8040292>
- Kohler, K. E., & Gill, S. M. (2006). Coral Point Count with Excel extensions (CPCe): A Visual Basic program for the determination of coral and substrate coverage using random point count methodology. *Computers & Geosciences*, 32(9), 1259–1269. <https://doi.org/10.1016/j.cageo.2005.11.009>
- Kruse, F. A., Boardman, J. W., Lefkoff, A. B., Young, J. M., Kierein-Young, K. S., Cocks, T. D., Jensen, R., & Cocks, P. A. (2000). HyMap: An Australian hyperspectral sensor solving global problems—results from USA HyMap data acquisitions. *Proc. of the 10th Australasian Remote Sensing and Photogrammetry Conference*, 18–23. [https://www.ugpti.org/smartse/research/citations/downloads/Cocks-More\\_about\\_HyMAP-1998.pdf](https://www.ugpti.org/smartse/research/citations/downloads/Cocks-More_about_HyMAP-1998.pdf)
- Kruse, F. A., Lefkoff, A. B., Boardman, J. W., Heidebrecht, K. B., Shapiro, A. T., Barloon, P. J., & Goetz, A. F. H. (1993). The spectral image processing system (SIPS)—Interactive visualization and analysis of imaging spectrometer data. *Remote Sensing of Environment*, 44(2–3), 145–163. [https://doi.org/10.1016/0034-4257\(93\)90013-N](https://doi.org/10.1016/0034-4257(93)90013-N)
- Kutser, T., Hedley, J., Giardino, C., Roelfsema, C., & Brando, V. E. (2020). Remote sensing of shallow waters – A 50 year retrospective and future directions. *Remote Sensing of Environment*, 240, 111619. <https://doi.org/10.1016/j.rse.2019.111619>
- Kutser, T., Metsamaa, L., & Vahtmäe, E. (2006). Spectral library of macroalgae and benthic substrates in Estonian coastal waters. *Proceedings of the Estonian Academy of Sciences. Biology. Ecology*, 55(4), 329. <https://doi.org/10.3176/biol.ecol.2006.4.05>
- Kutser, T., Miller, I., & Jupp, D. L. B. (2006). Mapping coral reef benthic substrates using hyperspectral space-borne images and spectral libraries. *Estuarine, Coastal and Shelf Science*, 70(3), 449–460. <https://doi.org/10.1016/j.ecss.2006.06.026>
- Laffoley, D., & Grimsditch, G. D. (2009). *The Management of Natural Coastal Carbon Sinks*. IUCN.
- Lavery, P. S., Mateo, M.-Á., Serrano, O., & Rozaimi, M. (2013). Variability in the Carbon Storage of Seagrass Habitats and Its Implications for Global Estimates

- of Blue Carbon Ecosystem Service. *PLoS ONE*, 8(9), e73748. <https://doi.org/10.1371/journal.pone.0073748>
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote sensing and image interpretation*. John Wiley & Sons.
- Lopez, A. C. C., Mora, M. M. G., Torres-Madroñero, M. C., & Velez-Reyes, M. (2023). Using hyperspectral unmixing for the analysis of very high spatial resolution hyperspectral imagery. *Algorithms, Technologies, and Applications for Multispectral and Hyperspectral Imaging XXIX*, 12519, 277–284. <https://doi.org/10.1117/12.2666074>
- Lu, D., Mausel, P., Brondizio, E., & Moran, E. (2004). Relationships between forest stand parameters and Landsat TM spectral responses in the Brazilian Amazon Basin. *Forest Ecology and Management*, 198(1–3), 149–167. <https://doi.org/10.1016/j.foreco.2004.03.048>
- Lubis, M. Z., Gustin, O., Anurogo, W., Kausarian, H., Anggraini, K., & Hanafi, A. (2017). Penerapan Teknologi Pengideraan Jauh Di Bidang Pesisir Dan Lautan. *OSEANA*, 42(3), 56–64. <https://doi.org/10.14203/oseana.2017.Vol.42No.3.85>
- Lyons, M., Roelfsema, C., Kovacs, E., Samper-Villarreal, J., Saunders, M., Maxwell, P., & Phinn, S. (2015). Rapid monitoring of seagrass biomass using a simple linear modelling approach, in the field and from space. *Marine Ecology Progress Series*, 530, 1–14. <https://doi.org/10.3354/meps11321>
- Macreadie, P. I., Anton, A., Raven, J. A., Beaumont, N., Connolly, R. M., Friess, D. A., Kelleway, J. J., Kennedy, H., Kuwae, T., Lavery, P. S., Lovelock, C. E., Smale, D. A., Apostolaki, E. T., Atwood, T. B., Baldock, J., Bianchi, T. S., Chmura, G. L., Eyre, B. D., Fourqurean, J. W., ... Duarte, C. M. (2019). The future of Blue Carbon science. *Nature Communications*, 10(1), 3998. <https://doi.org/10.1038/s41467-019-11693-w>
- Macreadie, P. I., Serrano, O., Maher, D. T., Duarte, C. M., & Beardall, J. (2017). Addressing calcium carbonate cycling in blue carbon accounting. *Limnology and Oceanography Letters*, 2(6), 195–201. <https://doi.org/10.1002/lol2.10052>
- Manessa, M. D. M., Haidar, M., Budhiman, S., Winarso, G., Kanno, A., Sagawa, T., & Sekine, M. (2016). Evaluating the performance of Lyzenga's water column correction in case-1 coral reef water using a simulated Worldview-2 imagery. *IOP Conference Series: Earth and Environmental Science*, 47, 012018. <https://doi.org/10.1088/1755-1315/47/1/012018>
- McLeod, E., Chmura, G. L., Bouillon, S., Salm, R., Björk, M., Duarte, C. M., Lovelock, C. E., Schlesinger, W. H., & Silliman, B. R. (2011). A blueprint for blue carbon: Toward an improved understanding of the role of vegetated coastal habitats in sequestering CO<sub>2</sub>. *Frontiers in Ecology and the Environment*, 9(10), 552–560. <https://doi.org/10.1890/110004>

- Mtwana Nordlund, L., Koch, E. W., Barbier, E. B., & Creed, J. C. (2016). Seagrass Ecosystem Services and Their Variability across Genera and Geographical Regions. *PLOS ONE*, *11*(10), e0163091. <https://doi.org/10.1371/journal.pone.0163091>
- Mumby, P. J., & Edwards, A. (2000). Water column correction techniques. *Remote Sensing Handbook for Tropical Coastal Management. Coastal Management Sourcebook*, *3*, 121–128.
- Murray, B. C., Pendleton, L., Jenkins, W. A., & Sifleet, S. (2011). \* Director, Economic Analysis, Nicholas Institute for Environmental Policy Solutions, Duke University † Director, Ocean and Coastal Policy, Nicholas Institute ‡ Associate in Research, Economic Analysis, Nicholas Institute § Policy Research Associate, Nicholas Institute.
- Nascimento, J. M. P., & Dias, J. M. B. (2005). Vertex component analysis: A fast algorithm to unmix hyperspectral data. *IEEE Transactions on Geoscience and Remote Sensing*, *43*(4), 898–910. <https://doi.org/10.1109/TGRS.2005.844293>
- Nellemann, C., & Corcoran, E. (2009). *Blue carbon: The role of healthy oceans in binding carbon: a rapid response assessment*. UNEP/Earthprint.
- Nurkhayati, R., & Khakhim, N. (2013). Pemetaan Batimetri Perairan Dangkal Menggunakan Citra Quickbird Di Perairan Taman Nasional Karimun Jawa, Kabupaten Jepara, Jawa Tengah. *Jurnal Bumi Indonesia*, *2*(2), 78320.
- Pendleton, L., Donato, D. C., Murray, B. C., Crooks, S., Jenkins, W. A., Sifleet, S., Craft, C., Fourqurean, J. W., Kauffman, J. B., Marbà, N., Magonigal, P., Pidgeon, E., Herr, D., Gordon, D., & Baldera, A. (2012). Estimating Global “Blue Carbon” Emissions from Conversion and Degradation of Vegetated Coastal Ecosystems. *PLoS ONE*, *7*(9), e43542. <https://doi.org/10.1371/journal.pone.0043542>
- Petropoulos, G. P., Vadrevu, K. P., & Kalaitzidis, C. (2013). Spectral angle mapper and object-based classification combined with hyperspectral remote sensing imagery for obtaining land use/cover mapping in a Mediterranean region. *Geocarto International*, *28*(2), 114–129. <https://doi.org/10.1080/10106049.2012.668950>
- Pham, T. D., Xia, J., Ha, N. T., Bui, D. T., Le, N. N., & Tekeuchi, W. (2019). A Review of Remote Sensing Approaches for Monitoring Blue Carbon Ecosystems: Mangroves, Seagrasses and Salt Marshes during 2010–2018. *Sensors*, *19*(8), 1933. <https://doi.org/10.3390/s19081933>
- Potouroglou, M., Grimsditch, G., Weatherdon, L., & Lutz, S. (2020). Out of the Blue: The Value of Seagrasses to the Environment and People. *United Nations Environment Programme*.

- Rais, M., Inaku, D. F., Moka, W. J. C., Mashoreng, S., Satari, D. Y., & Rukminasari, N. (2023). Estimasi Stok Karbon Padang Lamun menggunakan Citra Spot-7 di Perairan Pulau Kodingarenglombo, Sangkarrang, Kota Makassar. *Jurnal Kelautan Tropis*, 26(2), 387–398. <https://doi.org/10.14710/jkt.v26i2.16496>
- Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-Villarreal, J., & Phinn, S. R. (2014). Multi-temporal mapping of seagrass cover, species and biomass: A semi-automated object based image analysis approach. *Remote Sensing of Environment*, 150, 172–187. <https://doi.org/10.1016/j.rse.2014.05.001>
- Roelfsema, C., & Phinn, S. (2009). *A manual for conducting georeferenced photo transects surveys to assess the benthos of coral reef and seagrass habitats*. [https://epic.awi.de/id/eprint/31165/2/HeronTransect2007\\_GPSphotolink\\_Meta\\_data.pdf](https://epic.awi.de/id/eprint/31165/2/HeronTransect2007_GPSphotolink_Meta_data.pdf)
- Rukmana, S., Jehamat, I., & Sucipto, S. (2023). Persepsi dan Preferensi Masyarakat Terkait Dampak Reklamasi Pantai Pasca Pembangunan Labuan Bajo. *Jurnal Kepariwisata Indonesia: Jurnal Penelitian Dan Pengembangan Kepariwisata Indonesia*, 17, 144–155. <https://doi.org/10.47608/jki.v17i12023.144-155>
- Salsabila, H. N., Wicaksono, P., & Danoedoro, P. (2024). Seagrass Aboveground Carbon Stock Mapping using PlanetScope SuperDove Imagery in Nemberala, Rote Island, East Nusa Tenggara. *IOP Conference Series: Earth and Environmental Science*, 1291(1), 012013. <https://doi.org/10.1088/1755-1315/1291/1/012013>
- Short, F., & Neckles, H. (1999). The Effects of Global Climate Change on Seagrasses. *Aquatic Botany*, 63. [https://doi.org/10.1016/S0304-3770\(98\)00117-X](https://doi.org/10.1016/S0304-3770(98)00117-X)
- Siregar, V. P., Agus, S. B., Subarno, T., Sunuddin, A., & Aziizah, N. N. (2020). ANALISIS PERUBAHAN HABITAT DASAR PERAIRAN DANGKAL MENGGUNAKAN CITRA SATELIT RESOLUSI TINGGI DI KARANG LEBAR, KEPULAUAN SERIBU. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 12(1), 37–51. <https://doi.org/10.29244/jitkt.v12i1.25528>
- Sjafrie, N. D. M., Hernawan, U. E., Prayuda, B., Supriyadi, I. H., Iswari, M. Y., & Rahmat, K. A. (2018). Status padang lamun Indonesia. *Jakarta: Puslit Oseanografi*, 49.
- Suman, A., Irianto, H. E., Satria, F., & Amri, K. (2017). POTENSI DAN TINGKAT PEMANFAATAN SUMBER DAYA IKAN DI WILAYAH PENGELOLAAN PERIKANAN NEGARA REPUBLIK INDONESIA (WPP NRI) TAHUN 2015 SERTA OPSI PENGELOLAANNYA. *Jurnal Kebijakan Perikanan Indonesia*, 8(2), 97. <https://doi.org/10.15578/jkpi.8.2.2016.97-100>

- Syah, A. F. (2010). Penginderaan jauh dan aplikasinya di wilayah pesisir dan lautan. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 3(1), 18–28.
- Thorhaug, A., Gallagher, J. B., Kiswara, W., Prathep, A., Huang, X., Yap, T.-K., Dorward, S., & Berlyn, G. (2020). Coastal and estuarine blue carbon stocks in the greater Southeast Asia region: Seagrasses and mangroves per nation and sum of total. *Marine Pollution Bulletin*, 160, 111168. <https://doi.org/10.1016/j.marpolbul.2020.111168>
- Thorhaug, A., Richardson, A. D., & Berlyn, G. P. (2007). Spectral reflectance of the seagrasses: *Thalassia testudinum*, *Halodule wrightii*, *Syringodium filiforme* and five marine algae. *International Journal of Remote Sensing*, 28(7), 1487–1501. <https://doi.org/10.1080/01431160600954662>
- Wahyudi, A. J., & Febriani, F. (2021). Country-specific emission factor for developing a tier 3 system of Indonesia's seagrass carbon inventory. *IOP Conference Series: Earth and Environmental Science*, 944(1), 012058. <https://doi.org/10.1088/1755-1315/944/1/012058>
- Wahyudi, A. J., Rahmawati, S., Irawan, A., Hadiyanto, H., Prayudha, B., Hafizt, M., Afdal, A., Adi, N. S., Rustam, A., Hernawan, Udhi. E., Rahayu, Y. P., Iswari, M. Y., Supriyadi, I. H., Solihudin, T., Ati, R. N. A., Kepel, T. L., Kusumaningtyas, M. A., Daulat, A., Salim, H. L., ... Kiswara, W. (2020). Assessing Carbon Stock and Sequestration of the Tropical Seagrass Meadows in Indonesia. *Ocean Science Journal*, 55(1), 85–97. <https://doi.org/10.1007/s12601-020-0003-0>
- Wicaksono, P. (2012). The effect of sunglint on satellite-based benthic habitat identification. *International Journal of Advanced Research in Computer and Communication Engineering*, 1(6), 364–370.
- Wicaksono, P. (2015a). *Mapping Seagrass Leaf Area Index, Standing Crop, And Above Ground Carbon Stock Using Compressed Remote Sensing Data*. <https://doi.org/10.13140/RG.2.1.1943.3205>
- Wicaksono, P. (2015b). *Remote Sensing Model Development for Seagrass and Mangrove Carbon Stock Mapping* [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/83200>
- Wicaksono, P. (2016). Improving the accuracy of Multispectral-based benthic habitats mapping using image rotations: The application of Principle Component Analysis and Independent Component Analysis. *European Journal of Remote Sensing*, 49(1), 433–463. <https://doi.org/10.5721/EuJRS20164924>
- Wicaksono, P., Aryaguna, P. A., & Lazuardi, W. (2019). Benthic Habitat Mapping Model and Cross Validation Using Machine-Learning Classification Algorithms. *Remote Sensing*, 11(11), 1279. <https://doi.org/10.3390/rs11111279>

- Wicaksono, P., Danoedoro, P., Hartono, Nehren, U., Maishella, A., Hafizt, M., Arjasakusuma, S., & Harahap, S. D. (2021). Analysis Of Field Seagrass Percent Cover And Aboveground Carbon Stock Data For Non-Destructive Aboveground Seagrass Carbon Stock Mapping Using Worldview-2 Image. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, *XLVI-4/W6-2021*, 321–327. <https://doi.org/10.5194/isprs-archives-XLVI-4-W6-2021-321-2021>
- Wicaksono, P., & Harahap, S. D. (2023). Mapping Seagrass Biodiversity Indicators of Pari Island using Multiple WorldView-2 Bands Derivatives. *Geosfera Indonesia*, *8(2)*, 189. <https://doi.org/10.19184/geosi.v8i2.41214>
- Wicaksono, P., & Kamal, M. (2017). Spectral response of healthy and damaged leaves of tropical seagrass *Enhalus acoroides*, *Thalassia hemprichii*, and *Cymodocea rotundata*. *Remote Sensing for Agriculture, Ecosystems, and Hydrology XIX*, *10421*, 113–119. <https://doi.org/10.1117/12.2278027>
- Wicaksono, P., Kumara, I. S. W., Fauzan, M. A., Yogyantoro, R. N., & Lazuardi, W. (2022). Sentinel-2A and Landsat 8 OLI to model benthic habitat biodiversity index. *Geocarto International*, *37(6)*, 1628–1644. <https://doi.org/10.1080/10106049.2020.1790673>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, *39(17)*, 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Wicaksono, P., Maishella, A., Lazuardi, W., & Muhammad, F. H. (2022). Consistency assessment of multi-date PlanetScope imagery for seagrass percent cover mapping in different seagrass meadows. *Geocarto International*, *37(27)*, 15161–15186. <https://doi.org/10.1080/10106049.2022.2096122>
- Wicaksono, P., Maishella, A., Wahyudi, A. J., & Hafizt, M. (2022a). Multitemporal seagrass carbon assimilation and aboveground carbon stock mapping using Sentinel-2 in Labuan Bajo 2019–2020. *Remote Sensing Applications: Society and Environment*, *27*, 100803. <https://doi.org/10.1016/j.rsase.2022.100803>
- Wicaksono, P., Maishella, A., Wahyudi, A. J., & Hafizt, M. (2022b). Multitemporal seagrass carbon assimilation and aboveground carbon stock mapping using Sentinel-2 in Labuan Bajo 2019–2020. *Remote Sensing Applications: Society and Environment*, *27*, 100803. <https://doi.org/10.1016/j.rsase.2022.100803>
- Wicaksono, P., Salivian Wisnu Kumara, I., Kamal, M., Afif Fauzan, M., Zhafarina, Z., Agus Nurswantoro, D., & Noviaris Yogyantoro, R. (2017a). Multispectral Resampling of Seagrass Species Spectra: WorldView-2, Quickbird, Sentinel-2A, ASTER VNIR, and Landsat 8 OLI. *IOP Conference Series: Earth and*

*Environmental Science*, 98, 012039. <https://doi.org/10.1088/1755-1315/98/1/012039>

Wicaksono, P., Salivian Wisnu Kumara, I., Kamal, M., Afif Fauzan, M., Zhafarina, Z., Agus Nurswantoro, D., & Noviaris Yogyantoro, R. (2017b). Multispectral Resampling of Seagrass Species Spectra: WorldView-2, Quickbird, Sentinel-2A, ASTER VNIR, and Landsat 8 OLI. *IOP Conference Series: Earth and Environmental Science*, 98, 012039. <https://doi.org/10.1088/1755-1315/98/1/012039>

Wicaksono, P., Wulandari, S. A., Lazuardi, W., & Munir, M. (2021). Sentinel-2 images deliver possibilities for accurate and consistent multi-temporal benthic habitat maps in optically shallow water. *Remote Sensing Applications: Society and Environment*, 23, 100572. <https://doi.org/10.1016/j.rsase.2021.100572>

Yaakub, S. M., McKenzie, L. J., Erfteimeijer, P. L. A., Bouma, T., & Todd, P. A. (2014). Courage under fire: Seagrass persistence adjacent to a highly urbanised city–state. *Marine Pollution Bulletin*, 83(2), 417–424. <https://doi.org/10.1016/j.marpolbul.2014.01.012>

Zhang, C., Selch, D., Xie, Z., Roberts, C., Cooper, H., & Chen, G. (2013). Object-based benthic habitat mapping in the Florida Keys from hyperspectral imagery. *Estuarine, Coastal and Shelf Science*, 134, 88–97. <https://doi.org/10.1016/j.ecss.2013.09.018>