

DAFTAR PUSTAKA

- Abari, R., Chen, T., Malik, O., Anderson, J., Croda, T. G., Nahavandi, S., Basu, S., Farshchi, S., Newman, M. S., Chatterjee, A., Hammerli, B. M., Reeve, W., Moore, K., Welch, S., & Audino, J. (n.d.). *INTRODUCTION TO MAGNETIC MATERIALS*.
- Abdullahi, M. A., Amir, M., Asiri, S. M., Korkmaz, A. D., Baykal, A., Soyulu, G. S. P., Karakuş, S., & Kilislioglu, A. (2018). Photocatalytic Degradation of Azo Dyes and Organic Contaminants in Wastewater Using Magnetically Recyclable Fe₃O₄@UA-Cu Nano-catalyst. *Catalysis Letters*, *148*(4), 1130–1141. <https://doi.org/10.1007/s10562-018-2322-7>
- Abedini, A., Daud, A. R., Hamid, M. A. A., & Othman, N. K. (2014). Radiolytic formation of Fe₃O₄ nanoparticles: Influence of radiation dose on structure and magnetic properties. *PLoS ONE*, *9*(3). <https://doi.org/10.1371/journal.pone.0090055>
- Adimoolam, M. G., Amreddy, N., Nalam, M. R., & Sunkara, M. V. (2018). A simple approach to design chitosan functionalized Fe₃O₄ nanoparticles for pH responsive delivery of doxorubicin for cancer therapy. *Journal of Magnetism and Magnetic Materials*, *448*, 199–207. <https://doi.org/10.1016/j.jmmm.2017.09.018>
- Alfansuri, T., Aji, N., & Imani, N. (2022). Journal of Magnetism and Magnetic Materials Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, *560*(June), 169645. <https://doi.org/10.1016/j.jmmm.2022.169645>
- Alfredo Reyes Villegas, V., Isaías De León Ramírez, J., Hernandez Guevara, E., Perez Sicairos, S., Angelica Hurtado Ayala, L., & Landeros Sanchez, B. (2020). Synthesis and characterization of magnetite nanoparticles for photocatalysis of nitrobenzene. *Journal of Saudi Chemical Society*, *24*(2), 223–235. <https://doi.org/10.1016/j.jscs.2019.12.004>
- Al-Hakkani, M. F. (2020). Biogenic copper nanoparticles and their applications: A review. *SN Applied Sciences*, *2*(3), 1–20. <https://doi.org/10.1007/s42452-020-2279-1>
- Al-Salihi, S., Bayati, M., Jasim, A. M., Fidalgo, M. M., & Xing, Y. (2022). Magnetic mesoporous TiO₂/Fe₃O₄ nanocomposite adsorbent for removal of sulfamethazine from water. *Environmental Advances*, *9*. <https://doi.org/10.1016/j.envadv.2022.100283>

- Altaf, S., Zafar, R., Zaman, W. Q., Ahmad, S., Yaqoob, K., Syed, A., Khan, A. J., Bilal, M., & Arshad, M. (2021a). Removal of levofloxacin from aqueous solution by green synthesized magnetite (Fe₃O₄) nanoparticles using *Moringa olifera*: Kinetics and reaction mechanism analysis. *Ecotoxicology and Environmental Safety*, 226. <https://doi.org/10.1016/j.ecoenv.2021.112826>
- Altaf, S., Zafar, R., Zaman, W. Q., Ahmad, S., Yaqoob, K., Syed, A., Khan, A. J., Bilal, M., & Arshad, M. (2021b). Removal of levofloxacin from aqueous solution by green synthesized magnetite (Fe₃O₄) nanoparticles using *Moringa olifera*: Kinetics and reaction mechanism analysis. *Ecotoxicology and Environmental Safety*, 226. <https://doi.org/10.1016/j.ecoenv.2021.112826>
- Anandan, S., Selvamani, T., Prasad, G. G., M. Asiri, A., & J. Wu, J. (2017). Magnetic and catalytic properties of inverse spinel CuFe₂O₄ nanoparticles. *Journal of Magnetism and Magnetic Materials*, 432, 437–443. <https://doi.org/10.1016/j.jmmm.2017.02.026>
- Andrade, A. B., Ferreira, N. S., & Valerio, M. E. G. (2017). Particle size effects on structural and optical properties of BaF₂ nanoparticles. *RSC Advances*, 7(43), 26839–26848. <https://doi.org/10.1039/c7ra01582h>
- Antarnusa, G., & Suharyadi, E. (2020). A synthesis of polyethylene glycol (PEG)-coated magnetite Fe₃O₄ nanoparticles and their characteristics for enhancement of biosensor. *Materials Research Express*, 7(5). <https://doi.org/10.1088/2053-1591/ab8bef>
- Antony Arockiaraj, M., Mani, G., & ALOthman, Z. A. (2022). Effect of chitosan-incorporated Fe₃O₄ nanocomposites on the photocatalytic removal of organic molecules. *Journal of Materials Science: Materials in Electronics*, 33(12), 9570–9579. <https://doi.org/10.1007/s10854-021-07579-7>
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Caballero, A. H., & Acosta, N. (2021). Chitosan: An overview of its properties and applications. In *Polymers* (Vol. 13, Issue 19). MDPI. <https://doi.org/10.3390/polym13193256>
- Arias, J. L., Reddy, L. H., & Couvreur, P. (2012). Fe₃O₄/chitosan nanocomposite for magnetic drug targeting to cancer. *Journal of Materials Chemistry*, 22(15), 7622–7632. <https://doi.org/10.1039/c2jm15339d>
- Asgari, E., Sheikhmohammadi, A., & Yeganeh, J. (2020). Application of the Fe₃O₄-chitosan nano-adsorbent for the adsorption of metronidazole from wastewater: Optimization, kinetic, thermodynamic and equilibrium studies.

International Journal of Biological Macromolecules, 164, 694–706.
<https://doi.org/10.1016/j.ijbiomac.2020.07.188>

- Ates, B., Ulu, A., Köytepe, S., Ali Noma, S. A., Kolat, V. S., & Izgi, T. (2018). Magnetic-propelled Fe₃O₄-chitosan carriers enhance l-asparaginase catalytic activity: A promising strategy for enzyme immobilization. *RSC Advances*, 8(63), 36063–36075. <https://doi.org/10.1039/c8ra06346j>
- Atla, S. B., Lin, W. R., Chien, T. C., Tseng, M. J., Shu, J. C., Chen, C. C., & Chen, C. Y. (2018). Fabrication of Fe₃O₄/ZnO magnetite core shell and its application in photocatalysis using sunlight. *Materials Chemistry and Physics*, 216, 380–386. <https://doi.org/10.1016/j.matchemphys.2018.06.020>
- Ayesha, Imran, M., Haider, A., Shahzadi, I., Moeen, S., Ul-Hamid, A., Nabgan, W., Shahzadi, A., Alshahrani, T., & Ikram, M. (2023). Polyvinylpyrrolidone and chitosan-coated magnetite (Fe₃O₄) nanoparticles for catalytic and antimicrobial activity with molecular docking analysis. *Journal of Environmental Chemical Engineering*, 11(3). <https://doi.org/10.1016/j.jece.2023.110088>
- Bagbi, Y., Sarswat, A., Mohan, D., Pandey, A., & Solanki, P. R. (2017). Lead and Chromium Adsorption from Water using L-Cysteine Functionalized Magnetite (Fe₃O₄) Nanoparticles. *Scientific Reports*, 7(1), 1–15. <https://doi.org/10.1038/s41598-017-03380-x>
- Baghayeri, M., Veisi, H., Farhadi, S., Beitollahi, H., & Maleki, B. (2018). Ag nanoparticles decorated Fe₃O₄/chitosan nanocomposite: synthesis, characterization and application toward electrochemical sensing of hydrogen peroxide. *Journal of the Iranian Chemical Society*, 15(5), 1015–1022. <https://doi.org/10.1007/s13738-018-1298-y>
- Bahadur, A., Saeed, A., Shoaib, M., Iqbal, S., Bashir, M. I., Waqas, M., Hussain, M. N., & Abbas, N. (2017a). Eco-friendly synthesis of magnetite (Fe₃O₄) nanoparticles with tunable size: Dielectric, magnetic, thermal and optical studies. *Materials Chemistry and Physics*, 198, 229–235. <https://doi.org/10.1016/j.matchemphys.2017.05.061>
- Bahadur, A., Saeed, A., Shoaib, M., Iqbal, S., Bashir, M. I., Waqas, M., Hussain, M. N., & Abbas, N. (2017b). Eco-friendly synthesis of magnetite (Fe₃O₄) nanoparticles with tunable size: Dielectric, magnetic, thermal and optical studies. *Materials Chemistry and Physics*, 198, 229–235. <https://doi.org/10.1016/j.matchemphys.2017.05.061>
- Bandara, P. C., Peña-Bahamonde, J., & Rodrigues, D. F. (2020). Redox mechanisms of conversion of Cr(VI) to Cr(III) by graphene oxide-polymer

composite. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-65534-8>

Becheikh, N. (2024). Modeling of Mass Transfer and Reaction Kinetics in ZnO Nanoparticle Micro-Reactor Systems for AMX and DOX Degradation. *Engineering, Technology and Applied Science Research*, 14(2), 13726–13731. <https://doi.org/10.48084/etasr.6898>

Behera, M., Nayak, J., Banerjee, S., Chakraborty, S., & Tripathy, S. K. (2021). A review on the treatment of textile industry waste effluents towards the development of efficient mitigation strategy: An integrated system design approach. *Journal of Environmental Chemical Engineering*, 9(4). <https://doi.org/10.1016/j.jece.2021.105277>

Bélteky, P., Rónavári, A., Zakupszky, D., Boka, E., Igaz, N., Szerencsés, B., Pfeiffer, I., Vágvolgyi, C., Kiricsi, M., & Kónya, Z. (2021). Are smaller nanoparticles always better? Understanding the biological effect of size-dependent silver nanoparticle aggregation under biorelevant conditions. *International Journal of Nanomedicine*, 16, 3021–3040. <https://doi.org/10.2147/IJN.S304138>

Bogireddy, N. K. R., Pal, U., Gomez, L. M., & Agarwal, V. (2018). Size controlled green synthesis of gold nanoparticles using Coffea arabica seed extract and their catalytic performance in 4-nitrophenol reduction. *RSC Advances*, 8(44), 24819–24826. <https://doi.org/10.1039/c8ra04332a>

Boros-Lajszner, E., Wyszowska, J., & Kucharski, J. (2023). Evaluation and Assessment of Trivalent and Hexavalent Chromium on Avena sativa and Soil Enzymes. *Molecules*, 28(12). <https://doi.org/10.3390/molecules28124693>

Cai, Y., Shen, Y., Xie, A., Li, S., & Wang, X. (2010). Green synthesis of soya bean sprouts-mediated superparamagnetic Fe₃O₄ nanoparticles. *Journal of Magnetism and Magnetic Materials*, 322(19), 2938–2943. <https://doi.org/10.1016/j.jmmm.2010.05.009>

Chattopadhyay, D. P., & Inamdar, M. S. (2010). Aqueous behaviour of chitosan. *International Journal of Polymer Science*, 2010. <https://doi.org/10.1155/2010/939536>

Chauhan, A., Midha, S., Kumar, R., Meena, R., Singh, P., Jha, S. K., & Kuanr, B. K. (2021). Rapid tumor inhibition via magnetic hyperthermia regulated by caspase 3 with time-dependent clearance of iron oxide nanoparticles. *Biomaterials Science*, 9(8), 2972–2990. <https://doi.org/10.1039/d0bm01705a>

Chen, J., Xiong, Y., Duan, M., Li, X., Li, J., Fang, S., Qin, S., & Zhang, R. (2020). Insight into the Synergistic Effect of Adsorption-Photocatalysis for

the Removal of Organic Dye Pollutants by Cr-Doped ZnO. *Langmuir*, 36(2), 520–533. <https://doi.org/10.1021/acs.langmuir.9b02879>

- Cuana, R., Panre, A. M., Istiqomah, N. I., Tumbelaka, R. M., Sunaryono, Wicaksono, S. T., & Suharyadi, E. (2022). Green Synthesis of Fe₃O₄/Chitosan Nanoparticles Utilizing Moringa Oleifera Extracts and Their Surface Plasmon Resonance Properties. *ECS Journal of Solid State Science and Technology*, 11(8), 083015. <https://doi.org/10.1149/2162-8777/ac8b36>
- Demir, A., Topkaya, R., & Baykal, A. (2013). Green synthesis of superparamagnetic Fe₃O₄ nanoparticles with maltose: Its magnetic investigation. *Polyhedron*, 65, 282–287. <https://doi.org/10.1016/j.poly.2013.08.041>
- Dhar, P. K., Saha, P., Hasan, M. K., Amin, M. K., & Haque, M. R. (2021). Green synthesis of magnetite nanoparticles using Lathyrus sativus peel extract and evaluation of their catalytic activity. *Cleaner Engineering and Technology*, 3. <https://doi.org/10.1016/j.clet.2021.100117>
- Długosz, O., Szostak, K., Krupiński, M., & Banach, M. (2021). Synthesis of Fe₃O₄/ZnO nanoparticles and their application for the photodegradation of anionic and cationic dyes. *International Journal of Environmental Science and Technology*, 18(3), 561–574. <https://doi.org/10.1007/s13762-020-02852-4>
- Evgenidou, E. N., Konstantinou, I. K., & Lambropoulou, D. A. (2015). Occurrence and removal of transformation products of PPCPs and illicit drugs in wastewaters: A review. In *Science of the Total Environment* (Vol. 505, pp. 905–926). Elsevier. <https://doi.org/10.1016/j.scitotenv.2014.10.021>
- Farmanbar, N., Mohseni, S., & Darroudi, M. (2022). Green synthesis of chitosan-coated magnetic nanoparticles for drug delivery of oxaliplatin and irinotecan against colorectal cancer cells. *Polymer Bulletin*, 0123456789. <https://doi.org/10.1007/s00289-021-04066-1>
- Ferdosi, E., Bahiraei, H., & Ghanbari, D. (2019). Investigation the photocatalytic activity of CoFe₂O₄/ZnO and CoFe₂O₄/ZnO/Ag nanocomposites for purification of dye pollutants. *Separation and Purification Technology*, 211, 35–39. <https://doi.org/10.1016/j.seppur.2018.09.054>
- Fu, C. C., Tran, H. N., Chen, X. H., & Juang, R. S. (2020a). Preparation of polyaminated Fe₃O₄@chitosan core-shell magnetic nanoparticles for efficient adsorption of phosphate in aqueous solutions. *Journal of Industrial and Engineering Chemistry*, 83, 235–246. <https://doi.org/10.1016/j.jiec.2019.11.033>

- Fu, C. C., Tran, H. N., Chen, X. H., & Juang, R. S. (2020b). Preparation of polyaminated Fe₃O₄@chitosan core-shell magnetic nanoparticles for efficient adsorption of phosphate in aqueous solutions. *Journal of Industrial and Engineering Chemistry*, 83, 235–246. <https://doi.org/10.1016/j.jiec.2019.11.033>
- Fujii, K. (2016). Thermodynamics for electrochemistry and photoelectrochemistry. In *Lecture Notes in Energy* (Vol. 32, pp. 7–34). Springer Verlag. https://doi.org/10.1007/978-3-319-25400-5_2
- Garcia, S., Mabarroh, N., Darmawan, M. Y., Wibowo, N. A., Ardiyanti, H., Tumbelaka, R. M., Istiqomah, N. I., & Suharyadi, E. (2023). Two spin-valve GMR thin films on half wheatstone bridge circuit for detecting green-synthesized Fe₃O₄@Ag nanoparticles-labeled biomolecule. *Materialia*, 32, 101930. <https://doi.org/10.1016/j.mtla.2023.101930>
- Ghanbarnezhad, S., Baghshahi, S., Nemati, A., & Mahmoodi, M. (2017). Preparation, magnetic properties, and photocatalytic performance under natural daylight irradiation of Fe₃O₄-ZnO core/shell nanoparticles designed on reduced GO platelet. *Materials Science in Semiconductor Processing*, 72, 85–92. <https://doi.org/10.1016/j.mssp.2017.09.015>
- Ghosh, P. R., Fawcett, D., Sharma, S. B., & Poinern, G. E. J. (2017). Production of high-value nanoparticles via biogenic processes using aquacultural and horticultural food waste. *Materials*, 10(8). <https://doi.org/10.3390/ma10080852>
- Ghourchian, F., Motakef-Kazemi, N., Ghasemi, E., & Ziyadi, H. (2021). Zn-based MOF-chitosan-Fe₃O₄ nanocomposite as an effective nano-catalyst for azo dye degradation. *Journal of Environmental Chemical Engineering*, 9(6). <https://doi.org/10.1016/j.jece.2021.106388>
- Guo, J., Zheng, Z., Chen, C., Lu, X., Zhang, Y., & Zheng, B. (2017). Enhanced Production of κ-Carrageenase and κ-Carrageenan Oligosaccharides through Immobilization of *Thalassospira* sp. Fjfst-332 with Magnetic Fe₃O₄-Chitosan Microspheres. *Journal of Agricultural and Food Chemistry*, 65(36), 7934–7943. <https://doi.org/10.1021/acs.jafc.7b02869>
- Harraz, F. A., Mohamed, R. M., Rashad, M. M., Wang, Y. C., & Sigmund, W. (2014). Magnetic nanocomposite based on titania-silica/cobalt ferrite for photocatalytic degradation of methylene blue dye. *Ceramics International*, 40(1 A), 375–384. <https://doi.org/10.1016/j.ceramint.2013.06.012>
- Hermosa, G. C., Liao, C. S., Wu, H. S., Wang, S. F., Liu, T. Y., Jeng, K. S., Lind, S. S., Chang, C. F., & Sun, A. C. A. (2022). Green Synthesis of Magnetic Ferrites (Fe₃O₄, CoFe₂O₄, and NiFe₂O₄) Stabilized by Aloe Vera Extract

for Cancer Hyperthermia Activities. *IEEE Transactions on Magnetics*, 49(12), 7500–7505. <https://doi.org/10.1109/TMAG.2012.2205835>

- I. Saleh, H. (2020a). Green Synthesis of Magnetite Nanoparticles using Myrtus communis L. Grown in Egypt. *International Research Journal of Innovations in Engineering and Technology*, 4(9), 06–13. <https://doi.org/10.47001/irjiet/2020.409002>
- I. Saleh, H. (2020b). Green Synthesis of Magnetite Nanoparticles using Myrtus communis L. Grown in Egypt. *International Research Journal of Innovations in Engineering and Technology*, 4(9), 06–13. <https://doi.org/10.47001/irjiet/2020.409002>
- Ishfaq, M., Khan, S. A., Nazir, M. A., Ali, S., Younas, M., Mansha, M., Shah, S. S. A., Arshad, M., & Rehman, A. ur. (2024). The in situ synthesis of sunlight-driven Chitosan/MnO₂@MOF-801 nanocomposites for photocatalytic reduction of Rhodamine-B. *Journal of Molecular Structure*, 1301. <https://doi.org/10.1016/j.molstruc.2023.137384>
- Israel, L. L., Galstyan, A., Holler, E., & Ljubimova, J. Y. (2020). Magnetic iron oxide nanoparticles for imaging, targeting and treatment of primary and metastatic tumors of the brain. In *Journal of Controlled Release* (Vol. 320, pp. 45–62). Elsevier B.V. <https://doi.org/10.1016/j.jconrel.2020.01.009>
- Jadhav, V., Chikode, P., Nikam, G., & Sabale, S. (2016). Polyol synthesis and characterization of ZnO@CoFe₂O₄ MNP's to study the photodegradation rate of azo and diphenyl type dye. In *Materials Today: Proceedings* (Vol. 3). www.sciencedirect.com www.materialstoday.com/proceedings
- Jamir, M., Borgohain, C., & Borah, J. P. (2022a). Chitosan modified Fe₃O₄ nanoparticles for hyperthermia application. *Materials Today: Proceedings*, 65, 2484–2489. <https://doi.org/10.1016/j.matpr.2022.04.176>
- Jamir, M., Borgohain, C., & Borah, J. P. (2022b). Chitosan modified Fe₃O₄ nanoparticles for hyperthermia application. *Materials Today: Proceedings*, 65, 2484–2489. <https://doi.org/10.1016/j.matpr.2022.04.176>
- Jesus, A. C. B., Jesus, J. R., Lima, R. J. S., Moura, K. O., Almeida, J. M. A., Duque, J. G. S., & Meneses, C. T. (2020). Synthesis and magnetic interaction on concentrated Fe₃O₄ nanoparticles obtained by the co-precipitation and hydrothermal chemical methods. *Ceramics International*, 46(8), 11149–11153. <https://doi.org/10.1016/j.ceramint.2020.01.135>
- Jiles, David. (2016). *Introduction to magnetism and magnetic materials*. CRC Press, Taylor & Francis Group.

- Kadam, A. N., Bhopate, D. P., Kondalkar, V. V., Majhi, S. M., Bathula, C. D., Tran, A. V., & Lee, S. W. (2018). Facile synthesis of Ag-ZnO core-shell nanostructures with enhanced photocatalytic activity. *Journal of Industrial and Engineering Chemistry*, *61*, 78–86. <https://doi.org/10.1016/j.jiec.2017.12.003>
- Kamalzare, M., Ahghari, M. R., Bayat, M., & Maleki, A. (2021). Fe₃O₄@chitosan-tannic acid bionanocomposite as a novel nanocatalyst for the synthesis of pyranopyrazoles. *Scientific Reports*, *11*(1). <https://doi.org/10.1038/s41598-021-99121-2>
- Kangralkar, M. V., Manjanna, J., Momin, N., Rane, K. S., Nayaka, G. P., & Kangralkar, V. A. (2021). Photocatalytic degradation of hexavalent chromium and different staining dyes by ZnO in aqueous medium under UV light. *Environmental Nanotechnology, Monitoring & Management*, *16*, 100508. <https://doi.org/10.1016/j.enmm.2021.100508>
- Karaca, E., Şatir, M., Kazan, S., Açıkgöz, M., Öztürk, E., Gürdağ, G., & Ulutaş, D. (2015). Synthesis, characterization and magnetic properties of Fe₃O₄ doped chitosan polymer. *Journal of Magnetism and Magnetic Materials*, *373*, 53–59. <https://doi.org/10.1016/j.jmmm.2014.02.016>
- Karade, V. C., Waifalkar, P. P., Dongle, T. D., Sahoo, S. C., Kollu, P., Patil, P. S., & Patil, P. B. (2017). Greener synthesis of magnetite nanoparticles using green tea extract and their magnetic properties. *Materials Research Express*, *4*(9). <https://doi.org/10.1088/2053-1591/aa892f>
- Kaufman, A. A., Hansen, R. O., & Kleinberg, R. L. K. (2008). Chapter 6 Paramagnetism, Diamagnetism, and Ferromagnetism. In *Methods in Geochemistry and Geophysics* (Vol. 42, pp. 207–254). [https://doi.org/10.1016/S0076-6895\(08\)00006-1](https://doi.org/10.1016/S0076-6895(08)00006-1)
- Keabadile, O. P., Aremu, A. O., Elugoke, S. E., & Fayemi, O. E. (2020). Green and traditional synthesis of copper oxide nanoparticles—comparative study. *Nanomaterials*, *10*(12), 1–19. <https://doi.org/10.3390/nano10122502>
- Kgatitsoe, M. M., Ncube, S., Tutu, H., Nyambe, I. A., & Chimuka, L. (2019a). Synthesis and characterization of a magnetic nanosorbent modified with Moringa oleifera leaf extracts for removal of nitroaromatic explosive compounds in water samples. *Journal of Environmental Chemical Engineering*, *7*(3). <https://doi.org/10.1016/j.jece.2019.103128>
- Kgatitsoe, M. M., Ncube, S., Tutu, H., Nyambe, I. A., & Chimuka, L. (2019b). Synthesis and characterization of a magnetic nanosorbent modified with Moringa oleifera leaf extracts for removal of nitroaromatic explosive

compounds in water samples. *Journal of Environmental Chemical Engineering*, 7(3). <https://doi.org/10.1016/j.jece.2019.103128>

- Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A. H., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L. A., Shah, T., & Khan, I. (2022). Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. In *Water (Switzerland)* (Vol. 14, Issue 2). MDPI. <https://doi.org/10.3390/w14020242>
- Khatami, M., Alijani, H. Q., Nejad, M. S., & Varma, R. S. (2018). Core@shell nanoparticles: Greener synthesis using natural plant products. In *Applied Sciences (Switzerland)* (Vol. 8, Issue 3). MDPI AG. <https://doi.org/10.3390/app8030411>
- Kolhatkar, A. G., Jamison, A. C., Litvinov, D., Willson, R. C., & Lee, T. R. (2013). Tuning the magnetic properties of nanoparticles. In *International Journal of Molecular Sciences* (Vol. 14, Issue 8, pp. 15977–16009). <https://doi.org/10.3390/ijms140815977>
- Kotnala, R. K., & Shah, J. (2015). Ferrite Materials: Nano to Spintronics Regime. In *Handbook of Magnetic Materials* (Vol. 23, pp. 291–379). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63528-0.00004-8>
- Kouotou, P. M., Kasmi, A. El, Wu, L. N., Waqas, M., & Tian, Z. Y. (2018a). Particle size-band gap energy-catalytic properties relationship of PSE-CVD-derived Fe₃O₄ thin films. *Journal of the Taiwan Institute of Chemical Engineers*, 93, 427–435. <https://doi.org/10.1016/j.jtice.2018.08.014>
- Kouotou, P. M., Kasmi, A. El, Wu, L. N., Waqas, M., & Tian, Z. Y. (2018b). Particle size-band gap energy-catalytic properties relationship of PSE-CVD-derived Fe₃O₄ thin films. *Journal of the Taiwan Institute of Chemical Engineers*, 93, 427–435. <https://doi.org/10.1016/j.jtice.2018.08.014>
- Kumar, B., Smita, K., Cumbal, L., Debut, A., Galeas, S., & Guerrero, V. H. (2016a). Phytosynthesis and photocatalytic activity of magnetite (Fe₃O₄) nanoparticles using the Andean blackberry leaf. *Materials Chemistry and Physics*, 179, 310–315. <https://doi.org/10.1016/j.matchemphys.2016.05.045>
- Kumar, B., Smita, K., Cumbal, L., Debut, A., Galeas, S., & Guerrero, V. H. (2016b). Phytosynthesis and photocatalytic activity of magnetite (Fe₃O₄) nanoparticles using the Andean blackberry leaf. *Materials Chemistry and Physics*, 179, 310–315. <https://doi.org/10.1016/j.matchemphys.2016.05.045>
- Kumirska, J., Czerwicka, M., Kaczyński, Z., Bychowska, A., Brzozowski, K., Thöming, J., & Stepnowski, P. (2010). Application of spectroscopic methods for structural analysis of chitin and chitosan. In *Marine Drugs* (Vol. 8, Issue 5, pp. 1567–1636). MDPI AG. <https://doi.org/10.3390/md8051567>

- Larasati, D. A., Puspitarum, D. L., Istiqomah, N. I., Zurnansyah, Mahardhika, L. J., Rini, N. P., Oshima, D., Kato, T., Partini, J., & Suharyadi, E. (2025). Green synthesized CoFe₂O₄/rGO nanocomposites utilizing plant leaf extracts as magnetically separable and reusable photocatalysts for organic toxic dye degradation. *Journal of Water Process Engineering*, 69. <https://doi.org/10.1016/j.jwpe.2024.106708>
- Leung, H. W., Minh, T. B., Murphy, M. B., Lam, J. C. W., So, M. K., Martin, M., Lam, P. K. S., & Richardson, B. J. (2012). Distribution, fate and risk assessment of antibiotics in sewage treatment plants in Hong Kong, South China. *Environment International*, 42(1), 1–9. <https://doi.org/10.1016/j.envint.2011.03.004>
- Li, G. yin, Jiang, Y. ren, Huang, K. long, Ding, P., & Chen, J. (2008). Preparation and properties of magnetic Fe₃O₄-chitosan nanoparticles. *Journal of Alloys and Compounds*, 466(1–2), 451–456. <https://doi.org/10.1016/j.jallcom.2007.11.100>
- Li, X., Xu, H., Wang, L., Zhang, L., Cao, X. F., & Guo, Y. C. (2018). Spinel NiFe₂O₄ nanoparticles decorated BiOBr nanosheets for improving the photocatalytic degradation of organic dye pollutants. *Journal of the Taiwan Institute of Chemical Engineers*, 85, 257–264. <https://doi.org/10.1016/j.jtice.2018.01.043>
- Liandi, A. R., Cahyana, A. H., Yunarti, R. T., & Wendari, T. P. (2022). Facile synthesis of magnetic Fe₃O₄@Chitosan nanocomposite as environmentally green catalyst in multicomponent Knoevenagel-Michael domino reaction. *Ceramics International*, 48(14), 20266–20274. <https://doi.org/10.1016/j.ceramint.2022.03.307>
- Lin, Y., Liu, X., Xing, Z., Geng, Y., Wilson, J., Wu, D., & Kong, H. (2017). Preparation and characterization of magnetic Fe₃O₄-chitosan nanoparticles for cellulase immobilization. *Cellulose*, 24(12), 5541–5550. <https://doi.org/10.1007/s10570-017-1520-6>
- Lininger, C. N., Cama, C. A., Takeuchi, K. J., Marschilok, A. C., Takeuchi, E. S., West, A. C., & Hybertsen, M. S. (2018). Energetics of Lithium Insertion into Magnetite, Defective Magnetite, and Maghemite. *Chemistry of Materials*, 30(21), 7922–7937. <https://doi.org/10.1021/acs.chemmater.8b03544>
- Liu, J. L., & Wong, M. H. (2013). Pharmaceuticals and personal care products (PPCPs): A review on environmental contamination in China. In *Environment International* (Vol. 59, pp. 208–224). <https://doi.org/10.1016/j.envint.2013.06.012>

- Liu, L., He, W., Fang, Z., Yang, Z., Guo, K., & Wang, Z. (2020). From Core-Shell to Yolk-Shell: Improved Catalytic Performance toward CoFe₂O₄@Hollow@ Mesoporous TiO₂ toward Selective Oxidation of Styrene. *Industrial and Engineering Chemistry Research*, *59*, 19938–19951. <https://doi.org/10.1021/acs.iecr.0c03884>
- Liu, W., Zhang, J., Jia, J., & Yuan, C. (2024). Improved oxidative degradation performance for doxycycline by In₂O₃/g-C₃N₄ composite photocatalyst coupling with persulfate and its efficient H₂O₂ production capacity. *Powder Technology*, *433*. <https://doi.org/10.1016/j.powtec.2023.119201>
- Liu, W., Zhou, J., & Zhou, J. (2019a). Facile fabrication of multi-walled carbon nanotubes (MWCNTs)/α-Bi₂O₃ nanosheets composite with enhanced photocatalytic activity for doxycycline degradation under visible light irradiation. *Journal of Materials Science*, *54*(4), 3294–3308. <https://doi.org/10.1007/s10853-018-3090-x>
- Liu, W., Zhou, J., & Zhou, J. (2019b). Facile fabrication of multi-walled carbon nanotubes (MWCNTs)/α-Bi₂O₃ nanosheets composite with enhanced photocatalytic activity for doxycycline degradation under visible light irradiation. *Journal of Materials Science*, *54*(4), 3294–3308. <https://doi.org/10.1007/s10853-018-3090-x>
- Loan, N. T. T., Nguyen, T. H. L., Nguyen, T. T. H., Nguen, Wu. H., Duong, T. T. A., Vu, T. H., Lam, V. T., & Thuan, V. T. (2019). CoFe₂O₄ Nanomaterials: Effect of Annealing Temperature on Characterization, Magnetic, Photocatalytic, and Photo-Fenton Properties,. *Processes*, *7*(12), 1–14.
- Lu, W., Shen, Y., Xie, A., & Zhang, W. (2010). Green synthesis and characterization of superparamagnetic Fe₃O₄ nanoparticles. *Journal of Magnetism and Magnetic Materials*, *322*(13), 1828–1833. <https://doi.org/10.1016/j.jmmm.2009.12.035>
- Luo, Y., Zhou, Z., & Yue, T. (2017). Synthesis and characterization of nontoxic chitosan-coated Fe₃O₄ particles for patulin adsorption in a juice-pH simulation aqueous. *Food Chemistry*, *221*, 317–323. <https://doi.org/10.1016/j.foodchem.2016.09.008>
- Mabarroh, N., Alfansuri, T., Aji Wibowo, N., Imani Istiqomah, N., Marsel Tumbelaka, R., & Suharyadi, E. (2022). Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, *560*. <https://doi.org/10.1016/j.jmmm.2022.169645>
- Mahardhika, L. J., Zurnansyah, Kusumah, H. P., Jayanti, P. D., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Sari, E. K., Asri, N. S., Angel, J., Aliah,

- H., & Suharyadi, E. (2024). Photodegradation enhancement of organic dyes using magnetically separable and reusable Fe₃O₄/rGO nanocomposites green-synthesized utilizing plant leaves extract. *Case Studies in Chemical and Environmental Engineering*, 10(August), 100915.
<https://doi.org/10.1016/j.cscee.2024.100915>
- Maruthupandy, M., Muneeswaran, T., Vennila, T., Anand, M., Cho, W. S., & Quero, F. (2022). Development of chitosan decorated Fe₃O₄ nanospheres for potential enhancement of photocatalytic degradation of Congo red dye molecules. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 267. <https://doi.org/10.1016/j.saa.2021.120511>
- Mathew, D. S., & Juang, R. S. (2007). An overview of the structure and magnetism of spinel ferrite nanoparticles and their synthesis in microemulsions. In *Chemical Engineering Journal* (Vol. 129, Issues 1–3, pp. 51–65). <https://doi.org/10.1016/j.cej.2006.11.001>
- Mehata, M. S. (2021). Green route synthesis of silver nanoparticles using plants/ginger extracts with enhanced surface plasmon resonance and degradation of textile dye. *Materials Science and Engineering: B*, 273. <https://doi.org/10.1016/j.mseb.2021.115418>
- Miclescu, A., & Wiklund, L. (2014a). *Methylene blue, an old drug with new indications? April 2010*.
- Miclescu, A., & Wiklund, L. (2014b). *Methylene blue, an old drug with new indications? April 2010*.
- Mihai, A. D., Chircov, C., Grumezescu, A. M., & Holban, A. M. (2020). Magnetite nanoparticles and essential oils systems for advanced antibacterial therapies. In *International Journal of Molecular Sciences* (Vol. 21, Issue 19, pp. 1–24). MDPI AG. <https://doi.org/10.3390/ijms21197355>
- Moacă, E.-A., Coricovac, E. D., Soica, C. M., Pinzaru, I. A., Păcurariu, C. S., & Dehelean, C. A. (2018). Preclinical Aspects on Magnetic Iron Oxide Nanoparticles and Their Interventions as Anticancer Agents: Enucleation, Apoptosis and Other Mechanism. In *Iron Ores and Iron Oxide Materials*. InTech. <https://doi.org/10.5772/intechopen.74176>
- Nangare, S., & Patil, P. (2022). Chitosan mediated layer-by-layer assembly based graphene oxide decorated surface plasmon resonance biosensor for highly sensitive detection of β -amyloid. *International Journal of Biological Macromolecules*, 214, 568–582.
<https://doi.org/10.1016/j.ijbiomac.2022.06.129>
- Nguyen, M. D., Tran, H. V., Xu, S., & Lee, T. R. (2021). Fe₃O₄ nanoparticles: Structures, synthesis, magnetic properties, surface functionalization, and

- emerging applications. In *Applied Sciences (Switzerland)* (Vol. 11, Issue 23). MDPI. <https://doi.org/10.3390/app112311301>
- Niu, J. M., & Zheng, Z. G. (2014). Effect of temperature on Fe₃O₄ magnetic nanoparticles prepared by coprecipitation method. *Advanced Materials Research, 900*, 172–176. <https://doi.org/10.4028/www.scientific.net/AMR.900.172>
- Olajire, A. A., & Bamigbade, L. A. (2021). Green synthesis of chitosan-based iron@silver nanocomposite as adsorbent for wastewater treatment. *Water Resources and Industry, 26*. <https://doi.org/10.1016/j.wri.2021.100158>
- Patra, J. K., & Baek, K. H. (2014). Green Nanobiotechnology: Factors Affecting Synthesis and Characterization Techniques. In *Journal of Nanomaterials* (Vol. 2014). Hindawi Limited. <https://doi.org/10.1155/2014/417305>
- Piro, N. S., Hamad, S. M., Mohammed, A. S., & Barzinjy, A. A. (2022). Green Synthesis Magnetite (Fe₃O₄) Nanoparticles from *Rhus Coriaria* extract: A Characteristic Comparison with a Conventional Chemical Method. *IEEE Transactions on Nanobioscience, 1*–26. <https://doi.org/10.1109/TNB.2022.3187344>
- Prabakaran, M., Kim, S. H., Sasireka, A., Chandrasekaran, M., & Chung, I. M. (2018). Polyphenol composition and antimicrobial activity of various solvent extracts from different plant parts of *Moringa oleifera*. *Food Bioscience, 26*, 23–29. <https://doi.org/10.1016/j.fbio.2018.09.003>
- Priya, B., Gupta, V. K., Pathania, D., & Singha, A. S. (2014). Synthesis, characterization and antibacterial activity of biodegradable starch/PVA composite films reinforced with cellulosic fibre. *Carbohydrate Polymers, 109*, 171–179. <https://doi.org/10.1016/j.carbpol.2014.03.044>
- Puspitarum, D. L., Istiqomah, N. I., Tumbelaka, R. M., Kusumaatmaja, A., Oshima, D., Kato, T., & Suharyadi, E. (2022). High performance of magnetically separable and recyclable photocatalyst of green-synthesized CoFe₂O₄/TiO₂ nanocomposites for degradation of methylene blue. *Advances in Natural Sciences: Nanoscience and Nanotechnology, 13*(4). <https://doi.org/10.1088/2043-6262/ac996b>
- Qu, J., Liu, G., Wang, Y., & Hong, R. (2010). Preparation of Fe₃O₄-chitosan nanoparticles used for hyperthermia. *Advanced Powder Technology, 21*(4), 461–467. <https://doi.org/10.1016/j.apt.2010.01.008>
- Quy, B. M., Nguyen, V. D., Hoa, N. T. H., Linh, N. T. N., Tung, V. Q., Thapphanya, S., Phuong, N. N., Ha, L. T., & Nghia, N. T. (2024). Synergistic photocatalytic removal of moxifloxacin from aqueous solutions

using ZnO-Fe₃O₄-chitosan composites. *Materials Research Express*, 11(5).
<https://doi.org/10.1088/2053-1591/ad45b8>

- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowiec, D. (2017). Structure and optical properties of Fe₃O₄ nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131(June), 148–156. <https://doi.org/10.1016/j.matchar.2017.06.034>
- Ramesh, A. V., Rama Devi, D., Mohan Botsa, S., & Basavaiah, K. (2018a). Facile green synthesis of Fe₃O₄ nanoparticles using aqueous leaf extract of *Zanthoxylum armatum* DC. for efficient adsorption of methylene blue. *Journal of Asian Ceramic Societies*, 6(2), 145–155.
<https://doi.org/10.1080/21870764.2018.1459335>
- Ramesh, A. V., Rama Devi, D., Mohan Botsa, S., & Basavaiah, K. (2018b). Facile green synthesis of Fe₃O₄ nanoparticles using aqueous leaf extract of *Zanthoxylum armatum* DC. for efficient adsorption of methylene blue. *Journal of Asian Ceramic Societies*, 6(2), 145–155.
<https://doi.org/10.1080/21870764.2018.1459335>
- Rinaudo, M. (2006). Chitin and chitosan: Properties and applications. In *Progress in Polymer Science (Oxford)* (Vol. 31, Issue 7, pp. 603–632).
<https://doi.org/10.1016/j.progpolymsci.2006.06.001>
- Rinaudo, M., Pavlov, G., & Desbriè, J. (n.d.). *Influence of acetic acid concentration on the solubilization of chitosan*.
- Rini, N. P., Istiqomah, N. I., Sunarta, & Suharyadi, E. (2023). Enhancing photodegradation of methylene blue and reusability using CoO/ZnO composite nanoparticles. *Case Studies in Chemical and Environmental Engineering*, 7. <https://doi.org/10.1016/j.cscee.2023.100301>
- Riswan, M., Adrianto, N., Yahya, I. M., Istiqomah, N. I., Panre, A. M., Juharni, Wahyuni, S., Arifin, M., Santoso, I., & Suharyadi, E. (2023). Effect of electric field on localized surface plasmon resonance properties of Fe₃O₄/Ag composite nanoparticles. *Optik*, 293.
<https://doi.org/10.1016/j.ijleo.2023.171404>
- Rivani, D. A., Retnosari, I., Kusumandari, & Saraswati, T. E. (2019). Influence of TiO₂ addition on the magnetic properties of carbon-based iron oxide nanocomposites synthesized using submerged arc-discharge. *IOP Conference Series: Materials Science and Engineering*, 509(1).
<https://doi.org/10.1088/1757-899X/509/1/012034>
- Roy, S. D., Das, K. C., & Dhar, S. S. (2021). Conventional to green synthesis of magnetic iron oxide nanoparticles; its application as catalyst, photocatalyst

- and toxicity: A short review. In *Inorganic Chemistry Communications* (Vol. 134). Elsevier B.V. <https://doi.org/10.1016/j.inoche.2021.109050>
- Ruíz-Baltazar, Á. de J., Reyes-López, S. Y., Mondragón-Sánchez, M. de L., Robles-Cortés, A. I., & Pérez, R. (2019). Eco-friendly synthesis of Fe₃O₄ nanoparticles: Evaluation of their catalytic activity in methylene blue degradation by kinetic adsorption models. *Results in Physics*, *12*, 989–995. <https://doi.org/10.1016/j.rinp.2018.12.037>
- Safari, J., & Javadian, L. (2014). Chitosan decorated Fe₃O₄ nanoparticles as a magnetic catalyst in the synthesis of phenytoin derivatives. *RSC Advances*, *4*(90), 48973–48979. <https://doi.org/10.1039/c4ra06618a>
- Sajadi, S. M., Nasrollahzadeh, M., & Maham, M. (2016). Aqueous extract from seeds of *Silybum marianum* L. as a green material for preparation of the Cu/Fe₃O₄ nanoparticles: A magnetically recoverable and reusable catalyst for the reduction of nitroarenes. *Journal of Colloid and Interface Science*, *469*, 93–98. <https://doi.org/10.1016/j.jcis.2016.02.009>
- Salehi, E., & Farahani, A. (2017). Macroporous chitosan/polyvinyl alcohol composite adsorbents based on activated carbon substrate. *Journal of Porous Materials*, *24*(5), 1197–1207. <https://doi.org/10.1007/s10934-016-0359-9>
- Samrot, A. V., Sahithya, C. S., Selvarani A, J., Purayil, S. K., & Ponnaiah, P. (2021). A review on synthesis, characterization and potential biological applications of superparamagnetic iron oxide nanoparticles. In *Current Research in Green and Sustainable Chemistry* (Vol. 4). Elsevier B.V. <https://doi.org/10.1016/j.crgsc.2020.100042>
- Sanchayanukun, P., & Muncharoen, S. (2020). Chitosan coated magnetite nanoparticle as a working electrode for determination of Cr(VI) using square wave adsorptive cathodic stripping voltammetry. *Talanta*, *217*. <https://doi.org/10.1016/j.talanta.2020.121027>
- Sanchez-Hachair, A., & Hofmann, A. (2018). Hexavalent chromium quantification in solution: Comparing direct UV–visible spectrometry with 1,5-diphenylcarbazide colorimetry. *Comptes Rendus Chimie*, *21*(9), 890–896. <https://doi.org/10.1016/j.crci.2018.05.002>
- Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe₃O₄/Cdots nanocomposites photocatalyst utilizing *Moringa oleifera* extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, *6*(4), 274–286. <https://doi.org/10.1016/j.crcon.2023.04.003>
- Sathyavathi, R., Bala Murali Krishna, M., & Narayana Rao, D. (2011). Biosynthesis of silver nanoparticles using *Moringa oleifera* leaf extract and

- its application to optical limiting. *Journal of Nanoscience and Nanotechnology*, 11(3), 2031–2035. <https://doi.org/10.1166/jnn.2011.3581>
- Seenuvasan, M., Kumar, K. S., Malar, C. G., Preethi, S., Kumar, M. A., & Balaji, N. (2014). Characterization, analysis, and application of fabricated Fe₃O₄-chitosan-pectinase nanobiocatalyst. *Applied Biochemistry and Biotechnology*, 172(5), 2706–2719. <https://doi.org/10.1007/s12010-014-0725-5>
- Sharifianjazi, F., Moradi, M., Parvin, N., Nemati, A., Jafari Rad, A., Sheysi, N., Abouchenari, A., Mohammadi, A., Karbasi, S., Ahmadi, Z., Esmaeilkhanian, A., Irani, M., Pakseresht, A., Sahmani, S., & Shahedi Asl, M. (2020). Magnetic CoFe₂O₄ nanoparticles doped with metal ions: A review. In *Ceramics International* (Vol. 46, Issue 11, pp. 18391–18412). Elsevier Ltd. <https://doi.org/10.1016/j.ceramint.2020.04.202>
- Siboni, M. S., Samadi, M. T., Yang, J. K., & Lee, S. M. (2011). Photocatalytic reduction of Cr(VI) and Ni(II) in aqueous solution by synthesized nanoparticle ZnO under ultraviolet light irradiation: A kinetic study. *Environmental Technology*, 32(14), 1573–1579. <https://doi.org/10.1080/09593330.2010.543933>
- Singh, J., Dutta, T., Kim, K. H., Rawat, M., Samddar, P., & Kumar, P. (2018). “Green” synthesis of metals and their oxide nanoparticles: Applications for environmental remediation. In *Journal of Nanobiotechnology* (Vol. 16, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s12951-018-0408-4>
- Singh, S., Mahajan, T., & Kaur, K. (n.d.). *Synthesis, Characterization and Effect of Increasing Nitrogen Concentration on the Growth of ZnO Nanoparticles*. 6. <https://doi.org/10.4172/2321-6212.1000225>
- Sogias, I. A., Khutoryanskiy, V. V., & Williams, A. C. (2010). Exploring the factors affecting the solubility of chitosan in water. *Macromolecular Chemistry and Physics*, 211(4), 426–433. <https://doi.org/10.1002/macp.200900385>
- Sousa, J. M., Vieira, A. C. C., Costa, M. P., Rizzo, M. S., Chaves, L. L., Braz, E. M. A., Bezerra, R. D. S., Leal, R. C., Barreto, H. M., Osajima, J. A., & Silva-Filho, E. C. (2022). Chitosan grafted with maleic anhydride and ethylenediamine: Preparation, characterization, computational study, antibacterial and cytotoxic properties. *Materials Chemistry and Physics*, 287. <https://doi.org/10.1016/j.matchemphys.2022.126301>
- Stan, M., Lung, I., Soran, M. L., Leostean, C., Popa, A., Stefan, M., Lazar, M. D., Opris, O., Silipas, T. D., & Porav, A. S. (2017). Removal of antibiotics from aqueous solutions by green synthesized magnetite nanoparticles with selected

agro-waste extracts. *Process Safety and Environmental Protection*, 107, 357–372. <https://doi.org/10.1016/j.psep.2017.03.003>

Suárez-Ruiz, I., & Ward, C. R. (2008). Basic Factors Controlling Coal Quality and Technological Behavior of Coal. *Applied Coal Petrology: The Role of Petrology in Coal Utilization*, 1, 19–59. <https://doi.org/10.1016/B978-0-08-045051-3.00002-6>

Subedi, N., Lähde, A., Abu-Danso, E., Iqbal, J., & Bhatnagar, A. (2019). A comparative study of magnetic chitosan (Chi@Fe₃O₄) and graphene oxide modified magnetic chitosan (Chi@Fe₃O₄GO) nanocomposites for efficient removal of Cr(VI) from water. *International Journal of Biological Macromolecules*, 137, 948–959. <https://doi.org/10.1016/j.ijbiomac.2019.06.151>

Sudarmono, Istiqomah, N. I., Budianti, S. I., Cuana, R., Puspitarum, D. L., Mahardhika, L. J., Chotimah, & Suharyadi, E. (2024). Magnetically separable and reusable Fe₃O₄/chitosan nanocomposites green synthesized utilizing Moringa oleifera extract for rapid photocatalytic degradation of methylene blue. *Results in Chemistry*, 7, 101245. <https://doi.org/10.1016/j.rechem.2023.101245>

Sudarmono, Istiqomah, N. I., Cuana, R., Mahardhika, L. J., Chotimah, & Suharyadi, E. (2025). Photocatalytic Reduction of Aqueous Hexavalent Chromium Using Novel Green-Synthesized Magnetite/Chitosan Nanocomposites employing Moringa Oleifera Leaf Extract under UV Irradiation. *Journal of Hazardous Materials Advances*, 17. <https://doi.org/10.1016/j.hazadv.2024.100565>

Suharyadi, E., Muzakki, A., Istiqomah, N. I., Puspitarum, D. L., Purnama, B., & Djuhana, D. (2022). Reusability of Photocatalytic CoFe₂O₄@ZnO Core-Shell Nanoparticles for Dye Degradation. *ECS Journal of Solid State Science and Technology*, 11(2), 023004. <https://doi.org/10.1149/2162-8777/ac4c7c>

Sulaiman, G. M., Tawfeeq, A. T., & Naji, A. S. (2018). Biosynthesis, characterization of magnetic iron oxide nanoparticles and evaluations of the cytotoxicity and DNA damage of human breast carcinoma cell lines. *Artificial Cells, Nanomedicine and Biotechnology*, 46(6), 1215–1229. <https://doi.org/10.1080/21691401.2017.1366335>

T Indrayana, I. P., Tuny, M. T., Putra, R. A., Istiqomah, N. I., & Suharyadi, E. (2021a). *Optical Properties of Fe₃O₄/Chitosan and Its Applications for Signal Amplifier in Surface Plasmon Resonance Sensor*.

- T Indrayana, I. P., Tuny, M. T., Putra, R. A., Istiqomah, N. I., & Suharyadi, E. (2021b). *Optical Properties of Fe₃O₄/Chitosan and Its Applications for Signal Amplifier in Surface Plasmon Resonance Sensor*.
- Taib, S., & Suharyadi, D. E. (2015). Sintesis Nanopartikel Magnetite (Fe₃O₄) dengan Template silika (SiO₂) dan Karakterisasi Sifat Kemagnetannya. In *Indonesian Journal of Applied Physics* (Vol. 5, Issue 1).
- Tiama, T. M., Elhaes, H., & Ibrahim, M. A. (2021). Application of Chitosan/Fe₃O₄ Nanocomposite as Biosensor. *Letters in Applied NanoBioScience*, 10(3), 2438–2445.
<https://doi.org/10.33263/LIANBS103.24382445>
- Titchou, F. E., Zazou, H., Afanga, H., El Gaayda, J., Ait Akbour, R., Nidheesh, P. V., & Hamdani, M. (2021). Removal of organic pollutants from wastewater by advanced oxidation processes and its combination with membrane processes. In *Chemical Engineering and Processing - Process Intensification* (Vol. 169). Elsevier B.V. <https://doi.org/10.1016/j.cep.2021.108631>
- Tong, Y., Kang, J., Shen, J., Chen, Z., Zhao, S., Sun, L., & Wang, W. (2019). Effective degradation of doxycycline by photocatalytic BiVO₄-H₂O₂ under visible light. *Environmental Progress and Sustainable Energy*, 38(6).
<https://doi.org/10.1002/ep.13259>
- Tumbelaka, R. M., Istiqomah, N. I., Kato, T., Oshima, D., & Suharyadi, E. (2022). High reusability of green-synthesized Fe₃O₄/TiO₂ photocatalyst nanoparticles for efficient degradation of methylene blue dye. *Materials Today Communications*, 33(September), 104450.
<https://doi.org/10.1016/j.mtcomm.2022.104450>
- Tumbelaka, R. M., Istiqomah, N. I., Mabarroh, N., & Suharyadi, E. (2022). Green Synthesis of Fe₃O₄/TiO₂ Nanoparticles Using Extracts of *Moringa oleifera*: Microstructural and Optical Properties. In *Solid State Phenomena* (Vol. 332, pp. 91–99). Trans Tech Publications Ltd. <https://doi.org/10.4028/p-oi81sf>
- Usman, U. L., Singh, N. B., Allam, B. K., & Banerjee, S. (2022). Plant extract mediated synthesis of Fe₃O₄-chitosan composite for the removal of lead ions from aqueous solution. *Materials Today: Proceedings*, 60, 1140–1149.
<https://doi.org/10.1016/j.matpr.2022.02.311>
- Vijayalaksmi, S., Sharmila, L., & Vasudevan, D. (2018). Photocatalytic oxidation using Cobalt Oxide nanoparticles for dye removal. *Indian Journal of Advances in Chemical Science*, 6, 122–129.
<https://doi.org/10.22607/IJACS.2019.704004>
- Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y., & Gritsanapan, W. (2013). Maximizing total phenolics, total flavonoids

contents and antioxidant activity of Moringa oleifera leaf extract by the appropriate extraction method. *Industrial Crops and Products*, 44, 566–571. <https://doi.org/10.1016/j.indcrop.2012.09.021>

Vunain, E., Mishra, A. K., & Mamba, B. B. (2016). Fundamentals of chitosan for biomedical applications. In *Chitosan Based Biomaterials: Fundamentals: Volume 1* (Vol. 1, pp. 3–30). Elsevier. <https://doi.org/10.1016/B978-0-08-100230-8.00001-7>

Wanchai, K., & Pichon, R. (2020). Synthesis of Fe₃O₄@chitosan beads for degradation of sulfanilamide using photo-fenton process. *AIP Conference Proceedings*, 2279. <https://doi.org/10.1063/5.0024113>

Wang, X. Y., Jiang, X. P., Li, Y., Zeng, S., & Zhang, Y. W. (2015). Preparation Fe₃O₄@chitosan magnetic particles for covalent immobilization of lipase from *Thermomyces lanuginosus*. *International Journal of Biological Macromolecules*, 75, 44–50. <https://doi.org/10.1016/j.ijbiomac.2015.01.020>

Wilson, A., Mishra, S. R., Gupta, R., & Ghosh, K. (2012). Preparation and photocatalytic properties of hybrid core-shell reusable CoFe₂O₄-ZnO nanospheres. *Journal of Magnetism and Magnetic Materials*, 324(17), 2597–2601. <https://doi.org/10.1016/j.jmmm.2012.02.009>

Wu, Y., Wang, Y., Luo, G., & Dai, Y. (2009). In situ preparation of magnetic Fe₃O₄-chitosan nanoparticles for lipase immobilization by cross-linking and oxidation in aqueous solution. *Bioresource Technology*, 100(14), 3459–3464. <https://doi.org/10.1016/j.biortech.2009.02.018>

Yadav, N. G., Chaudhary, L. S., Sakhare, P. A., Dongale, T. D., Patil, P. S., & Sheikh, A. D. (2018). Impact of collected sunlight on ZnFe₂O₄ nanoparticles for photocatalytic application. *Journal of Colloid and Interface Science*, 527, 289–297. <https://doi.org/10.1016/j.jcis.2018.05.051>

Yeamsuksawat, T., Zhao, H., & Liang, J. (2021). Characterization and antimicrobial performance of magnetic Fe₃O₄@Chitosan@Ag nanoparticles synthesized via suspension technique. *Materials Today Communications*, 28. <https://doi.org/10.1016/j.mtcomm.2021.102481>

Yew, Y. P., Shameli, K., Miyake, M., Kuwano, N., Bt Ahmad Khairudin, N. B., Bt Mohamad, S. E., & Lee, K. X. (2016). Green Synthesis of Magnetite (Fe₃O₄) Nanoparticles Using Seaweed (*Kappaphycus alvarezii*) Extract. *Nanoscale Research Letters*, 11(1). <https://doi.org/10.1186/s11671-016-1498-2>

Yew, Y. P., Shameli, K., Mohamad, S. E., Lee, K. X., & Teow, S. Y. (2020). Green synthesized montmorillonite/carrageenan/ fe₃ o₄ nanocomposites for ph-responsive release of protocatechuic acid and its anticancer activity.

International Journal of Molecular Sciences, 21(14), 1–17.
<https://doi.org/10.3390/ijms21144851>

- Yoga Darmawan, M., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023). Green synthesis of Fe₃O₄/Ag composite nanoparticles using *Moringa oleifera*: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, 6. <https://doi.org/10.1016/j.rechem.2023.100999>
- Yun, J., Sun, J., Oh, A., Jin, D., Bae, T., Lee, Y., & Kim, H. (2011). pH-sensitive photocatalytic activities of TiO₂ / poly (vinyl alcohol)/ poly (acrylic acid) composite hydrogels. *Materials Science and Engineering B*, 176(3), 276–281.
- Yusefi, M., Shameli, K., Yee, O. S., Teow, S. Y., Hedayatnasab, Z., Jahangirian, H., Webster, T. J., & Kuča, K. (2021). Green synthesis of fe₃o₄ nanoparticles stabilized by a garcinia mangostana fruit peel extract for hyperthermia and anticancer activities. *International Journal of Nanomedicine*, 16, 2515–2532. <https://doi.org/10.2147/IJN.S284134>
- Zahid, Z., Rauf, A., Javed, M., Alhujaily, A., Iqbal, S., Amjad, A., Arif, M., Hussain, S., Bahadur, A., Awwad, N. S., Ibrahim, H. A., Al-Fawzan, F. F., & Elkaeed, E. B. (2023). Photocatalytic Reduction of Cr(VI) to Cr(III) and Photocatalytic Degradation of Methylene Blue and Antifungal Activity of Ag/TiO₂ Composites Synthesized via the Template Induced Route. *Inorganics*, 11(3). <https://doi.org/10.3390/inorganics11030133>
- Zamani, W., Rastgar, S., & Hedayati, A. (2023). Capability of TiO₂ and Fe₃O₄ nanoparticles loaded onto Algae (*Scenedesmus* sp.) as a novel bio-magnetic photocatalyst to degradation of Red195 dye in the sonophotocatalytic treatment process under ultrasonic/UVA irradiation. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-45274-1>
- Zarnegar, Z., & Safari, J. (2014). Fe₃O₄@chitosan nanoparticles: A valuable heterogeneous nanocatalyst for the synthesis of 2,4,5-trisubstituted imidazoles. *RSC Advances*, 4(40), 20932–20939. <https://doi.org/10.1039/c4ra03176h>
- Zhang, D., Zuo, X., Wang, P., Gao, W., & Pan, L. (2020). Influence of chitosan modification on self - assembly behavior of Fe₃O₄ nanoparticles. *Applied Nanoscience*. <https://doi.org/10.1007/s13204-020-01582-w>
- Zhang, J., Xia, W., Liu, P., Cheng, Q., Tahirou, T., Gu, W., & Li, B. (2010). Chitosan modification and pharmaceutical/biomedical applications. In *Marine Drugs* (Vol. 8, Issue 7, pp. 1962–1987). MDPI AG. <https://doi.org/10.3390/md8071962>

- Zhang, K., Sun, D., Ma, C., Wang, G., Dong, X., & Zhang, X. (2020). Activation of peroxymonosulfate by CoFe₂O₄ loaded on metal-organic framework for the degradation of organic dye. *Chemosphere*, 241. <https://doi.org/10.1016/j.chemosphere.2019.125021>
- Zhang, M., Li, M., Zhao, Y., Xu, N., Peng, L., Wang, Y., & Wei, X. (2021). Novel monoclonal antibody-sandwich immunochromatographic assay based on Fe₃O₄/Au nanoparticles for rapid detection of fish allergen parvalbumin. *Food Research International*, 142. <https://doi.org/10.1016/j.foodres.2020.110102>
- Zurnansyah, Jayanti, P. D., Mahardhika, L. J., Kusumah, H. P., Ardiyanti, H., Wibowo, N. A., Istiqomah, N. I., Asri, N. S., Angel, J., & Suharyadi, E. (2024). Real-time biomolecule detection using GMR chip-based sensor with green-synthesized Fe₃O₄/rGO nanocomposites as magnetic labels. *Sensors and Actuators A: Physical*, 375. <https://doi.org/10.1016/j.sna.2024.115493>