

DAFTAR PUSTAKA

- Abebe, A.M., Fitie, G.W., Jember, D.A., Reda, M.M. and Wake, G.E. (2020) 'Teenage pregnancy and its adverse obstetric and perinatal outcomes at Lemlem Karl Hospital, Tigray, Ethiopia, 2018', *BioMed Research International*, 2020. Available at: <https://doi.org/https://doi.org/10.1155/2020/3124847>.
- Adelfina, M., Kusmiyati, Y. and Susilo, J. (2023) *Hubungan pemberian makanan tambahan pada ibu hamil KEK dengan kejadian BBLR di Puskesmas Nita Kabupaten Sikka Propinsi Nusa Tenggara Timur*.
- Arisman (2010) *Buku Ajar Ilmu Gizi : Gizi dalam Daur Kehidupan*. 2nd edn. Edited by Suryani. Jakarta: EGC.
- Babanezhad, M. (2017) 'How weight during pregnancy influences the association between pre-pregnancy body mass index and types of delivery and birth: a comparison of urban and rural areas', *African Health Sciences*, 17(1), pp. 14–23. Available at: <https://doi.org/https://doi.org/10.4314/ahs.v17i1.4>.
- Bappenas (2019) *Kajian sektor kesehatan : Pembangunan gizi di Indonesia*. Jakarta: Direktorat Kesehatan dan Gizi Masyarakat, Kedeputusan Pembangunan Manusia, Masyarakat, dan Kebudayaan, Kementerian Perencanaan Pembangunan Nasional/Badan Perencanaan Pembangunan Nasional.
- BKPK (2024) *Daftar frequently asked questions (FAQ) SKI 2023*.
- Bountogo, M., Sié, A., Zakané, A., Compaoré, G., Ouédraogo, T., Lebas, E., Brogdon, J., Nyatigo, F., Arnold, B.F., Lietman, T.M. and Oldenburg, C.E. (2021) 'Antenatal care attendance and risk of low birthweight in Burkina Faso: a cross-sectional study', *BMC Pregnancy and Childbirth*, 21(1). Available at: <https://doi.org/10.1186/s12884-021-04310-6>.
- Chasekwa, B., Ntozini, R., Church, J.A., Majo, F.D., Tavengwa, N., Mutasa, B., Noble, C., Koyraty, N., Maluccio, J.A., Prendergast, A.J., Humphrey, J.H. and Smith, L.E. (2022) 'Prevalence, risk factors and short-term consequences of adverse birth outcomes in Zimbabwean pregnant women: a secondary analysis of a cluster-randomized trial', *International Journal of Epidemiology*, 51(6), pp. 1785–1799. Available at: <https://doi.org/10.1093/ije/dyab248>.
- Esteves-Pereira, A.P., Cunha, A.J.L.A. da, Nakamura-Pereira, M., Moreira, M.E., Domingues, R.M. soares madeira, Viellas, E.F., do Carmo Leal, M. and da Gama, S.G. nogueira (2021) 'Twin pregnancy and perinatal outcomes: Data

from “Birth in Brazil Study”, *PLoS ONE*, 16(1 January). Available at: <https://doi.org/10.1371/journal.pone.0245152>.

Fitriyah, N., Alma, L.R. and Nurrochmah, S. (2022) *Relationship between maternal age and chronic energy deficiency status with low birth weight incidence in the working area of Arjuno Public Health Center*.

Gibson, R.S. (2005) *Principles of Nutritional Assessment*. Oxford University Press. Available at: <https://books.google.co.id/books?id=1Blu7UKI3aQC>.

Govender, T., Reddy, P. and Ghuman, S. (2018) ‘Obstetric outcomes and antenatal access among adolescent pregnancies in KwaZulu-Natal, South Africa’, *South African Family Practice*, 60(1), pp. 1–7. Available at: <https://doi.org/10.1080/20786190.2017.1333783>.

Harna, H., Rahmawati, R., Irawan, A.M.A. and Sa’pang, M. (2024) ‘Prevalence and determinant factors of chronic energy deficiency (CED) in pregnant women’, *Action: Aceh Nutrition Journal*, 9(1), p. 65. Available at: <https://doi.org/https://doi.org/10.30867/action.v9i1.1443>.

Ismail, I.M. and Venugopalan, P.P. (2016) ‘Case-control study on risk factors of low birth weight in a tertiary care hospital, Kerala’, *International Journal focusing exclusively on Community Medicine and Public Health*, 4(3), pp. 5–12.

Istiqomah, D.N., Farhat, Y. and Rahmani (2025) ‘Hubungan tingkat pengetahuan gizi, pola konsumsi, dan tingkat pendapatan perkapita dengan kejadian kekurangan energi kronik (KEK) ibu hamil’, *Jurnal Riset Pangan dan Gizi*, 07.

Kaur, S., Ng, C.M., Badon, S.E., Jalil, R.A., Maykanathan, D., Yim, H.S. and Jan Mohamed, H.J. (2019) ‘Risk factors for low birth weight among rural and urban Malaysian women’, *BMC Public Health*, 19. Available at: <https://doi.org/https://doi.org/10.1186/s12889-019-6864-4>.

KEMENKES (2018) *Petunjuk teknis pemberian makanan tambahan biskuit 2018*.

KEMENKES (2023a) ‘11 Intervensi Spesifik Atasi Stunting Telah Dilaksanakan di Daerah, 2 Di Antaranya Melebihi Target – Sehat Negeriku’, 23 June. Available at: https://sehatnegeriku.kemkes.go.id/baca/rilis-media/20230623/1543354/11-intervensi-spesifik-atasi-stunting-telah-dilaksanakan-di-daerah-2-di-antaranya-melebihi-target/?utm_source=chatgpt.com (Accessed: 3 January 2025).

- KEMENKES (2023b) *Dalam Angka Tim Penyusun SKI 2023 Dalam Angka Kementerian Kesehatan Republik Indonesia.*
- KEMENKES (2023c) *Petunjuk teknis pemberian makanan tambahan (PMT) berbahan pangan lokal untuk balita dan ibu hamil.*
- Kirbas, A., Gulerman, H.C. and Daglar, K. (2016) ‘Pregnancy in adolescence: is it an obstetrical risk?’, *Journal of Pediatric and Adolescent Gynecology*, 29(4), pp. 367–371. Available at: <https://doi.org/https://doi.org/10.1016/j.jpag.2015.12.010>.
- Koroma, A.S., Ellie, M., Bangura, K., Iversen, P.O., Hendrixson, D.T., Stephenson, K. and Manary, M.J. (2023) ‘Supplementary feeding and infection control in pregnant adolescents: a secondary analysis of a randomized trial among malnourished women in Sierra Leone’, *Maternal and Child Nutrition*, 19(1). Available at: <https://doi.org/https://doi.org/10.1111/mcn.13456>.
- Kuma, M.N., Tamiru, D., Beressa, G. and Belachew, T. (2022) ‘Effect of nutrition interventions before and or during early pregnancy on low birth weight in Sub-Saharan Africa: a systematic review and meta-analysis’, *Food and Nutrition Bulletin*. SAGE Publications Inc., pp. 351–363. Available at: <https://doi.org/https://doi.org/10.1177/03795721221078351>.
- Mardiyana, R. (2023) *Relationship of Chronic Energy Lack of Pregnant Women with LBW Incidence, JSRET (Journal of Scientific).*
- Mawarni, S., Wahyuni, Y.F. and Fitriani, A. (2024) ‘Relationship between anemia and KEK in pregnant women with the incidence of BBLR in newborn babies’, *JOSING: Journal of Nursing and Health*, 5(1). Available at: <https://doi.org/https://doi.org/10.31539/josing.v5i1.12188>.
- Mridha, M.K., Matias, S.L., Chaparro, C.M., Paul, R.R., Hussain, S., Vosti, S.A., Harding, K.L., Cummins, J.R., Day, L.T., Saha, S.L., Peerson, J.M. and Dewey, K.G. (2016) ‘Lipid-based nutrient supplements for pregnant women reduce newborn stunting in a cluster-randomized controlled effectiveness trial in Bangladesh’, *American Journal of Clinical Nutrition*, 103(1), pp. 236–249. Available at: <https://doi.org/https://doi.org/10.3945/ajcn.115.111336>.
- Mukaddas, H., Salma, W.O. and B, I.M.C. (2021) ‘Factors related to chronic energy deficiency in pregnant mothers in the Konawe District, Indonesia’. Available at: <https://doi.org/10.29252/jgbfm.18.2.18>.

- Murphy, M.M., Higgins, K.A., Bi, X. and Barraij, L.M. (2021) 'Adequacy and sources of protein intake among pregnant women in the United States, NHANES 2003–2012', *Nutrients*, 13(3), pp. 1–13. Available at: <https://doi.org/10.3390/nu13030795>.
- Nahar, S., Mascie-Taylor, N. and Begum, H.A. (2009) 'Impact of targeted food supplementation on pregnancy weight gain and birth weight in rural Bangladesh: a assessment of the Bangladesh Integrated Nutrition Program (BINP)', *Public Health Nutrition*, 12(8), pp. 1205–1212. Available at: <https://doi.org/https://doi.org/10.1017/S1368980008003765>.
- Ngo, N., Bhowmik, J. and Biswas, R.K. (2022) 'Factors associated with low birthweight in low-and-middle income countries in South Asia', *International Journal of Environmental Research and Public Health*, 19(21). Available at: <https://doi.org/https://doi.org/10.3390/ijerph192114139>.
- Nur, D., Ningrum, A. and Aisyah, G.H. (2023) 'Determinants of Low Birth Weight in Indonesia (IFLS 5 Data Analysis) Article Info', *Journal of Health Education*, 8(2). Available at: <https://doi.org/10.15294/jhe>.
- Pratiwy, U.D. (2025) 'Analisis risiko terhadap kejadian bayi berat lahir rendah (BBLR)', *Jurnal Ilmiah Kebidanan dan Kesehatan*, 3, pp. 20–27.
- Rachmawati, N.C., Lanti, Y., Dewi, R. and Widyaningsih, V. (2019) 'Multilevel analysis on factors associated with occurrence chronic energy deficiency among pregnant women', *Journal of Maternal and Child Health*, 4(6), pp. 474–485. Available at: <https://doi.org/10.26911/thejmch.2019.04.06.08>.
- Rahmadani, H.D.M. and Santik, Y.D.P. (2024) 'Factors of Low Birth Weight in Indonesia: An Analysis of the 2017 Indonesia Demographic and Health Survey (IDHS 2017)', *Unnes Journal of Public Health*, 13(1), pp. 23–32. Available at: <https://doi.org/10.15294/ujph.v13i1.68487>.
- Ray, R. (2025) 'Birth weight and supplementary nutrition: an evaluation of Integrated Child Development Services (ICDS) in India', *International Journal of Social Science and Economic Research*, 10(5), pp. 1752–1772. Available at: <https://doi.org/https://doi.org/10.46609/IJSSER.2025.v10i05.021>.
- Rida, A., Sartika and Sididi, M. (2022) 'Faktor risiko kejadian bayi berat lahir rendah (BBLR) di wilayah kerja Puskesmas Kaluku Badoa Kota Makassar', *Window of Public Health Journal*, 3, pp. 220–230. Available at:

<http://jurnal.fkm.umi.ac.id/index.php/woph/article/view/woph3202>

(Accessed: 20 June 2025).

- Sampeangin, H., Hadju, V., Sirajuddin, S., Thahir, A.I.A. and Thaha, A.R. (2018) 'The effect of supplementary feeding program for chronic energy deficiency pregnant women on Hb concentration, MUAC, and gestational weight gain in Indonesia', *Indian Journal of Public Health Research and Development*, 9(8), pp. 306–312. Available at: <https://doi.org/https://doi.org/10.5958/0976-5506.2018.00738.6>.
- Samsury, S.F., Ismail, T.A.T. and Hassan, R. (2022) 'Low birth weight infant among teenage pregnancy in Terengganu, Malaysia: A cross-sectional study', *Malaysian Family Physician*, 17(1), pp. 44–51. Available at: <https://doi.org/10.51866/oa.59>.
- Sari, M.H.N., Anggraini, D.D., Rahmawati, I. and Widiani, E. (2025) 'Determinant factors of chronic energy deficiency (CED) in pregnant women: a mixed-methods Study', 10(1). Available at: <https://doi.org/10.37341/jkkt.v10i1.515>.
- Shrestha, Saneep, Shrestha, Sandeep, Shakya Shrestha, U. and Gyawali, K. (2020) 'Predictors of low birth weight at Lumbini Provincial Hospital, Nepal: a hospital-based unmatched case control study', *Advances in Preventive Medicine*, 2020, pp. 1–7. Available at: <https://doi.org/https://doi.org/10.1155/2020/8459694>.
- Soetjningsih (1995) *Tumbuh Kembang Anak*. Edited by Gde Ranuh. Surabaya: EGC. Available at: <https://books.google.co.id/books?id=JBtl87roMJIC>.
- Stevens, B., Watt, K., Brimbecombe, J., Clough, A., Judd, J.A. and Lindsay, D. (2018) 'A village-matched evaluation of providing a local supplemental food during pregnancy in rural Bangladesh: A preliminary study', *BMC Pregnancy and Childbirth*, 18(1). Available at: <https://doi.org/10.1186/s12884-018-1915-x>.
- Stjernholm, A.D., Thysen, S.M., Borges, I.D.S. and Fisker, A.B. (2021) 'Factors associated with birthweight and adverse pregnancy outcomes among children in rural Guinea-Bissau - a prospective observational study', *BMC Public Health*, 21(1). Available at: <https://doi.org/10.1186/s12889-021-11215-8>.
- Susiloretni, K.A., Subandriani, D.N., Ulfiana, E., Astuti, T., Sunarto and Smith, E.R. (2020) 'Low cost local food supplements could improve maternal and

birth outcomes: a pilot randomized controlled trial'. Available at: <https://doi.org/https://doi.org/10.1101/2020.08.24.20136762>.

Tarigan, N.-, Simanjuntak, R.R. and Nainggolan, O. (2023) 'Maternal age at birth and low birth weight (LBW) in Indonesia (analysis of Riskesdas 2018)', *Gizi Indonesia*, 46(1), pp. 1–10. Available at: <https://doi.org/https://doi.org/10.36457/gizindo.v46i1.694>.

UNICEF (2023) *Low birthweight - UNICEF*. Available at: <https://data.unicef.org/topic/nutrition/low-birthweight/> (Accessed: 3 July 2025).

Uzunov, A.V., Cirstoiu, M.M., Secară, D.C., Crîngu-Ionescu, A., Matei, A., Mehedințu, C. and Varlas, V.N. (2022) 'Mode of delivery and neonatal outcome in adolescent pregnancy (13–16 years old) associated with anemia', *Medicina (Lithuania)*, 58(12). Available at: <https://doi.org/10.3390/medicina58121796>.

Wati, E.K., Murwani, R., Kartasurya, M.I. and Sulistiyani, S. (2024) 'Determinants of chronic energy deficiency (CED) incidence in pregnant women: A cross-sectional study in Banyumas, Indonesia', *Narra J*, 4(1). Available at: <https://doi.org/10.52225/narra.v4i1.742>.

Weyori, A.E., Seidu, A.A., Aboagye, R.G., Holmes, F.A., Okyere, J. and Ahinkorah, B.O. (2022) 'Antenatal care attendance and low birth weight of institutional births in sub-Saharan Africa', *BMC Pregnancy and Childbirth*, 22(1). Available at: <https://doi.org/10.1186/s12884-022-04576-4>.

Widiyanto, J. and Lismawati, G. (2019) 'Maternal age and anemia are risk factors of low birthweight of newborn', *Enfermeria Clinica*, 29, pp. 94–97. Available at: <https://doi.org/https://doi.org/10.1016/j.enfcli.2018.11.010>.

Wong, S.P.W., Twynstra, J., Gilliland, J.A., Cook, J.L. and Seabrook, J.A. (2020) 'Risk factors and birth outcomes associated with teenage pregnancy: a Canadian sample', *Journal of Pediatric and Adolescent Gynecology*, 33(2), pp. 153–159. Available at: <https://doi.org/10.1016/j.jpag.2019.10.006>.

Worthington Roberts, B.S., Vermeerch, J. and William, S. (1985) *Nutrition in Pregnancy and Lactation*. 3rd edn. Time Mirror/Mosby College Publishing, St. Louis, MO.

Wulandari, F., Mahmudiono, T., Rifqi, M.A., Helmyati, S., Dewi, M. and Yuniar, C.T. (2022) 'Maternal characteristics and socio-economic factors as determinants of low birth weight in Indonesia: analysis of 2017 Indonesian

Demographic and Health Survey (IDHS)', *International Journal of Environmental Research and Public Health*, 19(21). Available at: <https://doi.org/https://doi.org/10.3390/ijerph192113892>.

Zainudin, Z., Anne Nunis, M., Fadhilah Abang Abdullah, A., Osman, M. and Zakaria, N. (2024) *Adverse neonatal outcome associated with maternal tuberculosis in a public tertiary centre: a retrospective cohort study*.