

## DAFTAR PUSTAKA

- Agrawal, V., & Roy, N. (2008). Contaminating insert degradation by preincubation colony PCR: A method for avoiding false positives in transformant screening. *Analytical Biochemistry*, 375(1), 159–161. <https://doi.org/10.1016/j.ab.2007.11.029>
- Amin, A. M. (2022). *Analisis sekuen dan ekspresi gen pac sintetik penyandi enzim penisilin g asilase (pga) dari Escherichia coli pada inang E. coli bl21(de3) dan e. Coli hb101* [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/218236>
- Amin, A. M., Sismindari, S., & Purwanto. (2024). Expression of Synthetic pac Gene Encoding Penicillin G Acylase (PGA) Enzyme in *E. coli* BL21(DE3) and HB101. *Current Applied Science And Technology*, 24(3). <https://doi.org/https://doi.org/10.55003/cast.2024.258758>
- Aniqah, S. S. (2023). *Molecular Docking dan Site-directed Mutagenesis Gen Penyandi Enzim Penisilin G Asilase dari Escherichia Coli dan Pengaruhnya terhadap Aktivitas Hidrolisis Enzim*. Universitas Gadjah Mada.
- Aniqah, S. S., Sismindari, S., & Purwanto, P. (2024). Site-directed mutagenesis of recombinant penicillin-G acylase from *Escherichia coli* and effect on the hydrolytic activity. *Journal of Applied Pharmaceutical Science*, 14(5), 143–156. <https://doi.org/10.7324/JAPS.2024.175332>
- Asif, A., Mohsin, H., Tanvir, R., & Rehman, Y. (2017). Revisiting the mechanisms involved in calcium chloride induced bacterial transformation. In *Frontiers in Microbiology* (Vol. 8). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2017.02169>
- Bagree, G., Srivastava, T., Mahasivam, S., Sinha, M., Bansal, V., Ramanathan, R., Priya, S., & Sharma, S. K. (2023). Differential interactions of  $\alpha$ -synuclein conformers affect refolding and activity of proteins. *Journal of Biochemistry*, 173(2), 107–114. <https://doi.org/10.1093/jb/mvac095>
- Baneyx, F. (1999). Recombinant protein expression in *Escherichia coli*. *Current Opinion in Biotechnology*, 10(5), 411–421. [https://doi.org/https://doi.org/10.1016/S0958-1669\(99\)00003-8](https://doi.org/https://doi.org/10.1016/S0958-1669(99)00003-8)
- Barends, T. R., Yoshida, H., & Dijkstra, B. W. (2004). Three-dimensional structures of enzymes useful for  $\beta$ -lactam antibiotic production. *Current Opinion in Biotechnology*, 15(4), 356–363. <https://doi.org/10.1016/j.copbio.2004.06.009>
- Berg, J. M., Tymoczko, J. L., & Stryer, L. (2002). *Biochemistry* (5th ed.). WH Freeman.

- Bush, K., & Bradford, P. A. (2016).  $\beta$ -lactams and  $\beta$ -lactamase inhibitors: An overview. *Cold Spring Harbor Perspectives in Medicine*, 6(8). <https://doi.org/10.1101/cshperspect.a025247>
- Calleri, E., Temporini, C., Massolini, G., & Caccialanza, G. (2004). Penicillin G acylase-based stationary phases: Analytical applications. *Journal of Pharmaceutical and Biomedical Analysis*, 35(2), 243–258. [https://doi.org/10.1016/S0731-7085\(03\)00587-9](https://doi.org/10.1016/S0731-7085(03)00587-9)
- Canzani, D., & Aldeek, F. (2017). Penicillin G's function, metabolites, allergy, and resistance. *Journal of Nutrition and Human Health*, 1(1), 28–40. <https://doi.org/10.35841/nutrition-human-health.1.1.28-40>
- Carratalá, J. V., Atienza-Garriga, J., López-Laguna, H., Vázquez, E., Villaverde, A., Sánchez, J. M., & Ferrer-Miralles, N. (2023). Enhanced recombinant protein capture, purity and yield from crude bacterial cell extracts by N-Lauroylsarcosine-assisted affinity chromatography. *Microbial Cell Factories*, 22(81). <https://doi.org/10.1186/s12934-023-02081-7>
- Chan, W. T., Verma, C. S., Lane, D. P., & Gan, S. K. E. (2013). A comparison and optimization of methods and factors affecting the transformation of *Escherichia coli*. *Bioscience Reports*, 33(6), 931–937. <https://doi.org/10.1042/BSR20130098>
- Chandel, A. K., Rao, L. V., Narasu, M. L., & Singh, O. V. (2008). The realm of penicillin G acylase in  $\beta$ -lactam antibiotics. *Enzyme and Microbial Technology*, 42(3), 199–207. <https://doi.org/10.1016/j.enzmictec.2007.11.013>
- Chen, W. C., Luo, F., Wang, T., & Wang, G. X. (2023). 4'-(8-(4-Methylimidazole)-octyloxy)-arctigenin: The first inhibitor of fish rhabdovirus glycoprotein. *Fish and Shellfish Immunology*, 139. <https://doi.org/10.1016/j.fsi.2023.108920>
- Cheng, T., Chen, M., Zheng, H., Wang, J., Yang, S., & Jiang, W. (2006). Expression and purification of penicillin G acylase enzymes from four different microorganisms, and a comparative evaluation of their synthesis/hydrolysis ratios for cephalixin. *Protein Expression and Purification*, 46(1), 107–113. <https://doi.org/10.1016/j.pep.2005.07.016>
- Chiba, Y., Ooka, H., Wintzer, M. E., Tsunematsu, N., Nogawa, T., Suzuki, T., Dohmae, N., & Nakamura, R. (2024). Rationalizing the Influence of the Binding Affinity on the Activity of Phosphoserine Phosphatases. *Angewandte Chemie - International Edition*, 63(13). <https://doi.org/10.1002/anie.202318635>
- Chung, J. M., Lee, S., & Jung, H. S. (2017). Effective non-denaturing purification method for improving the solubility of recombinant actin-binding proteins

- produced by bacterial expression. *Protein Expression and Purification*, 133, 193–198. <https://doi.org/10.1016/j.pep.2016.06.010>
- Daegelen, P., Studier, F. W., Lenski, R. E., Cure, S., & Kim, J. F. (2009). Tracing Ancestors and Relatives of *Escherichia coli* B, and the Derivation of B Strains REL606 and BL21(DE3). *Journal of Molecular Biology*, 394(4), 634–643. <https://doi.org/10.1016/j.jmb.2009.09.022>
- Dallas-Yang, Q., Jiang, G., & Sladek, F. M. (1998). Avoiding false positives in colony PCR. *BioTechniques*, 24(4), 580–582. <https://doi.org/10.2144/98244bm14>
- Du, F., Liu, Y. Q., Xu, Y. S., Li, Z. J., Wang, Y. Z., Zhang, Z. X., & Sun, X. M. (2021). Regulating the T7 RNA polymerase expression in *E. coli* BL21 (DE3) to provide more host options for recombinant protein production. *Microbial Cell Factories*, 20(1). <https://doi.org/10.1186/s12934-021-01680-6>
- Duggleby, H. J., Tolley, S. P., Hill, C. P., Dodson, E. J., & Dodson, G. (1995). Penicillin acylase has a single-amino-acid catalytic centre. *Nature*, 373, 264–268. <https://doi.org/10.1038/373264a0>
- Fan, J., Fu, A., & Zhang, L. (2019). Progress in molecular docking. *Quantitative Biology*, 7(2), 83–89. <https://doi.org/10.1007/s40484-019-0172-y>
- Ferdous, S., Dopp, J. L., & Reuel, N. F. (2021). Optimization of *E. coli* tip-sonication for high-yield cell-free extract using finite element modeling. *AIChE Journal*, 67(10). <https://doi.org/10.1002/aic.17389>
- Filshtein, A. P., Chikalovets, I. V., Mizgina, T. O., Lukyanov, P. A., Hua, K. F., & Chernikov, O. V. (2023). Spatial Structure of Lectin from the Mussel *Mytilus trossulus*: In-Sights from Molecular Modelling and Practical Proof. *Marine Drugs*, 21(1). <https://doi.org/10.3390/md21010010>
- Grigorenko, B. L., Khrenova, M. G., Nilov, D. K., Nemukhin, A. V., & Švedas, V. K. (2014). Catalytic cycle of penicillin acylase from *Escherichia coli*: QM/MM modeling of chemical transformations in the enzyme active site upon penicillin G hydrolysis. *ACS Catalysis*, 4(8), 2521–2529. <https://doi.org/10.1021/cs5002898>
- Hevener, K. E., Zhao, W., Ball, D. M., Babaoglu, K., Qi, J., White, S. W., & Lee, R. E. (2009). Validation of molecular docking programs for virtual screening against dihydropteroate synthase. *Journal of Chemical Information and Modeling*, 49(2), 444–460. <https://doi.org/10.1021/ci800293n>
- Hewitt, L., Kasche, V., Lummer, K., Lewis, R. J., Murshudov, G. N., Verma, C. S., Dodson, G. G., & Wilson, K. S. (2000). Structure of a slow processing precursor penicillin acylase from *Escherichia coli* reveals the linker peptide

- blocking the active-site cleft. *Journal of Molecular Biology*, 302(4), 887–898. <https://doi.org/10.1006/jmbi.2000.4105>
- Hou, J. P., & Poole, J. W. (1971). P-Lactam Antibiotics: Their Physicochemical Properties and Biological Activities in Relation to Structure. *Journal of Pharmaceutical Sciences*, 60(4), 503–532. <https://doi.org/https://doi.org/10.1002/jps.2600600402>
- Jalalvand, N., Esmaceli, D., Bashi, M. mmad M. M., Raiszadeh, M., & Naeimi, S. (2021). Evaluation of Physicochemical Activity of Anticancer Fusion Proteins; Enterocin A- R type pyocin-Lactocin-Ligand Against Gastric Cancer Cell Line by Real-Time RT PCR Technique. *International Journal of Peptide Research and Therapeutics*, 27, 1167–1175. <https://doi.org/10.1007/s10989-021-10158-3>
- Jia, X., Lin, X., Lin, C., Lin, L., & Chen, J. (2017). Enhanced alkaline catalase production by *Serratia marcescens* FZSF01: Enzyme purification, characterization, and recombinant expression. *Electronic Journal of Biotechnology*, 30, 110–117. <https://doi.org/10.1016/j.ejbt.2017.10.001>
- Kafshnochi, M., Farajnia, S., Aboshof, R., Babaei, H., & Aminolroayae, M. (2010). Cloning and over-expression of Penicillin G acylase in *Escherichia coli* BL21. *African Journal of Biotechnology*, 9(18), 2697–2701. <http://www.academicjournals.org/AJB>
- Karuna, G., & Munuswamy, N. (2015). World Journal of Pharmaceutical Sciences Induction of competency and comparison of transformation efficiency in *Escherichia coli* using different salt solutions-Cations. *World Journal of Pharmaceutical Sciences*, 3(4), 682–786. <http://www.wjpsonline.org/>
- Kong, K. F., Schneper, L., & Mathee, K. (2010). Beta-lactam antibiotics: From antibiosis to resistance and bacteriology. *APMIS*, 118(1), 1–36. <https://doi.org/10.1111/j.1600-0463.2009.02563.x>
- Krzeslak, J., Braun, P., Voulhoux, R., Cool, R. H., & Quax, W. J. (2009). Heterologous production of *Escherichia coli* penicillin G acylase in *Pseudomonas aeruginosa*. *Journal of Biotechnology*, 142(3–4), 250–258. <https://doi.org/10.1016/j.jbiotec.2009.05.005>
- Laskowski, R. A., Furnham, N., & Thornfon, J. M. (2013). The Ramachandran Plot and Protein Structure Validation. In *Biomolecular forms and functions: a celebration of 50 years of the ramachandran map* (pp. 62–75). [https://doi.org/https://doi.org/10.1142/9789814449144\\_0005](https://doi.org/https://doi.org/10.1142/9789814449144_0005)
- Li, H., Tao, Y., Zhi, Y., Chen, R., Li, H., Xing, G., Xu, S., & Huang, W. (2020). Evoking non-bonding S-II interaction by aryl phosphine sulfide for selectively

- enhanced electronic property of organic semiconductors. *Chemical Engineering Journal*, 380. <https://doi.org/10.1016/j.cej.2019.122562>
- Liang, T., Jiang, C., Yuan, J., Othman, Y., Xie, X. Q., & Feng, Z. (2022). Differential performance of RoseTTAFold in antibody modeling. *Briefings in Bioinformatics*, 23(5). <https://doi.org/10.1093/bib/bbac152>
- Limato, R., Lazarus, G., Dernison, P., Mudia, M., Alamanda, M., Nelwan, E. J., Sinto, R., Karuniawati, A., Rogier Van Doorn, H., & Hamers, R. L. (2022). Optimizing antibiotic use in Indonesia: A systematic review and evidence synthesis to inform opportunities for intervention. *The Lancet Regional Health - Southeast Asia*, 2, 1–23. <https://doi.org/doi:10.1016/j.lansea.2022.05.002>
- Liu, J., Chang, W., Pan, L., Liu, X., Su, L., Zhang, W., Li, Q., & Zheng, Y. (2018). An Improved Method of Preparing High Efficiency Transformation *Escherichia coli* with Both Plasmids and Larger DNA Fragments. *Indian Journal of Microbiology*, 58(4), 448–456. <https://doi.org/10.1007/s12088-018-0743-z>
- López-Cano, A., Sicilia, P., Gaja, C., Arís, A., & Garcia-Fruitós, E. (2022). Quality comparison of recombinant soluble proteins and proteins solubilized from bacterial inclusion bodies. *New Biotechnology*, 72, 58–63. <https://doi.org/10.1016/j.nbt.2022.09.003>
- Mahesh, S., Tang, K. C., & Raj, M. (2018). Amide bond activation of biological molecules. *Molecules*, 23(10). <https://doi.org/10.3390/molecules23102615>
- Maraldo, A., Rnjak-Kovacina, J., & Marquis, C. (2024). Tyrosine – a structural glue for hierarchical protein assembly. In *Trends in Biochemical Sciences* (Vol. 49, Issue 7, pp. 633–648). Elsevier Ltd. <https://doi.org/10.1016/j.tibs.2024.03.014>
- Marston, F. A., & Hartley, D. L. (1990). Solubilization of protein aggregates. In *Methods in enzymolog.* *Academic Press*, 182, 264–276. <https://doi.org/https://doi.org/10.1263/jbb.99.303>
- McVey, C. E., Walsh, M. A., Dodson, G. G., Wilson, K. S., & Brannigan, J. A. (2001). Crystal structures of penicillin acylase enzyme-substrate complexes: Structural insights into the catalytic mechanism. *Journal of Molecular Biology*, 313(1), 139–150. <https://doi.org/10.1006/jmbi.2001.5043>
- Mierendorf, R. C., Morris, B. B., Hammer, B., & Novy, R. E. (1998). *Expression and Purification of Recombinant Proteins Using the pET System*. In: Reischl, U. (eds) *Molecular Diagnosis of Infectious Diseases. Methods in Molecular Medicine™* (Vol. 13). Humana Press. <https://doi.org/https://doi.org/10.1385/0-89603-485-2:257>

- Mujika, J. I., Mercero, J. M., & Lopez, X. (2005). Water-promoted hydrolysis of a highly twisted amide: Rate acceleration caused by the twist of the amide bond. *Journal of the American Chemical Society*, *127*(12), 4445–4453. <https://doi.org/10.1021/ja044873v>
- Myung, S. H., Park, J., Han, J. H., & Kim, T. H. (2020). Development of the mammalian expression vector system that can be induced by IPTG and/or Lactose. *Journal of Microbiology and Biotechnology*, *30*(8), 1124–1131. <https://doi.org/10.4014/jmb.2003.03030>
- Nailwal, M., & Chauhan, J. B. (2017). Computational Analysis of High Risk Missense Variant in Human UTY Gene: A Candidate Gene of AZFa Sub-region. *J Reprod Infertil*, *18*(3), 298–306. <http://www.ebi.ac.uk/thornton-srv/software/PROCHECK/>
- Naseem, S., Khalid, M., Tahir, M. N., Halim, M. A., Braga, A. A. C., Naseer, M. M., & Shafiq, Z. (2017). Synthesis, structural, DFT studies, docking and antibacterial activity of a xanthene based hydrazone ligand. *Journal of Molecular Structure*, *1143*, 235–244. <https://doi.org/10.1016/j.molstruc.2017.04.093>
- Novikov, F. N., Stroganov, O. V., Khaliullin, I. G., Panin, N. V., Shapovalova, I. V., Chilov, G. G., & Švedas, V. K. (2012). Molecular modeling of different substrate-binding modes and their role in penicillin acylase catalysis. *FEBS Journal*, *280*(1), 115–126. <https://doi.org/10.1111/febs.12054>
- Oh, S.-J., Kim, Y.-C., Park, Y.-W., Min, S.-Y., Kim, I.-S., & Kang, H.-S. (1987). Complete nucleotide sequence of the penicillin G acylase gene and the flanking regions, and its expression in *Escherichia coli*. *Gene*, *56*(1), 87–97. [https://doi.org/https://doi.org/10.1016/0378-1119\(87\)90161-2](https://doi.org/https://doi.org/10.1016/0378-1119(87)90161-2)
- Pandiyan, S., Ruan, T., Zhong, Z., Yao, M., & Wang, L. (2025). Modeling 3D structures of PIK3CA and PIK3R1 genes based on homology modeling, molecular docking, molecular dynamics and MM-GBSA study against breast cancer: Insights from an in-silico approach. *Journal of Molecular Structure*, *1331*. <https://doi.org/10.1016/j.molstruc.2025.141580>
- Peternel, Š., & Komel, R. (2010). Isolation of biologically active nanomaterial (inclusion bodies) from bacterial cells. *Microbial Cell Factories*, *9*(66). <https://doi.org/https://doi.org/10.1186/1475-2859-9-66>
- Plonski, A. P., & Reed, S. M. (2023). Assessing protein homology models with docking reproducibility. *Journal of Molecular Graphics and Modelling*, *121*. <https://doi.org/10.1016/j.jmgm.2023.108430>

- Proctor, P., Gensmantel, N. P., & Page, M. I. (1982). The chemical reactivity of penicillins and other  $\beta$ -lactam antibiotics. *Journal of the Chemical Society, Perkin Transactions 2*, 9, 1185–1192. <https://doi.org/10.1039/p29820001185>
- Purwanto, Sismindari, & Purwantini, I. (2021). *Produksi Ensim Penisilin-G-Asilase (PGA). Laporan Akhir Kegiatan Prioritas Riset Nasional*. [https://acadstaff.ugm.ac.id/karya\\_files/produksi-ensim-penisilin-g-asilase--pga--dcfcd07e645d245babe887e5e2daa016/ba6ef930-e7cb-11eb-a2b7-e4434b0aade8](https://acadstaff.ugm.ac.id/karya_files/produksi-ensim-penisilin-g-asilase--pga--dcfcd07e645d245babe887e5e2daa016/ba6ef930-e7cb-11eb-a2b7-e4434b0aade8).
- Rahimzadeh, M., Sadeghizadeh, M., Najafi, F., Arab, S. S., & Mobasheri, H. (2016). Impact of heat shock step on bacterial transformation efficiency. *Molecular Biology Research Communications*, 5(4), 257–261. <http://mbrc.shirazu.ac.ir>
- Rajendhran, J., & Gunasekaran, P. (2004). Recent Biotechnological Interventions for Developing Improved Penicillin G Acylases. *Journal Of Bioscience And Bioengineering*, 97(1), 1–13. [https://doi.org/https://doi.org/10.1016/S1389-1723\(04\)70157-7](https://doi.org/https://doi.org/10.1016/S1389-1723(04)70157-7)
- Ramsey, K. M., Narang, D., & Komives, E. A. (2018). Prediction of the presence of a seventh ankyrin repeat in IkB $\epsilon$  from homology modeling combined with hydrogen–deuterium exchange mass spectrometry (HDX-MS). *Protein Science*, 27(9), 1624–1635. <https://doi.org/10.1002/pro.3459>
- Rista, U. N., Sheila, M., Nita, L., Septilia, D., Lestari, Y., Aritarini, N. W., Ramdhani, R., Sofyarista, Y., Hirsens, V., Aji, A., Nindita, S., Wiriyawan, Ratih, A. S., Purba, R., & Andrianti, Y. (2023). Pola Penggunaan Antibiotik Di Apotek “X” Kabupaten Kepulauan Talaud Sulawesi Utara. *Social Clinical Pharmacy Indonesia Journal*, 30(8), 1124–1131.
- Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in *Escherichia coli*: Advances and challenges. *Frontiers in Microbiology*, 5(172). <https://doi.org/10.3389/fmicb.2014.00172>
- Roy, S., & Kumar, V. (2014). A Practical Approach on SDS PAGE for Separation of Protein. *International Journal of Science and Research*, 3(8), 955–960. [www.ijsr.net](http://www.ijsr.net)
- Sambyal, K., & Singh, R. V. (2021). Exploitation of *E. coli* for the production of penicillin G amidase: a tool for the synthesis of semisynthetic  $\beta$ -lactam antibiotics. *Journal of Genetic Engineering and Biotechnology*, 19(1). <https://doi.org/10.1186/s43141-021-00263-7>
- Shahaf, N., Pappalardo, M., Basile, L., Guccione, S., & Rayan, A. (2016). How to Choose the Suitable Template for Homology Modelling of GPCRs: 5-HT7

- Receptor as a Test Case. *Molecular Informatics*, 35(8–9), 414–423. <https://doi.org/10.1002/minf.201501029>
- Sharma, M., Mehta, N., Suravajhala, R., Meza, C., Sarkar, S., & Banerjee, A. (2022). Temperature-Dependent Structure–Function Properties of Bacterial Xylose Isomerase Enzyme for Food Applications: An In Silico Study. *Clean Technologies*, 4(4), 1317–1329. <https://doi.org/10.3390/cleantechnol4040081>
- Singh, A., Upadhyay, V., Upadhyay, A. K., Singh, S. M., & Panda, A. K. (2015). Protein recovery from inclusion bodies of *Escherichia coli* using mild solubilization process. *Microbial Cell Factories*, 14(1). <https://doi.org/10.1186/s12934-015-0222-8>
- Singh, S. M., & Panda, A. K. (2005). Solubihzation and refolding of bacterial inclusion body proteins. *Journal of Bioscience and Bioengineering*, 99(4), 303–310. <https://doi.org/10.1263/jbb.99.303>
- Spasov, D. S. (2024). Binding Affinity Determination in Drug Design: Insights from Lock and Key, Induced Fit, Conformational Selection, and Inhibitor Trapping Models. *International Journal of Molecular Sciences*, 25(13). <https://doi.org/10.3390/ijms25137124>
- Srirangan, K., Orr, V., Akawi, L., Westbrook, A., Moo-Young, M., & Chou, C. P. (2013). Biotechnological advances on Penicillin G acylase: Pharmaceutical implications, unique expression mechanism and production strategies. *Biotechnology Advances*, 31(8), 1319–1332. <https://doi.org/10.1016/j.biotechadv.2013.05.006>
- Stewart, C. T. (1968). Clinical and Epidemiologic Impact of Penicillins Old and New. *Pediatric Clinics of North America*, 15(1), 13–19. [https://doi.org/https://doi.org/10.1016/S0031-3955\(16\)32085-5](https://doi.org/https://doi.org/10.1016/S0031-3955(16)32085-5)
- Stojc'evic', N., Stojc'evic', S., Moric', I., Jelena, M., Begovic', B., Radoja, S., Konstantinovic', M., & Konstantinovic', K. (2001). DNA architecture and transcriptional regulation of the *Escherichia coli* penicillin amidase (pac) gene. *Biomolecular Engineering*, 17, 113–117. [https://doi.org/https://doi.org/10.1016/S1389-0344\(00\)00074-5](https://doi.org/https://doi.org/10.1016/S1389-0344(00)00074-5)
- Studer, G., Rempfer, C., Waterhouse, A. M., Gumienny, R., Haas, J., & Schwede, T. (2020). QMEANDisCo—distance constraints applied on model quality estimation. *Bioinformatics*, 36(6), 1765–1771. <https://doi.org/10.1093/bioinformatics/btz828>
- Studier, W., Rosenberg, A. H., Dunn, J. J., & Dubendorff, J. W. (1990). Use of T7 RNA Polymerase to Direct Expression of Cloned Genes. *Methods in Enzymology*, 185, 60–89.

- Su, D., Kosciuk, T., Yang, M., Price, I. R., & Lin, H. (2021). Binding Affinity Determines Substrate Specificity and Enables Discovery of Substrates for N-Myristoyltransferases. *ACS Catalysis*, *11*(24), 14877–14883. <https://doi.org/10.1021/acscatal.1c03330>
- Tipper, D. J., & Strominger, J. L. (1965). Mechanism of Action of Penicillins: A Proposal Based on Their Structural Similarity to Acyl-D-Alanyl-D-Alanine. *Cold Spring Harbor Symposia on Quantitative Biology*, *54*(4), 1133–1141. <https://doi.org/https://doi.org/10.1073/pnas.54.4.1133>
- Tishkov, V. I., Savin, S. S., & Yasnaya, A. S. (2010). Protein engineering of penicillin acylase. *Acta Naturae*, *2*(3), 47–61.
- Tsuzuki, S. (2005). Interactions with aromatic rings. In *Structure and Bonding* (Vol. 115). Springer Verlag. <https://doi.org/10.1007/b135618>
- Tu, Z., He, G., Li, K. X., Chen, M. J., Chang, J., Chen, L., Yao, Q., & Liu, D. P. (2005). An Improved System for Competent Cell Preparation and High Efficiency Plasmid Transformation Using Different Escherichia coli Strains. *Electronic Journal of Biotechnology*, *8*(1), 717–3458. <http://www.ejbiotechnology.info/content/vol8/issue1/full/8/>
- Uyaver, S. (2022). Tyrosine, Phenylalanine, and Tryptophan Undergo Self-Aggregation in Similar and Different Manners. *Atmosphere*, *13*(9). <https://doi.org/10.3390/atmos13091448>
- Vaidyanathan, R., Murugan Sreedevi, S., Ravichandran, K., Vinod, S. M., Hari Krishnan, Y., Babu, L. K., Parthiban, P. S., Basker, L., Perumal, T., Rajaraman, V., Arumugam, G., Rajendran, K., & Mahalingam, V. (2023). Molecular docking approach on the binding stability of derivatives of phenolic acids (DPAs) with Human Serum Albumin (HSA): Hydrogen-bonding versus hydrophobic interactions or combined influences? *JCIS Open*, *12*. <https://doi.org/10.1016/j.jciso.2023.100096>
- Wahib, Z. M., Muslim, S. N., & Shafi, F. A. A. (2025). Production, Purification, and Characterization of L-Methioninase Produced by Escherichia coli Isolates: Potential Application in Cancer Treatment. *Asian Pacific Journal of Cancer Biology*, *10*(2), 285–292. <https://doi.org/DOI:10.31557/APJCB.2025.10.2.285>
- Wakchaure, P. D., & Ganguly, B. (2022). Unraveling the Role of  $\pi$ -Stacking Interactions in Ligand Binding to the Thiamine Pyrophosphate Riboswitch with High-level Quantum Chemical Calculations and Docking Study. *Journal of Physical Chemistry B*, *126*(5), 1076–1084. <https://doi.org/10.1021/acs.jpcc.1c08587>

- Woodman, M. E., Savage, C. R., Arnold, W. K., & Stevenson, B. (2016). Direct PCR of intact bacteria (colony PCR). *Current Protocols in Microbiology*, 2016, A.3D.1-A.3D.7. <https://doi.org/10.1002/cpmc.14>
- Xu, Y., Rosenkranz, S., Weng, C. L., Scharer, J. M., Moo-Young, M., & Chou, C. P. (2006). Characterization of the T7 promoter system for expressing penicillin acylase in *Escherichia coli*. *Applied Microbiology and Biotechnology*, 72(3), 529–536. <https://doi.org/10.1007/s00253-005-0293-2>
- Xue, Q., Liu, X., Russell, P., Li, J., Pan, W., Fu, J., & Zhang, A. (2022). Evaluation of the binding performance of flavonoids to estrogen receptor alpha by Autodock, Autodock Vina and Surflex-Dock. *Ecotoxicology and Environmental Safety*, 233. <https://doi.org/10.1016/j.ecoenv.2022.113323>
- Yamaguchi, H., & Miyazaki, M. (2014). Refolding techniques for recovering biologically active recombinant proteins from inclusion bodies. *Biomolecules*, 4(1), 235–251. <https://doi.org/10.3390/biom4010235>
- Zhao, Y., Li, J., Gu, H., Wei, D., Xu, Y. chang, Fu, W., & Yu, Z. (2015). Conformational Preferences of  $\pi$ - $\pi$  Stacking Between Ligand and Protein, Analysis Derived from Crystal Structure Data Geometric Preference of  $\pi$ - $\pi$  Interaction. *Interdisciplinary Sciences – Computational Life Sciences*, 7(3), 211–220. <https://doi.org/10.1007/s12539-015-0263-z>
- Zhou, W., Yan, H., & Hao, Q. (2012). Analysis of surface structures of hydrogen bonding in protein-ligand interactions using the alpha shape model. *Chemical Physics Letters*, 545, 125–131. <https://doi.org/10.1016/j.cplett.2012.07.016>