

## DAFTAR PUSTAKA

- Agrawal, D. C. (2009). Solar constant versus the electromagnetic spectrum. *Am. J. Phys. Educ*, 3(3). <http://www.journal.lapen.org.mx>.
- Ameen, H. M., Jayadev, A., Prasad, G., & Nair, D. I. (2024). Seagrass Meadows: Prospective Candidates for Bioactive Molecules. Dalam *Molecules (Basel, Switzerland)* (Vol. 29, Nomor 19). <https://doi.org/10.3390/molecules29194596>.
- Anggoro, A., Siregar, V. P., & Agus, S. B. (2016). The Effect of Sunlight on Benthic Habitats Mapping in Pari Island Using Worldview-2 Imagery. *Procedia Environmental Sciences*, 33, 487–495. <https://doi.org/10.1016/j.proenv.2016.03.101>.
- Anggoro, A., Sumartono, E., Siregar, V. P., Agus, S. B., Purnama, D., Supriyono, S., Puspitosari, D. A., Listyorini, T., Sulisty, B., & Parwito, P. (2018). Comparing Object-based and Pixel-based Classifications for Benthic Habitats Mapping in Pari Islands. *Journal of Physics: Conference Series*, 1114(1). <https://doi.org/10.1088/1742-6596/1114/1/012049>.
- Antari, K. D., Danoedoro, P., & Wicaksono, P. (2018). Perbandingan Akurasi Pemetaan Habitat Benthik Berdasarkan Klasifikasi Berbasis Piksel dengan Klasifikasi Berbasis Objek Menggunakan Citra PlanetScope: Studi Kasus di Pulau Tabuhan, Kabupaten Banyuwangi, Provinsi Jawa Timur. (Tesis Magister, Universitas Gadjah Mada).
- Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. Dalam *ISPRS Journal of Photogrammetry and Remote Sensing* (Vol. 114, hlm. 24–31). Elsevier B.V. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>.
- Blakey, T., Melesse, A., & Hall, M. O. (2015). Supervised classification of benthic reflectance in shallow subtropical waters using a generalized pixel-based classifier across a time series. *Remote Sensing*, 7(5). <https://doi.org/10.3390/rs70505098>.
- Blaschke, T. (2010). Object based image analysis for remote sensing. Dalam *ISPRS Journal of Photogrammetry and Remote Sensing* (Vol. 65, Nomor 1, hlm. 2–16). <https://doi.org/10.1016/j.isprsjprs.2009.06.004>.

- Breiman, L. (2001). Random Forests. *Machine Learning*, 45, 5–32.
- Caraballo-Vega, J. A., Carroll, M. L., Neigh, C. S. R., Wooten, M., Lee, B., Weis, A., Aronne, M., Alemu, W. G., & Williams, Z. (2023). Optimizing WorldView-2, -3 cloud masking using machine learning approaches. *Remote Sensing of Environment*, 284. <https://doi.org/10.1016/j.rse.2022.113332>.
- Chakouri, M., Lhissou, R., El Harti, A., Maimouni, S., & Adiri, Z. (2020). Assessment of the image-based atmospheric correction of multispectral satellite images for geological mapping in arid and semi-arid regions. *Remote Sensing Applications: Society and Environment*, 20. <https://doi.org/10.1016/j.rsase.2020.100420>.
- Colditz, R. R. (2015). An evaluation of different training sample allocation schemes for discrete and continuous land cover classification using decision tree-based algorithms. *Remote Sensing*, 7(8), 9655-9681. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- Congalton, R. G., & Green, K. (2008). Assessing the accuracy of remotely sensed data: Principles and practices, second edition. Dalam *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices, Second Edition*.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit Andi, Yogyakarta.
- Dekker, A. G., Brando, V. E., & Anstee, J. M. (2005). Retrospective seagrass change detection in a shallow coastal tidal Australian lake. *Remote Sensing of Environment*, 97(4). <https://doi.org/10.1016/j.rse.2005.02.017>.
- Digital Globe. (2010). *Worldview-2 Data Sheet*. Digital Globe, California.
- Dong, X., Yu, Z., Cao, W., Shi, Y., & Ma, Q. (2020). A survey on ensemble learning. Dalam *Frontiers of Computer Science* (Vol. 14, Nomor 2, hlm. 241–258). Higher Education Press. <https://doi.org/10.1007/s11704-019-8208-z>.
- Eastman, R. J. (2012). *IDRISI Selva Tutorial* (17 ed.). Clark University. [www.clarklabs.org](http://www.clarklabs.org).

- Erftemeijer, P., & Herman, P. (1994). Seasonal changes in environmental variables, biomass, production and nutrient contents in two contrasting tropical intertidal seagrass beds in South Sulawesi, Indonesia. *Oecologia*, 99, 45-59. <https://doi.org/10.1007/BF00317082>.
- Eugenio, F., Marcello, J., Martin, J., & Rodríguez-Esparragón, D. (2017). Benthic habitat mapping using multispectral high-resolution imagery: Evaluation of shallow water atmospheric correction techniques. *Sensors (Switzerland)*, 17(11). <https://doi.org/10.3390/s17112639>.
- Fakhrurrozi, Yuniar, Z., Alam, T. R., Asriadi, M. A., Idris, Yusri, S., & Dewi, R. A. (2024). Mangrove Community Structure and Healthiness in Rote Ndao, East Nusa Tenggara. *BIO Web of Conferences*, 92. <https://doi.org/10.1051/bioconf/20249201014>.
- Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7). <https://doi.org/10.1038/ngeo1477>.
- Ginting, D. N. B., Wicaksono, P., & Farda, N. M. (2024). Mapping Seagrass Percent Cover and Biomass in Nusa Lembongan, Bali, Indonesia. *Geography, Environment, Sustainability*, 17(1), 16–27. <https://doi.org/10.24057/2071-9388-2023-2886>.
- Green, E., Mumby, P., Edwards, A., & Clark, C. (2000). *Remote sensing: handbook for tropical coastal management*. United Nations Educational, Scientific and Cultural Organization (UNESCO).
- Hafizt, M., Iswari, M. Y., & Prayudha, B. (2017). Kajian Metode Klasifikasi Citra Landsat-8 untuk Pemetaan Habitat Bentik di Kepulauan Padaido, Papua. *Oseanologi dan Limnologi di Indonesia*, 2(1). <https://doi.org/10.14203/oldi.2017.v2i1.69>.
- Hafizt, M., Yuwono, D. M., Janwar, Z., Suyarso, & Wouthuyzen, S. (2024). Benthic habitat mapping for estimating seagrass carbon stock across Takabonerate Islands, Indonesia. *Regional Studies in Marine Science*, 77. <https://doi.org/10.1016/j.rsma.2024.103703>.

- Harmel, T., Chami, M., Tormos, T., Reynaud, N., & Danis, P. A. (2018). Sun glint correction of the Multispectral Instrument (MSI) Sentinel-2 imagery over inland and sea waters from SWIR bands. *Remote Sensing of Environment*, 204, 308–321. <https://doi.org/10.1016/j.rse.2017.10.022>.
- Hartoni, Siregar, V. P., Wouthuyzen, S., & Agus, S. B. (2022). Object based classification of benthic habitat using Sentinel 2 imagery by applying with support vector machine and random forest algorithms in shallow waters of Kepulauan Seribu, Indonesia. *Biodiversitas*, 23(1), 514–520. <https://doi.org/10.13057/biodiv/d230155>.
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>.
- Hemminga, M. A. & Duarte, C.M. (2000). *Seagrass Ecology*. Cambridge University Press, Cambridge. <http://dx.doi.org/10.1017/CBO9780511525551>.
- Hochberg, E. J., Andréfouët, S., & Tyler, M. R. (2003). Sea surface correction of high spatial resolution ikonos images to improve bottom mapping in near-shore environments. *IEEE Transactions on Geoscience and Remote Sensing*, 41(7 PART II), 1724–1729. <https://doi.org/10.1109/TGRS.2003.815408>.
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). The application of remote sensing to seagrass ecosystems: an overview and future research prospects. Dalam *International Journal of Remote Sensing* (Vol. 36, Nomor 1). <https://doi.org/10.1080/01431161.2014.990649>.
- Jensen, J. R. (2014). *Remote Sensing of The Environment: An Earth Resource Perspective* (2 ed.). Pearson Education Limited.
- Joyce, K. E., Phinn, S. R., & Roelfsema, C. M. (2013). Live coral cover index testing and application with hyperspectral airborne image data. *Remote Sensing*, 5(11), 6116–6137. <https://doi.org/10.3390/rs5116116>.
- Kay, S., Hedley, J. D., & Lavender, S. (2009). Sun glint correction of high and low spatial resolution images of aquatic scenes: A review of methods for

- visible and near-infrared wavelengths. Dalam *Remote Sensing* (Vol. 1, Nomor 4, hlm. 697–730). <https://doi.org/10.3390/rs1040697>.
- Khairunnisa, T., Yulianda, F., & Kurnia, R. (2019). Dinamika Temporal Komunitas Lamun Pada Musim Kemarau, Di Internal Madasanger, Kabupaten Sumbawa Barat. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 11(2), 263–271.
- Le, H., Samaras, D., & Lynch, H. J. (2022). A convolutional neural network architecture designed for the automated survey of seabird colonies. *Remote Sensing in Ecology and Conservation*, 8(2), 251–262. <https://doi.org/10.1002/rse2.240>.
- Lepith, A. & Danoedoro, P. (2017). Perbandingan Akurasi Metode Klasifikasi Berbasis Objek dan Metode Klasifikasi Berbasis Piksel pada Citra Sentinel-2 untuk Pemetaan Komposisi Habitat Bentik di Kepulauan Karimunjawa. (Tesis Magister, Universitas Gadjah Mada).
- Leeuw, J., Jia, H., Yang, L., Liu, X., Schmidt, K., & Skidmore, A. K. (2006). Comparing accuracy assessments to infer superiority of image classification methods. *International Journal of Remote Sensing*, 27(1). <https://doi.org/10.1080/01431160500275762>.
- Li, D., Zhang, G., Wu, Z., & Yi, L. (2010). An edge embedded marker-based watershed algorithm for high spatial resolution remote sensing image segmentation. *IEEE Transactions on Image Processing*, 19(10). <https://doi.org/10.1109/TIP.2010.2049528>.
- Li, Q., Liu, J., Mi, X., Yang, J., & Yu, T. (2021). Object-oriented crop classification for GF-6 WFV remote sensing images based on Convolutional Neural Network. *National Remote Sensing Bulletin*, 25(2). <https://doi.org/10.11834/jrs.20219347>.
- Louchard, E. M., Reid, R. P., Stephens, F. C., Davis, C. O., Leathers, R. A., & Downes, T. V. (2003). Optical remote sensing of benthic habitats and bathymetry in coastal environments at Lee Stocking Island, Bahamas: A comparative spectral classification approach. *Limnology and Oceanography*, 48(1 II), 511–521. [https://doi.org/10.4319/lo.2003.48.1\\_part\\_2.0511](https://doi.org/10.4319/lo.2003.48.1_part_2.0511).

- Lyzenga, D. R. (1981). Remote sensing of bottom reflectance and water attenuation parameters in shallow water using aircraft and landsat data. *International Journal of Remote Sensing*, 2(1), 71–82. <https://doi.org/10.1080/01431168108948342>.
- Lyzenga, D. R., Malinas, N. P., & Tanis, F. J. (2006). Multispectral bathymetry using a simple physically based algorithm. *IEEE Transactions on Geoscience and Remote Sensing*, 44(8), 2251–2259. <https://doi.org/10.1109/TGRS.2006.872909>.
- Manessa, M. D. M., Haidar, M., Budhiman, S., Winarso, G., Kanno, A., Sagawa, T., & Sekine, M. (2016). Evaluating the performance of Lyzenga’s water column correction in case-1 coral reef water using a simulated Worldview-2 imagery. *IOP Conference Series: Earth and Environmental Science*, 47(1). <https://doi.org/10.1088/1755-1315/47/1/012018>.
- Maurya, K., Mahajan, S., & Chaube, N. (2021). Remote sensing techniques: mapping and monitoring of mangrove ecosystem—a review. Dalam *Complex and Intelligent Systems* (Vol. 7, Nomor 6). <https://doi.org/10.1007/s40747-021-00457-z>.
- McKenzie, L. J., Langlois, L. A., & Roelfsema, C. M. (2022). Improving Approaches to Mapping Seagrass within the Great Barrier Reef: From Field to Spaceborne Earth Observation. *Remote Sensing*, 14(11). <https://doi.org/10.3390/rs14112604>.
- Mederos-Barrera, A., Marcello, J., Eugenio, F., & Hernández, E. (2022). Seagrass mapping using high resolution multispectral satellite imagery: A comparison of water column correction models. *International Journal of Applied Earth Observation and Geoinformation*, 113. <https://doi.org/10.1016/j.jag.2022.102990>.
- Mellin, C., Andréfouët, S., Kulbicki, M., Dalleau, M., & Vigliola, L. (2009). Remote sensing and fish–habitat relationships in coral reef ecosystems: Review and pathways for multi-scale hierarchical research. *Marine Pollution Bulletin*, 58(1), 11-19.
- Nieto, P., Sander, C. A. (, Múcher, ), Meesters, E., & Clevers, J. (2013). *Classifying benthic habitats and deriving bathymetry at the Caribbean Netherlands*

- Oktaviana, I., Kalinda, P., Sasmito, B., & Sukmono, A. (2018). Analisis Pengaruh Koreksi Atmosfer Terhadap Deteksi Land Surface Temperature Menggunakan Citra Landsat 8 di Kota Semarang. Dalam *Jurnal Geodesi Undip Juli* (Vol. 7, Nomor 3).
- Ondiviela, B., Losada, I. J., Lara, J. L., Maza, M., Galván, C., Bouma, T. J., & van Belzen, J. (2014). The role of seagrasses in coastal protection in a changing climate. *Coastal Engineering*, 87. <https://doi.org/10.1016/j.coastaleng.2013.11.005>.
- Ooi, J. L. S., Kendrick, G. A., Van Niel, K. P., & Affendi, Y. A. (2011). Knowledge gaps in tropical Southeast Asian seagrass systems. *Estuarine, Coastal and Shelf Science*, 92(1). <https://doi.org/10.1016/j.ecss.2010.12.021>.
- Othman, A. N., Hashim, N., Mohamad Salim, P., & Mohd Zaidi, P. N. S. (2023). Comparative Study of Pixel-Based and Object-Based Classifications in Benthic Mapping. *Journal of Advanced Geospatial Science & Technology*, 3(2). <https://doi.org/10.11113/jagst.v3n2.69>.
- Pal, N. R., & Pal, S. K. (1993). A review on image segmentation techniques. *Pattern Recognition*, 26(9). [https://doi.org/10.1016/0031-3203\(93\)90135-J](https://doi.org/10.1016/0031-3203(93)90135-J).
- Philpot, W. (2007). Estimating atmospheric transmission and surface reflectance from a glint-contaminated spectral image. *IEEE Transactions on Geoscience and Remote Sensing*, 45(2), 448–457. <https://doi.org/10.1109/TGRS.2006.887161>.
- Roelfsema, C., & Phinn, S. (2009). *A Manual for Conducting Georeferenced Photo Transects Surveys to Assess the Benthos of Coral Reef and Seagrass Habitats*. Centre for Remote Sensing & Spatial Information Science School of Geography, Planning & Environmental Management.
- Roy, D. P., Wulder, M. A., Loveland, T. R., C.E., W., Allen, R. G., Anderson, M. C., Helder, D., Irons, J. R., Johnson, D. M., Kennedy, R., Scambos, T. A., Schaaf, C. B., Schott, J. R., Sheng, Y., Vermote, E. F., Belward, A. S., Bindschadler, R., Cohen, W. B., Gao, F., ... Zhu, Z. (2014). Landsat-8:

- Science and product vision for terrestrial global change research. *Remote Sensing of Environment*, 145. <https://doi.org/10.1016/j.rse.2014.02.001>.
- Saadatfar, M., Sheppard, A. P., Senden, T. J., & Kabla, A. J. (2012). Mapping forces in a 3D elastic assembly of grains. *Journal of the Mechanics and Physics of Solids*, 60(1), 55–66. <https://doi.org/10.1016/j.jmps.2011.10.001>.
- Sagawa, T., Boisnier, E., Komatsu, T., Mustapha, K. Ben, Hattour, A., Kosaka, N., & Miyazaki, S. (2010). Using bottom surface reflectance to map coastal marine areas: A new application method for Lyzenga's model. *International Journal of Remote Sensing*, 31(12), 3051–3064. <https://doi.org/10.1080/01431160903154341>.
- Salsabila, H. N., Wicaksono, P., & Danoedoro, P. (2024). Seagrass Aboveground Carbon Stock Mapping using PlanetScope SuperDove Imagery in Nemberala, Rote Island, East Nusa Tenggara. *IOP Conference Series: Earth and Environmental Science*, 1291(1). <https://doi.org/10.1088/1755-1315/1291/1/012013>.
- Schiewe, J. (2002). Segmentation of High-Resolution Remotely Sensed Data-Concepts, Applications and Problems. *International Archives of Photogrammetry Remote Sensing and Spatial Information Sciences*, 34(4), 380–385.
- Sombo, I. T., & Sunarto, W. (2016). Karakteristik dan Struktur Komunitas Lamun Di Daerah Intertidal Pantai Litianak Dan Pantai Oeseli. Dalam *Jurnal EKOSAINS*: Vol. IX (Nomor 2).
- Supriharyono. (2020). *Manajemen Sumberdaya Perairan*. Graha Ilmu, Yogyakarta.
- Tiarasani, A., Paulus Siregar, V., & Lumban Gaol, J. (2023). Estimation of Attenuation Coefficient Values Using Remote Sensing and Its Relationship With Shallow Water Depth. *Journal of Applied Geospatial Information*, 7(2), 845. <http://jurnal.polibatam.ac.id/index.php/JAGI>.
- Tomlinson, P. B., & Vargo, G. A. (1966). On the Morphology and Anatomy of Turtle Grass, *Thalassia Testudinum* (Hydrocharitaceae). I. Vegetative Morphology. *Bulletin of Marine Science*, 16(4), 748–761.
- Twomey, A. J., Callaghan, D. P., O'Brien, K. R., & Saunders, M. I. (2022). Contextualising shoreline protection by seagrass using lessons from

- Ufi, M. E. N., Sianturi, H., & Geru, A. S. (2021). Analisis Tipe Iklim Di Kabupaten Rote Ndao. *Jurnal Fisika: Fisika Sains dan Aplikasinya*, 6(2), 101-112.
- Wahidin, N., Siregar, V. P., Nababan, B., Jaya, I., & Wouthuyzen, S. (2015). Object-based Image Analysis for Coral Reef Benthic Habitat Mapping with Several Classification Algorithms. *Procedia Environmental Sciences*, 24. <https://doi.org/10.1016/j.proenv.2015.03.029>.
- Wahyudin, Y., Kusumastanto, T., Adrianto, L., & Wardianto, Y. (2016). Jasa Ekosistem Lamun Bagi Kesejahteraan Manusia. *Omni-Akuatika*, 12, 29–46.
- Wang, Y. (2011). *Remote Sensing of Protected Lands*. <https://doi.org/10.1201/b11453-2>.
- Wehrens, R., Buydens, L. M. C., Fraley, C., & Raftery, A. E. (2004). Model-based clustering for image segmentation and large datasets via sampling. *Journal of Classification*, 21(2). <https://doi.org/10.1007/s00357-004-0018-8>.
- Wicaksono, P. (2012). The Effect of Sunlight on Satellite-Based Benthic Habitat Identification. *International Journal of Advanced Research in Computer and Communication Engineering*, 1(6).
- Wicaksono, P., Aryaguna, P. A., & Lazuardi, W. (2019). Benthic habitat mapping model and cross validation using machine-learning classification algorithms. *Remote Sensing*, 11(11). <https://doi.org/10.3390/rs11111279>.
- Wicaksono, P., Danoedoro, P., Hartono, Nehren, U., Maishella, A., Hafizt, M., Arjasakusuma, S., & Harahap, S. D. (2021). Analysis of field seagrass percent cover and aboveground carbon stock data for non-destructive aboveground seagrass carbon stock mapping using worldview-2 image. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 46(4/W6-2021), 321–327. <https://doi.org/10.5194/isprs-Archives-XLVI-4-W6-2021-321-2021>.
- Wicaksono, P., Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R. N., Lazuardi, W., & Zhafarina, Z. (2019). Analysis of reflectance spectra of tropical seagrass species and their value for mapping using multispectral satellite images.

- Wicaksono, P., & Hafizt, M. (2013). Mapping seagrass from space: Addressing the complexity of seagrass LAI mapping. *European Journal of Remote Sensing*, 46(1), 18–39. <https://doi.org/10.5721/EuJRS20134602>.
- Wicaksono, P., & Hafizt, M. (2018). Dark target effectiveness for dark-object subtraction atmospheric correction method on mangrove above-ground carbon stock mapping. *IET Image Processing*, 12(4), 582–587. <https://doi.org/10.1049/iet-ipr.2017.0295>.
- Wicaksono, P., & Harahap, S. D. (2023). Mapping Seagrass Biodiversity Indicators of Pari Island using Multiple WorldView-2 Bands Derivatives. *Geosfera Indonesia*, 8(2), 189. <https://doi.org/10.19184/geosi.v8i2.41214>.
- Wicaksono, P., Harahap, S. D., Hafizt, M., Maishella, A., & Yuwono, D. M. (2023). Seagrass ecosystem biodiversity mapping in part of Rote Island using multi-generation PlanetScope imagery. *Carbon Footprints*, 2(4). <https://doi.org/10.20517/cf.2023.9>.
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>.
- Wicaksono, P., Maishella, A., Lazuardi, W., & Muhammad, F. H. (2022). Consistency assessment of multi-date PlanetScope imagery for seagrass percent cover mapping in different seagrass meadows. *Geocarto International*, 37(27), 15161–15186. <https://doi.org/10.1080/10106049.2022.2096122>.
- Wicaksono, P., Wulandari, S. A., Lazuardi, W., & Munir, M. (2021). Sentinel-2 images deliver possibilities for accurate and consistent multi-temporal benthic habitat maps in optically shallow water. *Remote Sensing Applications: Society and Environment*, 23. <https://doi.org/10.1016/j.rsase.2021.100572>.
- Wijaya, J., & Wicaksono, P. (2024). Lifeform-based seagrass species composition mapping of Pari Island using WorldView-2 multispectral imagery. In

*Eighth Geoinformation Science Symposium 2023: Geoinformation Science for Sustainable Planet* (Vol. 12977, pp. 317-326). SPIE. <https://doi.org/10.1117/12.3009770>.

Xue, H., Xu, X., Zhu, Q., Yang, G., Long, H., Li, H., Yang, X., Zhang, J., Yang, Y., Xu, S., Yang, M., & Li, Y. (2023). Object-Oriented Crop Classification Using Time Series Sentinel Images from Google Earth Engine. *Remote Sensing*, *15*(5). <https://doi.org/10.3390/rs15051353>.

Zhang, C. (2015). Applying data fusion techniques for benthic habitat mapping and monitoring in a coral reef ecosystem. *ISPRS Journal of Photogrammetry and Remote Sensing*, *104*, 213–223. <https://doi.org/10.1016/j.isprsjprs.2014.06.005>.

Zhang, Z., He, G., & Wang, X. (2010). A practical DOS model-based atmospheric correction algorithm. *International Journal of Remote Sensing*, *31*(11). <https://doi.org/10.1080/01431160903124682>.

Zoffoli, M. L., Frouin, R., & Kampel, M. (2014). Water column correction for coral reef studies by remote sensing. Dalam *Sensors (Switzerland)* (Vol. 14, Nomor 9, hlm. 16881–16931). MDPI AG. <https://doi.org/10.3390/s140916881>.