

Daftar Pustaka

- Al-Dhabi, N.A., A.M. Ghilan, G.A. Esmail, M.V. Arasu, V. Duraipandiyan & K. Ponmurugan. 2019. Bioactivity assessment of the Saudi Arabian Marine *Streptomyces* sp. Al-Dhabi-90, metabolic profiling and its *in vitro* inhibitory property against multidrug resistant and extended-spectrum beta-lactamase clinical bacterial pathogens. *Journal of Infection and Public Health*. 12: 549–556. DOI: <https://doi.org/10.1016/j.jiph.2019.01.065>.
- Al-Khshemawee, H., M. Agarwal, X. Du & Y. Ren. 2017. Detection of Mediterranean fruit fly larvae *Ceratitis capitata* (Diptera: Tephritidae) in different types of fruit by HS-SPME GC-MS method. *Journal of Biosciences and Medicines*. 5:154-169. DOI: <https://doi.org/10.4236/jbm.2017.53017>.
- Al-Khshemawee, H.H. 2021. Volatile compounds of some Blueberries cultivars infested with fruit fly *Ceratitis Capitata*. *Al-Qadisiyah Journal for Agriculture Sciences (QJAS)*. 11: 55-59. DOI: [10.33794/qjas.2021.132286.1015](https://doi.org/10.33794/qjas.2021.132286.1015).
- Alviani, V. 2015. Identifikasi & preferensi lalat buah *Bactrocera* spp. (Diptera:Tephritidae) yang menyerang buah salak. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Amorós, M.E., V. P. Neves, F. Rivas, J. Buenahora, X. Martini, L. L. Stelinski & C. Rossini. 2019. Response of *Diaphorina citri* (Hemiptera: Liviidae) to volatiles characteristic of preferred citrus hosts. *Arthropod-Plant Interactions*. 13: 367–374. DOI: [10.1007/s11829-018-9651-8](https://doi.org/10.1007/s11829-018-9651-8).
- Anastopoulos, G., Y. Zannikou, S. Stournas & S. Kalligeros. 2009. Transesterification of vegetable oils with ethanol and characterization of the key fuel properties of ethyl esters. *Energies (Basel)* 2:362–376. DOI: <https://doi.org/10.3390/en20200362>
- Armstrong, H. 2015. Machines that learn in the wild: Machine learning capabilities, limitations and implications. *Nesta*. London. <https://apo.org.au/sites/default/files/resource-files/2015-07/apo-nid208196.pdf>.
- Aryuwandari, V. E. F., Y. A. Trisyono, Suputa, S. D. Faveri & S. Vijaysegaran. 2020. Survey of fruit flies (Diptera: Tephritidae) from 23 species of fruits collected in Sleman, Yogyakarta. *Jurnal Perlindungan Tanaman Indonesia*. 24 (2): 122–132. DOI: <https://doi.org/10.22146/jpti.57634>.
- Ashari, S. 2013. *Salak: The snake fruit*. Universitas Brawijaya Press (UB Press). Malang. 223 p.
- Astuti, N.K., Suputa, N. S. Putra & M. Indarwatmi. 2019. Gamma Irradiation treatment of *Bactrocera dorsalis* Hendel (Diptera: Tephritidae) in snake fruit. *Jurnal Perlindungan Tanaman Indonesia*. 23 (2): 242–249. DOI: <https://doi.org/10.22146/jpti.36618>.
- Azalia, D., I. Rachmawati, S. Zahira, F. Andriyani, T.M. Sanini, Supriyatin & N.R. Aulya. 2023. Uji kualitatif senyawa aktif flavonoid dan terpenoid pada beberapa jenis tumbuhan fabaceae dan apocynaceae di kawasan tngpp bodogol. *Bioma : Jurnal Biologi Makassar*. 8:32–43.

- Badan Karantina Indonesia. 2024. *Setelah Dicabut, Kini Salak Bisa Diekspor Kembali*. <https://karantinaindonesia.go.id/detailberita/Setelah-Dicabut,-Kini-Salak-Bisa-Diekspor-Kembali> . Diakses 20 Juni 2025.
- Badan Karantina Pertanian. 2014 a. *Pedoman sertifikasi fitosanitari buah salak ke China (Guidelines for phytosanitary certification of salak to China)*. Kementerian Pertanian, Jakarta, Indonesia. 35 p.
- Badan Karantina Pertanian. 2014 b. *Pedoman sertifikasi fitosanitari buah manggis tujuan Australia (Guidelines for phytosanitary certification for mangosteen fresh fruits to Australia)*. Kementerian Pertanian, Jakarta, Indonesia. 37 p.
- Badan Karantina Pertanian. 2015. *Pedoman pemantauan dini lalat buah*. Kementerian Pertanian, Jakarta, Indonesia. 35 p.
- Badan Karantina Pertanian. 2016. *Pedoman sertifikasi fitosanitari buah manggis tujuan China (Guidelines for phytosanitary certification for mangosteen fresh fruits to China)*. Kementerian Pertanian, Jakarta, Indonesia. 31 p.
- Badan Karantina Pertanian. 2019. *Terobos hambatan teknis ekspor, Kementan luncurkan 4 inovasi tindakan perlakuan karantina*. <https://karantina.pertanian.go.id/pers-796-terobos-hambatan-teknis-ekspor-kementan-luncurkan-4-inovasi-tindakan-perlakuan-karantina.html>. Diakses 14 Februari 2022.
- Badan Karantina Pertanian. 2020 a. *Juknis pelayanan sertifikasi fitosanitari ekspor buah Salak*. [https://karantina.pertanian.go.id/fileman/Uploads/Documents/pusat%20OKT%20dan%20KHN/2020 Oct 8 Petunjuk Teknis Pelay.pdf](https://karantina.pertanian.go.id/fileman/Uploads/Documents/pusat%20OKT%20dan%20KHN/2020%20Oct%208%20Petunjuk%20Teknis%20Pelay.pdf). Diakses 24 Januari 2022.
- Badan Karantina Pertanian. 2020b. *Sertifikasi fitosanitari buah salak*. [https://karantina.pertanian.go.id/fileman/Uploads/Documents/pusat%20OKT%20dan%20KHN/2020 Oct 8 Petunjuk Teknis Pelay.pdf](https://karantina.pertanian.go.id/fileman/Uploads/Documents/pusat%20OKT%20dan%20KHN/2020%20Oct%208%20Petunjuk%20Teknis%20Pelay.pdf). Diakses 24 Januari 2022.
- Badan Pusat Statistik. 2023. *Produksi tanaman buah-buahan, 2021-2023*. <https://www.bps.go.id/Id/Statistics-Table/2/Nijimg==/Produksi-Tanaman-Buah-Buahan.Html>. Diakses 15 Februari 2024.
- Badan Pusat Statistika Kabupaten Sleman. 2016. *Luas panen, produksi dan rata-rata produksi salak Pondoh dan salak Gading per kecamatan di kabupaten Sleman, 2016*. <https://slemankab.bps.go.id/statictable/2017/11/17/339/luas-panen-produksi-dan-rata-rata-produksi-salak-pondoh-dan-salak-gading-per-kecamatan-di-kabupaten-sleman-2016.html>. Diakses 15 Agustus 2023.
- Baena, R., E. S. Araujo, J.P.A. Souza, A.M. Bischoff, P.H.G. Zarbin, M. A.C. Zawadneak & F. L. Cuquel. 2022. Ripening stages and volatile compounds present in strawberry fruits are involved in the oviposition choice of *Drosophila suzukii* (Diptera: Drosophilidae). *Crop Protection*.153 (105883): 1-11. DOI: <https://doi.org/10.1016/j.cropro.2021.105883>.
- Balai Besar Karantina Pertanian Tanjung Priok. 2013. *Laporan pemantauan OPTK 2013*. Bogor (ID): BBKP Tanjung Priok.
- Balai Karantina Pertanian Kelas II Yogyakarta. 2013. *Laporan pemantauan OPTK 2013*. Yogyakarta (ID): BKP Kelas II Yogyakarta.
- Balasubramanian, S., S. Panigrahi, B. Kottapalli & C.E. Wolf-Hall. 2007. Evaluation of an artificial olfactory system for grain quality discrimination. *Swiss Society of Food Science and Technology*. 40:1815–1825. DOI: [10.1016/j.lwt.2006.12.016](https://doi.org/10.1016/j.lwt.2006.12.016).

- Balasubramanian, S., S. Panigrahi, C.M. Logue, M. Marchello & J.S. Sherwood. 2005. Identification of *Salmonella*-inoculated beef using a portable electronic nose system. *Journal of Rapid Methods and Automation in Microbiology*. 13: 71–95. DOI: <https://doi.org/10.1111/j.1745-4581.2005.00011.x>.
- Banga, K.S., N. Kotwaliwale, D. Mohapatra & S.K Giri. 2018. Techniques for insect detection in stored food grains: an overview. *Food Control*. 94: 167-176. DOI: [10.1016/J.Foodcont.2018.07.008](https://doi.org/10.1016/J.Foodcont.2018.07.008).
- Basavarajappa, D.S., R.S. Kumar & S. Nayaka. 2023. Formulation-based antagonistic endophyte *Amycolatopsis* Sp. SND-1 triggers defense response in *Vigna radiata* (L.) R. Wilczek. (mung bean) against cercospora leaf spot disease. *Archives of Microbiology*. 205(77): 1-17. DOI: <https://doi.org/10.1007/S00203-023-03419-W>.
- Bateman, M.A. 1972. The ecology of fruit flies. *Annu. Rev. Entomol* 17:493-518. DOI: [10.1146/annurev.en.17.010172.002425](https://doi.org/10.1146/annurev.en.17.010172.002425).
- Bhattacharjee, P., S. Panigrahi, D. Lin, C.M. Logue, J.S. Sherwood, C. Doetkott & M. Marchello. 2011. A comparative qualitative study of the profile of volatile organic compounds associated with *Salmonella* contamination of packaged aged and fresh beef by HS-SPME/GC-MS. *J Food Sci Technol*. 48(1):1–13. DOI: [10.1007/S13197-010-0138-6](https://doi.org/10.1007/S13197-010-0138-6).
- Boevé, J.L., U. Lengwiler, L. Tollsten, L. Sorn & T.C.J. Turlings. 1996. Volatiles emitted by apple fruitlets infested by larvae of the european apple sawfly. *Phytochemistry*. 42(2): 373–381. DOI: [https://doi.org/10.1016/0031-9422\(95\)00948-5](https://doi.org/10.1016/0031-9422(95)00948-5).
- Bouwmeester, H., R.C. Schuurink, P.M. Bleeker & F. Schiestl. 2019. The role of volatiles in plant communication. *The Plant Journal*. 100: 892–907. DOI: [10.1111/Tpj.14496](https://doi.org/10.1111/Tpj.14496).
- Calabretti, A., F. La Cara, A. Sorrentino, M. Di Stasio, F. Santomauro, L. Rastrelli, L. Gabrielli, F. Limone & M.G. Volpe. 2012. Characterization of volatile fraction of typical Irpinian wines fermented with a new starter yeast. *World J Microbiol Biotechnol*. 28:1433–1442. DOI: [10.1007/S11274-011-0943-8](https://doi.org/10.1007/S11274-011-0943-8).
- Carrasco, M., P. Montoya, L. Cruz-Lopez & J.C. Rojas. 2005. Response of the fruit fly parasitoid *Diachasmimorpha Longicaudata* (Hymenoptera: Braconidae) to mango fruit volatiles. *Environ. Entomol*. 34(3): 576–583. DOI: [10.1603/0046-225X-34.3.576](https://doi.org/10.1603/0046-225X-34.3.576).
- Chung, M. 2010. Volatile compounds of the cultivated Dumbbuck (*Allium senescens* L. var. *senescens*). *Food Sci. Biotechnol*. 19(6): 1679-1682. DOI: [10.1007/s10068-010-0238-0](https://doi.org/10.1007/s10068-010-0238-0).
- Cunningham, J.P., M. A. Carlsson, T. F. Villa & T. Dekker. 2016. Do fruit ripening volatiles enable resource specialism in polyphagous fruit flies?. *J Chem Ecol* . (42):931–940. DOI: <https://doi.org/10.1007/s10886-016-0752-5>.
- DAW (Department of Agriculture and Water Resources). 2015. *Final report for the non-regulated analysis of existing policy for fresh mango fruit from Indonesia, Thailand and Vietnam*. Australian Government, Canberra. 253 p.
- DAW (Department of Agriculture and Water Resources). 2018. *Final report for the review of biosecurity import requirements for fresh dragon fruit from Indonesia*. Australian Government, Canberra. 75 p.

- de Freitas, A.S., H.C.R. Magalhães, E.G.A. Filho & D.D.S. Garruti. 2021. Chemometric analysis of the volatile profile in peduncles of cashew clones and its correlation with sensory attributes. *J. Food Sci.* 86: 5120–5136. DOI: [10.1111/1750-3841.15957](https://doi.org/10.1111/1750-3841.15957).
- Detik Finance. 2013. Salak RI dilarang masuk China, petani di Merapi rugi Rp 500 juta/bulan. <https://finance.detik.com/berita-ekonomi-bisnis/d-2259307/salak-ri-dilarang-masuk-china-petani-di-merapi-rugi-rp-500-juta-bulan>. Diakses 20 Juni 2025.
- Dickschat, J.S., I. Wagner-Doßler & S. Schulz. 2005. The chafer pheromone buibuilactone and ant pyrazines are also produced by marine bacteria. *Journal Of Chemical Ecology*. 31(4): 925- 947. DOI: [10.1007/S10886-005-3553-9](https://doi.org/10.1007/S10886-005-3553-9).
- Drew, R.A.I. & M.C. Romig. 2013. Tropical fruit flies (Tephritidae: Dacinae) of South-East Asia: Indomalaya to North-West Australasia. CABInternational. Wallingford, UK. 653 p.
- Dudareva, N. & E. Pichersky. 2008. Metabolic engineering of plant volatiles. *Curr. Opin. Biotechnol.* 19: 181–189. DOI: <https://doi.org/10.1016/j.copbio.2008.02.011>.
- Egonyu, J.P. & B. Torto. 2018. Responses of the ambrosia beetle *Xylosandrus Compactus* (Coleoptera: Curculionidea: Scolytinae) to volatile constituents of its symbiotic fungus *Fusarium Solani* (Hypocreales: Nectriaceae). *Arthropod-Plant Interactions*. 12:9–20. DOI: <https://doi.org/10.1007/S11829-017-9552-2>.
- Ekramirad, N., A.A. Adedeji & R. Alimardani. 2016. A review of non-destructive methods for detection of insect infestation in fruits and vegetables. *Innovations in Food Research*. 2: 6-12.
- Elss, S., C. Preston, C. Hertzog, F. Heckel, E. Richling & P. Schreier. 2005. Aroma profiles of pineapple fruit (*Ananas comosus* [L.]Merr.) and pineapple products. *LWT - Food Science and Technology*. 38:263–274. DOI: [10.1016/J.Lwt.2004.07.014](https://doi.org/10.1016/J.Lwt.2004.07.014).
- Eregie, S.B. & S.F. Jamal-Ally. 2021. Comparison of biodegradative efficiency of wildtype versus mutagenised *Scenedesmus vacuolatus* of spent coolant waste: Dehydrogenase activity and total petroleum degradation studies. *International Journal of Environmental Analytical Chemistry*. 1-29. DOI: [10.1080/03067319.2021.1965593](https://doi.org/10.1080/03067319.2021.1965593).
- European Commission Directorate-General for Health and Food Safety. 2002. *EU health preparedness: A common list of COVID-19 rapid antigen tests; A common standardised set of data to be included in COVID-19 test result certificates; and A common list of COVID-19 laboratory based antigenic assays*. The Health Security Committee. https://health.ec.europa.eu/system/files/2023-12/covid-19_eu-common-list-antigen-tests_en.pdf. Diakses 15 Mei 2025.
- Farhat, H., F. Urooj, N. Sohail, M. Ansari & S. Ehteshamul-Haque. 2022. Evaluation of nematicidal potential of endophytic fungi associated with healthy plants and GC-MS profiling of metabolites of endophytic *Fusarium Solani*. *South African Journal of Botany*. 146: 146-161. DOI: [10.1016/J.Sajb.2021.10.011](https://doi.org/10.1016/J.Sajb.2021.10.011).
- Fitrah, R., D. Pranowo & Suputa. 2020. Oviposition preference of *Bactrocera dorsalis* Hendel (Diptera: Tephritidae) on different fruit in snake fruit orchard. *Jurnal Perlindungan Tanaman Indonesia*. 24: 224-228. DOI: [10.22146/jpti.52825](https://doi.org/10.22146/jpti.52825).

- Fuentes, N., E. Tongson, R.R. Unnithan & C.G. Viejo. 2021. Early Detection Of Aphid Infestation And Insect-Plant Interaction Assessment In Wheat Using A Low-Cost Electronic Nose (E-Nose), Near-Infrared Spectroscopy And Machine Learning Modeling. *Sensors* 21: 1-22. DOI: [10.3390/S21175948](https://doi.org/10.3390/S21175948).
- Garcia, R.F.M. 2009. *Fruit fly: Biological and ecological aspects*. In Bandeira, R.R (eds): *Current trends in fruit fly control on perennial crops and research prospects*. Transworld Research Network, Kerala. 53 p.
- Gill, R.S., K. Gupta, G.K. Taggar & M.S Taggar. 2010. Role of oxidative enzymes in plant defenses against herbivory. *Acta Phytopathologica et Entomologica Hungaria*. 45:277-90. DOI: [http:// dx.doi.org/10.1556/APhyt.45.2010.2.4](http://dx.doi.org/10.1556/APhyt.45.2010.2.4).
- Girmatsion, M., X. Tang., Q. Zhang & P. Li. 2025. Progress in machine learning-supported electronic nose and hyperspectral imaging technologies for food safety assessment: A review. *Food Research International*. 209: 116285. DOI: <https://doi.org/10.1016/j.foodres.2025.116285> .
- Gong, A.D., N.N. Wu, X.W. Kong, Y.M. Zhang, M.J. Hu, S.J. Gong, F.Y. Dong, J.H. Wang, Z.Y. Zhao & Y.C. Liao. 2019. Inhibitory effect of volatiles emitted from *Alcaligenes Faecalis* N1-4 on *Aspergillus flavus* and aflatoxins in storage. *Front Microbiol*. 10:1419. DOI: [10.3389/Fmicb.2019.01419](https://doi.org/10.3389/Fmicb.2019.01419).
- González, M.P.E., & Rivera, E.J.S. 2018. Volatile compounds in different parts of the fruit *Psidium guajava* L. cv. “Media China” identified at distinct phenological stages using HS-SPME-GC-QTOF/MS. *Phytochemical Analysis*. 2018:1–12. DOI: [10.1002/pca.2778](https://doi.org/10.1002/pca.2778).
- Gould, W.P. 1995. Probability of detecting Caribbean fruit fly (Diptera: Tephritidae) by fruit dissection. *Florida Entomol*. 78: 502–507. DOI: <https://doi.org/10.2307/3495535>.
- Green T.R. & C. Ryan. 1972. Wound induces proteinase inhibitor in plant leaves: a possible defense mechanism against insects. *Science*. 175:776–777. DOI: <http://dx.doi.org/10.1126/science.175.4023.776>.
- Handaru, O.D., Witjaksono, D.D. Arum, K. Triyana & Suputa. Fruit flies (Diptera: Tephritidae) and their parasitoid (Hymenoptera: Braconidae) species from registered snake fruit production during early rainy and dry seasons in the Special Region of Yogyakarta, Indonesia. *Journal of Entomological and Acarological Research*. 56:12635. DOI: <https://doi.org/10.4081/jear.2024.12635> .
- Hatanaka, A. 1993. The biogeneration of green odour by green leaves. *Phytochemistry*. 34: 1201–1218. DOI: [https://doi.org/10.1016/0031-9422\(91\)80003-J](https://doi.org/10.1016/0031-9422(91)80003-J)
- Hermawan, S. 2018. *Salak: Panduan Budidaya dan Peluang Bisnisnya*. Lembaga Kajian Profesi. Malang. 136 p.
- Hern, A. & S. Dorn. 2001. Induced emissions of apple fruit volatiles by the codling moth: changing patterns with different time periods after infestation and different larval instars. *Phytochemistry*. 57(3): 409–416. DOI: [https://doi.org/10.1016/S0031-9422\(01\)00058-9](https://doi.org/10.1016/S0031-9422(01)00058-9).
- Hidayat, S.N., T. Julian, A.B. Dharmawan, M.Puspita, L. Chandra, A.Rohman, M. Julia, A. Rianjanu, D.K. Nurputra, K. Triyana & H.S. Wasisto. 2022. Hybrid learning method based on feature clustering and scoring for enhanced COVID-19 breath analysis by an electronic nose. *Artificial Intelligence in Medicine*. 129: 1-13. DOI: <https://doi.org/10.1016/j.artmed.2022.102323>.

- Howe, G.A. & G. Jander. 2008. Plant immunity to insect herbivores. *Annu. Rev. Plant Biol.* 59: 41–66. DOI: [10.1146/Annurev.Arplant.59.032607.092825](https://doi.org/10.1146/Annurev.Arplant.59.032607.092825).
- Hu, Q., Y. Qi, C. Liu, Q. Chen, X. Mai, Z. Zhu & B. Ma. 2024. Effects of *Lactobacillus plantarum* cofermentation on the flavor and taste characteristics of mango Vinegar. *Journal of Food Measurement And Characterization*. 18: 3744–3756. DOI: [10.1007/S11694-024-02446-5](https://doi.org/10.1007/S11694-024-02446-5).
- Hu, Y., T. Zheng, J. Dong, W. Li, X. Ma, J. Li, Y. Fang, K. Chen & K. Zhang. 2024. Regulation of the main terpenoids biosynthesis and accumulation in fruit trees. *Horticultural Plant Journal*. S2468-0141(24)00202-4. DOI: <https://doi.org/10.1016/j.hpj.2024.08.002>.
- Hu, Y., T. Zheng, J. Dong, W. Li, X. Ma, J. Li, Y. Fang, K. Chen & K. Zhang. 2024. Regulation of the main terpenoids biosynthesis and accumulation in fruit trees. *Hortic Plant J*. DOI: <https://doi.org/10.1016/j.hpj.2024.08.002>
- Hull, C.D. & B.W. Cribb. 2001. Olfaction in the Queensland fruit fly, *Bactrocera Tryoni*. I: Identification of olfactory receptor neuron types responding to environmental odors. *Journal of Chemical Ecology*. 27(5): 871-887. DOI: [10.1023/A:1010374617409](https://doi.org/10.1023/A:1010374617409).
- Iguara'n, E.C., G.T. Ocampo & O.T. Alzate. 2018. Identification of volatile compound markers during the ripening and senescence of Lulo (*Solanum Quitoense* Lam.). *J Food Sci Technol*. 55(1):437–442. DOI: [10.1007/S13197-017-2924-X](https://doi.org/10.1007/S13197-017-2924-X).
- Jain, A., Bolle, R., Pankanti, S. 1996. Introduction to Biometrics. *Springer*. Boston.
- Kang, Z., Y. Zhao., L. Chen., Y. Guo., Q. Mu & S. Wang, S. 2022. Advances in machine learning and hyperspectral imaging in the food supply chain. *Food Engineering Reviews*.14(4): 596–616. DOI: <https://doi.org/10.1007/s12393-022-09322-2>.
- Karban, R. & I.T. Baldwin. 1997. *Induced responses to herbivory*. The University of Chicago Press, Chicago, IL.
- Kementan (Kementerian Pertanian Republik Indonesia). 2023. *Ekspor komoditi pertanian berdasarkan negara tujuan, subsektor: Hortikultura (segar,olahan) tahun 2021,2022,2023*. <https://App3.Pertanian.Go.Id/Eksim/Ekspornegaratujuan.Php>. Diakses 7 Agustus 2024.
- Kende, A., D. Portwood, A. Senior, M. Earll, E. Bolygo & M. Seymour. 2010. Target list building for volatile metabolite profiling of fruit. *Journal of Chromatography A*.1217: 6718–6723. DOI: [10.1016/J.Chroma.2010.05.030](https://doi.org/10.1016/J.Chroma.2010.05.030).
- Kendra, P.E., A.L. Roda, W.S. Montgomery, E.Q. Schnell, J. Niogret, N.D. Epsky & R.R. Heath. 2011. Gas chromatography for detection of citrus infestation by fruit fly larvae (Diptera: Tephritidae). *Postharvest Biology and Technology*. 59:143–149. DOI: [10.1016/J.Postharvbio.2010.09.006](https://doi.org/10.1016/J.Postharvbio.2010.09.006).
- Khorassani, R., U. Hettwer, A. Ratzinger, B. Steingrobe, P. Karlovsky & N. Claassen. 2011. Citramalic acid and salicylic acid in sugar beet root exudates solubilize soil phosphorus. *MC Plant Biology*.11(121): 1-8. DOI: [10.1186/1471-2229-11-121](https://doi.org/10.1186/1471-2229-11-121).

- Khorrarifar, A., M. Rasekh, H. Karami, J. Lozano, M. Gancarz, E. Łazuka, G. Łago´d & P.B. Pathare. 2023. Determining the shelf life and quality changes of potatoes (*Solanum tuberosum*) during storage using electronic nose and machine learning. *PLOS ONE*, 18(4), e0284612. Available from <https://doi.org/10.1371/journal.pone.0284612>.
- Koswanudin, D., A. Basukriadi, I.M. Samudra & R. Ubaidillah. 2018. Host preference fruit flies *Bactrocera carambolae* (Drew & Hancock) and *Bactrocera dorsalis* (Drew & Hancock) (Diptera: Tephritidae). *Jurnal Entomologi Indonesia*. 15: 40-49. DOI: [10.5994/jei.15.1.40](https://doi.org/10.5994/jei.15.1.40).
- Li, S., Y. Zhang, Q. Guo, Y. Liang, Y. Qi, X. Zhao, Y. Wang & F. Wang. 2025. Direct dehydrogenation condensation of ethanol to ethyl acetate with superior selectivity over acid-base balanced CuZnZrO solid solution catalyst. *Chemical Engineering Journal*. 508:161144. DOI: <https://doi.org/10.1016/j.cej.2025.161144>
- Liu, J., Z. Zhang, M. Sun, J. Kong, M. Dong & L. Sun. 2023. Intensification and performance assessment of ethanol production process by hydrogenation of methyl acetate. *Chemical Engineering Research and Design*. 189:619–635. DOI: <https://doi.org/10.1016/j.cherd.2022.11.023>
- López-Ramos, J.E., E. Bautista, G. Gutiérrez-Escobedo, G. Mancilla-Montelongo, I. Castaño, M. M. González-Chávez & A. D.L. Peñas. 2021. Analysis of volatile molecules present in the secretome of the fungal pathogen *Candida glabrata*. *Molecules*. 26 (3881): 1-11. DOI: <https://doi.org/10.3390/molecules26133881>
- MAFF Japan (Ministry of Agriculture, Forestry and Fisheries Japan). 2021. *List of the import prohibited plants (Annexed Table 2 of the Ordinance for Enforcement of the Plant Protection Act)*. https://www.maff.go.jp/pps/j/law/houki/shorei/E_Annexed_Table2_from_2021_0428.html. Diakses 14 Februari 2022.
- Magalhães, D.M., M. Borges, R. A. Laumann, C. M. Woodcock, D. M. Withall, J. A. Pickett, M. A. Birkett & M. C. Blassioli-Moraes. 2018. Identification of volatile compounds involved in host location by *Anthonomus grandis* (Coleoptera: Curculionidae). *Frontiers in Ecology and Evolution*. 6(98): 1-12. DOI: <https://doi.org/10.3389/fevo.2018.00098>.
- Magan, N. & P. Evans. 2000. Volatiles as an indicator of fungal activity and differentiation between species, and the potential use of electronic nose technology for early detection of grain spoilage. *J Stored Prod Res*. 36(4):319-340. DOI: [10.1016/S0022-474x\(99\)00057-0](https://doi.org/10.1016/S0022-474x(99)00057-0).
- Mahmodi, K., M. Mostafaei & E. Mirzaee-Ghaleh. 2019. Detection and classification of diesel-biodiesel blends by LDA, QDA and SVM approaches using an electronic nose. *Fuel*. 258: 116114. DOI: <https://doi.org/10.1016/j.fuel.2019.116114>.

- Makarichian, A., R.A. Chayjan, E. Ahmadi & D. Zafari. 2022. Early detection and classification of fungal infection in garlic (*A. sativum*) using electronic nose. *Computers and Electronics in Agriculture*. 192:106575. DOI: <https://doi.org/10.1016/j.compag.2021.106575>
- Martins, C.B.C., D.M. Vidal, S.M.S. Gomes & P.H.G. Zarkin. 2016. Volatile organic compounds (Vocs) emitted by *Ilex Paraguariensis* plants are affected by the herbivory of the Lepidopteran *Thelesia Camina* and the Coleopteran *Hedypathes Betulinus*. *J. Braz. Chem. Soc.* 28(7):1204–1211. DOI: [10.21577/0103-5053.20160279](https://doi.org/10.21577/0103-5053.20160279).
- Mas, F., L. Manning, M. Alavi, T. Osborne, O. Reynolds & A. Kralicek. 2021. Early detection of fruit infested with *Bactrocera tryoni*. *Postharvest Biology and Technology*. 175: 1 – 12. DOI: [10.1016/J.Postharvbio.2021.111496](https://doi.org/10.1016/J.Postharvbio.2021.111496).
- Miano, R.N., S.A. Mohamed, X. Cheseto, S. Ndlela, T.D. Biasazin, A.A. Yusuf, E. Rohwer & T. Dekker. 2022. Differential responses of *Bactrocera dorsalis* and its parasitoids to headspaces of different varieties of tree-attached mango fruits and the associated chemical profiles. *Front. Ecol. Evol.* 10:1021795. DOI: [10.3389/Fevo.2022.1021795](https://doi.org/10.3389/Fevo.2022.1021795).
- Miklósy, É. & Z. Kerényi. 2004. Comparison of the volatile aroma components in noble rotted grape berries from two different locations of the Tokaj wine district In Hungary. *Analytica Chimica*. 513: 177–181. DOI: [10.1016/J.Aca.2003.11.087](https://doi.org/10.1016/J.Aca.2003.11.087).
- Mustapha, S., K.P.D. Jayanthi, S.K. Parepely, Y. Hung, L. Vanhaelewyn & A.K. Musa. 2024. Behavioral and electrophysiological responses of cabbage aphids to odors from host plants infested by conspecific and heterospecific herbivores. *Arthropod-Plant Interactions*. 18:353–365. DOI: [10.1007/S11829-024-10038-9](https://doi.org/10.1007/S11829-024-10038-9).
- NCBI. 2025a. PubChem Compound Summary for CID 11513, 4-Heptanol. <https://pubchem.ncbi.nlm.nih.gov/compound/4-Heptanol>. Diakses 2 Juli 2025.
- NCBI. 2025a. PubChem Compound Summary for CID 136394, 4-Methyl-4-heptanol. <https://pubchem.ncbi.nlm.nih.gov/compound/4-Methyl-4-heptanol>. Diakses 2 Juli 2025.
- NIST. 2023a. *NIST Chemistry Webbook, SRD 69: 2(3H)-Furanone, Dihydro-4,5-Dimethyl-*. [https://Webbook.Nist.Gov/Cgi/Cbook.Cgi?Inchi=1/C6H10O2/C1-4-3-6\(7\)8-5\(4\)2/H45H,3H2,1-2H3](https://Webbook.Nist.Gov/Cgi/Cbook.Cgi?Inchi=1/C6H10O2/C1-4-3-6(7)8-5(4)2/H45H,3H2,1-2H3). Diakses 26 Agustus 2024.
- NIST. 2023b. *NIST Chemistry Webbook, SRD 69: 2H-Pyran-2-One, Tetrahydro-4-Methyl-*. <https://Webbook.Nist.Gov/Cgi/Cbook.Cgi?ID=C1121842&Mask=80>. Diakses 26 Agustus 2024.
- NIST. 2023c. *NIST Chemistry Webbook, SRD 69: Decane, 3,7-Dimethyl-*. <https://Webbook.Nist.Gov/Cgi/Inchi?ID=C17312548&Mask=200>. Diakses 26 Agustus 2024.
- Nouri, B., K. Fotouhi, S.S. Mohtasebi, A. Nasiri & S.H. Goldansaaz. 2019. Detection of different densities of *Ephesia kuehniella* pest on white flour at different larvae instar by an electronic nose system. *Journal of Stored Products Research*. 84:101522. DOI: [10.1016/J.Jspr.2019.101522](https://doi.org/10.1016/J.Jspr.2019.101522).

- Obando-Ulloa, J.M., B. Nicolai, J. Lammertyn, M.C. Bueso, A.J. Monforte & J.P. Fernández-Trujillo. 2009. Aroma volatiles associated with the senescence of climacteric or non-climacteric melon fruit. *Postharvest Biology and Technology*. 52: 146–155. DOI: [10.1016/J.Postharvbio.2008.11.007](https://doi.org/10.1016/J.Postharvbio.2008.11.007).
- Oh, S.H., B.S. Lim, S.J. Hong & S.K. Lee. 2011. Aroma volatile changes of netted muskmelon (*Cucumis Melo* L.) fruit during developmental stages. *Hort. Environ. Biotechnol.* 52(6): 590-595. DOI: [10.1007/S13580-011-0090-Z](https://doi.org/10.1007/S13580-011-0090-Z).
- Orr, A. 2002. The importance of fruit fly taxonomy in Indonesia. *Makalah seminar Puslitbangtan* (mimeo).
- Paolanti, M & E. Frontoni. 2020. Multidisciplinary pattern recognition applications: A review. *Computer Science Review*. 37: 100276. DOI: <https://doi.org/10.1016/j.cosrev.2020.100276>.
- Paré, P.W. & J.H. Tumlinson. 1999. Plant volatiles as defence against insect herbivores. *Plant Physiology*. 121:325–331. DOI: <http://dx.doi.org/10.1104/pp.121.2.325>.
- Peng, J.S.M. 2019. Volatile esters and sulfur compounds in durians & a suggested approach to enhancing economic value of durians. *Malaysian Journal of Sustainable Agriculture (Mjsa)*. 3(2): 05-15. DOI: [10.26480/Mjsa.02.2019.05.15](https://doi.org/10.26480/Mjsa.02.2019.05.15).
- Pineda-Ríos, J.M., J. Cibrián-Tovar, R.M. López-Romero, L.M. Hernández-Fuentes, L. Soto-Rojas, C. Llanderal-Cázares, P.R. García-Sosa & L.F. Salomé-Abarca. 2023. Volatilome analysis of soursop fruits for the determination of Kairomone components that attract the annonaceae fruit weevil (*Optatus Palmaris* Pascoe). *Plants*. 12: 3898. DOI: [10.3390/Plants12223898](https://doi.org/10.3390/Plants12223898).
- Plant Health Australia. 2018. *The Australian Handbook for the Identification of Fruit Flies Version 3.1*. Plant Health Australia. Canberra, ACT. <https://www.fruitflyidentification.org.au/wp-content/uploads/2018/10/The-Australian-Handbook-for-the-Identification-of-Fruit-Flies-v3.1.pdf>
- Pranata, A.W., N.D. Yuliana, L. Amalia & N. Darmawan. 2021. Volatilomics for halal and non-halal meatball authentication using solid-phase microextraction–gas chromatography–mass spectrometry. *Arabian Journal of Chemistry* 14. DOI: <https://doi.org/10.1016/j.arabjc.2021.103146>
- Putra, N.S. & Suputa. 2013. *Lalat buah, bioekologi dan strategi tepat mengelola populasinya*. Smartania Publishing-An-Nahl. Yogyakarta. 101 p.
- Putri, Y.D. 2023. Dinamika dan peramalan populasi *Bactrocera* spp. pada pertanaman salak di Kabupaten Sleman. Thesis. Universitas Gadjah Mada. Yogyakarta
- Ridwan, M. 2024. Lestarian tanaman salak, warga turi terapkan intensifikasi lahan. <https://tvriyogyakartanews.com/2024/07/11/lestarikan-tanaman-salak-warga-turi-terapkan-intensifikasi-lahan/#:~:text=TVRI%20YOGYAKARTA%20NEWS%20%E2%80%93%20MUCHAMAD%20RIDWAN.%20Sebagian,dirawat%20secara%20teratur%20se hingga%20berbuah%20sepanjang%20tahun>. (Diakses 20 Juni 2019)
- Riyals, J., S. Uknes & E. Ward. 1994. Systemic acquired resistance. *Plant Physiology*. 104:1109– 1112. DOI: [10.1104/pp.104.4.1109](https://doi.org/10.1104/pp.104.4.1109).
- Rodríguez, A., B. Alquezar & L. Peña. 2013. Tansley review: Fruit aromas in mature fleshy fruits as signals of readiness for predation and seed dispersal. *New Phytologist*. 197: 36–48. DOI: [10.1111/J.1469-8137.2012.04382.X](https://doi.org/10.1111/J.1469-8137.2012.04382.X).

- Rohman, H.N. 2015. Status salak pondoh (*Salacca zalacca* (Gaertner) Voss) sebagai inang *Bactrocera carambolae* Drew & Hancock (Diptera: Tephritidae). Tesis. Institut Pertanian Bogor. Bogor.
- Sanaeifar, A., H.Z. Dizaji, A. Jafari & M. Guardia. 2017. Early detection of contamination and defect in foodstuffs by electronic nose: A review. *Trends in Analytical Chemistry*. 97: 257-271. DOI: [10.1016/J.Trac.2017.09.014](https://doi.org/10.1016/J.Trac.2017.09.014).
- Santucci C., S. Brizzolara & L. Tenori. 2015. Comparison of frozen and fresh apple pulp for NMR-based metabolomic analysis. *Food Anal. Methods*. 8:2135–2140. DOI: [10.1007/S12161-015-0107-9](https://doi.org/10.1007/S12161-015-0107-9).
- Schroder R., S.M. Cristescu, F.J. Harren & M. Hilker. 2007. Reduction of ethylene emission from Scots pine elicited by insect egg secretion. *J. Exp. Bot.* 58:1835–42. DOI: [10.1093/jxb/erm044](https://doi.org/10.1093/jxb/erm044)
- Schutze, M.K., N. Aketarawong, W. Amornsak, K.F. Armstrong, A.A. Augustinos, N. Barr, W. Bo, K. Bourtzis, L.M. Boykin, C. Caceres & S.L. Cameron. 2015. Synonymization of key pest species within the *Bactrocera dorsalis* species complex (Diptera: Tephritidae): Taxonomic changes based on a review of 20 years of integrative morphological, molecular, cytogenetic, behavioural, and chemoecological data. *Systematic Entomology*. 40: 456–471. <https://doi.org/10.1111/syen.12113>.
- Shalev-Shwartz, S & S. Ben-David., 2014. Understanding machine learning: From theory to algorithms. *Cambridge university press*. New York. 449 p.
- Sharma, S., P. Mishra & V. Patni. 2018. Analysis of volatile constituents in normal flower and insect induced flower gall of *Crataeva Religiosa*. *Journal of Pharmacognosy and Phytochemistry*. 7(1): 2667-2673.
- Shivaramu, S., P.DK. Jayanthi, V. Kempraj, R. Anjinappa, B. Nandagopal & A.K. Chakravarty. 2017. What signals do Herbivore-Induced Plant Volatiles provide conspecific herbivores?. *Arthropod Plant Interact.* 11: 815–823. DOI: [10.1007/S11829-017-9536-2](https://doi.org/10.1007/S11829-017-9536-2).
- Siwi, S.S., P. Hidayat & Suputa. 2006. *Taksonomi & bioekologi lalat buah penting di Indonesia (Diptera: Tephritidae)*. *Edisi revisi*. Balai Besar Penelitian dan Pengembangan Bioekologi dan Sumberdaya Genetik Pertanian dan Departement of Agriculture, Fisheries and Forestry Australia, Bogor. 65 p.
- Srivastava, S., G. Mishra & H.N. Mishra. 2019. Fuzzy controller based e-nose classification of *Sitophilus Oryzae* infestation in stored rice grain. *Food Chemistry*. 283: 604-610. DOI: [10.1016/J.Foodchem.2019.01.076](https://doi.org/10.1016/J.Foodchem.2019.01.076).
- Steingass, C.B., R. Carle & H.G. Schmarr. 2015. Ripening-dependent metabolic changes in the volatiles of pineapple (*Ananas comosus* (L.) Merr.) fruit: I. characterization of pineapple aroma compounds by comprehensive two-dimensional Gas Chromatography-Mass Spectrometry. *Anal Bioanal Chem*. 407:2591–2608. DOI: [10.1007/S00216-015-8474-Z](https://doi.org/10.1007/S00216-015-8474-Z).
- Supriyadi., K. Shimizu, M. Suzuki, K. Yoshida, T. Muto, A. Fujita, N. Tomita & N. Watanabe. 2004. Maturity discrimination of snake fruit (*Salacca edulis* Reinw.) cv. Pondoh based on volatiles analysis using an electronic nose device equipped with a sensor array and fingerprint mass spectrometry. *Flavour Fragr. J.* 19: 44–50. DOI: [10.1002/Ffj.1272](https://doi.org/10.1002/Ffj.1272).
- Supriyadi., M. Suzuki, S. Wu, N. Tomita, A. Fujita & N. Watanabe. 2003. Biogenesis of volatile Methyl Esters in snake fruit (*Salacca edulis*, Reinw) cv. Pondoh. *Biosci. Biotechnol. Biochem.* 67(6):1267–1271. DOI: [10.1271/Bbb.67.1267](https://doi.org/10.1271/Bbb.67.1267).

- Supriyadi., Suhardi, M. Suzuki, K. Yoshida, T. Muto, A. Fujita & N. Watanabe. 2002. Changes in the volatile compounds and in the chemical and physical properties of snake fruit (*Salacca edulis* Reinw) cv. Pondoh during maturation. *J. Agric. Food Chem.* 50: 7627-7633. DOI: [10.1021/Jf020620e](https://doi.org/10.1021/Jf020620e).
- Suputa., A.T. Arminudin, P. Jatuasri, I.P. Rahmawati & Y.A. Trisyono. 2007. Tingkat parasitasi *Fopius arisanus* (Hymenoptera: Braconidae) pada lalat buah belimbing di Daerah Istimewa Yogyakarta. *Jurnal Perlindungan Tanaman Indonesia.* 13: 106-114. DOI: [10.22146/jpti.11855](https://doi.org/10.22146/jpti.11855).
- Suputa., Cahyaniati, A. Kustaryati, M. Railan, Issusilaningtyas, & W.P. Mardiasih. 2006. *Pedoman identifikasi lalat buah hama*. Direktorat Jenderal Hortikultura, Jakarta. 49 p.
- Suputa., Y.A. Trisyono, E. Martono & S.S. Siwi. 2010. Update on the host range of different species of fruit flies in Indonesia. *Jurnal Perlindungan Tanaman Indonesia.* 16: 62–75. DOI: <https://doi.org/10.22146/jpti.11725>.
- Taye, M.M. 2023. Understanding of machine learning with deep learning: Architectures, workflow, applications and future directions. *Computers.* 12(5): 91. DOI: <https://doi.org/10.3390/computers12050091>.
- Tiwari, S., A. Kate, D. Mohapatra, M.K. Tripathi, H. Ray, A. Akuli, A. Ghosh & B. Modhera. 2020. Volatile organic compounds (VOCs): Biomarkers for quality management of horticultural commodities during storage through e-sensing. *Trends in Food Science & Technology.* 106: 417–433. DOI: <https://doi.org/10.1016/j.tifs.2020.10.039>.
- Triyana, K., D.K. Agustika, F. Hardoyono, & Chotimah. 2012. “Penerapan metode ekstraksi ciri berbasis transformasi wavelet diskrit untuk meningkatkan unjuk kerja *electronic nose*,”. *Prosiding Pertemuan Ilmiah XXVI HFI Jateng & DIY*, Purworejo, Hal 90-93, Apr. 2012.
- Turlings, T.C.J., & J. Ton. 2006. Exploiting scents of distress: the prospect of manipulating herbivore induced plant odours to enhance the control of agricultural pests. *Current Opinion in Plant Biology.* 9:421–427. DOI: <http://dx.doi.org/10.1016/j.pbi.2006.05.010>.
- Vadera, N. & S. Dhanekar. 2024. Classification and prediction of VOCs using an IoT-enabled electronic nose system-based lab prototype for breath sensing applications. *ACS Sensors* [Preprint]. Available at: <https://doi.org/10.1021/acssensors.4c02731>.
- Van Engelen, J. E & H.H. Hoos. 2020. A survey on semi-supervised learning. *Machine Learning.* 109(2): 373–440. DOI: <https://doi.org/10.1007/s10994-019-05855-6>.
- Wang, J.J., C. Ma, Z.Y. Tian, Y.P. Zhou, J.F. Yang, X. Gao, H.S. Chen, W.H. Ma & Z.S. Zhou. 2024. Electroantennographic and behavioral responses of the melon fly, *Zeugodacus cucurbitae* (Coquillett), to volatile compounds of ridge Gourd, *Luffa acutangular* L. *Journal of Chemical Ecology.* DOI: [10.1007/S10886-024-01474-1](https://doi.org/10.1007/S10886-024-01474-1).
- War, A.R., H.C. Sharma, M.G. Paulraj, M.Y. War & S. Ignacimuthu. 2011. Herbivore induced plant volatiles: Their role in plant defense for pest management. *Plant Signal. Behav.* 6: 1973–1978. DOI: [10.4161/Psb.6.12.18053](https://doi.org/10.4161/Psb.6.12.18053).
- Wen, T., L. Zhenga, S. Dong, Z. Gong, M. Sang, X. Long, M. Luo & H. Peng. 2019. Rapid detection and classification of citrus fruits infestation by *Bactrocera dorsalis* (Hendel) based on electronic nose. *Postharvest Biology and Technology.* 147: 156–165. DOI: [10.1016/J.Postharvbio.2018.09.017](https://doi.org/10.1016/J.Postharvbio.2018.09.017).

- Wen, T., Q. Nie, L. Han, Z. Gong, D. Li, Q. Ma, Z. Wang, W. He, L. Wen & H. Peng. 2022. Molecularly imprinted polymers-based piezoelectric coupling sensor for the rapid and nondestructive detection of infested citrus. *Food Chemistry*. 387: 132905. DOI: [10.1016/J.Foodchem.2022.132905](https://doi.org/10.1016/J.Foodchem.2022.132905).
- Wijaya, C.H., D. Ulrich, R. Lestari, K. Schippel & G. Ebert. 2005. Identification of potent odorants in different cultivars of snake fruit (*Salacca zalacca* (Gaert.) Voss) using Gas Chromatography–Olfactometry. *J. Agric. Food Chem.* 53 (5): 1637–1641. DOI: [10.1021/Jf048950h](https://doi.org/10.1021/Jf048950h).
- Wijayanti, D. 2019. *Budidaya Salak*. Indoliterasi (Desa Pustaka Group). Yogyakarta. 56 p.
- Wong, K.C. & D.Y. Tie. 1993. Volatile constituents of salak (*Salacca edulis* Reinw.) fruit. *Flavour and Fragrance Journal*. 8: 321-324. DOI: [10.1002/Ffj.2730080606](https://doi.org/10.1002/Ffj.2730080606).
- Wong, K.C. & S.N. Wong. 1997. Volatile constituents of *Cyphomandra betacea* Sendtn Fruit. *Journal of Essential Oil Research*. 9(3):357-359. DOI: [10.1080/10412905.1997.10554261](https://doi.org/10.1080/10412905.1997.10554261).
- Wonorahardjo, S., Nurindah, D.A. Sunarto, Sujak & N. Zakia. 2015. Analisis senyawa volatil dari ekstrak tanaman yang berpotensi sebagai atraktan parasitoid telur wereng batang coklat, *Anagrus nilaparvatae* (Pang et Wang) (Hymenoptera: Mymaridae). *Jurnal Entomologi Indonesia*.12 (1): 48–57. DOI: [10.5994/jei.12.1.48](https://doi.org/10.5994/jei.12.1.48).
- Wu, J., D.S. Jayas, Q. Zhang, N.D.G. White & R.K. York. 2013. Feasibility of the application of electronic nose technology to detect insect infestation in wheat. *Canadian Biosystems Engineering*. 55: 3.1-3.9. DOI: [10.7451/CBE.2013.55.3.1](https://doi.org/10.7451/CBE.2013.55.3.1).
- Xu, S., Z. Zhou, L. Tian, H. Lu, X. Luo & Y. Lan. 2018. Study of the similarity and recognition between volatile of brown rice plant hopper and rice steem based on electronic nose. *Computers and electronics in Agriculture*. 152: 19-25. DOI: [10.1016/J.Compag.2018.06.047](https://doi.org/10.1016/J.Compag.2018.06.047).
- Yang, J., S. Liu, Q. Zhao, X.Li & K. Jiang. 2023. Gut microbiota-related metabolite Alpha-linolenic acid mitigates intestinal inflammation induced by oral infection with *Toxoplasma Gondii*. *Microbiome*.11:273. DOI: [10.1186/S40168-023-01681-0](https://doi.org/10.1186/S40168-023-01681-0).
- Yang, X., R. Yan, Q. Chen & M. Fu. 2020. Analysis of flavor and taste attributes differences treated by chemical preservatives: a case study in strawberry fruits treated by 1-Methylcyclopropene and Chlorine Dioxide. *J Food Sci Technol*. 57(12):4371–4382. DOI: [10.1007/S13197-020-04474-7](https://doi.org/10.1007/S13197-020-04474-7).
- Yong, H.S., S.L. Song, K.O. Chua & P.E Lim . 2017. Microbiota associated with *Bactrocera carambolae* and *B. dorsalis* (Insecta: Tephritidae) revealed by next-generation sequencing of 16S rRNA gene. *Meta Gene*. 11: 189–196. DOI: [10.1016/j.mgene.2016.10.009](https://doi.org/10.1016/j.mgene.2016.10.009) .
- Zhang, J., L. Pan & K. Tu. 2023. Aroma in freshly squeezed strawberry juice during cold storage detected by e-nose, HS–SPME–GC–MS And GC-IMS. *Journal of Food Measurement and Characterization*.17:3309–3322. DOI: [10.1007/S11694-023-01853-4](https://doi.org/10.1007/S11694-023-01853-4).
- Zhou, B. & J. Wang. 2011. Use of electronic nose technology for identifying rice infestation by *Nilaparvata lugens*. *Sensors And Actuators*. 160 (1): 15–21. DOI: [10.1016/J.Snb.2011.07.002](https://doi.org/10.1016/J.Snb.2011.07.002).



- Zhou, Y., Z. Zhang, Y. He, P. Gao, H. Zhang & X. Ma. 2024. Integration of electronic nose, electronic tongue, and colorimeter in combination with chemometrics for monitoring the fermentation process of *Tremella fuciformis*. *Talanta*. 274: 126006. DOI: <https://doi.org/10.1016/j.talanta.2024.126006> .
- Zhu, H., X. P. Li, R. C. Yuan, Y. F. Chen & W. X. Chen. 2010. Changes in volatile compounds and associated relationships with other ripening events in banana fruit. *Journal of Horticultural Science & Biotechnology*. 85(4): 283–288. DOI: <https://doi.org/10.1080/14620316.2010.11512669>.
- Zimba, K., M.P. Hill, S.D. Moore & U. Heshula. 2015. *Agathis bishopi* (Hymenoptera: Braconidae) as a potential tool for detecting oranges infested with *Thaumatotibia leucotreta* (Lepidoptera: Tortricidae). *J Insect Behav.* 28: 618–633. DOI: <https://doi.org/10.1007/s10905-015-9526-0> .