

DAFTAR PUSTAKA

- Abdi, H., and Williams, L.J., 2010, Principal component analysis: Wiley Interdisciplinary Reviews: Computational Statistics, v. 2, no. 4, p. 433–459, doi: 10.1002/wics.101.
- Agus, F., Anda, M., Jamil, A., & Masganti, 2014, Lahan Gambut Indonesia Pembentukan, Karakteristik, dan Potensi Mendukung Ketahanan Pangan (Edisi Revisi): Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian, Jakarta, 212 p.
- Agus, F., dan Subiksa, I.G.M., 2008, Lahan Gambut: Potensi untuk Pertanian dan Aspek Lingkungan: Bogor, Balai Penelitian Tanah, Badan Penelitian dan Pengembangan Pertanian, 8-16 p.
- Andriesse, J.P., 1988. Nature and Management of Tropical Peat Soils: Food & Agriculture Organisation (FAO), First edition, p. 29-38.
- Astiani, D., Burhanuddin B., Taherdjاده, M., dan Curran, L.M., 2016, Effects of water table level on soil CO₂ respiration in West Kalimantan forested and bare peatland: An experimental stage: Nusantara Bioscience, v. 8, p. 201–206.
- Badan Restorasi Gambut dan Mangrove, 2021, Rencana Strategis Badan Restorasi Gambut dan Mangrove 2021-2024: Jakarta, BRGM, 7-8 p.
- Badan Restorasi Gambut dan Mangrove, 2021, Rencana Strategis Badan Restorasi Gambut dan Mangrove 2021-2024: Jakarta, BRGM, 7-8 p.
- Cheng, G., Niu, Z., Zhang, C., Zhang, X., and Li, X., 2019, Extraction of humic acid from lignite by KOH-hydrothermal method: Applied Sciences (Switzerland), v. 9, p. 2-4
- Chynoweth, D.P., 1983, Anaerobic digestion of biomass: Chicago, Illinois, Institute of Gas Technology.
- Cocozza, C., D'Orazio, V., Miano, T.M., and Shotyk, W., 2003, Characterization of solid and dissolved organic matter in a canadian ombrotrophic bog profile: *Soil Science*, v. 168, no. 6, p. 430–440.
- Dai, S., Bechtel, A., Eble, C.F., Flores, R.M., French, D., Graham, I.T., Hood, M.M., Hower, J.C., Korasidis, V.A., Moore, T.A., Püttmann, W., Wei, Q., Zhao, L., and O'Keefe, J.M.K., 2020, Recognition of peat depositional environments in coal: A review: *International Journal of Coal Geology*, v. 219, 103383.
- Davidian, M., and Louis, T.A., 2012, Why statistics?: *Science*, v. 336, no. 6077, p. 12.
- Dehmer, J., 1993, Petrology and organic geochemistry of peat samples from a raised bog in Kalimantan (Borneo): *Organic Geochemistry*, v. 20, no. 3, p. 349–362,

- Demchuk, T., and Moore, T.A., 1993, Palynofloral and organic characteristics of a Miocene bog-forest, Kalimantan, Indonesia: *Organic Geochemistry*, v. 20, no. 2, p. 119–134,
- Dennis, S.X.Z., 2024, *Principal Component Analysis*, in: *Data Science Handbook*. [online] Available at: <https://dennissxz.github.io/data-science-handbook/33-dimensionality-reduction/11-principal-component-analysis.html> [Accessed 22 Jul. 2025].
- Di Leo, G., and Sardanelli, F., 2020, *Statistical significance: p value, 0.05 threshold, and applications to radiomics—reasons for a conservative approach*: *European Radiology Experimental*, v. 4, article 18,
- Diessel, C.F.K., 1992, *Coal-Bearing Depositional Systems: Coal-Bearing Depositional Systems*: Berlin, Springer-Verlag, 714 p.
- Ding, Y., Liu, M., Peng, S., Li, J., Liang, Y., and Shi, Z., 2019, Binding characteristics of heavy metals to humic acid before and after fractionation by ferrihydrite: *Chemosphere*, v. 226, p. 140–148,
- Dinu, M.I., 2010, Comparison of complexing ability of fulvic and humic acids in the aquatic environment with iron and zinc ions: *Water Resources*, v. 37, p. 65–69.
- Dou, S., Tardy, Y., Zhang, J., and Li, K., 2010, The thermodynamics stability of soil humic and fulvic acids, in 19th World Congress of Soil Science Soil Solutions for a Changing World: Brisbane, Australia, 1–6 August, 2010, *Proceedings*, p. 20–23.
- Drosos, M., Jerzykiewicz, M., Louloudi, M., and Deligiannakis, Y., 2011, Progress towards synthetic modelling of humic acid: Peering into the physicochemical polymerization mechanism: *Colloid Surf. A*, v. 389, p. 254–265.
- Dwiantoro, M., & Sundoyo, S., 2018, Lithotype, petrography, and chemical composition of coals from Pulubalang and Balikpapan formations as supporting data for hydrocarbon potential, Kutai Basin, East Kalimantan: *Jurnal Teknologi Mineral FT UNMUL*, v. 6, no. 1, p. 1–10.
- Esterle, J.S., 1990, Trends in petrographic and chemical characteristics of tropical domed peats in Indonesia and Malaysia as analogues for coal formation: *Disertasi*, University of Kentucky, 204-227 p.
- Esterle, J.S., and Ferm, J.C., 1990, On the use of modern tropical domed peats as analogues for petrographic variation in Carboniferous coal beds.:
- Esterle, J.S., and Ferm, J.C., 1994, Spatial variability in modern tropical peat deposits from Sarawak, Malaysia and Sumatra, Indonesia: analogues for coal.: *International Journal of Coal Geology*, v. 26, p. 1–41.

- Evans, J. D., 1996, Straight forward statistics for the behavioral sciences. Pasific Grove, CA: Brooks/Cole Publishing.
- Fahmi, A., Susilawati, A., and Sarwani, M., 2021, The role of peat decomposition stage on iron solubility and distribution in tidal swamps: IOP Conference Series: Earth and Environmental Science, v. 648, p. 2–6.
- Fahreza, D., 2024, Kandungan Asam Humat Pada Sampel Batubara Di Daerah Peranap, Kabupaten Indragiri Hulu, Provinsi Riau [skripsi S.T. tidak dipublikasikan]: Universitas Gadjah Mada
- Fahrialam, A., 2023, Kandungan Asam Humat pada Sampel Gambut di Daerah Kuala Mandor dan Sekitarnya, Kabupaten Kubu Raya, Kalimantan Barat [skripsi S.T. tidak dipublikasikan]: Universitas Gadjah Mada.
- Farnham, R.S., dan Finney, H.R., 1965, Classification and Properties of Organic Soils: Advances in Agronomy, v. 17, p. 115–162.
- Field, A., 2013, Discovering statistics using IBM SPSS statistics (4th ed.): London, Sage publications, 952 p.
- Gaffney, J.S., Marley, N.A., and Clark, S.B., 1996, Humic and Fulvic Acids: Isolation, Structure and Environmental Role: American Chemical Society, Washington, DC.
- Gondar, D., Lopez, R., Fiol, S., Antelo, J.M., dan Arce, F., 2005, Characterization and acid–base properties of fulvic and humic acids isolated from two horizons of an ombrotrophic peat bog: Geoderma, v. 126, p. 367–374.
- Hair, J.F., Black, W.C., Babin, B.J., and Anderson, R.E., 2019, Multivariate Data Analysis (8th ed.): Boston, Cengage Learning, 834 p.
- Hardiansyah, G., P, D.Y., Fahrizah, Diba, F., Hendarto, Arief, F.B., Marcellus, M., Yani, A., Suryadi, A., Indraningsih, W., Achsani, H., and Darea, 2017, Analisa spasial kawasan hidrologis gambut di Provinsi Kalimantan Barat: *Seminar Nasional Penerapan Ilmu Pengetahuan dan Teknologi (PIPT), Universitas Tanjungpura*.
- International Committee for Coal and Organic Petrology (ICCP), 2001, The new inertinite classification (ICCP System 1994). Fuel, vol. 80, p 459-571.
- ISO, 2009, ISO 7404-2: Switzerland, IHS, v. 2009, 11 p.
- Jiang, Y., Guo, H., Jia, Y., Cao, Y., dan Hu, C., 2015, Principal component analysis and hierarchical cluster analyses of arsenic groundwater geochemistry in Hetao Basin, Inner Mongolia.
- Jolliffe, I.T., and Cadima, J., 2016, Principal component analysis: A review and recent developments: Philosophical Transactions of the Royal Society A, v. 374, no. 2065, 20150202, doi: 10.1098/rsta.2015.0202.

- Killops, S.D., dan Killops, V.J., 2005, *Introduction to Organic Geochemistry*: Oxford, Blackwell Publishing, 393 p.
- Klavins, M., and Purmalis, O., 2013, Properties and structure of raised bog peat humic acids: *Journal of Molecular Structure*, v. 1050, p. 103–113.
- Lever, J., Krzywinski, M., and Altman, N., 2017, Points of Significance: Principal component analysis: *Nature Methods*, v. 14, p. 641–642.
- Mindari, W., Sasongko, P. E., & Syekhfani, S. (2022). *Asam humat sebagai amelioran dan pupuk*. Surabaya: Universitas Pembangunan Nasional “Veteran” Jawa Timur. ISBN 978-602-9372-38-08.
- Montgomery, D.C., Peck, E.A., and Vining, G.G., 2012, *Introduction to Linear Regression Analysis*, 5th ed.: Hoboken, Wiley, 672 p.
- Moore, P.D., 1995, Biological processes controlling the development of modern peat-forming ecosystems: *International Journal of Coal Geology*, v. 28, p. 99–110.
- Moore, T.A., and Hilbert, R.E., 1992, Petrographic and anatomical characteristics of plant material from two peat deposits of Holocene and Miocene age, Kalimantan, Indonesia: *Review of Palaeobotany and Palynology*, v. 72, p. 199–227,
- Muchitawati, G.S., 2018, *Studi Variabilitas Spasial Gambut Tropis Untuk Analogi Karakteristik Batubara Daerah Muara Siran, Kalimantan Timur* [skripsi S.T. tidak dipublikasikan]: Yogyakarta, Universitas Gadjah Mada, 213 p.
- Muskeg Engineering Handbook, 1969, MacFarlane, I.C., ed., Muskeg Subcommittee of the NRC Associate Committee on Geotechnical Research: Toronto, University of Toronto Press, 297 p.
- O’Keefe, J. M. K., Bechtel, A., Christanis, K., Dai, S., DiMichele, W. A., Eble, C. F., Esterle, J. S., Mastalerz, M., Raymond, A. L., Valentim, B. V., Wagner, N. J., Ward, C. R., and Hower, J. C., 2013, On the fundamental difference between coal rank and coal type: *International Journal of Coal Geology*, v. 118, p. 58–87.
- Patria, A.A., Obrochta, S.P., and Anggara, F., 2025, Tracing highly oxidized events and its response to peat dynamic from the northwest Kapuas coastal wetlands, Indonesia: *International Journal of Coal Geology*, v. 303, p. 104751.
- Preston, C., Mathur, S., dan Rauthan, B., 1981, The Distribution of Copper, Amino Compounds, and Humus Fractions in Organic Soils of Different Copper Content: *Soil Science*, v. 131, p. 344–352.
- Priyadi, S., Darmadji, P., Santoso, U., and Hastuti, P., 2014, Distribusi Plumbum, Cadmium, Pada Biji Kedelai dan Deprotonasi Gugus Fungsional Karboksil Asam Sitrat dalam Khelasi: *AGRITECH*, v. 34,

- Purmalis, O., and Klavins, M., 2012, Formation and Changes of Humic Acid Properties during Peat Humification Process within Ombrotrophic Bogs: *Open Journal of Soil Science*, v. 2, p. 100–110.
- Rahimah, A, Y, 2024, Ekstraksi Asam Humat Pada Sampel Batubara Kalori Rendah Di Desa Kasiau, Kecamatan Murung Pundak, Kabupaten Tabalong, Kalimantan Selatan [skripsi S.T. tidak dipublikasikan]: Universitas Gadjah Mada
- Rieley, J.O., and Page, S.E., 1996, *Tropical Peatlands: Characteristics and Significance*: University of Nottingham, UK.
- Saito, B. dan Seckler, M.M., 2014, Alkaline extraction of humic substances from peat applied to organic-mineral fertilizer production: *Brazilian Journal of Chemical Engineering*, v. 31, p. 675-682.
- Sanchez-Cortez, S., Francioso, O., Garcia-Ramos, J.V., Marzadori, C., and Gessa, C.C.C., 2000, Formation of Humic-like substances from Phenols by means of SERS Spectroscopy, in *Proceedings of the 10th International Meeting of the International Humic Substances Society (IHSS)*: Toulouse, France, 24–28 July, p. 121.
- Santos, A., Rodríguez, S., Pardo, F., dan Romero, A., 2016, Use of Fenton reagent combined with humic acids for the removal of PFOA from contaminated water: *Science of The Total Environment*, v. 563–564, p. 657–663.
- Shotyk, W., 1988, Review of the inorganic geochemistry of peats and peatland waters: *Earth-Science Reviews*, v. 25, no. 2, p. 95–176
- Soil Survey Staff, 1990, *Keys to Soil Taxonomy* (4th ed.): Blacksburg, Virginia, SMSS Technical Monograph No. 19, Virginia Polytechnic Institute and State University.
- Stach, E, 1982, *Stach's Textbook of Coal Petrology*: Stuttgart, Schweizerbart Science Publishers, p. 38-47.
- Suharto, 2023, Analisis Alkalinitas dan Kesadahan Pada Air Lahan Gambut di Kabupaten Mempawah, Kalimantan Barat: *Jurnal Lingkungan dan Sumber Daya Alam*, v. 10, no. 2, p. 123–135.
- Tan, K.H., 2011, *Principles of Soil Chemistry*: Georgia, USA, CRC Press, 99 p.
- Wahyunto, Nugroho, K., Ritung, S., and Sulaeman, Y., 2014, Indonesian peatland map: Method, certainty, and uses: *Conference Paper*, ResearchGate. (accessed February 7, 2025).
- Waksman, S.A., 1936, *Humus Origin, Chemical Composition, and Importance in Nature*: New York, The Williams & Wilkins Company, 526 p.
- Wüst, R.A.J., Bustin, R.M., and Lavkulich, L.M., 2003, New classification systems for tropical organic-rich deposits based on studies of the Tasek Bera Basin, Malaysia: *Catena*, v. 53, p. 133–163.

- Yuan, Y., He, X., Xi, B., Li, D., Gao, R., Tan, W., Zhang, H., Yang, C., dan Zhao, X., 2018, Polarity and molecular weight of compost-derived humic acid affect Fe(III) oxides reduction: *Chemosphere*, v. 208, p. 77–83.
- Yuliyati, Y.B., and Natanael, C.L., 2016, Isolasi Karakteristik T Asam Humat dan Penentuan Daya Serapnya Terhadap Ion Logam Pb (II) Cu(II) dan Fe(II): *Al kimia*, v. 4, p. 43-53.
- Yuwati, T.W., Rachmanadi, D., Pratiwi, Turjaman, M., Indrajaya, Y., Nugroho, H.Y.S.H., Qirom, M.A., Narendra, B.H., Winarno, B., Lestari, S., *et al.*, 2021, Restoration of Degraded Tropical Peatland in Indonesia: A Review: *Land*, v. 10, p. 1170.
- Zar, J.H., 1999, *Biostatistical Analysis*, 4th ed.: Upper Saddle River, Prentice-Hall, 663 p.
- Zhang, Y.Y., Zong, Z.M., Sun, Y.B., Liu, F.J., Li, W.T., Wang, Y.N., and Wei, X.Y., 2018, Investigation on the structural feature of Shengli lignite: *International Journal of Mining Science and Technology*, v. 28, p. 335–342.
- Zhou, P.X., 2007, *Chemical Basis of Application of Humic Acid*: Chemical Industry Press, Beijing, China, 978 p.