

## DAFTAR PUSTAKA

- Abreu, N. A., Nagalingam, N. A., Song, Y., Roediger, F. C., Pletcher, S. D., Goldberg, A. N., *et al.* (2012). Sinus microbiome diversity depletion and *Corynebacterium tuberculostearicum* enrichment mediates rhinosinusitis. *Sci. Transl. Med.* 4, 151ra124. doi: 10.1126/scitranslmed.3003783
- Aguilera, M., Daddaoua, A. (2023). Prebiotics and Probiotics : Healthy Biotoools for Molecular Integrative and Modulation Approaches. *Int J Mol Sci*; 24(8): 7559. Doi: 10.3390/ijms24087559
- Aishya, M.A.S., Indrawati, L.P.L. (2024). The prevalence of in chronic rhinosinusitis patients at RSUP dr. Sardjito. <http://etd.repository.ugm.ac.id>
- Akdis, C.A. (2021). Does the epithelial barrier hypothesis explain the increase in allergy, autoimmunity and other chronic conditions?. *Nature Review Immunology*. <https://doi.org/10.1038/s41577-021-00538-7>
- Alammar, Y., Rousseau, S., Desrosiers, M., Tewfik, M.A. (2023). The effect of corticosteroids in sinus microbiota in chronic rhinosinusitis patients with nasal polyposis. *American Journal of Rhinology & Allergy*. 37(6) 638-645\
- AlSharhan, S.S., AlNafea, N.M., Ashoor, M.M., *et al.* (2024). A prospective histopathologic analysis of the inferior turbinate: which functional parts should be preserved during turbinate surgery. *Brazilian Journal of Otorhinolaryngology*. <https://doi.org/10.1016/j.bjorl.2024.101486>
- Bailey, B.J., & Johnson, J.T. (2014). *Head & Neck Surgery-Otorhinolaryngology*. 5th ed. Philadelphia: Williams & Wilkins.
- Baratawidjaja, K.G., & Rengganis, I. (2018). *Imunologi dasar edisi ke-12*. Badan Penerbit FKUI, Jakarta.
- Barlow, J.L., and McKenzie, A.N.J. (2014). Type-2 innate lymphoid cells in human allergic disease. *Curr Opin Allergy Clin Immunol*. 14:397-403. doi: 10.1097/ACI.0000000000000090.
- Berg, G., Rybakova, D., Fisher, D., Cernava, T., Verges, M.C.C., *et al.* (2020). Microbiome definition re-visited : Old Concepts and New Challenges. *Microbiome*, 8:103.
- Berger, G., Balum-Azim, M., Ophir, D. (2003). The normal inferior turbinate : Histomorphometric Analysis and Clinical Implications. *The Laryngoscope*.
- Berger, G., Gass, S., Ophir, D. (2006). The hypertrophic inferior turbinate. *Arch Otolaryngol Head and Neck Surg.*, 132:588-94.

- Biswas, K., Hoggard, M., Jain, R., Taylor, M.W., Douglad, R.G. (2015). The Nasal Microbiota in health and disease: Variation within and between subjects. *Front. Microbiol.* 6:134. Doi:10.3389/fmicb.2015.2015.00134
- Boase, S., Foreman, A., *et al.* (2013). The microbiome of chronic rhinosinusitis : culture, molecular diagnostics and biofilm detection. *BMC infect. Dis.* 13:210. doi: 10.1186/1471-2334-13-210
- Bousquet, J., *et al.* (2008). Allergic rhinitis and Its Impact on Asthma (ARIA). *Eroupean Journal of Allergy and Clinical Immunology*, Vol. 63. Supplement 86.
- Bochenek, G., Kuschill-Dziurda, J., Szafraniec, K., Plutecka, H., Szczeklik, A., and Nizankowska-Mogilnicka, E. (2014). Certain subphenotypes of aspirin exacerbated respiratory disease distinguished by latent class analysis. *J. Allergy Clin. Immunol.* 133, 98–103.e1-6. doi: 10.1016/j.jaci.2013.07.004
- Bomar, L., Brugger, S.D., Lemon, K.P. (2018). Bacterial microbiota of the nasal passages across the span of human life. *Current Opinion in Microbiology.* 41:8-14. <https://doi.org/10.1016/j.mib.2017.10.023>
- Bousquet, J., Schunemann, H.J., Togias, A., Bachert, C., *et al.* (2019). Next-generation Allergic Rhinitis and Its Impact on Asthma (ARIA) guidelines for Allergic Rhinitis based on Grading of Recommendations Assessment, Development and Evaluation (GRADE) and real-world Evidence. *J Allergy Clin Immunol.*
- Braunstahl GJ, Fokkens WJ, Overbeek SE (2003) KleinJan A, Hoogsteden HC, Prins JB Mucosal and systemic inflammatory changes in allergic rhinitis and asthma: a comparison between up per and lower airways. *Clin Exp Allergy* 33:579–587. doi:10.1046/j.1365-2222.2003.01652.x
- Businco, L.D., Businco, D.R., Lauriello, M. (2010). Comparative study on the effectiveness of coblation-assisted turbinoplasty in allergic rinitis. *Rhinology*, 48:174-8.
- Camacho M., Zaghi S., Certal V., Abdullatif J., Means C., Acevedo J., Liu S., Brietzke S.E., Kushida C.A., Capasso R (2015). Inferior turbinate classification system, grades 1 to 4: Development and validation study. *Laryngoscope*;125:296–302. doi: 10.1002/lary.24923
- Choi, J.-H., Kim, M.-A., and Park, H.-S. (2014). An update on the pathogenesis of the upper airways in aspirin-exacerbated respiratory disease. *Curr. Opin. Allergy Clin. Immunol.* 14, 1–6. doi: 10.1097/ACI.0000000000000021

- Cleland, E. J., Drilling, A., Bassiouni, A., James, C., Vreugde, S., and Wormald, P.-J. (2014). Probiotic manipulation of the chronic rhinosinusitis microbiome. *Int. Forum Allergy Rhinol.* 4, 309–314. doi: 10.1002/alr.21279
- Chong, S.N., & Chew, F.T. (2018). Epidemiology of Rhinitis Allergy and Associated Risk Factors in Asia. *World Allergy Organization Journal*, 11.17.
- Cope EK, Goldberg AN, Pletcher SD, Lynch SV. (2017). Compositionally and functionally distinct sinus microbiota in chronic rhinosinusitis patients have immunological and clinically divergent consequences. *Microbiome.* 5:53. doi: 10.1186/s40168-017-0266-6.
- De Alarcón, A., Steinke, J. W., Caughey, R., Barekzi, E., Hise, K., Gross, C. W., et al. (2006). Expression of leukotriene C4 synthase and plasminogen activator inhibitor 1 genepromoterpolymorphismsinsinusitis. *Am. J. Rhinol.* 20,545–549. doi: 10.2500/ajr.2006.20.2934
- Deprez, M., Zaragosi, L.M., Truchi, M., Becavin, C., et al. (2020). A single-cell Atlas of the Human Healthy Airways. *Am J Respir Crit Care Med*, 202(12):1636-1645. doi: 10.1164/rccm.201911-2199OC.
- Doherty, T.A., Scott, D., Walford, H.H., Khorram, N., Lund, S., et al. (2014). Allergen Challenge in Allergic Rhinitis Rapidly Induces Increased Peripheral Blood Type 2 Innate Lymphoid Cells That express CD84. *J Allergy Clin Immunol.*, Volume 133, Number 4.
- Dubey, K.K., & Htay, M.N.N. (2020). Pathophysiology and Non-Pharmacological Management of Allergic Rhinitis. *Int Arch Public Health Community Med.*, 4:050.
- Dykewicz, M.S., Wallace, D.V., Amrol, D.J., Baroody, F.M., Bernstein, J.A., et al. (2020). Rhinitis 2020 : A Practice Parameter Update. *J Allergy Clin Immunol.*
- Easa, S.H., Farghaly, T.M., Elswaby, E.S.S., Selim, A. (2024). Endoscopic submucosal resection turbinoplasty and partial inferior turbinectomy for management of inferior turbinate hypertrophy: A randomized clinical trial. *Indian J Otolaryngol Head Neck Surg.*, 76(6):5080-5090. doi: 10.2007/s12070-024-04926-y
- El Awady., Ali, M.Y. (2022). Inferior turbinate hypertrophy histopathology in allergic rhinitis patients and in patients with deviated nasal septum. *Egypt J Ear Nose Throat Allied.*

- Emeryk, A., Emeryk-maksymiuk, J., Janeczek. (2019). New Guidelines for treatment of Seasonal Allergic Rhinitis. *Adv Dermatol Allergol.*, XXXVI(3):255-260.
- Farmer, S.E.J., Eccles, R. (2006). Chronic inferior turbinate enlargement and implications for surgical intervention. *Rhinolog.*, 44:234-8.
- Feazel, L. M., Robertson, C. E., Ramakrishnan, V. R., and Frank, D. N. (2012). Microbiome complexity and *Staphylococcus aureus* in chronic rhinosinusitis. *Laryngoscope*. 122, 467–472. doi: 10.1002/lary.22398
- Fernandez-Rodriguez, A., Cho, J., *et al.* (2024). Nasal microbiome and the effect of nasal decolonization with a novel povidone-iodine antiseptic solution : A prospective and randomized clinical trial. *Scientific Reports*. 14:16739
- Fokkens, W., Lund, V., Mullol, J., Alobid, I., Baroody, F., Cohen, N., *et al.* (2012). EPOS 2012: european position paper on rhinosinusitis and nasal polyps 2012. A summary for otorhinolaryngologists. *Rhinology* 50, 1–12. doi: 10.4193/Rhino50E2
- Foreman, A., Boase, S., Psaltis, A., and Wormald, P.-J. (2012). Role of bacterial and fungal biofilms in chronic rhinosinusitis. *Curr. Allergy Asthma Rep.* 12, 127–135. doi: 10.1007/s11882-012-0246-7
- Frank, D.N., Feazel, L.M., Bessesen, M.T., Price, C.S., Janoff, E.N., Pace, N.R. (2010). The human nasal microbiota and *Staphylococcus aureus* carriage. *Plos ONE*,5,e10598.
- Friedmann, M., & Vidyasagar, R. (2006). Surgical Management of septal deformity, turbinates hypertrophy, nasal valve collapse and choanal atresia. In: Bailey, B.J., Johnson, J.T., Newlands, S.D. *Head and Neck Surgery-Otolaryngology*. 4th edition. Philadelphia: Lipincott Williams and Wilkins. p. 319-34.
- Gan, W., Yang, F., Meng, J., Liu, F. (2020). Comparing the Nasal Bacterial Microbiome Diversity of Allergic Rhinitis, Chronic Rhinosinusitis and Control Subjects. *European Archives of Oto-Rhino-Laryngology*.
- Gehani, N.C., & Houser, S.M. (2014). Septoplasty, Turbinate Reduction, and Correction of Nasal Obstruction. In Bailey : *Head & Neck Surgery-Otorhinolaryngology*. 5th ed. Philadelphia: Williams & Wilkins.
- Gelardi, M., Iannuzzi, L., Quaranta, N., Landi, M., and Passalacqua, G. (2016). Nasal cytology : practical aspects and clinical relevance. *Clinical & Experimental Allergy*, (46) 785-792.

- Gendeh, B.S. (2000). Conventional Versus Endoscopic Inferior Turbinate Reduction: Technique and Results. *Med J Malaysia*, vol 55 no 3.
- Gindros, G., Kantas, I., Balatsouras, S.G., *et al.* (2009). Mucosal changes in chronic hypertrophic rhinitis after surgical turbinate reduction. *Eur Arch Otorhinolaryngol.* 266:1409-1416. doi 10.1007/s00405-009-0916-9
- Gizurarson, S. (2015). The effect of cilia and the mucociliary clearance on successful drug delivery. *Biol. Pharm. Bull.* 28,497-506.
- Heffler, E., Landi, M., Caruso, C., Fichera, S., Gani, F., *et al.* (2018). Nasal cytology: Methodology with application to clinical practice and research. *Clin Exp Allergy*, 1-15.
- Hirai, H., Tanaka, K., Yoshie, O., *et al.* (2001). Prostaglandin D2 selectively induces chemotaxis in T helper type 2 cells, eosinophils and basophils via seven-transmembrane receptor CRTH2. *J. Exp. Med.* Volume 193, Number 2 : 255-261. <http://www.jem.org/cgi/content/full/193/2/255>.
- Ho, J., Bailey, M.B., Zaunders, J., *et al.* (2015). Group 2 innate lymphoid cells (ILC2s) are increased in chronic rhinosinusitis with nasal polyps or eosinophilia. *Clin Exp Allergy*; 45(2):394-403. doi: 10.1111/cea.12462
- Hooks, K.B., O'Malley, M.A. (2017). Dysbiosis and its discontents. *mBio.* 8:e01492-17. <https://doi.org/10.1128/mBio.01492-17>
- Hoggard M, Biswas K, Zoing M. (2017). Evidence of microbiota dysbiosis in chronic rhinosinusitis. *Int Forum Allergy and Rhinol.* 7:230–239.
- Howarth PH, Persson CG, Meltzer EO, *et al.* (2005). Objective monitoring of nasal airway inflammation in rhinitis. *J Allergy Clin Immunol* 115(suppl 1): S414-S441.
- Hsu, D.W., & Suh, J.D. (2018). Anatomy and Physiology of Nasal Obstruction. *Otolaryngol Clin N Am.*
- Huang, H-J., Sarzsinszky, E., Vrtala, S. (2023). House dust mite allergy: The importance of house dust mite allergens for diagnosis and immunotherapy. *Molecular Immunology.* 158:54-67.
- Hyun, D.W., Min, H.Y., Kim, M.S., Whon, T.W., Shin, N.R., *et al.* (2018). Dysbiosis of Inferior Turbinate Microbiota Is Associated with High Total IgE Levels in Patients with Allergic Rhinitis. *Infect Immun.*, 86:e00934-17.

- Jan, C.I., Tsai, W.C., Harn, H.J., *et al.* (2018). Predictor of response to autologous dendritic cell therapy in glioblastoma multiforme. *Front. Immunol.* 9:727. doi: 10.33.89/fimmu.2018.00727.
- Joe, S. A., Thambi, R., and Huang, J. (2008). A systematic review of the use of intranasal steroids in the treatment of chronic rhinosinusitis. *Otolaryngol. Head Neck Surg.* 139, 340–347. doi: 10.1016/j.otohns.2008. 05.628
- Juanda, I.C., Madiadipoera, T., Ratunanda, S.S. (2017). Adaptasi Budaya, Alih Bahasa Indonesia, dan Validasi Sino-Nasal Outcome Test (SNOT)-22. MKB, Volume 49 No.4.
- Karta, M.R., Broide, D.H., Doherty, T.A. (2016). Insights into Group 2 Innate Lymphoid Cells in Human Airway Disease. *Curr Allergy Asthma Rep.*,16:8.
- Karamatzanis, I., Kosmidou, P., Ntarladima, V., *et al.* (2022). Inferior Turbinate Hypertrophy : A Comparison of Surgical Techniques. *Cureus.* 14(12): e32579. doi: 10.7759/cureus.32579
- Koidl, L., Utersmayr, E. (2021). The clinical implications of the microbiome in the development of allergy diseases. *Expert Review of Clinical Immunology.* Vol 17, No. 2, 115-126. <https://doi.org/10.1080/1744666X.2021.1874353>.
- Konstantinidis, I., & Constantinidis, J. (2009). Endoscopic management of inferior turbinate hypertrophy. Dalam: Stucker FJ, de Souza C, Kenyon GS, Lian TS, Draf W, Schick B. Rhinology and facial plastic surgery. Springer-Verlag Berlin Heidelberg.
- Koeller K, Herlemann DP, Schuldt T, *et al.* (2018). Microbiome and culture based analysis of chronic rhinosinusitis compared to healthy sinus mucosa. *Front Microbiol.* 9:643.
- Kountakis, S. E., Arango, P., Bradley, D., Wade, Z. K., and Borish, L. (2004). Molecular and cellular staging for the severity of chronic rhinosinusitis. *Laryngoscope* 114, 1895–1905. doi: 10.1097/01.mlg.0000147917.4 3615.c0
- Kuhar HN, Tajudeen BA, Mahdavinia M, *et al.* (2018). Relative abundance of nasal microbiota in chronic rhinosinusitis by structured histopathology. *Int Forum Allergy Rhinol.*
- Lal, D., Keim, P., Delisle, J., Barker, B., Rank, M.A., *et al.* (2017). Mapping and Comparing Bacterial Microbiota in The Sinonasal Cavity of Healthy, Allergic Rhinitis and Chronic Rhinosinusitis Subjects. *International Forum of Allergy & Rhinology.*

- Lao-Araya, M., Steveling, E., Scadding, G.W., Durham, S.R., Shamji, M.H. (2014). Seasonal Increases in Peripheral Innate Lymphoid type 2 Cells are inhibited by Subcutaneous Grass Pollen Immunotherapy. *J Allergy Clin Immunol.*, Volume 134, Number 5
- Lin, C.Y., Cheng, P.H., Fang, S.Y. (2004). Mucosal changes in rhinitis medicamentosa. *Ann Otol Rhinol Laryngol* 113:147–151
- Lin, L., Wei, J., Chen, Z., Tang, X., Dai, F. (2018). Activatioans of group 2 innate lymphoid cells depend on endotypes of chronic rhinosinusitis. *European Archives of Oto-Rhino-Laryngology*. <https://doi.or/10.1007/s00405-018-5180-4>
- Lyu, J., Kou, F., Men, X., Liu, Y., Tang, L., Wen, S. (2022). The Changes in Bacterial Microbiome Associated with Immune Disorder in Allergic Respiratory Disease. *Microorganisms*, 10, 2066
- Mabrys, R., Dallas, TX. (1982). “How I Do It” – Plastic Surgery. Practical Suggestions on Facial Plastic Surgery. Inferior Turbinoplasty. *Laryngoscope*. Apr;92(4):459-61. doi: 10.1288/00005537-198204000-00019
- Mackenzie, B.W., Waite, D.W., Hoggard, M *et al.* (2017). Bacterial community collapse : a meta-analysis of the sinonasal microbiota in chronic rhinosinusitis. *Environ Microbiol.*19:381–392.
- Mahdavinia M, Engen PA, LoSavio PS, *et al.* (2018). The nasal microbiome in patients with chronic rhinosinusitis: analyzing the effects of atopy and bacterial functional pathways in 111 patients. *J Allergy Clin Immunol.* 142:287–290.e4. doi: 10.1016/j.jaci.2018.01.033. Epub 2018 Feb 13.
- Melvin, T.A.N., & Ramanathan, Jr.M. (2012). Role of Innate Immunity in the Pathogenesis of Allergic Rhinitis. *Curr Opin Otolaryngol Head Neck Surg.*, 20:194-198.
- Meltzer, Eli.O., Jalowaski, Alfredo.A. (1988). Nasal Cytology in Clinical Practice. *American Journal of Rhinology*, 2(2),47-54. doi:10.2500/105065888781693212.
- Miro-Blanch, J., Yanes, O. (2019). Epigenetic regulation at the interplay between gut microbiota and host metabolism. *Front. Genet.* 10:638. doi: 10.3389/fgene.2019.00638
- Mitroi, M., Albulescu, D., Capitanescu, A., *et al.* (2019). Differences in the distribution of CD20, CD3, CD34 and CD45RO in nasal mucosa and polyps

- from patients with chronic rhinosinusitis. *Molecular Medicine Reports*, 19:2792-2800. doi: 10.3892/mmr.2019.9932.
- Mjosberg, J.M., Trifari, S., Crellin, N.K., *et al.* (2011). Human IL-25 and IL-33-responsive type 2 innate lymphoid cells are defined by expression of CCR2 and CD161. *Nature Immunology*, vol 12. doi: 10.1038/ni.2104
- Moubayed, S.P., Most, S.P. (2021). Evaluation and Management of the Nasal Airway. *Clin Plastic Surg.* <https://doi.org/10.1016/j.cps.2021.08.001>
- Mrig, S., Agaward, A.K., Passey, J.C. (2009). Preoperative computed tomographic evaluation of inferior nasal concha hypertrophy and its role in deciding surgical treatment modality in patients with deviated nasal septum. *Int J Morphol.*, 27(2): 503-6.
- N.V. Bychkova. (2022). CD3+CD294+T cells of the type 2 immune response: their role in allergic inflammation, *Medical Immunology (Russia)/Meditsinskaya Immunologiya*. Vol. 24, no. 5, pp. 935-946. doi: 10.15789/1563-0625-CCO-2543
- Naclerio, R.M., Bachert, C., Baraniuk, J.N. (2010). Pathophysiology of Nasal Congestion. *International Journal of general Medicine*. 3 47-57.
- Neri, G., Mastronardi, V., Traini, T., D’Orazio, F., Pugliese M., Cazzato, F. (2013). Respecting Nasal Mucosa During Turbinate Surgery : End of the Dogma. *Rhinology*, 51:368-375.
- Nylund, L., Nermes, M., Isolauri, E., Salminen, S., de Vos, V.M., Satokari, R. (2015). Severity of Atopic Disease Inversely Correlates with Intestinal Microbiota Diversity and Butyrate Producing bacteria. *Allergy*, 70:241-244.
- Oh, J., Conlan, S., Polley, E.C., *et al.* (2012). Shifts in human skin and nares microbiota of healthy children and adults. *Genome Medicine*. 4:77
- Osborn, J.L., Sacks, R. (2013). Chapter 2: Nasal obstruction. *Am J Rhinol Allergy*. 27:7-8. 10.2500/ajra.2027.3889
- Osguthorpe, J.D. (2012). Pathophysiology of and Potential New Therapies for allergic Rhinitis. *International Forum of Allergy & Rhinology*, Vol.00.
- Park, S.J., Kim, T.H., Jun, Y.J., Lee, S.H., Ryu, H.Y., Jung, K.J., *et al.* (2013). Chronic rhinosinusitis with polyps and without polyps is associated within creased expression of suppressors of cytokine signaling 1 and 3. *J. Allergy Clin. Immunol.* 131, 772–780. doi: 10.1016/j.jaci.2012.12.671

- Peptu, C.A., Ochiuz, L., Alupei, L., et al. (2014). Carbohydrate based nanoparticles for drug delivery across biological barriers. *J. Biomed. Nanotechnol.* Vol 10, no. 9. doi:10.1166/jbn.2014.1950
- Pettipher, R. (2008). The role of the prostaglandin D2 receptors DP1 and CRTH2 in promoting allergic responses. *British Journal of Pharmacology.* 153:S191-S199. doi:10.1038/sj.bjp.0707488
- Ramakrishnan, V.R., Feazel, L.M., Abrass, L.J., and Frank, D.N. (2013a). Prevalence and abundance of *Staphylococcus aureus* in the middle meatus of patients with chronic rhinosinusitis, nasal polyps, and asthma. *Int. Forum Allergy Rhinol.* 3, 267–271. doi: 10.1002/alr.21101
- Ramakrishnan VR, Holt J, Nelson LF, et al. (2018). Determinants of the nasal micro biome: pilot study of effects of intranasal medication use. *Allergy Rhinol (Providence)*; 9:1–10.
- Razavi, M., Sharifishoshtari, S., Afshari, F., Rakhshan, V. (2024). Associations between the volume of bilateral inferior turbinates with ipsilateral and contralateral sinus mucosal lining thickness in various ages and sexes : a CBCT study of 302 individuals. *Maedica (Bucur)*; 19(3):551-560. doi: 10.26574/maedica.2024.19.3.551
- Rheinlander, A., Schraven, B., Bommhard, U. (2018). CD45 in human physiology and clinical medicine. *Immunology Letters.* 196:22-32. <https://doi.org/10.1016/j.imlet.2018.2018.01.009>
- Scadding, G.K., Scadding, G.W. (2021). Innate and adaptive immunity : ILC2 and Th2 cells in upper and lower airway allergic diseases. *J allergy clin immunol pract.* <https://doi.org/10.1016/j.jaip.2021.02.013>
- Schmidt, J., Zalewski, P., Olszewski, J., Olszewska-Ziaber, A. (2001) . Histopathological verification of clinical indications to partial inferior turbinectomy. *Rhinology* 39:147–150
- Steelant, B., Seys, S.F., Boeckxstaens, G., Akdis, C.A., Ceuppens, J.L., Hellings, P.W. (2016). Restoring Airway Epithelial Barrier Dysfunction : A New Therapeutic Challenge in Allergic Airway Disease. *Rhinology.* 54:195-205.
- Stokes, J.R., and Casale, T.B. (2009). Allergic rhinitis, Asthma, and Obstructive Sleep Apnea: The Link. In: *Allergy Frontiers: Clinical Manifestations.* Vol.3. Springer.
- Tai, J., Han, M.S., Kwak, J., Kim, T.H. (2021). Association Between Microbiota and Nasal Mucosal Diseases in terms of Immunity. *Int. J. Mol. Sci.*, 22, 4744.

- Thangaleela, S., Sivamaruthi, B.S., Kesika, P., Bharathi, M., Chaiyasut, C. (2022). Nasal microbiota, olfactory health, neurological disorders and aging-A review. *Microorganisms*. 10, 1405.
- Van den Munckhof, E., Hafkamp, H.C., de Kluijver, J., *et al.* (2020). Nasal microbiota dominated by *Moraxella* spp. is associated with respiratory health in the elderly population : A case control study. *Respir. Res.* 21, 181.
- Van Diest PJ, van Dam P, Henzen-Logmans SC, Berns E, van der Burg ME, Green J and Vergote I. (1997). European Organization for Research and Treatment of Cancer -Gynaecological Cancer Cooperative Group : A scoring system for immunohistochemical staining : Consensus report of the task force for basic research of the EORTC-GCCG. *J Clin Pathol* 50:801-804
- Volcheck, G.W. (2008). Allergic rhinitis and Rhinosinusitis in: Clinical Allergy. Diagnosis and Management. Humana Press.
- Von, Mutius, E. (2016). The Microbial Environment and its Influence on Asthma Prevention in early life. *J Allergy Clin Immunol.*, 137:680-689.
- Wang, M., Ma, X., Zong, S., *et al.* (2024) The prescription design and key properties of nasal gel for CNS drug delivery: A review. *European Journal of Pharmaceutical Sciences*. <https://doi.org/10.1016/j.ejps.2023.106623>.
- Whelan, F.J., Verschoor, C.P., Stearns, J.C., Rosi, L., Luinstra, K., *et al.* (2014). The loss of topography in the microbial communities of the upper respiratory tract in the elderly. *Ann. Am. Thorac. Soc.* 11, 513-521.
- Wise, *et al.* (2018). International Consensus Statement on Allergy and Rhinology : Allergic Rhinitis. *Int Forum Allergy Rhinol.*, February;8(2):10-352.
- Wise, *et al.* (2022). International Consensus Statement on Allergy and Rhinology : Allergic Rhinitis - 2023. *Int Forum Allergy Rhinol.*, 13(4):293-859. Doi:<https://doi.org/10.1002/alr.23090>
- Woo, V., Alenghat, T. (2022). Epigenetic regulation by gut microbiota. *Gut Microbes*. Jan 9;14(1):2022407. doi: 10.1080/19490976.2021.2022407
- Wos-Oxley, M.L., Chaves-Moreno, D., Jauregui, R., Oxley, A.P., Kaspar, U., *et al.* (2016). Exploring the bacterial assemblages along the human nasal passage. *Environ. Microbiol.*, 18, 2259-2271.
- Yan, M., Pamp, S.J., Fukuyama, J., *et al.* (2013). Nasal Microenvironments and Interspecific Interactions Influence Nasal Microbiota Complexity and *S. Aureus* Carriage. *Cell Host & Microbe* 14,631-640.

- Yanez, C. (2008). Inferior turbinate debriding technique: Ten-year results. *Otolaryngology-Head and Neck Surgery*. 138:170-5.
- Zachreini, I., Suprihati., Lubis, M.N.D., Aman, A.K. (2015). Role of Histamine 1 Receptor as Risk Factor for Hypertrophic Concha Caused by Allergic Rhinitis Immunohistochemically. *Int. J. PharmTech Res*, 7(2), pp 339-343.
- Zhong, H., Fan, X.L., Yu, Q.N., Qin, Z.L., Chen, D., *et al.* (2017). Increased Innate type 2 Immune Response in House Dust Mite-Allergic Patients with Allergic Rhinitis. *Clinical Immunology*.
- Zhou, Y., Mihindukulasuriya, K.A., Gao, H., La Rosa, P.S., Wylie, K.M., *et al.* (2014). Exploration of bacterial community classes in major human habitats. *Genome Biol*, 15, R66.