

DAFTAR PUSTAKA

- Abdel-Nasser Sharkawy. (2020). Principle of Neural Network and Its Main Types: Review. *Journal of Advances in Applied & Computational Mathematics*, 7, 8–19. <https://doi.org/10.15377/2409-5761.2020.07.2>
- Abdelrady, M., Moneim, M. A., Alarifi, S. S., Abdelrady, A., Othman, A., Mohammed, M. A. A., & Mohamed, A. (2023). Geophysical investigations for the identification of subsurface features influencing mineralization zones. *Journal of King Saud University - Science*, 35(7), 102809. <https://doi.org/10.1016/j.jksus.2023.102809>
- Abijith, D., Saravanan, S., Singh, L., Jennifer, J. J., Saranya, T., & Parthasarathy, K. S. S. (2020). GIS-based multi-criteria analysis for identification of potential groundwater recharge zones-a case study from Ponnaniyaru watershed, Tamil Nadu, India. *HydroResearch*, 3, 1–14.
- Abrams, W., Ghoneim, E., Shew, R., LaMaskin, T., Al-Bloushi, K., Hussein, S., AbuBakr, M., Al-Mulla, E., Al-Awar, M., & El-Baz, F. (2018). Delineation of groundwater potential (GWP) in the northern United Arab Emirates and Oman using geospatial technologies in conjunction with Simple Additive Weight (SAW), Analytical Hierarchy Process (AHP), and Probabilistic Frequency Ratio (PFR) techniques. *Journal of Arid Environments*, 157, 77–96.
- Ahmed, Z., Ansari, M. T., Zahir, M., Shakir, U., & Subhan, M. (2020). Hydrogeophysical investigation for groundwater potential through Electrical Resistivity Survey in Islamabad, Pakistan. *Journal of Geography and Social Sciences (JGSS)*, 2(2), 147–163.
- Al-Abadi, A. M., Al-Temmeme, A. A., & Al-Ghanimy, M. A. (2016). A GIS-based combining of frequency ratio and index of entropy approaches for mapping groundwater availability zones at Badra–Al Al-Gharbi–Teeb areas, Iraq. *Sustainable Water Resources Management*, 2, 265–283.
- Alexander Edward, R. (2016). *A Comparison of GLM, GAM, and GWR Modeling of Fish Distribution and Abundance in Lake Ontario*. University of Southern California.
- Alkhaier, F., Su, Z., & Flerchinger, G. N. (2012). Reconnoitering the effect of shallow groundwater on land surface temperature and surface energy balance using MODIS and SEBS. *Hydrology and Earth System Sciences*, 16(7), 1833–1844.
- Alley, W. M. (2009). Ground Water. In G. E. B. T.-E. of I. W. Likens (Ed.), *Encyclopedia of Inland Waters* (pp. 684–690). Academic Press. <https://doi.org/10.1016/B978-012370626-3.00015-6>
- Alshari, H., Saleh, A., & Odabas, A. (2021). Comparison of Gradient Boosting Decision Tree Algorithms for CPU Performance. *Erciyes Tip Dergisi*, 157–168.
- Alzubaidi, L., Zhang, J., Humaidi, A. J., Al-Dujaili, A., Duan, Y., Al-Shamma, O., Santamaría, J., Fadhel, M. A., Al-Amidie, M., & Farhan, L. (2021). Review of deep learning: Concepts, CNN architectures, challenges, applications, future directions. In *Journal of Big Data* (Vol. 8, Issue 1). Springer International Publishing. <https://doi.org/10.1186/s40537-021-00444-8>
- Andonie, R., & Florea, A.-C. (2020). Weighted random search for CNN hyperparameter optimization. *arXiv Preprint arXiv:2003.13300*.
- Anh, D. T., Pandey, M., Mishra, V. N., Singh, K. K., Ahmadi, K., Janizadeh, S., Tran, T. T., Linh, N. T. T., & Dang, N. M. (2023). Assessment of groundwater potential modeling using support vector machine optimization based on Bayesian multi-objective hyperparameter algorithm. *Applied Soft Computing*, 132, 109848. <https://doi.org/10.1016/j.asoc.2022.109848>



- Arulbalaji, P., Padmalal, D., & Sreelash, K. (2019). GIS and AHP techniques based delineation of groundwater potential zones: A case study from southern Western Ghats, India. *Scientific Reports*, 9(1), 2082.
- ASEAN; JICA. (2017). *One Against Disaster and Climate Risks: A Repository of Good Practices for Strengthening DRR and CCA Integration in ASEAN*.
- Aslam, B., Maqsoom, A., Hassan, U., Maqsoom, S., Alaloul, W. S., Musarat, M. A., Shahzaib, M., & Irfan, M. (2025). Comparison Between Machine Learning and Bivariate Statistical Models for Groundwater Recharge Zones. *Iranian Journal of Science and Technology, Transactions of Civil Engineering*, 49(1), 853–876. <https://doi.org/10.1007/s40996-024-01721-1>
- Ayala, C., Bohoyo, Fernando, Maestro, Adolfo, Reguera, María Isabel, Torne, Montserrat, Rubio, Félix, Fernández, Manel, & García-Lobón, J. L. (2016). Updated Bouguer anomalies of the Iberian Peninsula: A new perspective to interpret the regional geology. *Journal of Maps*, 12(5), 1089–1092. <https://doi.org/10.1080/17445647.2015.1126538>
- Bai, Z., Liu, Q., & Liu, Y. (2022). Groundwater Potential Mapping in Hubei Region of China Using Machine Learning, Ensemble Learning, Deep Learning and AutoML Methods. *Natural Resources Research*, 31(5), 2549–2569. <https://doi.org/10.1007/s11053-022-10100-4>
- Benjmel, K., Amraoui, F., Aydda, A., Tahiri, A., Yousif, M., Pradhan, B., Abdelrahman, K., Fnais, M. S., & Abioui, M. (2022). A multidisciplinary approach for groundwater potential mapping in a fractured semi-arid terrain (Kerdous Inlier, Western Anti-Atlas, Morocco). *Water*, 14(10), 1553.
- Berhanu, K. G., & Hatiye, S. D. (2020). Identification of groundwater potential zones using proxy data: Case study of Megech Watershed, Ethiopia. *Journal of Hydrology: Regional Studies*, 28, 100676.
- Bora Okay, H., & Özacar, A. A. (2023). A New Vs30 Prediction Strategy Taking Topography, Geology, Terrain and Water Saturation into Account: Application to Türkiye and California. *EGU General Assembly Conference Abstracts*, EGU-7445.
- Boughariou, E., Allouche, N., Ben Brahim, F., Nasri, G., & Bouri, S. (2021). Delineation of groundwater potentials of Sfax region, Tunisia, using fuzzy analytical hierarchy process, frequency ratio, and weights of evidence models. *Environment, Development and Sustainability*, 23(10), 14749–14774.
- BPBD Kabupaten Trenggalek. (2023). *Indikator Capaian Badan Penanggulangan Bencana Daerah Tahun 2023*. <https://bpbd.trenggalekkab.go.id/indikator-capaian-badan-penanggulangan-bencana-daerah-tahun-2023/>
- Brands, E., Rajagopal, R., Eleswarapu, U., & Li, P. (2016). Groundwater. *International Encyclopedia of Geography*.
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32.
- Carniel, R., & Guzmán, S. (2020). *Chapter machine learning in volcanology: A review*.
- Carrard, N., Foster, T., & Willetts, J. (2019). Groundwater as a source of drinking water in southeast Asia and the Pacific: A multi-country review of current reliance and resource concerns. *Water (Switzerland)*, 11(8). <https://doi.org/10.3390/w11081605>
- Chen, W., Li, Y., Tsangaratos, P., Shahabi, H., Ilia, I., Xue, W., & Bian, H. (2020). Groundwater spring potential mapping using artificial intelligence approach based on kernel logistic regression, random forest, and alternating decision tree models. *Applied Sciences (Switzerland)*, 10(2), 1–23. <https://doi.org/10.3390/app10020425>
- Chen, Y., Chen, W., Chandra Pal, S., Saha, A., Chowdhuri, I., Adeli, B., Janizadeh, S., Dineva, A. A., Wang, X., & Mosavi, A. (2022). Evaluation efficiency of hybrid deep learning algorithms with neural network decision tree and boosting methods for predicting

- groundwater potential. *Geocarto International*, 37(19), 5564–5584. <https://doi.org/10.1080/10106049.2021.1920635>
- Cherry, J. A., & Freeze, R. A. (1979). *Groundwater*. Englewood Cliffs, NJ: Prentice-Hall.
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The Matthews correlation coefficient (MCC) is more informative than Cohen's Kappa and Brier score in binary classification assessment. *IEEE Access*.
- Chotpantararat, S., Konkul, J., Boonkaewwan, S., & Thitimakorn, T. (2015). Groundwater Recharge Potential Using GIS around the Land Development Facilities of Chulalongkorn University at Kaeng Khoi District, Saraburi Province, Thailand. *Envi. Res*, 37.
- Chotpantararat, S., Parkchai, T., & Wisitthammasri, W. (2020). Multivariate statistical analysis of hydrochemical data and stable isotopes of groundwater contaminated with nitrate at Huay Sai Royal Development Study Center and adjacent areas in Phetchaburi Province, Thailand. *Water*, 12(4), 1127.
- Condon, L. E., Atchley, A. L., & Maxwell, R. M. (2020). Evapotranspiration depletes groundwater under warming over the contiguous United States. *Nature Communications*, 11(1). <https://doi.org/10.1038/s41467-020-14688-0>
- Critchley, F., & Jones, M. C. (2008). Asymmetry and gradient asymmetry functions: Density-based skewness and kurtosis. *Scandinavian Journal of Statistics*, 35(3), 415–437. Scopus. <https://doi.org/10.1111/j.1467-9469.2008.00599.x>
- Díaz-Alcaide, S., & Martínez-Santos, P. (2019). Review: Advances in groundwater potential mapping. *Hydrogeology Journal*, 27(7), 2307–2324. <https://doi.org/10.1007/s10040-019-02001-3>
- Echogdali, F. Z., Boutaleb, S., Bendarma, A., Saidi, M. E., Aadraoui, M., Abioui, M., Ouchchen, M., Abdelrahman, K., Fnais, M. S., & Sajinkumar, K. S. (2022). Application of analytical hierarchy process and geophysical method for groundwater potential mapping in the Tata basin, Morocco. *Water*, 14(15), 2393.
- Esen, H. (2023). ANALYTICAL HIERARCHY PROCESS PROBLEM SOLUTION. In *Analytic Hierarchy Process—Models, Methods, Concepts, and Applications [Working Title]*. IntechOpen. <https://doi.org/10.5772/intechopen.1001072>
- ESRI. (2016a). *How Aspect works*. <https://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-analyst-toolbox/how-aspect-works.htm>
- ESRI. (2016b). *How Line Density works*. <https://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-analyst-toolbox/how-line-density-works.htm>
- ESRI. (2016c). *How Slope works*. <https://pro.arcgis.com/en/pro-app/2.7/tool-reference/spatial-analyst/how-slope-works.htm#>
- Fajana, A. O. (2020). Groundwater aquifer potential using electrical resistivity method and porosity calculation: A case study. *NRIAG Journal of Astronomy and Geophysics*, 9(1), 168–175.
- Faria, M. J., Ximenes, M., Da C. Amaral, J. S., & Da Silva, A. (2022). An Overview of the Geological Control on Groundwater Potential in Lacamutu River, Alaua Kraik Area, Baucau Municipality, Timor-Leste. *Journal of Water Resource and Protection*, 14(10), 680–697. <https://doi.org/10.4236/jwarp.2022.1410036>
- Fawagreh, K., Gaber, M. M., & Elyan, E. (2014). Random forests: From early developments to recent advancements. *Systems Science and Control Engineering*, 2(1), 602–609. <https://doi.org/10.1080/21642583.2014.956265>
- Fiantis, D. (2015). Morfologi dan Klasifikasi Tanah. *Universitas Andalas. Padang*, 264.
- Fitts, C. R. (2013). *1—Groundwater: The Big Picture* (C. R. B. T.-G. S. (Second E. Fitts, Ed.; pp. 1–22). Academic Press. <https://doi.org/10.1016/B978-0-12-384705-8.00001-7>



- Forson, E. D., Dzikunoo, E. A., Amponsah, P. O., Menyeh, A., Nunoo, S., & Amponsah, T. Y. (2024). Groundwater potential modeling over the eastern part of Ghana's Northern Region using evidence belief functions and weight of evidence. *Earth Science Informatics*, 1–17.
- Foster, S., Tuinhof, A., & Van Steenbergen, F. (2012). Managed groundwater development for water-supply security in Sub-Saharan Africa: Investment priorities. *Water SA*, 38(3), 359–366.
- Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. *The Annals of Statistics*, 29(5). <https://doi.org/10.1214/aos/1013203451>
- Ganapuram, S., Kumar, G. T. V., Krishna, I. V. M., Kahya, E., & Demirel, M. C. (2009). Mapping of groundwater potential zones in the Musi basin using remote sensing data and GIS. *Advances in Engineering Software*, 40(7), 506–518.
- Gilliam, F. S., Hédl, R., Chudomelová, M., McCulley, R. L., & Nelson, J. A. (2014). Variation in vegetation and microbial linkages with slope aspect in a montane temperate hardwood forest. *Ecosphere*, 5(5), 1–17.
- Gleick, P. H. (1993). *Water in crisis* (Vol. 100). New York: Oxford University Press.
- Guillen, M. D., Aparicio, J., & Esteve, M. (2023). Gradient tree boosting and the estimation of production frontiers. *Expert Systems with Applications*, 214, 119134. <https://doi.org/10.1016/j.eswa.2022.119134>
- Guo, X., Gui, X., Xiong, H., Hu, X., Li, Y., Cui, H., Qiu, Y., & Ma, C. (2023). Critical role of climate factors for groundwater potential mapping in arid regions: Insights from random forest, XGBoost, and LightGBM algorithms. *Journal of Hydrology*, 621(May), 129599. <https://doi.org/10.1016/j.jhydrol.2023.129599>
- Hadimuljono, B., & Paulus, K. (2019). Infrastruktur Air Tanah yang Berkelanjutan. *Jakarta. Andi Offset*.
- Haghizadeh, A., Moghaddam, D. D., & Pourghasemi, H. R. (2017). GIS-based bivariate statistical techniques for groundwater potential analysis (an example of Iran). *Journal of Earth System Science*, 126(8), 109. <https://doi.org/10.1007/s12040-017-0888-x>
- Hasan, Md. M., Rana, M. M. S. P., & Ferdous, M. T. (2025). Prediction of Groundwater Potential Zone Using Machine Learning and Geospatial Approaches for an Industry-Dominated Area in Narayanganj, Bangladesh. *Journal of the Indian Society of Remote Sensing*. <https://doi.org/10.1007/s12524-025-02177-0>
- Hasdyna, N., & Dinata, R. K. (2020). Analisis Matthew Correlation Coefficient pada K-Nearest Neighbor dalam Klasifikasi Ikan Hias. *INFORMAL: Informatics Journal*, 5(2), 57–64.
- Hassija, V., Chamola, V., Mahapatra, A., Singal, A., Goel, D., Huang, K., Scardapane, S., Spinelli, I., Mahmud, M., & Hussain, A. (2024). Interpreting Black-Box Models: A Review on Explainable Artificial Intelligence. *Cognitive Computation*, 16(1), 45–74. <https://doi.org/10.1007/s12559-023-10179-8>
- Hayer, Y. V., Nama, A. N., & Fallo, D. A. (2023). Mapping Groundwater Potential Zone Based On Remote Sensing And Gis Using Analytical Hierarchy Process (Ahp) In Tana Righu, West Sumba, Indonesia. *JUTEKS - Jurnal Teknik Sipil*, 8(2), 80. <https://doi.org/10.32511/juteks.v8i2.1017>
- Heiskanen, W. A., & Moritz, H. (1967). Physical geodesy. *Bulletin Géodésique (1946-1975)*, 86(1), 491–492.
- Hidayat Agung Nugroho, W., Nurwatic, N., & Kusuma Widya, L. (2024). Groundwater Potential Mapping Using Random Forest and Extreme Gradient Boosting Algorithms. *IOP Conference Series: Earth and Environmental Science*, 1418(1), 012035. <https://doi.org/10.1088/1755-1315/1418/1/012035>
- Holzer, T. L., Padovani, A. C., Bennett, M. J., Noce, T. E., & Tinsley III, J. C. (2005). Mapping NEHRP VS30 site classes. *Earthquake Spectra*, 21(2), 353–370.



- Hossin, M., & M.N, S. (2015). A Review on Evaluation Metrics for Data Classification Evaluations. *International Journal of Data Mining & Knowledge Management Process*, 5, 1–11. <https://doi.org/10.5121/ijdkp.2015.5201>
- Howard, G., Calow, R., Macdonald, A., & Bartram, J. (2016). Climate change and water and sanitation: Likely impacts and emerging trends for action. *Annual Review of Environment and Resources*, 41(1), 253–276.
- Isazade, V., Qasimi, A. B., Namivandi, M. S., Amin, M. S., & Ahlem, G. (2025). Landslide Susceptibility Assessment Using Recurrent Neural Network (RNN)—A Case of Chabahar and Konarak in Iran. *Indian Geotechnical Journal*. <https://doi.org/10.1007/s40098-025-01220-8>
- Jahn, R., Blume, H. P., Asio, V. B., Spaargaren, O., & Schad, P. (2006). *Guidelines for soil description*. Fao.
- Jakeman, A. J., Barreteau, O., Hunt, R. J., Rinaudo, J.-D., & Ross, A. (2016). *Integrated groundwater management*. Springer Nature.
- Jasim, A., Hemmings, B., Mayer, K., & Scheu, B. (2019). Groundwater flow and volcanic unrest. *Volcanic Unrest: From Science to Society*, 83–99.
- Jiang, W. (2021). Applications of deep learning in stock market prediction: Recent progress. *Expert Systems with Applications*, 184(March 2020), 115537. <https://doi.org/10.1016/j.eswa.2021.115537>
- Jo, T. (2023). *Deep learning foundations*. Springer.
- Juarez-Orozco, L. E., Martinez-Manzanera, O., Nesterov, S. V., Kajander, S., & Knuuti, J. (2018). The machine learning horizon in cardiac hybrid imaging. *European Journal of Hybrid Imaging*, 2(1). <https://doi.org/10.1186/s41824-018-0033-3>
- Kamali Maskooni, E., Naghibi, S. A., Hashemi, H., & Berndtsson, R. (2020). Application of advanced machine learning algorithms to assess groundwater potential using remote sensing-derived data. *Remote Sensing*, 12(17), 2742.
- Khalilidermani, M., & Knez, D. (2024). Shear Wave Velocity Applications in Geomechanics with Focus on Risk Assessment in Carbon Capture and Storage Projects. *Energies*, 17(7). <https://doi.org/10.3390/en17071578>
- Khan, M. Y. A., ElKashouty, M., & Tian, F. (2022). Mapping Groundwater Potential Zones Using Analytical Hierarchical Process and Multicriteria Evaluation in the Central Eastern Desert, Egypt. *Water*, 14(7), 1041. <https://doi.org/10.3390/w14071041>
- Kirschner, A. J. (2011). The human right to water and sanitation. *Max Planck Yearbook of United Nations Law*, 15, 445–487.
- Kom, K. P., Gurugnanam, B., & Sunitha, V. (2024). Delineation of groundwater potential zones using GIS and AHP techniques in Coimbatore district, South India. *International Journal of Energy and Water Resources*, 8(1), 85–109.
- Komorowski, M., Marshall, D., Salciccioli, J., & Crutain, Y. (2016). Exploratory Data Analysis. In *Secondary Analysis of Electronic Health Records* (pp. 185–203). https://doi.org/10.1007/978-3-319-43742-2_15
- Kramer, R., Lu, Y., & Bokelmann, G. (2023). Interaction of Air Pressure and Groundwater as Main Cause of Sub-Daily Relative Seismic Velocity Changes. *Geophysical Research Letters*, 50(7). <https://doi.org/10.1029/2022GL101298>
- Kresic, N. (2009). Types and classifications of springs. In *Groundwater Hydrology of Springs: Engineering, Theory, Management and Sustainability* (1st ed.). Elsevier Inc. <https://doi.org/10.1016/B978-1-85617-502-9.00002-5>
- Kumari, P., & Toshniwal, D. (2021). Deep learning models for solar irradiance forecasting: A comprehensive review. *Journal of Cleaner Production*, 318, 128566. <https://doi.org/10.1016/j.jclepro.2021.128566>



- Leino, K., Fredrikson, M., Black, E., Sen, S., & Datta, A. (2019). *Feature-wise bias amplification*. 7th International Conference on Learning Representations, ICLR 2019. Scopus. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85083953612&partnerID=40&md5=0babbe553688627729e9ab645c3a9119>
- Li, T. (2022). Students' Numeracy and Literacy Aptitude Analysis and Prediction Using Machine Learning. *Journal of Computer and Communications*, 10(08), 90–103. <https://doi.org/10.4236/jcc.2022.108006>
- Lima, L. L., Ferreira Junior, J. R., & Oliveira, M. C. (2021). Toward classifying small lung nodules with hyperparameter optimization of convolutional neural networks. *Computational Intelligence*, 37(4), 1599–1618.
- Liu, S., Wan, X., Jin, S., Jia, B., Lou, Q., Xuan, S., Qin, B., Tang, Y., & Sun, D. (2023). Joint inversion of gravity and vertical gradient data based on modified structural similarity index for the structural and petrophysical consistency constraint. *Geodesy and Geodynamics*, 14(5), 485–499. <https://doi.org/10.1016/j.geog.2023.02.004>
- Lu, M., Hou, Q., Qin, S., Zhou, L., Hua, D., Wang, X., & Cheng, L. (2023). A Stacking Ensemble Model of Various Machine Learning Models for Daily Runoff Forecasting. *Water*, 15(7), 1265. <https://doi.org/10.3390/w15071265>
- Maharana, K., Mondal, S., & Nemade, B. (2022). A review: Data pre-processing and data augmentation techniques. *International Conference on Intelligent Engineering Approach (ICIEA-2022)*, 3(1), 91–99. <https://doi.org/10.1016/j.gltip.2022.04.020>
- Masroor, M., Rehman, S., Sajjad, H., Rahaman, M. H., Sahana, M., Ahmed, R., & Singh, R. (2021). Assessing the impact of drought conditions on groundwater potential in Godavari Middle Sub-Basin, India using analytical hierarchy process and random forest machine learning algorithm. *Groundwater for Sustainable Development*, 13, 100554. <https://doi.org/10.1016/j.gsd.2021.100554>
- Masroor, M., Sajjad, H., Kumar, P., Saha, T. K., Rahaman, M. H., Choudhari, P., Kulimushi, L. C., Pal, S., & Saito, O. (2023). Novel Ensemble Machine Learning Modeling Approach for Groundwater Potential Mapping in Parbhani District of Maharashtra, India. *Water (Switzerland)*, 15(3). <https://doi.org/10.3390/w15030419>
- McAneney, K. J., & Noble, P. F. (1976). Estimating solar radiation on sloping surfaces. *New Zealand Journal of Experimental Agriculture*, 4(2), 195–202. <https://doi.org/10.1080/03015521.1976.10425869>
- Meneisy, A. M., Hamed, A., Khalifa, M., Bohoty, M. El, Ghamry, E., & Taha, A. (2023). Geotechnical Zonation and Vs30 Classification of Soil for Seismic Site Effects Evaluation in the Western Extension of New Aswan City, Egypt. *Pure and Applied Geophysics*, 180(11), 3813–3833. <https://doi.org/10.1007/s00024-023-03370-3>
- Midway, S. (2022). Data analysis in R. Retrieved April, 8, 2023.
- Mihret, B., & Wuletaw, A. (2025). The Impact of Geological Structures on Groundwater Potential Assessment in Volcanic Rocks of the Northwestern Ethiopian Plateau: A Review. *EGUsphere*, 2025, 1–14. <https://doi.org/10.5194/egusphere-2024-4201>
- Mockus, J. (2005). The Bayesian approach to global optimization. *System Modeling and Optimization: Proceedings of the 10th IFIP Conference New York City, USA, August 31–September 4, 1981*, 473–481.
- Mohammed, M. A. A., Szabó, N. P., & Szűcs, P. (2024). Joint interpretation and modeling of potential field data for mapping groundwater potential zones around Debrecen area, Eastern Hungary. *Acta Geodaetica et Geophysica*, 59(1), 1–26. <https://doi.org/10.1007/s40328-023-00433-8>
- Mohasseb, H. A., Shen, W., Abd-Elmotaal, H. A., & Jiao, J. (2024). Assessing Groundwater Sustainability in the Arabian Peninsula and Its Impact on Gravity Fields through

- Gravity Recovery and Climate Experiment Measurements. *Remote Sensing*, 16(8), 1381. <https://doi.org/10.3390/rs16081381>
- Molnar, C. (2025). *Interpretable Machine Learning: A Guide for Making Black Box Models Explainable* (3rd ed.). <https://christophm.github.io/interpretable-ml-book>
- Montesinos López, O. A., Montesinos López, A., & Crossa, J. (2022). Overfitting, Model Tuning, and Evaluation of Prediction Performance. In O. A. Montesinos López, A. Montesinos López, & J. Crossa, *Multivariate Statistical Machine Learning Methods for Genomic Prediction* (pp. 109–139). Springer International Publishing. https://doi.org/10.1007/978-3-030-89010-0_4
- Moughani, S. K., Osmani, A., Nohani, E., Khoshtinat, S., Jalilian, T., Askari, Z., Heddami, S., Tiefenbacher, J. P., & Hatamiakouei, J. (2023). Groundwater spring potential prediction using a deep-learning algorithm. *Acta Geophysica*, 0123456789. <https://doi.org/10.1007/s11600-023-01053-0>
- Mourad, M., Tsuji, T., Ikeda, T., Ishitsuka, K., Senna, S., & Ide, K. (2021). Mapping aquifer storage properties using s-wave velocity and insar-derived surface displacement in the kumamoto area, Southwest Japan. *Remote Sensing*, 13(21). <https://doi.org/10.3390/rs13214391>
- Muavhi, N., Thamaga, K. H., & Mutoti, M. I. (2022). Mapping groundwater potential zones using relative frequency ratio, analytic hierarchy process and their hybrid models: Case of Nzhelele-Makhado area in South Africa. *Geocarto International*, 37(21), 6311–6330.
- Musie, W., & Gonfa, G. (2023). Fresh water resource, scarcity, water salinity challenges and possible remedies: A review. *Heliyon*, 9(8), e18685. <https://doi.org/10.1016/j.heliyon.2023.e18685>
- Naghibi, S. A., Ahmadi, K., & Daneshi, A. (2017). Application of Support Vector Machine, Random Forest, and Genetic Algorithm Optimized Random Forest Models in Groundwater Potential Mapping. *Water Resources Management*, 31(9), 2761–2775. <https://doi.org/10.1007/s11269-017-1660-3>
- Napitupulu, D., Abdillah, L., Rahim, R., Abdullah, D., Setiawan, M., Ahmar, A., Simarmata, J., Hidayat, R., Nurdiyanto, H., & Pranolo, A. (2018). Analysis of Student Satisfaction Toward Quality of Service Facility. *Journal of Physics Conference Series*, 954. <https://doi.org/10.1088/1742-6596/954/1/012019>
- Natekin, A., & Knoll, A. (2013). Gradient Boosting Machines, A Tutorial. *Frontiers in Neurorobotics*, 7, 21. <https://doi.org/10.3389/fnbot.2013.00021>
- Neri, E., Aghakhanyan, G., Zerunian, M., Gandolfo, N., Grassi, R., Miele, V., Giovagnoni, A., & Laghi, A. (2023). Explainable AI in radiology: A white paper of the Italian Society of Medical and Interventional Radiology. *Radiologia Medica*, 128(6), 755–764. <https://doi.org/10.1007/s11547-023-01634-5>
- Nhu, V.-H., Hoa, P. V., Melgar-García, L., & Tien Bui, D. (2023). Comparative Analysis of Deep Learning and Swarm-Optimized Random Forest for Groundwater Spring Potential Identification in Tropical Regions. *Remote Sensing*, 15(19), 4761. <https://doi.org/10.3390/rs15194761>
- Nolan, D., & Speed, T. P. (2001). *Stat labs: Mathematical statistics through applications*. Springer Science & Business Media.
- Nsiah, E., Appiah-Adjei, E. K., & Adjei, K. A. (2018). Hydrogeological delineation of groundwater potential zones in the Nabogo basin, Ghana. *Journal of African Earth Sciences*, 143, 1–9. <https://doi.org/10.1016/j.jafrearsci.2018.03.016>
- Nugroho, J. T., Lestari, A. I., Gustiandi, B., Sofan, P., Suwarsono, Prasasti, I., Rahmi, K. I. N., Noviar, H., Sari, N. M., Manalu, R. J., Arifin, S., & Taufiq, A. (2024). Groundwater potential mapping using machine learning approach in West Java, Indonesia.

- Pedrycz, W., & Chen, S.-M. (2020). *Deep learning: Concepts and architectures* (W. Pedrycz, Ed.). Springer.
- Pérez-Flores, P., Wang, G., Mitchell, T. M., Meredith, P. G., Nara, Y., Sarkar, V., & Cembrano, J. (2017). The effect of offset on fracture permeability of rocks from the Southern Andes Volcanic Zone, Chile. *Journal of Structural Geology*, 104, 142–158. <https://doi.org/10.1016/j.jsg.2017.09.015>
- Pettorelli, N. (2013). *The normalized difference vegetation index*. Oxford University Press.
- Pietila, G., & Lim, T. C. (2012). Intelligent systems approaches to product sound quality evaluations – A review. *Applied Acoustics*, 73(10), 987–1002. <https://doi.org/10.1016/j.apacoust.2012.04.012>
- Pinsky, E., & Klawansky, S. (2023). MAD (about median) vs. Quantile-based alternatives for classical standard deviation, skewness, and kurtosis. *Frontiers in Applied Mathematics and Statistics*, 9, 1206537. <https://doi.org/10.3389/fams.2023.1206537>
- Prasad, P., Loveson, V. J., Kotha, M., & Yadav, R. (2020). Application of machine learning techniques in groundwater potential mapping along the west coast of India. *GIScience & Remote Sensing*, 57(6), 735–752. <https://doi.org/10.1080/15481603.2020.1794104>
- Prasetyowati, M. I., Maulidevi, N. U., & Surendro, K. (2020). Feature selection to increase the random forest method performance on high dimensional data. *International Journal of Advances in Intelligent Informatics*, 6(3), 303–312. <https://doi.org/10.26555/ijain.v6i3.471>
- Prastistho, B., Pratiknyo, P., Rodhi, A., Prasetyadi, C., Massora, M. R., & Munandar, Y. K. (2018). *Hubungan Struktur Geologi dan Sistem Air Tanah*.
- Radhakrishnan, R., & CA, L. D. (2023). Groundwater Level Prediction Using Support Vector Machine and M5 Model Tree-A Case Study. *Available at SSRN 4512253*.
- Raiaan, M. A. K., Sakib, S., Fahad, N. M., Mamun, A. Al, Rahman, M. A., Shatabda, S., & Mukta, M. S. H. (2024). A systematic review of hyperparameter optimization techniques in Convolutional Neural Networks. *Decision Analytics Journal*, 11(March), 100470. <https://doi.org/10.1016/j.dajour.2024.100470>
- Ramentol, E., Olsson, T., & Barua, S. (2021). Machine Learning Models for Industrial Applications. *AI and Learning Systems - Industrial Applications and Future Directions*. <https://doi.org/10.5772/intechopen.93043>
- Ramírez Gaytan, A., Flores Estrella, H., Preciado, A., Bandy, W. L., Lazcano, S., Alcántara Nolasco, L., Aguirre González, J., & Korn, M. (2020). Subsoil classification and geotechnical zonation for Guadalajara City, México: Vs30, soil fundamental periods, 3D structure and profiles. *Near Surface Geophysics*, 18(2), 175–188. <https://doi.org/10.1002/nsg.12085>
- Razi, M. H., Zahratunnisa, & Retongga, N. (2024). Delineation of groundwater potential zone using remote sensing and GIS-based AHP for sustainable groundwater management in Aceh Besar Regency, Aceh Province, Indonesia. *Journal of Degraded and Mining Lands Management*, 11(2), 5237–5249. <https://doi.org/10.15243/jdmlm.2024.112.5237>
- Rehman, A., Islam, F., Tariq, A., Ul Islam, I., Brian J, D., Bibi, T., Ahmad, W., Ali Waseem, L., Karuppanan, S., & Al-Ahmadi, S. (2024). Groundwater potential zone mapping using GIS and Remote Sensing based models for sustainable groundwater management. *Geocarto International*, 39(1). <https://doi.org/10.1080/10106049.2024.2306275>
- Rustadi, R., Darmawan, I., Nandi Haerudin, N. H., Agus Setiawan, A., & Suharno, S. (2022). Groundwater exploration using integrated geophysics method in hard rock terrains in

Mount Betung Western Bandar Lampung, Indonesia. *Journal of Groundwater Science and Engineering*, 10(1), 10–18.

- Sae-Ju, J., Chotpantararat, S., & Thitimakorn, T. (2020). Hydrochemical, geophysical and multivariate statistical investigation of the seawater intrusion in the coastal aquifer at Phetchaburi Province, Thailand. *Journal of Asian Earth Sciences*, 191, 104165.
- Saha, R., Dey, N. C., Rahman, S., Galagedara, L., & Bhattacharya, P. (2018). Exploring suitable sites for installing safe drinking water wells in coastal Bangladesh. *Groundwater for Sustainable Development*, 7, 91–100.
- Sami, O., Elsheikh, Y., & Almasalha, F. (2021). The Role of Data Pre-processing Techniques in Improving Machine Learning Accuracy for Predicting Coronary Heart Disease. *International Journal of Advanced Computer Science and Applications*, 12. <https://doi.org/10.14569/IJACSA.2021.0120695>
- Samuels, J. (2024). *One-Hot Encoding and Two-Hot Encoding: An Introduction*. <https://doi.org/10.13140/RG.2.2.21459.76327>
- Sarkar, S. K., Rudra, R. R., Talukdar, S., Das, P. C., Nur, M. S., Alam, E., Islam, M. K., & Islam, A. R. M. T. (2024). Future groundwater potential mapping using machine learning algorithms and climate change scenarios in Bangladesh. *Scientific Reports*, 14(1), 1–17. <https://doi.org/10.1038/s41598-024-60560-2>
- Sarker, I. H. (2021). Machine Learning: Algorithms, Real-World Applications and Research Directions. *SN Computer Science*, 2(3), 1–21. <https://doi.org/10.1007/s42979-021-00592-x>
- Senapati, U., & Das, T. K. (2021). Assessment of basin-scale groundwater potentiality mapping in drought-prone upper Dwarakeshwar River basin, West Bengal, India, using GIS-based AHP techniques. *Arabian Journal of Geosciences*, 14(11), 960.
- Senapati, U., & Das, T. K. (2022). GIS-based comparative assessment of groundwater potential zone using MIF and AHP techniques in Cooch Behar district, West Bengal. *Applied Water Science*, 12(3), 1–18. <https://doi.org/10.1007/s13201-021-01509-y>
- Shaw, S. K., & Sharma, A. (2024). Assessing groundwater potential zones in Sundargarh district: A comparative study using AHP and FR models. *Sustainable Water Resources Management*, 10(3), 1–25.
- Shivakoti, B. R., Villholth, K. G., Pavelic, P., & Ross, A. (2019). Strategic use of groundwater-based solutions for drought risk reduction and climate resilience in Asia and beyond. *Global Assessment Report on Disaster Risk Reduction, UNDRR*.
- Silver, P. G., Daley, T. M., Niu, F., & Majer, E. L. (2007). Active source monitoring of cross-well seismic travel time for stress-induced changes. *Bulletin of the Seismological Society of America*, 97(1 B), 281–293. <https://doi.org/10.1785/0120060120>
- Singh Pradhan, A. M., Dawadi, A., & Kim, Y. T. (2012). Use of different bivariate statistical landslide susceptibility methods: A case study of Khulekhani watershed, Nepal. *Journal of Nepal Geological Society*, 44(July 2013), 1–12. <https://doi.org/10.3126/jngs.v44i0.24483>
- Snoek, J., Larochelle, H., & Adams, R. P. (2012). Practical bayesian optimization of machine learning algorithms. *Advances in Neural Information Processing Systems*, 25.
- Soimah, D., Donny Harisuseno, & Sri Wahyuni. (2024). Pemanfaatan Data Hujan Satelit Untuk Pemetaan Kekeringan Dengan Metode Percent Normal Indeks (PNI) di Sub Das Ngasinan. *Jurnal Teknologi Dan Rekayasa Sumber Daya Air*, 4(1), 742–753. <https://doi.org/10.21776/ub.jtresda.2024.004.01.063>
- Subardja, D., Ritung, S., Anda, M., Sukarman, E. S., & Subandiono, R. E. (2014). Petunjuk teknis klasifikasi tanah nasional. *Balai Besar Penelitian Dan Pengembangan Sumberdaya Lahan Pertanian, Badan Penelitian Dan Pengembangan Pertanian, Bogor*, 22.



- Sulie, B. A. C., Sunaryo, D. K., & Yulianandha, A. (2023). Identification of Groundwater Potential Using Geographic Information Systems and Remote Sensing (Case Study: Mojokerto Regency). *Journal of Marine-Earth Science and Technology*, 4(1), 33–38. <https://doi.org/10.12962/j27745449.v4i1.700>
- Sundaram, B., Feitz, A., Caritat, P. de, Plazinska, A., Brodie, R., Coram, J., & Ransley, T. (2009). Groundwater sampling and analysis—A field guide. *Geosci Aust Rec*, 27(95), 104.
- Tahmassebi-poor, N., Rahmati, O., Noormohamadi, F., & Lee, S. (2016). Spatial analysis of groundwater potential using weights-of-evidence and evidential belief function models and remote sensing. *Arabian Journal of Geosciences*, 9, 1–18.
- Tao, H., Hameed, M. M., Marhoon, H. A., Zounemat-Kermani, M., Heddami, S., Kim, S., Sulaiman, S. O., Tan, M. L., Sa'adi, Z., & Mehr, A. D. (2022). Groundwater level prediction using machine learning models: A comprehensive review. *Neurocomputing*, 489, 271–308.
- Thanh, N. N., Thunyawatcharakul, P., Ngu, N. H., & Chotpantararat, S. (2022). Global review of groundwater potential models in the last decade: Parameters, model techniques, and validation. *Journal of Hydrology*, 614(PA), 128501. <https://doi.org/10.1016/j.jhydrol.2022.128501>
- Thapa, R., Gupta, S., Guin, S., & Kaur, H. (2017). Assessment of groundwater potential zones using multi-influencing factor (MIF) and GIS: a case study from Birbhum district, West Bengal. *Applied Water Science*, 7(7), 4117–4131. <https://doi.org/10.1007/s13201-017-0571-z>
- Trifonova, O., Lokhov, P., & Archakov, A. I. (2014). Metabolic profiling of human blood. *Biomeditsinskaya Khimiya*, 60, 281–294. <https://doi.org/10.18097/pbmc20146003281>
- Vinutha, H. P., Poornima, B., & Sagar, B. M. (2018). Detection of outliers using interquartile range technique from intrusion dataset. In *Advances in Intelligent Systems and Computing* (Vol. 701). Springer Singapore. https://doi.org/10.1007/978-981-10-7563-6_53
- Vrba, J., & Verhagen, B. T. (2011). *Groundwater for emergency situations: A methodological guide*. Unesco.
- Wackerly, D. D., Mendenhall, W., & Scheaffer, R. L. (2008). *Mathematical statistics with applications* (Vol. 7). Thomson Brooks/Cole Belmont, CA.
- Waiyasusri, K., & Chotpantararat, S. (2020). Watershed prioritization of kaeng lawa sub-watershed, khon kaen Province using the morphometric and land-use analysis: A case study of heavy flooding caused by tropical storm podul. *Water*, 12(6), 1570.
- Wang, W., Zhang, J., & Hu, B. (2022). Meta-learning with Logistic Regression for Multi-classification. In R. Kountchev, R. Mironov, & K. Nakamatsu (Eds.), *New Approaches for Multidimensional Signal Processing* (pp. 125–138). Springer Singapore.
- Wang, Y., Fang, Z., Wang, M., Peng, L., & Hong, H. (2020). Comparative study of landslide susceptibility mapping with different recurrent neural networks. *Computers & Geosciences*, 138, 104445. <https://doi.org/10.1016/j.cageo.2020.104445>
- Wei, A., Li, D., Bai, X., Wang, R., Fu, X., & Yu, J. (2022). Application of machine learning to groundwater spring potential mapping using averaging, bagging, and boosting techniques. *Water Supply*, 22(8), 6882–6894. <https://doi.org/10.2166/ws.2022.283>
- Wheater, H. S., Mathias, S. A., & Li, X. (2010). *Groundwater modelling in arid and semi-arid areas*. Cambridge University Press.
- Wibawa, S. A., & Sasmi, A. T. (2024). Determination of groundwater potential using geoelectricity in Tanah Bumbu, South Kalimantan. *IOP Conference Series: Earth and Environmental Science*, 1314(1). <https://doi.org/10.1088/1755-1315/1314/1/012074>



UNIVERSITAS
GADJAH MADA

**PEMETAAN POTENSI AIR TANAH MENGGUNAKAN SISTEM INFORMASI GEOGRAFIS DAN
PENDEKATAN ALGORITMA BERBASIS**

ARTIFICIAL INTELLIGENCE DI KABUPATEN TRENGGALEK

Muhammad Hidayatul Ummah, Dr. Ir. Diyono, S.T., M.T., IPU.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Xiang, K., Yan, L., Wang, Z., & Lu, Y. (2022). Comprehensive Physical Properties and Exploration Potential of the Permian Igneous Rocks in the Southwestern Sichuan Basin. *Minerals*, 12(7). <https://doi.org/10.3390/min12070789>
- Yang, J., Zhao, C., Yu, H., & Chen, H. (2020). Use GBDT to Predict the Stock Market. *2019 International Conference on Identification, Information and Knowledge in the Internet of Things*, 174, 161–171. <https://doi.org/10.1016/j.procs.2020.06.071>
- Yeo, I., & Johnson, R. A. (2000). A new family of power transformations to improve normality or symmetry. *Biometrika*, 87(4), 954–959.
- Ying, X. (2019). An Overview of Overfitting and its Solutions. *Journal of Physics: Conference Series*, 1168, 022022. <https://doi.org/10.1088/1742-6596/1168/2/022022>
- Younger, P. L. (2009). *Groundwater in the environment: An introduction*. John Wiley & Sons.
- Yuliani, E., Rubiantoro, P., Anggraeni, V., & Nelvina, A. (2024). Groundwater potential zones identification using geoelectrical resistivity sounding and GIS in upper Metro sub-catchment, Malang, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1311(1). <https://doi.org/10.1088/1755-1315/1311/1/012018>
- Yusri, N. A., Misbari, S., Ismail, I. W., & Gisen, J. I. A. (2024). Satellite-based landslide distribution mapping with the adoption of deep learning approach in the Kuantan River Basin, Pahang. *IOP Conference Series: Earth and Environmental Science*, 1296(1). <https://doi.org/10.1088/1755-1315/1296/1/012014>
- Zhang, H., Song, Y., Xu, S., He, Y., Li, Z., Yu, X., Liang, Y., Wu, W., & Wang, Y. (2022). Combining a class-weighted algorithm and machine learning models in landslide susceptibility mapping: A case study of Wanzhou section of the Three Gorges Reservoir, China. *Computers and Geosciences*, 158. <https://doi.org/10.1016/j.cageo.2021.104966>
- Zhu, Z. (2024). Systematic Optimization of Overfitting Problem in Machine Learning. *Highlights in Science, Engineering and Technology*, 111, 353–359. <https://doi.org/10.54097/3tkzrj84>