

## DAFTAR PUSTAKA

- [1] Y.-C. Tham, X. Li, T. Y. Wong, H. A. Quigley, T. Aung, and C.-Y. Cheng, "Global Prevalence of Glaucoma and Projections of Glaucoma Burden through 2040," *Ophthalmology*, vol. 121, no. 11, pp. 2081–2090, Nov. 2014, doi: 10.1016/j.ophtha.2014.05.013.
- [2] F. Abdullah *et al.*, "A Review on Glaucoma Disease Detection Using Computerized Techniques," *IEEE Access*, vol. 9, pp. 37311–37333, 2021, doi: 10.1109/ACCESS.2021.3061451.
- [3] R. Fan *et al.*, "Detecting Glaucoma from Fundus Photographs Using Deep Learning without Convolutions," *Ophthalmology Science*, vol. 3, no. 1, p. 100233, Mar. 2023, doi: 10.1016/j.xops.2022.100233.
- [4] T. Shyamalee, D. Meedeniya, G. Lim, and M. Karunarathne, "Automated Tool Support for Glaucoma Identification With Explainability Using Fundus Images," *IEEE Access*, vol. 12, pp. 17290–17307, 2024, doi: 10.1109/ACCESS.2024.3359698.
- [5] J. Chen *et al.*, "TransUNet: Transformers Make Strong Encoders for Medical Image Segmentation," Feb. 08, 2021, *arXiv*: arXiv:2102.04306. doi: 10.48550/arXiv.2102.04306.
- [6] E. Goceri, "Medical image data augmentation: techniques, comparisons and interpretations," *Artif Intell Rev*, vol. 56, no. 11, pp. 12561–12605, Nov. 2023, doi: 10.1007/s10462-023-10453-z.
- [7] F. Garcea, A. Serra, F. Lamberti, and L. Morra, "Data augmentation for medical imaging: A systematic literature review," *Computers in Biology and Medicine*, vol. 152, p. 106391, Jan. 2023, doi: 10.1016/j.combiomed.2022.106391.
- [8] E. Xie, W. Wang, Z. Yu, A. Anandkumar, J. M. Alvarez, and P. Luo, "SegFormer: Simple and Efficient Design for Semantic Segmentation with Transformers," Oct. 28, 2021, *arXiv*: arXiv:2105.15203. Accessed: Oct. 31, 2023. [Online]. Available: <http://arxiv.org/abs/2105.15203>
- [9] A. Dosovitskiy *et al.*, "An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale," Jun. 03, 2021, *arXiv*: arXiv:2010.11929. Accessed: Apr. 15, 2024. [Online]. Available: <http://arxiv.org/abs/2010.11929>
- [10] J. Martins, J. S. Cardoso, and F. Soares, "Offline computer-aided diagnosis for Glaucoma detection using fundus images targeted at mobile devices," *Computer Methods and Programs in Biomedicine*, vol. 192, p. 105341, Aug. 2020, doi: 10.1016/j.cmpb.2020.105341.
- [11] M. T. Islam, S. T. Mashfu, A. Faisal, S. C. Siam, I. T. Naheen, and R. Khan, "Deep Learning-Based Glaucoma Detection With Cropped Optic Cup and Disc and Blood Vessel Segmentation," *IEEE Access*, vol. 10, pp. 2828–2841, 2022, doi: 10.1109/ACCESS.2021.3139160.
- [12] R. Kashyap, R. Nair, S. M. P. Gangadharan, M. Botto-Tobar, S. Farooq, and A. Rizwan, "Glaucoma Detection and Classification Using Improved U-Net Deep Learning Model," *Healthcare*, vol. 10, no. 12, p. 2497, Dec. 2022, doi: 10.3390/healthcare10122497.
- [13] T. Shyamalee and D. Meedeniya, "Glaucoma Detection with Retinal Fundus Images Using Segmentation and Classification," *Mach. Intell. Res.*, vol. 19, no. 6, pp. 563–580, Dec. 2022, doi: 10.1007/s11633-022-1354-z.
- [14] S. Pathan, P. Kumar, R. M. Pai, and S. V. Bhandary, "An automated classification

- framework for glaucoma detection in fundus images using ensemble of dynamic selection methods,” *Prog Artif Intell*, vol. 12, no. 3, pp. 287–301, Sep. 2023, doi: 10.1007/s13748-023-00304-x.
- [15] I. Rodriguez-Una and A. Azuara-Blanco, “New technologies for glaucoma detection,” *Asia-Pacific Journal of Ophthalmology*, vol. 7, no. 6, pp. 394–404, Nov. 2018, doi: 10.22608/APO.2018349.
- [16] KEMENKES RI, “infoDatin (Situasi Glaukoma di Indonesia),” *Pusat Data dan Informasi Kementerian Kesehatan RI*, 2019.
- [17] J. S. Schuman *et al.*, “A Case for the Use of Artificial Intelligence in Glaucoma Assessment,” *Ophthalmology Glaucoma*, vol. 5, no. 3, pp. e3–e13, May 2022, doi: 10.1016/j.ogla.2021.12.003.
- [18] A. K. Schuster, C. Erb, E. M. Hoffmann, T. Dietlein, and N. Pfeiffer, “The diagnosis and treatment of glaucoma,” *Deutsches Arzteblatt International*, vol. 117, no. 13, pp. 225–234, Mar. 2020, doi: 10.3238/arztebl.2020.0225.
- [19] L. P. Cohen and L. R. Pasquale, “Clinical Characteristics and Current Treatment of Glaucoma,” *Cold Spring Harbor Perspectives in Medicine*, vol. 4, no. 6, pp. a017236–a017236, Jun. 2014, doi: 10.1101/cshperspect.a017236.
- [20] R. Kiefer, M. Abid, J. Steen, M. R. Ardali, and E. Amjadian, “A Catalog of Public Glaucoma Datasets for Machine Learning Applications: A detailed description and analysis of public glaucoma datasets available to machine learning engineers tackling glaucoma-related problems using retinal fundus images and OCT images.,” in *2023 the 7th International Conference on Information System and Data Mining (ICISDM)*, Atlanta USA: ACM, May 2023, pp. 24–31. doi: 10.1145/3603765.3603779.
- [21] T. Saba, S. T. F. Bokhari, M. Sharif, M. Yasmin, and M. Raza, “Fundus image classification methods for the detection of glaucoma: A review,” *Microscopy Res & Technique*, vol. 81, no. 10, pp. 1105–1121, Oct. 2018, doi: 10.1002/jemt.23094.
- [22] N. Harizman, “The ISNT Rule and Differentiation of Normal From Glaucomatous Eyes,” *Arch Ophthalmol*, vol. 124, no. 11, p. 1579, Nov. 2006, doi: 10.1001/archophth.124.11.1579.
- [23] T. Y. A. Liu and J. F. Arevalo, “Wide-field imaging in proliferative diabetic retinopathy,” *Int J Retin Vitreol*, vol. 5, no. S1, p. 20, Dec. 2019, doi: 10.1186/s40942-019-0170-2.
- [24] M. O. Linz and A. W. Scott, “Wide-field imaging of sickle retinopathy,” *Int J Retin Vitreol*, vol. 5, no. S1, p. 27, Dec. 2019, doi: 10.1186/s40942-019-0177-8.
- [25] V. Lakshminarayanan, H. Kheradfallah, A. Sarkar, and J. Jothi Balaji, “Automated Detection and Diagnosis of Diabetic Retinopathy: A Comprehensive Survey,” *J. Imaging*, vol. 7, no. 9, p. 165, Aug. 2021, doi: 10.3390/jimaging7090165.
- [26] I. Qureshi *et al.*, “Medical image segmentation using deep semantic-based methods: A review of techniques, applications and emerging trends,” *Information Fusion*, vol. 90, pp. 316–352, Feb. 2023, doi: 10.1016/j.inffus.2022.09.031.
- [27] Md. E. Rayed, S. M. S. Islam, S. I. Niha, J. R. Jim, M. M. Kabir, and M. F. Mridha, “Deep learning for medical image segmentation: State-of-the-art advancements and challenges,” *Informatics in Medicine Unlocked*, vol. 47, p. 101504, 2024, doi: 10.1016/j.imu.2024.101504.
- [28] W. Yao, J. Bai, W. Liao, Y. Chen, M. Liu, and Y. Xie, “From CNN to Transformer: A Review of Medical Image Segmentation Models,” Aug. 10, 2023, *arXiv:arXiv:2308.05305*. doi: 10.48550/arXiv.2308.05305.
- [29] K. H. Zou *et al.*, “Statistical validation of image segmentation quality based on a spatial overlap index1,” *Academic Radiology*, vol. 11, no. 2, pp. 178–189, Feb. 2004,

doi: 10.1016/S1076-6332(03)00671-8.

- [30] A. Arias-Duart, E. Mariotti, D. Garcia-Gasulla, and J. M. Alonso-Moral, "A Confusion Matrix for Evaluating Feature Attribution Methods," in *2023 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, Vancouver, BC, Canada: IEEE, Jun. 2023, pp. 3709–3714. doi: 10.1109/CVPRW59228.2023.00380.
- [31] Q. McNemar, "Note on the Sampling Error of the Difference Between Correlated Proportions or Percentages," *Psychometrika*, vol. 12, no. 2, pp. 153–157, Jun. 1947, doi: 10.1007/BF02295996.
- [32] E. J. Carmona, M. Rincón, J. García-Feijóo, and J. M. Martínez-de-la-Casa, "Identification of the optic nerve head with genetic algorithms," *Artificial Intelligence in Medicine*, vol. 43, no. 3, pp. 243–259, Jul. 2008, doi: 10.1016/j.artmed.2008.04.005.
- [33] S. Pachade *et al.*, "Retinal Fundus Multi-disease Image Dataset (RFMiD)." IEEE DataPort, Nov. 25, 2020. doi: 10.21227/S3G7-ST65.
- [34] P. Liu, B. Kong, Z. Li, S. Zhang, and R. Fang, "CFEA: Collaborative Feature Ensembling Adaptation for Domain Adaptation in Unsupervised Optic Disc and Cup Segmentation," in *Medical Image Computing and Computer Assisted Intervention – MICCAI 2019*, vol. 11768, D. Shen, T. Liu, T. M. Peters, L. H. Staib, C. Essert, S. Zhou, P.-T. Yap, and A. Khan, Eds., in Lecture Notes in Computer Science, vol. 11768. , Cham: Springer International Publishing, 2019, pp. 521–529. doi: 10.1007/978-3-030-32254-0\_58.
- [35] J. I. Orlando *et al.*, "REFUGE Challenge: A unified framework for evaluating automated methods for glaucoma assessment from fundus photographs," *Medical Image Analysis*, vol. 59, p. 101570, Jan. 2020, doi: 10.1016/j.media.2019.101570.
- [36] Y. Bazi, M. M. Al Rahhal, H. Elgibreen, and M. Zuair, "Vision transformers for segmentation of disc and cup in retinal fundus images," *Biomedical Signal Processing and Control*, vol. 91, p. 105915, May 2024, doi: 10.1016/j.bspc.2023.105915.
- [37] D. I. C. Wiguna, E. Rachmawati, and G. Kosala, "Glaucoma Detection Based on Joint Optic Disc and Cup Segmentation Using Dense Prediction Transformer," in *2023 10th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, Semarang, Indonesia: IEEE, Aug. 2023, pp. 407–412. doi: 10.1109/ICITACEE58587.2023.10277656.
- [38] W. Liao, B. Zou, R. Zhao, Y. Chen, Z. He, and M. Zhou, "Clinical Interpretable Deep Learning Model for Glaucoma Diagnosis," *IEEE J. Biomed. Health Inform.*, vol. 24, no. 5, pp. 1405–1412, May 2020, doi: 10.1109/JBHI.2019.2949075.
- [39] P. Cheng, J. Lyu, Y. Huang, and X. Tang, "Probability distribution guided optic disc and cup segmentation from fundus images," in *2020 42nd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC)*, Montreal, QC, Canada: IEEE, Jul. 2020, pp. 1976–1979. doi: 10.1109/EMBC44109.2020.9176394.
- [40] M. Lodi, F. Bizzarri, D. Linaro, A. Oliveri, A. Brambilla, and M. Storaice, "A Nonlinear Behavioral Ferrite-Core Inductance Model Able to Reproduce Thermal Transients in Switch-Mode Power Supplies," *IEEE Trans. Circuits Syst. I*, vol. 67, no. 4, pp. 1255–1263, Apr. 2020, doi: 10.1109/TCSI.2020.2965645.
- [41] J. Guo *et al.*, "CMT: Convolutional Neural Networks Meet Vision Transformers," Jun. 14, 2022, *arXiv: arXiv:2107.06263*. doi: 10.48550/arXiv.2107.06263.
- [42] A. Khan *et al.*, "A survey of the Vision Transformers and their CNN-Transformer

- based Variants,” 2023, doi: 10.48550/ARXIV.2305.09880.
- [43] M. Alam, E. Zhao, C. Lam, and D. Rubin, “Segmentation-Assisted Fully Convolutional Neural Network Enhances Deep Learning Performance to Identify Proliferative Diabetic Retinopathy,” *JCM*, vol. 12, no. 1, p. 385, Jan. 2023, doi: 10.3390/jcm12010385.
- [44] D. Kumar Saha, T. Hossain, M. Safran, S. Alfarhood, M. F. Mridha, and D. Che, “Segmentation for mammography classification utilizing deep convolutional neural network,” *BMC Med Imaging*, vol. 24, no. 1, p. 334, Dec. 2024, doi: 10.1186/s12880-024-01510-2.
- [45] X. R. Gao, F. Wu, P. T. Yuhas, R. K. Rasel, and M. Chiariglione, “Automated vertical cup-to-disc ratio determination from fundus images for glaucoma detection,” *Sci Rep*, vol. 14, no. 1, p. 4494, Feb. 2024, doi: 10.1038/s41598-024-55056-y.
- [46] J. Patil and S. Chaudhari, “Determination of Glaucoma Grade with Cup to Disc Ratio,” 2021.
- [47] Z. Xu, R. Liu, S. Yang, Z. Chai, and C. Yuan, “Learning Imbalanced Data with Vision Transformers,” Mar. 08, 2023, *arXiv*: arXiv:2212.02015. doi: 10.48550/arXiv.2212.02015.