

DAFTAR PUSTAKA

- Abe, M., Takiguchi, Y., Ichihara, K., Maruyama, I., Goto, S. (2008) Comparison of the protective effect of N-acetylcysteine by different treatments on rat myocardial ischemia-reperfusion injury, *Journal of Pharmacological Sciences*, 106(4): 571–577.
- Akhter, N., Wilson, A., Thomas, R., Al-Rashed, F., Kochumon, S., Al-Roub, A. *et al.* (2021) ROS/TNF- α Crosstalk Triggers the Expression of IL-8 and MCP-1 in Human Monocytic THP-1 Cells via the NF- κ B and ERK1/2 Mediated Signaling. *International Journal of Molecular Sciences*, 22(19):10519.
- Aktaş, B. K., Bulut, S., Bulut, S., Baykam, M. M., Ozden, C., Senes, M., *et al.* (2010). The effects of N-acetylcysteine on testicular damage in experimental testicular ischemia/reperfusion injury. *Pediatric Surgery International*, 26(3), 293–298.
- Alam, F., Shahid, M., Riffat, S., Zulkipli, I. N., Syed, F., Ashraf, M., *et al.* (2023). SIRT1 and antioxidants in infertile females: Exploration of the role of vitamin D. *PLoS One*, 18(7), e0287727.
- Aldini, G., Altomare, A., Baron, G., Vistoli, G., Carini, M., Borsani, L., *et al.* (2018). N-Acetylcysteine as an antioxidant and disulphide breaking agent: the reasons why. *Free Radical Research*, 52(7), 751–762.
- Altman R, Luciard HL, Muntaner J, Herrera RN. (2004). The antithrombotic profile of aspirin. Aspirin resistance, or simply failure? *Thrombosis Journal*. 2004 Jan 14;2(1):1.
- Altman, R., Luciard, H. L., Muntaner, J., Herrera, R. N. (2004). The antithrombotic profile of aspirin: Aspirin resistance, or simply failure? *Thrombosis Journal*, 2(1), 1-8.
- Arena, S., Lacona, R., Antonuccio, P., Russo, T., Salvo, V., Gitto, E., *et al.* (2017). Medical perspective in testicular ischemia-reperfusion injury. *Experimental and Therapeutic Medicine*, 13(5), 2115–2122.
- Awan, M. S., Irfan, B., Zahid, I., Mirza, Y., Ali, S. A. (2017). Comparison of polymerase chain reaction and immunohistochemistry assays for analysing human papillomavirus infection in oral squamous cell carcinoma. *Journal of Clinical and Diagnostic Research*, 11(6), XC10–XC13.
- Banihani, S. (2020). Effect of aspirin on semen quality: A review. *Andrologia*, 52(1), e13487.
- Bandyopadhyay, U., Cotney, J., Nagy, M., Oh, S., Leng, J., Mahajan, M., *et al.* (2013). RNA-Seq profiling of spinal cord motor neurons from a presymptomatic SOD1 ALS mouse. *PLoS ONE*, 8(1), e53575.

- Bartsch, G., Frank, S., Marberger, H., Mikuz, G. (1980). Testicular torsion: Late results with special regard to fertility and endocrine function. *Journal of Urology*, 124(3), 375–378.
- Baskar, M., Kiranmathyi, B., Sivaraj, C., Saraswathi, K., Arumugam, P. (2019). Protective role of N-acetyl cysteine on methotrexate-induced testicular toxicity in male Wistar rats. *Journal of Drug Delivery & Therapeutics*, 9(3), 661–668.
- Bodur, A., Alver, A., Kahraman, C., Altay, D. U., İnce, İ. (2016). Investigation of N-acetylcysteine on contralateral testis tissue injury by experimental testicular torsion: Long-term effect. *American Journal of Emergency Medicine*, 34(6), 101-103
- Boettcher, M., Krebs, T., Bergholz, R., Wenke, K., Aronson, D., Reinshagen, K., *et al.* (2013). Clinical and sonographic features predict testicular torsion in children: A prospective study. *BJU International*, 112(8), 1201–1206.
- Bowlin, P. R., Gatti, J. M., Murphy, J. P. (2017). Pediatric testicular torsion. *Surgical Clinics of North America*, 97(1), 161–172.
- Brodjonegoro, S. R., Rizal, D. M., Arfian, N., Luzman, R. A., Pikatan, N. W., Robert, R., *et al.* (2025). Association of MPV, NLR, PLR and CRP on testicular salvage in testicular torsion: A systematic review and meta-analysis. *Narra Journal*, 5(1), e1785.
- Cahyadi, A., Ugrasena, I. D. G., Andarsini, M. R., Larasati, M. C. S., Aryati, A., Arumsari, D. K. (2022). Relationship between Bax and Bcl-2 protein expression and outcome of induction phase chemotherapy in pediatric acute lymphoblastic leukemia. *Asian Pacific Journal of Cancer Prevention*, 23(5), 1679–1685.
- Caito, S., Rajendrasozhan, S., Cook, S., Chung, S., Yao, H., Friedman, A. E., *et al.* (2010). SIRT1 is a redox-sensitive deacetylase that is post-translationally modified by oxidants and carbonyl stress. *FASEB Journal*, 24(9), 3145–3159.
- Candocia, F. J., Sack-Solomon, K. (2003). An infant with testicular torsion in the inguinal canal. *Pediatric Radiology*, 33(10), 722–724.
- Cao, K., Dong, Y. T., Xiang, J., Xu, Y., Hong, W., Song, H., *et al.* (2018). Reduced expression of SIRT1 and SOD1 and the correlation between these levels in various regions of the brains of patients with Alzheimer's disease. *Journal of Clinical Pathology*, 71(12), 1090–1099.
- Carswell, E. A., Old, L. J., Kassel, R. L., Green, S., Fiore, N., Williamson, B. (1975). An endotoxin-induced serum factor that causes necrosis of tumors. *Proceedings of the National Academy of Sciences of the United States of America*, 72(9), 3666–3670.

- Cay, A., Alver, A., Küçük, M., Işık, O., Eminağaoğlu, M. S., Karahan, S. C. (2006). The effects of N-acetylcysteine on antioxidant enzyme activities in experimental testicular torsion. *Journal of Surgical Research*, 131(2), 199–203.
- Charan, J., & Kantharia, N. (2013). How to calculate sample size in animal studies? *Indian Journal of Pharmacology*, 45(3), 262–267.
- Chen, X., Andresen, B. T., Hill, M., Zhang, J., Booth, F., Zhang, C. (2008). Role of reactive oxygen species in tumor necrosis factor-alpha induced endothelial dysfunction. *Current Hypertension Reviews*, 4(4), 245-250.
- Cimador, M., Di Pace, M. R., Castagnetti, M., De Grazia, E. (2007). Predictors of testicular viability in testicular torsion. *Journal of Pediatric Urology*, 3(5), 387–390.
- Chibaya, L., Karim, B., Zhang, H., Jones, S. N. (2021). Mdm2 phosphorylation by Akt regulates the p53 response to oxidative stress to promote cell proliferation and tumorigenesis. *Proceedings of the National Academy of Sciences of the United States of America*, 118(4), e2003193118.
- Danduga, R., Dondapati, S., Kola, P., Kavati, S., Singapalli, M. (2019). Combination effect of aspirin and N-acetylcysteine against global cerebral ischemic reperfusion injury in rats. *Neurology Psychiatry and Brain Research*, 33, 101–111.
- Davenport, M. (1996). ABC of general surgery in children: Acute problems of the scrotum. *British Medical Journal*, 312(7028), 435–437.
- Demir, T., Mammadov, M., Ocbe, P., Coruhlu, A., Coskun, D., Nazik, Y. *et al.* (2020). The long-term effects of intrascrotal low dose and high dose N-acetylcysteine on testis damage in rat model of testicular torsion. *Journal of Pediatric Surgery*, 55(4):672–680.
- Didolkar, A. K., Patel, P. B., & Roychowdhury, D. (1980). Effect of aspirin on spermatogenesis in mature and immature rats. *International Journal of Andrology*, 3(5), 585–593.
- Dodd, S., Dean, O., Copolov, D. L., Malhi, G. S., Berk, M. (2008). N-acetylcysteine for antioxidant therapy: Pharmacology and clinical utility. *Expert Opinion on Biological Therapy*, 8(12), 1955–1962.
- Drew, J., Arthur, J., Farquharson, A., Russell, W. R., Morrice, P. C., & Duthie, G. G. (2005). Salicylic acid modulates oxidative stress and glutathione peroxidase activity in the rat colon. *Biochemical Pharmacology*, 70(6), 888–893.

- D'Oria, R., Schipani, R., Leonardini, A., Natalicchio, A., Perrini, S., Cignarelli, A., *et al.* (2020). The role of oxidative stress in cardiac disease: From physiological response to injury factor. *Oxidative Medicine and Cellular Longevity*, 2020, 5732956.
- Elshaari, F. A., Elfagih, R. I., Sheriff, D. S., Barassi, I. F. (2011). Oxidative and antioxidative defense system in testicular torsion/detorsion. *Indian Journal of Urology*, 27(4), 479-484.
- Emara, S. M., Fahmy, S. F., AbdelSalam, M. M., Wakeel, L. M. E. (2025). Effect of high-dose N-acetyl cysteine on the clinical outcome of patients with diabetic peripheral neuropathy: A randomized controlled study. *Diabetology and Metabolic Syndrome*, 17(1), 79-82.
- Erkkilä, K., Hirvonen, V., Wuokko, E., Parvinen, M., Dunkel, L. (1998). N-acetyl-L-cysteine inhibits apoptosis in human male germ cells in vitro. *Journal of Clinical Endocrinology and Metabolism*, 83(7), 2523–2531.
- Ezeriņa, D., Takano, Y., Hanaoka, K., Urano, Y., Dick, T. P. (2018). N-acetyl cysteine functions as a fast-acting antioxidant by triggering intracellular H₂S and sulfane sulfur production. *Cell Chemical Biology*, 25(4), 447–459.e4
- Fang, J., Wang, S., Wang, H., Zhang, S., Su, S., Song, Z. *et al.* (2014). The cytochrome P4501A1 gene polymorphisms and idiopathic male infertility risk: A meta-analysis. *Gene*, 535(2):93–96.
- Fehér, Á. M., Bajory, Z. (2016). A review of main controversial aspects of acute testicular torsion. *Journal of Acute Disease*, 5(1), 1–8.
- Feroz, W., Sheikh, A. M. A. (2020). Exploring the multiple roles of guardian of the genome: P53. *Egyptian Journal of Medical Human Genetics*, 21(1), 49–53.
- Flohé, L. (1973). Glutathione peroxidase: A selenoenzyme. *FEBS Letters*, 32(1), 132–134.
- Gambini, J., Stromsnes, K. (2022). Oxidative stress and inflammation: From mechanisms to therapeutic approaches. *Biomedicines*, 10(4), 753-755.
- Gariyban, L., Avashia, N. (2013). Polymerase chain reaction. *Journal of Investigative Dermatology*, 133(3), 1–4.
- Goldwasser, B., Weissenberg, R., Lunenfeld, B., Nativ, O., & Many, M. (1984). Semen quality and hormonal status of patients following testicular torsion. *Andrologia*, 16(3), 239–243.

- Gielchinsky, I., Suraqui, E., Hidas, G., Zuaiter, M., Landau, E. H., Simon, A., *et al.* (2016). Pregnancy rates after testicular torsion. *Journal of Urology*, 196(3), 852–855.
- Gonzalez, J., Ciancio, G. (2014). Vascular diseases of the testis. *PanVascular Medicine*, pp. 1–41.
- Hagen, P., Buchholz, M. M., Eigenmann, J., Bandhauer, K. (1992). Testicular dysplasia causing disturbance of spermiogenesis in patients with unilateral torsion of the testis. *Urologia Internationalis*, 49(3), 154–157.
- Hentzen, N. B., Mogaki, R., Otake, S., Okuro, K., Aida, T. (2020). Intracellular photoactivation of caspase-3 by molecular glues for spatiotemporal apoptosis induction. *Journal of the American Chemical Society*, 142(18), 8080–8084.
- Howe, A. S., Vasudevan, V., Kongnyuy, M., Rychik, K., Thomas, L. A., Matuskova, M., *et al.* (2017). Degree of twisting and duration of symptoms are prognostic factors of testis salvage during episodes of testicular torsion. *Translational Andrology and Urology*, 6(6), 1159–1166.
- Huang, W. Y., Chen, Y., Chang, H., Yang, T., Hsieh, J., Huang, K. (2013). The incidence rate and characteristics in patients with testicular torsion: A nationwide, population-based study. *Acta Paediatrica International Journal of Paediatrics*, 102(8), 1–5.
- Ibtisham, F., Jinjun, C. (2016). Aspirin affect on reproduction of male rat: An overview. *Pharmacology and Pharmacology International Journal*, 4(4), 387–390.
- Israel, Y., Quintanilla, M. E., Ezquer, F., Morales, P., Santapau, D., Berríos-Cárcamo, P., *et al.* (2021). Aspirin and N-acetylcysteine co-administration markedly inhibit chronic ethanol intake and block relapse binge drinking: Role of neuroinflammation–oxidative stress self-perpetuation. *Addiction Biology*, 26(1), e12853
- Jacobsen, F. M., Rudlang, T. M., Fode, M., Ostergen, P. B., Sonksen, J., Ohl, D. A., *et al.* (2019). The impact of testicular torsion on testicular function. *World Journal of Men's Health*, 37, 1–10.
- Jannatifar, R., Parivar, K., Hayati Roodbari, N., Nasr-Esfahani, M.H. (2020). The effect of N-acetyl-cysteine on NRF2 antioxidant gene expression in asthenoteratozoospermia men: A clinical trial study. *International Journal of Fertility and Sterility*, 14(3):171–175.
- Kamble, P., Litvinov, D., Aluganti Narasimhulu, C., Jiang, X., Parthasarathy, S. (2014). Aspirin may influence cellular energy status. *European Journal of Pharmacology*, 749:12–19.

- Karagüzel, E., Kutlu, O., Yulug, E., Mungan, S., Kazaz, L.O., Tok, D.S. *et al.* (2012). Comparison of the protective effect of dipyridamole and acetylsalicylic acid on long-term histologic damage in a rat model of testicular ischemia-reperfusion injury. *Journal of Pediatric Surgery*, 47(9):1716–1723.
- Karakostis, K., Fåhræus, R. (2019). Shaping the regulation of the p53 mRNA tumour suppressor: the co-evolution of genetic signatures. *BMC Cancer*, 19(1):1–16.
- Kazaz, I.O., Demir, S., Yulug, E., Colak, F., Bodur, A., Yaman, S.O. *et al.* (2019). N-acetylcysteine protects testicular tissue against ischemia/reperfusion injury via inhibiting endoplasmic reticulum stress and apoptosis. *Journal of Pediatric Urology*, 15(3):253.e1–253.e8.
- Kim, S.O., Hwang, E.C., Kim, S.H., Jung, H.C., Kwon, D.D., Park, K. *et al.* (2019). Risk factors for testicular loss in patients with testicular torsion: a retrospective study using a national database in Korea. *Investigative and Clinical Urology*, 60:187–193.
- Krause, W.K.H., Naz, R.K. (2016). *Immune infertility: Impact of immune reactions on human fertility, Second Edition*. Springer, pp. 1–302.
- Kumar, R., Chinoy, N.J. (1988). Effects of acetylsalicylic acid on reproductive organs of adolescent male rats. *Endocrinologia Experimentalis*, 22(3):187–195.
- Kutluhan, M.A., Urkmez, A., Sahin, A., Topaktas, R., Gumrukcu, G., Verit, A. (2020). Predictive value of ischaemia-modified albumin in spermatogenesis in an experimental testicular torsion model. *Andrologia*, 52(2):e13471.
- Kutuk, O., Basaga, H. (2004). Aspirin inhibits TNF α - and IL-1-induced NF- κ B activation and sensitizes HeLa cells to apoptosis. *Cytokine*, 25(5):229–237.
- Laher, A., Ragavan, S., Mehta, P., Adam, A. (2020). Testicular torsion in the emergency room: A review of detection and management strategies. *Open Access Emergency Medicine*, 12:237–246.
- Lee, S.-H., Pekas, E. J., Lee, S., Headid, R. J. III, Park, S.-Y. (2020). The impact of aspirin intake on lactate dehydrogenase, arterial stiffness, and oxidative stress during high-intensity exercise: A pilot study. *Journal of Human Kinetics*, 72, 101–113.
- Leelarungrayub, D., Khansuwan, R., Pothongsunun, P., Klaphajone, J. (2011). N-acetylcysteine supplementation controls total antioxidant capacity, creatine kinase, lactate, and tumor necrotic factor- α against oxidative stress induced by graded exercise in sedentary men. *Oxidative Medicine and Cellular Longevity*, 2011:329643.

- Lei, B., Zhou, X., Lv, D., Wan, B., Wu, H., Zhong, L. *et al.* (2017). Apoptotic and nonapoptotic function of caspase 7 in spermatogenesis. *Asian Journal of Andrology*, 19(1):47–51.
- Li, C., Xie, N., Li, Y., Liu, C., Hou, F.F., Wang, J. (2019). N-acetylcysteine ameliorates cisplatin-induced renal senescence and renal interstitial fibrosis through sirtuin1 activation and p53 deacetylation. *Free Radical Biology and Medicine*, 130:512–527.
- Lim, C.C., Bryan, N.S., Jain, M., Garcia-Saura, M.F., Fernandez, B.O., Sawyer, D.B. *et al.* (2009). Glutathione peroxidase deficiency exacerbates ischemia-reperfusion injury in male but not female myocardium: insights into antioxidant compensatory mechanisms. *American Journal of Physiology - Heart and Circulatory Physiology*, 297(6):H2144–H2153.
- Liu, B., Dou, J., Cao, J. (2024). Nuclear respiratory factor 1 regulates super enhancer-controlled SPIDR to protect hepatocellular carcinoma cells from oxidative stress. *BMC Gastroenterology*, 24(1):97-98.
- Liu, Y., Liu, K., Wang, N., Zhang, H. (2017). N-acetylcysteine induces apoptosis via the mitochondria-dependent pathway but not via endoplasmic reticulum stress in H9c2 cells. *Molecular Medicine Reports*, 16(5):6626–6633.
- Lu, N., Wu, B., Xia, Y., Wang, W., Gu, A., Liang, J. *et al.* (2008). Polymorphisms in CYP1A1 gene are associated with male infertility in a Chinese population. *International Journal of Andrology*, 31(5):527–533.
- Lubos, E., Loscalzo, J., Handy, D.E. (2011). Glutathione peroxidase-1 in health and disease: From molecular mechanisms to therapeutic opportunities. *Antioxidants & Redox Signaling*, 15(7):1957–1997.
- Mahmoud, N.M., Kabil, S.L. (2019). Pioglitazone abrogates testicular damage induced by testicular torsion/detorsion in rats. *Iranian Journal of Basic Medical Sciences*, 22(8):884–892.
- Majchrzak, M., Drela, K., Andrezejewska, A., Rogujski, P., Figurska, S., Fiedorowicz, M. *et al.* (2019). SOD1/Rag2 mice with low copy number of SOD1 gene as a new long-living immunodeficient model of ALS. *Scientific Reports*, 9(1):799-801.
- Malmir, M., Faraji, T., Noreini, N.S., Mehranjani, S.M. (2018). Protective antioxidant effects of N-acetylcysteine on testicular tissue and serum testosterone in par-nonylphenol treated mice (A stereological analysis). *Reproductive System & Sexual Disorders*, 7(2), 225-227.

- Mansbach, J.M., Forbes, P., Peters, C. (2005). Testicular torsion and risk factors for orchietomy. *Archives of Pediatrics and Adolescent Medicine*, 159(12), 1167–1171.
- Martini, A., Molina, R., Tissera, A., Cuneo, M. (2003). Analysis of semen from patients chronically treated with low or moderate doses of aspirin-like drugs. *Fertility and Sterility*, 80(1), 221–222.
- Mike-Antoine, M.A., Sihalikyolo, J., Agasa, S.B., O'yandjo, A.M., Mbutu, B., Bosunga, G.K. *et al.* (2019). Anti-sperm antibodies: Risk factors of positive serology among infertile men patients in Kisangani-Democratic Republic of Congo. *Open Journal of Obstetrics and Gynecology*, 9(8), 1130–1141.
- Millea, P.J. (2009). N-acetylcysteine: Multiple clinical applications. *American Family Physician*, 80(3), 265–269.
- Minas, A., Fouzas, I., Tsiampali, J., Kourkouni, E., Baltogiannis, D., Sarafis, P., *et al.* (2023). The impact of oxidative stress on testicular torsion/detorsion-induced ischemia-reperfusion injury: The TXNIP/NLRP3 inflammasome axis as a promising therapeutic target. *Andrologia*, 55(1), e14626.
- Mlejnek, P., Dolezel, P., Kriegova, E., Pastvova, N. (2021). N-acetylcysteine can induce massive oxidative stress, resulting in cell death with apoptotic features in human leukemia cells. *International Journal of Molecular Sciences*, 22(23), 126-135.
- Modlinska, K., Pisula, W. (2020). The Norway rat, from an obnoxious pest to a laboratory pet. *eLife*, 9, e50651.
- Mohamed, D.I., Abou-Bakr, D.A., Ezzat, S.F., El-Kareem, H.F.A., Nahas, H.H.A., Saad, H.A. *et al.* (2021). Vitamin D3 prevents the deleterious effects of testicular torsion on testis by targeting miRNA-145 and ADAM17: In silico and in vivo study. *Pharmaceuticals*, 14(12), 1222-1224.
- Morciano, G., Pinton, P. (2024). Modulation of mitochondrial permeability transition pores in reperfusion injury: Mechanisms and therapeutic approaches. *European Journal of Clinical Investigation*, 55(1), e14331.
- Mustafa, M., Ahmad, R., Tantry, I.Q., Ahmad, W., Siddiqui, S., Alam, M. *et al.* (2024). Apoptosis: A comprehensive overview of signaling pathways, morphological changes, and physiological significance and therapeutic implications. *Cells*, 13(22), 1838-1840.
- Nagelschmitz, J., Blunck, M., Kraetzschmar, J., Ludwig, M., Wensing, G., Hohlfeld, T. (2014). Pharmacokinetics and pharmacodynamics of acetylsalicylic acid after intravenous and oral administration to healthy volunteers. *Clinical Pharmacology: Advances and Applications*, 6, 51–59.

- Naito, H., Nojima, T., Fujisaki, N., Tsukahara, K., Yamamoto, H., Yamada, T. *et al.* (2020). Therapeutic strategies for ischemia reperfusion injury in emergency medicine. *Acute Medicine & Surgery*, 7(1), e501.
- Ning, J., Li, W., Cheng, F., Yu, W., Rao, T., Ruan, Y. *et al.* (2017). MiR-29a suppresses spermatogenic cell apoptosis in testicular ischemia-reperfusion injury by targeting TRPV4 channels. *Frontiers in Physiology*, 8, 966-968.
- Obernier, J.A., Baldwin, R.L. (2006). Establishing an appropriate period of acclimatization following transportation of laboratory animals. *ILAR Journal*, 47(4), 364-369.
- Ozbal, S., Ergur, B.U., Erbil, G., Tekmen, I., Bagriyanik, A., Cavdar, Z. (2012). The effects of α -lipoic acid against testicular ischemia-reperfusion injury in rats. *The Scientific World Journal*, 2012, 489248.
- Palmer, L.S., Palmer, J.S. (2020). Management of abnormalities of the external genitalia in boys. In: Partin, A.W., Dmochowski, R.R., Kavoussi, L.R., Peters, C.A. (Eds), *Campbell-Walsh-Wein Urology* (12th ed.). Philadelphia: Elsevier, pp. 871-904.
- Parada-Bustamante, A., Molina, C., Valencia, C., Flórez, M., Lardone, M.C., Argandoña, F. *et al.* (2017). Disturbed testicular expression of the estrogen-metabolizing enzymes CYP1A1 and COMT in infertile men with primary spermatogenic failure: possible negative implications on Sertoli cells. *Andrology*, 5(3), 486-494.
- Partin, A.W., Dmochowski, R.R., Kavoussi, L.R., Peters, C.A. (2020). *Campbell Walsh Wein Urology, E-Book: 3-Volume Set. Elsevier Health Sciences*. 1560-1569.
- Payabvash, S., Salmasi, A.H., Kiumehr, S., Tavangar, S.M., Nourbakhsh, B., Faghihi, S.H. *et al.* (2007). Salutary effects of N-acetylcysteine on apoptotic damage in a rat model of testicular torsion. *Urologia Internationalis*, 79(3), 248-254.
- Percie du Sert, N., Ahluwalia, A., Alam, S., Avey, M.T., Baker, M., Browne, W.J. *et al.* (2020). Reporting animal research: explanation and elaboration for the ARRIVE guidelines 2.0. *PLOS Biology*, 18(7), e3000411.
- Portella, A. O. V., Vieira, J. R., Gonçalves, P. M., Paula, F. J. A., Greco, K. V., & Alves, V. A. F. (2004). Effects of N-acetylcysteine in hepatic ischemia-reperfusion injury during hemorrhagic shock. *Transplantation Proceedings*, 36(4), 846-848.
- Rai, S., Özbal, F., Çakırdadı, M. (2022). Protective effect of cerium oxide on testicular function and oxidative stress after torsion/detorsion in adult male rats. *Experimental and Therapeutic Medicine*, 24(1), 102-106.

- Ringdahl, E., & Teague, L. (2006). Testicular torsion. *American Family Physician*, 74(10), 1739–1743.
- Safe, I. P., Lacerda, M. V. G., Printes, V. S., Marins, A. F. P., Rabelo, A. L. R., Costa, A. A., *et al.* (2020). Safety and efficacy of N-acetylcysteine in hospitalized patients with HIV-associated tuberculosis: An open-label, randomized, phase II trial (RIPENACTB Study). *PLoS ONE*, 15(6), e0235381.
- Sato, Y., Moriya, K., Ogawa, Y., & Sato, M. (2023). Epidemiological analysis of testicular torsion in Japanese males under 21 years old: A nationwide study. *Japanese Journal of Urology*, 114, 45–52.
- Schieber, M., & Chandel, N. S. (2014). ROS function in redox signaling and oxidative stress. *Current Biology*, 24(10), R453–R462.
- Sekerci, C. A., Tanidir, Y., Sener, T. E., Sener, G., Cevik, O., Yarat, A., *et al.* (2017). Effects of platelet-rich plasma against experimental ischemia/reperfusion injury in rat testis. *Journal of Pediatric Urology*, 13(3), 317.e1–317.e9.
- Seng, Y. J., & Moissinac, K. (2000). Trauma-induced testicular torsion: A reminder for the unwary. *Journal of Accident and Emergency Medicine*, 17(5), 381–382.
- Shamsi-Gamchi, N., Razi, M., & Behfar, M. (2018). Testicular torsion and reperfusion: Evidences for biochemical and molecular alterations. *Cell Stress and Chaperones*, 23(3), 429–439.
- Shamsi-Gamchi, N., Razi, M., & Behfar, M. (2021). Cross-link between mitochondrial-dependent apoptosis and cell cycle checkpoint proteins after experimental torsion and detorsion in rats. *Gene*, 795, 145793.
- Sharp, V. J., Kieran, K., & Arlen, A. M. (2013). Testicular torsion: Diagnosis, evaluation, and management. *American Family Physician*, 88(12), 835–840.
- Schick, M. A., & Sternard, H. (2023). Pioglitazone eases testicular torsion/detorsion-induced ischemia-reperfusion injury in rats. *Journal of Urological Surgery* (2022–2023), 104–110
- Shackelford, R.E., Alford, P.B., Xue, Y., Thai, S.F., Adams, D.O., Pizzo, S. (1997). Aspirin inhibits tumor necrosis factor-alpha gene expression in murine tissue macrophages. *Molecular Pharmacology*, 52(3), 421–429.
- Shimizu, S., Tsounapi, P., Dimitriadis, F., Higashi, Y., Shimizu, T., & Saito, M. (2016). Testicular torsion-detorsion and potential therapeutic treatments: A possible role for ischemic postconditioning. *International Journal of Urology*, 23(6), 454–463.

- Soto, M. E., Manzano-Pech, L., Palacios-Chavarría, A., Valdez-Vázquez, R. R., Guarnier-Lans, V., & Pérez-Torres, I. (2023). N-acetyl cysteine restores the diminished activity of the antioxidant enzymatic system caused by SARS-CoV-2 infection: *Preliminary findings. Pharmaceuticals*, 16(4), 591-593.
- Soytürk, E., Biçakci, Ü., Aslan, S., Güvenç, T., & Ceyhan Bilgici, M. (2023). Effects of acetylsalicylic acid and ultrasound elastography on testicular torsion in rats. *Turkish Journal of Medical Sciences*, 53(6), 1605–1613.
- Speidel, D. (2010). Transcription-independent p53 apoptosis: An alternative route to death. *Trends in Cell Biology*, 20(1), 14–24.
- Stenz, L., Escoffier, J., Rahban, R., Nef, S., & Paoloni-Giacobino, A. (2017). Testicular dysgenesis syndrome and long-lasting epigenetic silencing of mouse sperm genes involved in the reproductive system after prenatal exposure to DEHP. *PLoS ONE*, 12(1), e0170441.
- Su, L., Jenardhanan, P., Mruk, D. D., Mathur, P. P., Cheng, Y. H., Mok, K.-W., *et al.* (2013). Role of P-glycoprotein at the blood-testis barrier on adjuvins distribution in the testis. *Advances in Experimental Medicine and Biology*, 763, 318–333.
- Suematsu, N., Tsutsui, H., Wen, J., Kang, D., Ikeuchi, M., Ide, T., *et al.* (2003). Oxidative stress mediates tumor necrosis factor- α -induced mitochondrial DNA damage and dysfunction in cardiac myocytes. *Circulation*, 107(10), 1418–1423.
- Sun, L., Gu, L., Wang, S., Yuan, J., Yang, H. (2012). N-acetylcysteine protects against apoptosis through modulation of Group I metabotropic glutamate receptor activity. *PLoS ONE*, 7(3), e32503.
- Sun, Y., Pu, L. Y., Lu, L., Wang, X. H., Zhang, F., & Rao, J. H. (2014). N-acetylcysteine attenuates reactive oxygen species-mediated endoplasmic reticulum stress during liver ischemia-reperfusion injury. *World Journal of Gastroenterology*, 20(41), 15289–15298.
- Sury, M. D., Frese-Schaper, M., Mühlemann, M. K., Schulthess, F. T., Blasig, I. E., Täuber, M. G., *et al.* (2006). Evidence that N-acetylcysteine inhibits TNF- α -induced cerebrovascular endothelin-1 upregulation via inhibition of mitogen- and stress-activated protein kinase. *Free Radical Biology and Medicine*, 41(9), 1372–1383.
- Ta, A., D'Arcy, F. T., Hoag, N., D'Arcy, J. P., & Lawrentschuk, N. (2016). Testicular torsion and the acute scrotum: Current emergency management. *European Journal of Emergency Medicine*, 23(3), 160–165.

- Takahashi, Y., Sawada, T., Akahane, T., Kawase, Y., Ikeda, H., Makino, K., *et al.* (2017). Monocyte chemoattractant protein 1 expression and proliferation in primary central nervous system lymphoma. *Oncology Letters*, 14(1), 264–270.
- Tangül, S. U., Cakmak, A. M., Caglayan, O., & Bozdogan, O. (2020). Prevention of the harmful effects of free oxygen radicals by using N-acetylcysteine in testicular torsion. *Journal of Pediatric Urology*, 16(1), 42.e1–42.e8.
- Teixeira, T. A., Pariz, J. P., Dutra, R. T., Saldiva, P. H., & Costa, E. (2019). Cut-off values of the Johnsen score and Copenhagen index as histopathological prognostic factors for postoperative semen quality in selected infertile patients undergoing microsurgical correction of bilateral subclinical varicocele. *Translational Andrology and Urology*, 8(4), 346–355.
- Tian, Z., Liu, H., Chen, X., Losiewicz, M. D., Wang, R., Du, X., *et al.* (2021). The activated ATM/p53 pathway promotes autophagy in response to oxidative stress-mediated DNA damage induced by Microcystin-LR in male germ cells. *Ecotoxicology and Environmental Safety*, 227, 112919.
- Tryfonas, G., Violaki, A., Tsikopoulos, G., Avtzoglou, P., Zioutis, J., Limas, C., *et al.* (1994). Late postoperative results in males treated for testicular torsion during childhood. *Journal of Pediatric Surgery*, 29(4), 553–556.
- Tsang, C.K., Liu, Y., Thomas, J., Zhang, Y. & Zheng, X.F.S. (2014). Superoxide dismutase 1 acts as a nuclear transcription factor to regulate oxidative stress resistance. *Nature Communications*, 5:3446.
- Turkmen, S., Mentese, A., Karaguzel, E., Uzun, A., Yulug, E. & Turedi, S. (2012). A comparison of the effects of N-acetylcysteine and ethyl pyruvate on experimental testicular ischemia-reperfusion injury. *Fertility and Sterility*, 98(3):626–631.
- Turkseven, S., Turato, C., Villano, G., Ruvoletto, M., Guido, M., Bolognesi, M., *et al.* (2023). Low-dose acetylsalicylic acid and mitochondria-targeted antioxidant mitoquinone attenuate non-alcoholic steatohepatitis in mice. *Antioxidants*, 12(4), 971.
- Ung, T.T., Nguyen, T.T., Li, S., Han, J.Y., Jung, Y.D. (2021). Nicotine stimulates CYP1A1 expression in human hepatocellular carcinoma cells via AP-1, NF- κ B, and AhR. *Toxicology Letters*, 349, 155–164.
- Vanderah, W. (2024). *Katzung's basic & clinical pharmacology*. New York: McGraw Hill.
- Vasdev, N., Chadwick, D., & Thomas, D. (2012). The acute pediatric scrotum: Presentation, differential diagnosis and management. *Current Urology*, 6(2), 57–61.

- Veres, G., Harsányi, L., Oláh, A., Molnár, L., Baráth, B., Pólos, M., *et al.* (2022). Aspirin reduces ischemia-reperfusion injury induced endothelial cell damage of arterial grafts in a rodent model. *Antioxidants*, 11(2), 177.
- Wang, Y., Branicky, B., Noe, A., & Hekimi, S. (2018). Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. *Journal of Cell Biology*, 217(6), 1915–1928.
- Wang, C., Zhang, Q., Yang, F., Yu, L., Liu, Q., Guo, Y., *et al.* (2014). N-acetylcysteine attenuates ischemia-reperfusion-induced apoptosis and autophagy in mouse liver via regulation of the ROS/JNK/BCL-2 pathway. *PLoS ONE*, 9(9), e108855.
- Wolf, B.B., Schuler, M., Echeverri, F., & Green, D.R. (1999). Caspase-3 is the primary activator of apoptotic DNA fragmentation via DNA fragmentation factor-45/inhibitor of caspase-activated DNase inactivation. *Journal of Biological Chemistry*, 274(43), 30651–30656.
- Williamson, R.C.N. (1976). Torsion of the testis and allied conditions. *British Journal of Surgery*, 63(6), 465–476.
- Xie, L., Li, C., Wang, C., Wu, Z., Wang, C., Chen, C., *et al.* (2024). Aspirin-mediated acetylation of SIRT1 maintains intestinal immune homeostasis. *Advanced Science*, 11(19), e2306378.
- Xiong, T., Zhang, Z., Zheng, R., Huang, J., & Guo, L. (2019). N-acetyl cysteine inhibits lipopolysaccharide-induced apoptosis of human umbilical vein endothelial cells via the p38MAPK signaling pathway. *Molecular Medicine Reports*, 20(3), 2945–2953.
- Xu, G., & Shi, Y. (2007). Apoptosis signaling pathways and lymphocyte homeostasis. *Cell Research*, 17(9), 759–771.
- Xu, J., Su, X., Burley, S.K., & Zheng, X.F.S. (2022). Nuclear SOD1 in growth control, oxidative stress response, amyotrophic lateral sclerosis, and cancer. *Antioxidants*, 11(2), 427–429.
- Xu, W., Guo, G., Li, J., Ding, Z., Sheng, J., Li, J., *et al.* (2016). Activation of Bcl-2-Caspase-9 apoptosis pathway in the testis of asthmatic mice. *PLoS ONE*, 11(3), e0149353.
- Yang, C., Song, B., Tan, J., Liu, X., & Wei, G. (2011). Testicular torsion in children: A 20-year retrospective study in a single institution. *The Scientific World Journal*, 11, 362–368.
- Yiğman, M., Ekenci, B.Y., & Durak, H.M. (2024). Predictive factors for manual detorsion success in testicular torsion. *International Urology and Nephrology*, 56(12), 3797–3804.

- Yuksel, S., Erginel, B., Bingul, I., Ozluk, Y., Karatay, H., Aydin, F., *et al.* (2021). The effect of hydrogen sulfide on ischemia/reperfusion injury in an experimental testicular torsion model. *Journal of Pediatric Urology*, 17(6), 782.e1–782.e6.
- Zhang, X., Zhang, J., Cai, Z., Wang, X., Lu, W., & Li, H. (2020). Effect of unilateral testicular torsion at different ages on male fertility. *Journal of International Medical Research*, 48(4), 1–8.
- Zhao, L.C., Lautz, T.B., Meeks, J.J., & Maizels, M. (2011). Pediatric testicular torsion epidemiology using a national database: Incidence, risk of orchiectomy and possible measures toward improving the quality of care. *Journal of Urology*, 186(5), 2009–2013.
- Ziegler, M., Wang, X., & Peter, K. (2019). Platelets in cardiac ischaemia/reperfusion injury: A promising therapeutic target. *Cardiovascular Research*, 115(7), 1178–1188.
- Zivna, D., Plhalova, L., Praskova, E., Stepanova, S., Siroka, Z., Sevcikova, M., *et al.* (2013). Oxidative stress parameters in fish after subchronic exposure to acetylsalicylic acid. *Neuro Endocrinology Letters*, 34(Suppl 2), 116–122.