

DAFTAR PUSTAKA

- [1] C. Mahendra, P. M. S. Sai, C. A. Babu, K. Revathy, dan K. K. Rajan, “Application of the thomas model for cesium ion exchange on amp-pan,” dalam *Chemical and Bioprocess Engineering: Trends and Developments*, 2015, hlm. 117–124. doi: 10.1201/b18402.
- [2] I. U. Khan, W. Sun, dan E. Lewis, “Assessment of anthropogenic cesium-¹³⁷ in soil of islamabad capital territory and its suburbs, pakistan,” *Int. J. Radiat. Res.*, vol. 19, no. 2, hlm. 325–332, 2021, doi: 10.18869/acadpub.ijrr.19.2.325.
- [3] H. T. Utami, N. Nuraeni, D. Kartikasari, E. Hiswara, N. R. Hidayati, dan H. Prasetio, “Understanding Potential Health Impacts Caused by Cesium-¹³⁷ Contamination in Tangerang Selatan, Indonesia: A Review,” dipresentasikan pada AIP Conference Proceedings, 2024. doi: 10.1063/5.0193374.
- [4] H. Wijayanto, M. Tsujimoto, T. Basuki, dan S. Nakashima, “Comparison of cationic surfactant and acid solution for remediation of actual ¹³⁷Cs-contaminated soil from Fukushima prefecture,” dipresentasikan pada AIP Conference Proceedings, 2021. doi: 10.1063/5.0066492.
- [5] H. Sawai, I. M. M. Rahman, C. Lu, Z. A. Begum, M. Saito, dan H. Hasegawa, “Extractive decontamination of cesium-containing soil using a biodegradable aminopolycarboxylate chelator,” *Microchem. J.*, vol. 134, hlm. 230–236, 2017, doi: 10.1016/j.microc.2017.06.010.
- [6] M. Jiménez-Reyes, P. T. Almazán-Sánchez, dan M. Solache-Ríos, “Radioactive waste treatments by using zeolits. A short review,” *J. Environ. Radioact.*, vol. 233, 2021, doi: 10.1016/j.jenvrad.2021.106610.
- [7] E. H. Borai, R. Harjula, L. malinen, dan A. Paaianen, “Efficient removal of cesium from low-level radioactive liquid waste using natural and impregnated zeolit minerals,” *J. Hazard. Mater.*, vol. 172, no. 1, hlm. 416–422, 2009, doi: 10.1016/j.jhazmat.2009.07.033.



- [8] M. Endo., “The removal of cesium ion with natural Itaya zeolit and the ion exchange characteristics,” *J. Chem. Technol. Biotechnol.*, vol. 88, no. 9, hlm. 1597–1602, 2013, doi: 10.1002/jctb.4140.
- [9] O. Falyouna, O. Eljamal, I. Maamoun, A. Tahara, dan Y. Sugihara, “Magnetic zeolit synthesis for efficient removal of cesium in a lab-scale continuous treatment system,” *J. Colloid Interface Sci.*, vol. 571, hlm. 66–79, 2020, doi: 10.1016/j.jcis.2020.03.028.
- [10] M. Şenilâ, E. Neag, C. Tănăselia, dan L. Şenilâ, “Removal of Cesium and Strontium Ions from Aqueous Solutions by Thermally Treated Natural Zeolit,” *Materials*, vol. 16, no. 8, 2023, doi: 10.3390/ma16082965.
- [11] G. Nurliati, Y. K. Krisnandi, R. Sihombing, dan Z. Salimin, “Studies of Modification of Zeolit by Tandem Acid-Base Treatments and its Adsorptions Performance Towards Thorium,” *At. Indones.*, vol. 41, no. 2, hlm. 87, Okt 2015, doi: 10.17146/aij.2015.382.
- [12] S. Khandaker, Y. Toyohara, S. Kamida, dan T. Kuba, “Effective removal of cesium from wastewater solutions using an innovative low-cost adsorbent developed from sewage sludge molten *slag*,” *J. Environ. Manage.*, vol. 222, hlm. 304–315, 2018, doi: 10.1016/j.jenvman.2018.05.059.
- [13] S. A. Darda, H. A. Gabbar, V. Damideh, M. Aboughaly, dan I. Hassen, “A comprehensive review on radioactive waste cycle from generation to disposal,” *J. Radioanal. Nucl. Chem.*, vol. 329, no. 1, hlm. 15–31, 2021, doi: 10.1007/s10967-021-07764-2.
- [14] *Classification of Radioactive Waste*. dalam General Safety Guide, no. GSG-1. Vienna: INTERNATIONAL ATOMIC ENERGY AGENCY, 2009. [Daring]. Tersedia pada: <https://www.iaea.org/publications/8154/classification-of-radioactive-waste>
- [15] N. F. Abu Bakar, S. Amira Othman, N. F. Amirah Nor Azman, dan N. Saqinah Jasrin, “Effect of ionizing radiation towards human health: A review,” dipresentasikan pada IOP Conference Series: Earth and Environmental Science, 2019. doi: 10.1088/1755-1315/268/1/012005.



- [16] R. O. Abdel Rahman, H. A. Ibrahim, dan Y.-T. Hung, "Liquid radioactive wastes treatment: A review," *Water Switz.*, vol. 3, no. 2, hlm. 551–565, 2011, doi: 10.3390/w3020551.
- [17] S. Sharma ., "Radioactive elements in wastewater and potable water: Sources, effects, and methods of analysis and removal," *Water Environ. Res.*, vol. 96, no. 8, 2024, doi: 10.1002/wer.11106.
- [18] M. Pearl, "Soil Washing: Its Potential Application to the Treatment of Radioactively Contaminated Soils, Rubble, and Rocks from UKAEA Sites," *Radwaste Solut.*, vol. 11, no. 1, hlm. 46–53, 2004.
- [19] M. S. Denton dan W. D. Bostick, "Downselect ion specific media (ISM) utilization in upset and outage conditions," dipresentasikan pada Proceedings of the ICEM2007 - 11th International Conference on Environmental Remediation and Radioactive Waste Management, 2009, hlm. 471–477. doi: 10.1115/ICEM2007-7187.
- [20] K. G. Bhattacharyya dan S. S. Gupta, "Adsorption of Fe(III) from water by natural and acid activated clays: Studies on equilibrium isotherm, kinetics and thermodynamics of interactions," *Adsorption*, vol. 12, no. 3, hlm. 185–204, 2006, doi: 10.1007/s10450-006-0145-0.
- [21] F. Ambrosino ., "Study and characterization of zeolits for the removal of artificial radionuclides in wastewater samples from nuclear power plants," *J. Hazard. Mater. Adv.*, vol. 16, hlm. 100458, Agu 2024, doi: 10.1016/j.hazadv.2024.100458.
- [22] M. Mushtaq, H. N. Bhatti, M. Iqbal, dan S. Noreen, "Eriobotrya japonica seed biocomposite efficiency for copper adsorption: Isotherms, kinetics, thermodynamic and desorption studies," *J. Environ. Manage.*, vol. 176, hlm. 21–33, 2016, doi: 10.1016/j.jenvman.2016.03.013.
- [23] S. Srivastava dan P. Goyal, "Sorption isotherms and kinetics," *Environ. Sci. Eng. Subser. Environ. Sci.*, no. 9783642113284, hlm. 87–91, 2010, doi: 10.1007/978-3-642-11329-1_12.



- [24] A. Al-Harmali, "Evaluation of natural radioactivity in selected soil samples collected from northern regions of Oman," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 757, hlm. 012010, Apr 2020, doi: 10.1088/1757-899X/757/1/012010.
- [25] M. Goudarzi ., "Development of urinary biomarkers for internal exposure by cesium-¹³⁷ using a metabolomics approach in mice," *Radiat. Res.*, vol. 181, no. 1, hlm. 54–64, 2014, doi: 10.1667/RR13479.1.
- [26] M. A. Ashraf, S. Akib, M. J. Maah, I. Yusoff, dan K. S. Balkhair, "Cesium-¹³⁷: Radio-chemistry, fate, and transport, remediation, and future concerns," *Crit. Rev. Environ. Sci. Technol.*, vol. 44, no. 15, hlm. 1740–1793, 2014, doi: 10.1080/10643389.2013.790753.
- [27] V. S. Repin dan K. A. Sednev, "Spectrum processing method for measuring low levels of specific activity of ¹³⁷Cs with a NaI(Tl) detector in the presence of natural radionuclides," *Radiatsionnaya Gygiena*, vol. 15, no. 4, hlm. 142–148, 2022, doi: 10.21514/1998-426X-2022-15-4-142-148.
- [28] "(PDF) A review on synthesis of zeolits from natural clay resources and waste ash: Recent approaches and progress." Diakses: 26 Juni 2025. [Daring]. Tersedia pada: https://www.researchgate.net/publication/370230257_A_review_on_synthesis_of_zeolits_from_natural_clay_resources_and_waste_ash_Recent_approaches_and_progress/citations
- [29] C. Martínez dan A. Corma, "Zeolits," dalam *Comprehensive Inorganic Chemistry II (Second Edition): From Elements to Applications*, vol. 5, 2013, hlm. 103–131. doi: 10.1016/B978-0-08-097774-4.00506-4.
- [30] J. C. Moreira, R. A. A. B. Santa, J. Nones, dan H. G. Riella, "Synthesis of zeolit 4a for obtaining zeolit 5A by ionic exchange for full utilization of waste from paper industry," *Braz. J. Chem. Eng.*, vol. 35, no. 2, hlm. 623–630, 2018, doi: 10.1590/0104-6632.20180352s20160395.
- [31] O. Cadar, Z. Dinca, M. Senila, A. Becze, dan F. Todor, "Studies on the modification of some natural zeolit from nw Romania after acid and basic treatments," dipresentasikan pada International Multidisciplinary Scientific



- GeoConference Surveying Geology and Mining Ecology Management, SGEM, 2020, hlm. 309–316. doi: 10.5593/sgem2020/1.1/s01.039.
- [32] M. Okumura, H. Nakamura, dan M. Machida, “First-principles calculation studies for radioactive cesium adsorption to clay minerals,” dipresentasikan pada Transactions of the American Nuclear Society, 2013, hlm. 160–161. [Daring]. Tersedia pada: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84902820597&partnerID=40&md5=e96a650387f5d3b5efa0ab1560b14f96>
- [33] E. Kuldeyev ., “Modifying Natural Zeolits to Improve Heavy Metal Adsorption,” *Water Switz.*, vol. 15, no. 12, 2023, doi: 10.3390/w15122215.
- [34] A. A. Bunaciu, E. G. Udriștioiu, dan H. Y. Aboul-Enein, “X-Ray Diffraction: Instrumentation and Applications,” *Crit. Rev. Anal. Chem.*, vol. 45, no. 4, hlm. 289–299, 2015, doi: 10.1080/10408347.2014.949616.
- [35] D. Alderton, “X-Ray Diffraction (XRD),” dalam *Encyclopedia of Geology: Volume 1-6, Second Edition*, vol. 1, 2020, hlm. 520–531. doi: 10.1016/B978-0-08-102908-4.00178-8.
- [36] Y. Wang dan V. Petrova, “Scanning Electron Microscopy,” dalam *Nanotechnology Research Methods for Foods and Bioproducts*, 2012, hlm. 103–126. doi: 10.1002/9781118229347.ch6.
- [37] A. M. Paredes, “Microscopy: Scanning Electron Microscopy,” dalam *Encyclopedia of Food Microbiology: Second Edition*, 2014, hlm. 693–701. doi: 10.1016/B978-0-12-384730-0.00215-9.
- [38] P. Leroy, A. Mainault, S. Li, dan J. Vinogradov, “The zeta potential of quartz. Surface complexation modelling to elucidate high salinity measurements,” *Colloids Surf. Physicochem. Eng. Asp.*, vol. 650, 2022, doi: 10.1016/j.colsurfa.2022.129507.
- [39] K. Jarzynska, K. Ciura, X. J. Gao, A. Mikolajczyk, X. Gao, dan T. Puzyn, “Understanding the zeta potential of nanomaterials through predictive nanoinformatics,” *Nano Today*, vol. 64, 2025, doi: 10.1016/j.nantod.2025.102783.



- [40] U. Danya, C. Sagayaraj, J. Yaazhini, B. Ramachandran, J. Aravind, dan P. Muthukumaran, "Characterization techniques for carbonbased adsorbents and carbon composites," dalam *Carbon-based Composites and Nanocomposites: Adsorbents and Membranes for Environmental Remediation*, 2024, hlm. 25–45. doi: 10.1515/9783111336176-002.
- [41] D. D. Do, L. Herrera, C. Fan, A. Wongkoblap, dan D. Nicholson, "The role of accessibility in the characterization of porous solids and their adsorption properties," dipresentasikan pada *Adsorption*, 2010, hlm. 3–15. doi: 10.1007/s10450-009-9203-8.
- [42] L. Liu, Z. Yang, dan L. Zhao, "Research Progress in Adsorption Materials for Heavy Metals," *Mater. China*, vol. 37, no. 2, hlm. 100–108, 2018, doi: 10.7502/j.issn.1674-3962.2018.02.04.
- [43] O. K. Akiode, A. Adetoro, A. I. Anene, S. O. Afolabi, dan Y. A. Alli, "Methodical study of chromium (VI) ion adsorption from aqueous solution using low-cost agro-waste material: isotherm, kinetic, and thermodynamic studies," *Environ. Sci. Pollut. Res.*, vol. 30, no. 16, hlm. 48036–48047, 2023, doi: 10.1007/s11356-023-25706-1.
- [44] R. Ahmad dan R. Kumar, "Adsorptive removal of congo red dye from aqueous solution using bael shell carbon," *Appl. Surf. Sci.*, vol. 257, no. 5, hlm. 1628–1633, 2010, doi: 10.1016/j.apsusc.2010.08.111.
- [45] C. Oprea, V. Popescu, dan S. Birghila, "New studies about the modified mordenites," *Romanian Rep. Phys.*, vol. 53, no. 1–2, hlm. 231–239, 2008.
- [46] J. Cieřla, "Environmental-friendly modifications of zeolit to increase its sorption and anion exchange properties, physicochemical studies of the modified materials," *Materials*, vol. 12, no. 19, 2019, doi: 10.3390/ma12193213.
- [47] C. Yang, Y. J. Suh, dan K. Cho, "Leaching of structural Ca^{2+} ions from a chalcogenide adsorbent by H^{+} lifts Cs(I) uptake," *J. Hazard. Mater.*, vol. 455, 2023, doi: 10.1016/j.jhazmat.2023.131648.
- [48] S. Ord3n3ez dan E. D3az, "Basic zeolits: Structure, preparation and environmental applications," dalam *Handbook of Zeolits: Structure*,



- Properties and Applications*, 2009, hlm. 51–66. [Daring]. Tersedia pada:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84896218259&partnerID=40&md5=20b6f560c77af4480a24b230c726c8bd>
- [49] J. Vejsada, D. Hradil, Z. Řanda, E. Jelínek, dan K. Štulík, “Adsorption of cesium on Czech smectite-rich clays - A comparative study,” *Appl. Clay Sci.*, vol. 30, no. 1, hlm. 53–66, 2005, doi: 10.1016/j.clay.2005.03.003.
- [50] S. Bayülken, E. Başçetin, K. Güçlü, dan R. Apak, “Investigation and modeling of cesium(I) adsorption by Turkish clays: Bentonite, zeolit, sepiolite, and kaolinite,” *Environ. Prog. Sustain. Energy*, vol. 30, no. 1, hlm. 70–80, 2011, doi: 10.1002/ep.10452.
- [51] E. Mištová, J. Toropitsyna, M. Houšťava, L. Matoušková, H. Parschová, dan L. Jelínek, “Remove of cesium and strontium ions in water using natural zeolit,” *Waste Forum*, no. 3, hlm. 183–196, 2024.
- [52] Z. Wang, Z. Wu, dan T. Tan, “Sorption equilibrium, mechanism and thermodynamics studies of 1,3-propanediol on beta zeolit from an aqueous solution,” *Bioresour. Technol.*, vol. 145, hlm. 37–42, 2013, doi: 10.1016/j.biortech.2013.02.064.
- [53] K. Ozeki dan H. Aoki, “Evaluation of the adsorptive behavior of cesium and strontium on hydroxyapatite and zeolit for decontamination of radioactive substances,” *Biomed. Mater. Eng.*, vol. 27, no. 2–3, hlm. 227–236, 2016, doi: 10.3233/BME-161584.
- [54] T. Li, K.-H. Cui, N. Sui, dan K. Huang, “Interface salt effect based on competition adsorption of co-existing cations in process of rare earth solvent extraction,” *Zhongguo Youse Jinshu Xuebao/Chinese J. Nonferrous Met.*, vol. 33, no. 12, hlm. 4201–4213, 2023, doi: 10.11817/j.ysxb.1004.0609.2023-44056.
- [55] H.-S. Shi dan Y.-H. Liu, “Research on adsorption of Cr(VI) ion by modified zeolit,” *Jianzhu Cailiao Xuebao/Journal Build. Mater.*, vol. 9, no. 4, hlm. 408–411, 2006.
- [56] M. A. Islam, M. A. Chowdhury, M. S. I. Mozumder, dan M. T. Uddin, “Langmuir Adsorption Kinetics in Liquid Media: Interface Reaction Model,”



- ACS Omega*, vol. 6, no. 22, hlm. 14481–14492, 2021, doi: 10.1021/acsomega.1c01449.
- [57] Y.-K. Chang, R.-Z. Huang, S.-Y. Lin, S.-J. Chiu, dan J.-C. Tsai, “Equilibrium study of immobilized lysozyme on the extrudate-shaped NaY zeolit,” *Biochem. Eng. J.*, vol. 28, no. 1, hlm. 1–9, 2006, doi: 10.1016/j.bej.2005.08.029.
- [58] S. Li ., “Elevated temperature adsorbents for separation applications,” *EnergyChem*, vol. 5, no. 6, 2023, doi: 10.1016/j.enchem.2023.100113.
- [59] R. R. Sheha dan E. Metwally, “Equilibrium isotherm modeling of cesium adsorption onto magnetic materials,” *J. Hazard. Mater.*, vol. 143, no. 1–2, hlm. 354–361, 2007, doi: 10.1016/j.jhazmat.2006.09.041.
- [60] B. Işık, A. E. Kurtoğlu, G. Gürdağ, dan G. Keçeli, “Radioactive cesium ion removal from wastewater using polymer metal oxide composites,” *J. Hazard. Mater.*, vol. 403, 2021, doi: 10.1016/j.jhazmat.2020.123652.
- [61] Y. Zhang ., “Aqueous calcium ion adsorption performance of artificial zeolit made from waste glass and aluminum slag,” *Chin. J. Environ. Eng.*, vol. 13, no. 1, hlm. 49–61, 2019, doi: 10.12030/j.cjee.201916.

