UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

IX. REFERENCES

Agustí, M., Reig, C., Martínez-Fuentes, A., & Mesejo, C. (2022). Advances in Citrus Flowering: A Review. *Frontiers in Plant Science*, *13*, 868831. https://doi.org/10.3389/FPLS.2022.868831/BIBTEX

Agustina, M., Jayanti, D., Sugiyatno, A., Roviq, M., & Maghfoer, D. (2015). COMPATIBILITY OF SEVEN VARIETIES OF PRE-CITRUS PLANT INTERSTOCK ON THE ROOTSTOCK OF Japansche Citroen (JC). *Journal Produksi Tanaman*, *X*(X), 1–9.

Ahmad, S., Asim, M., Majeed, M. Z., Atiq, M., Ali, Y., Ahmad, H. B., Rehman, M. A., & Akhtar, N. (2023). Population Dynamics and Epidemiology of Diaphorina citri in Relation to Yield Losses Caused by Citrus Greening. *Punjab University Journal of Zoology*, *38*(1). https://doi.org/10.17582/JOURNAL.PUJZ/2023.38.1.81.88

Aidoo, O. F., Souza, P. G. C., da Silva, R. S., Santana, P. A., Picanço, M. C., Kyerematen, R., Sètamou, M., Ekesi, S., & Borgemeister, C. (2022a). Climate-induced range shifts of invasive species (Diaphorina citri Kuwayama). *Pest Management Science*, *78*(6), 2534–2549. https://doi.org/10.1002/PS.6886

Aidoo, O. F., Souza, P. G. C., da Silva, R. S., Santana, P. A., Picanço, M. C., Kyerematen, R., Sètamou, M., Ekesi, S., & Borgemeister, C. (2022b). Climate-induced range shifts of invasive species (Diaphorina citri Kuwayama). *Pest Management Science*, *78*(6), 2534–2549. https://doi.org/10.1002/PS.6886;PAGEGROUP:STRING:PUBLICATION

Arry, S., Muhammad, Z., & Titiek, P. (2017). Effectiveness of huanglongbing vector (Diaphorina citri kuwayama) control in citrus grower group based in sambas regency of west kalimantan, indonesia. *Russian Journal of Agricultural and Socio-Economic Sciences*, *72*(12), 320–326. https://doi.org/10.18551/RJOAS.2017-12.45

Ashari, H., Hanif, Z., & Supriyanto, A. (2015). Kajian Dampak Iklim Ekstrim Curah Hujan Tinggi (La-Nina) Pada Jeruk Siam (Citrus Nobilis var. Microcarpa) Di Kabupaten Banyuwangi, Jember Dan Lumajang. *Planta Tropika: Journal of Agro Science*, *2*(1), 49–55. https://doi.org/10.18196/pt.2014.023.49-55

Aurambout, J. P., Finlay, K. J., Luck, J., & Beattie, G. A. C. (2009). A concept model to estimate the potential distribution of the Asiatic citrus psyllid (Diaphorina citri

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kuwayama) in Australia under climate change — A means for assessing biosecurity risk. *Ecological Modelling*, *220*, 2512–2524. https://doi.org/10.1016/j.ecolmodel.2009.05.010

Badan Pusat Statistik, B. (2021). *Produksi Tanaman Buah-buahan 2020*. BPS. https://www.bps.go.id/indicator/55/62/1/produksi-tanaman-buah-buahan.html

Berhanu, Y., Tassie, N., & Sintayehu, D. W. (2022). Predicting the current and future suitable habitats for endemic and endangered Ethiopian wolf using MaxEnt model. *Heliyon*, *8*(8), e10223. https://doi.org/10.1016/J.HELIYON.2022.E10223

Berk, Z. (2016). Diseases and pests. *Citrus Fruit Processing*, 83–93. https://doi.org/10.1016/B978-0-12-803133-9.00005-9

Bottrell, D. G., & Schoenly, K. G. (2018). Integrated pest management for resource-limited farmers: Challenges for achieving ecological, social and economic sustainability. *Journal of Agricultural Science*, *156*(3), 408–426. https://doi.org/10.1017/S0021859618000473

BPS, P. J. T. (2019). *Produksi Buah-buahan Menurut Jenis Tanaman Menurut Kabupaten/Kota di Provinsi Jawa Timur, 2017 dan 2018*. https://jatim.bps.go.id/statictable/2019/10/08/1599/produksi-buah-buahan-menurut-jenis-tanaman-menurut-kabupaten-kota-di-provinsi-jawa-timur-kuintal-2017-dan-2018.html

Budiarto, R., Poerwanto, R., Santosa, E., & Efendi, D. (2018). Shoot manipulations improve flushing and flowering of mandarin citrus in Indonesia. *Journal of Applied Horticulture*, *20*(2), 112–118. https://doi.org/https://doi.org/10.37855/jah.2018.v20i02.20

CABI, & EPPO. (2006). Diaphorina citri . [Distribution map]. . *Distribution Maps of Plant Pests*. https://doi.org/10.1079/DMPP/20066600334

California Department of Food & Agriculture. (2021). Asian Citrus Psyllid Host List. *Asian Citrus Psyllid Host List*.

Carter, E. W., Peraza, O. G., & Wang, N. (2023). The protein interactome of the citrus Huanglongbing pathogen Candidatus Liberibacter asiaticus. *Nature Communications 2023 14:1*, *14*(1), 1–12. https://doi.org/10.1038/s41467-023-43648-7

Chaves-Sierra, C., Rodriguez-Cruz, M. C., Mejia-Alvarado, F. S., Ramírez-Higuera, C., Mejía-Eslava, A., & Romero, H. M. (2024). Identification of 'Candidatus Liberibacter asiaticus', the Huanglongbing Bacterium, in Citrus from Colombia. *Plant Disease*, *108*(5), 1169–1173. https://doi.org/10.1094/PDIS-10-23-2003-

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

SC/ASSET/IMAGES/LARGE/PDIS-10-23-2003-SCF5-1716385415887.JPEG

Chen, Q., Li, Z., Liu, S., Chi, Y., Jia, D., & Wei, T. (2022). Infection and distribution of Candidatus Liberibacter asiaticus in citrus plants and psyllid vectors at the cellular level. *Microbial Biotechnology*, *15*(4), 1221–1234. https://doi.org/10.1111/1751-7915.13914

Chen, Z., & Kuang, R. (2020). Spectral sensitivity and response to light intensity of Bemisia tabaci (Hemiptera: Aleyrodidae). *Journal of Plant Protection*, *47*(1), 209–210. https://doi.org/10.13802/j.cnki.zwbhxb.2020.2019106

Choi, J., & Lee, S. (2022). Principal bioclimatic variables of ten dominant plant species in Korea wetland using the Maxent model. *Ecological Engineering*, *183*, 106729. https://doi.org/10.1016/J.ECOLENG.2022.106729

Chuah, C. H., Yong, H. S., & Goh, S. H. (1997). Methyl eugenol, a fruit-fly attractant, from the browning leaves of Proiphys amboinensis (amaryllidaceae). *Biochemical Systematics and Ecology*, *25*(5), 391–393. https://doi.org/10.1016/S0305-1978(97)00097-5

Coutinho-Abreu, I. V., Forster, L., Guda, T., & Ray, A. (2014). Odorants for Surveillance and Control of the Asian Citrus Psyllid (Diaphorina citri). *PLOS ONE*, *9*(10), e109236. https://doi.org/10.1371/JOURNAL.PONE.0109236

da Graça, J. V., Douhan, G. W., Halbert, S. E., Keremane, M. L., Lee, R. F., Vidalakis, G., & Zhao, H. (2016). Huanglongbing: An overview of a complex pathosystem ravaging the world's citrus. *Journal of Integrative Plant Biology*, *58*(4), 373–387. https://doi.org/10.1111/JIPB.12437

Davis, R. I., Gunua, T. G., Kame, M. F., Tenakanai, D., & Ruabete, T. K. (2005). Spread of citrus huanglongbing (greening disease) following incursion into Papua New Guinea. *Australasian Plant Pathology*, *34*(4), 517–524. https://doi.org/10.1071/AP05059/METRICS

Davis, Richard I., Jones, L. M., Pease, B., Perkins, S. L., Vala, H. R., Kokoa, P., Apa, M., & Dale, C. J. (2021). Plant virus and virus-like disease threats to australia's north targeted by the northern australia quarantine strategy. *Plants*, *10*(10), 2175. https://doi.org/10.3390/PLANTS10102175/S1

Dou, S., Lindsey, N., Wagner, A. M., Daley, T. M., Freifeld, B., Robertson, M., Peterson, J., Ulrich, C., Martin, E. R., & Ajo-Franklin, J. B. (2017). Distributed Acoustic Sensing for Seismic Monitoring of the Near Surface: A Traffic-Noise Interferometry Case Study. *Scientific Reports*, *7*(1), 1–12. https://doi.org/10.1038/S41598-017-11986-

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

4;TECHMETA=123;SUBJMETA=2151,2809,508,704;KWRD=GEOPHYSICS,SEISMOLOGY

Edde, P. A. (2022). Arthropod pests of sugarbeet (Beta vulgaris L.). *Field Crop Arthropod Pests of Economic Importance*, 862–913. https://doi.org/10.1016/B978-0-12-818621-3.00015-X

Elith, J., Phillips, S. J., Hastie, T., Dudík, M., Chee, Y. E., & Yates, C. J. (2011). A statistical explanation of MaxEnt for ecologists. *Diversity and Distributions*, *17*(1), 43–57. https://doi.org/10.1111/J.1472-4642.2010.00725.X

EPPO. (2022). *European and Mediterranean Plant Protection Organization (EPPO)*. https://gd.eppo.int/

European and Mediterranean Plant Protection Organization (EPPO) Data Based. (2024). *Diaphorina citri (DIAACI)[World distribution]| EPPO Global Database*. https://gd.eppo.int/taxon/DIAACI/distribution

Foda, Y. L., Wibowo, L., Lestari, P., & Hasibuan, R. (2021). IInventarisasi dan intensitas serangan hama tanaman jeruk (Citrus sinensis l.) di kecamatan sekampung udik kabupaten lampung timur. *Jurnal Agrotek Tropika*, *9*(3), 367. https://doi.org/10.23960/jat.v9i3.5276

Gabriel, D., Gottwald, T. R., Lopes, S. A., & Wulff, N. A. (2020). Bacterial pathogens of citrus: Citrus canker, citrus variegated chlorosis and Huanglongbing. *The Genus Citrus*, 371–389. https://doi.org/10.1016/B978-0-12-812163-4.00018-8

GBIF.Org User. (2024). *Occurrence Download*. The Global Biodiversity Information Facility. https://doi.org/10.15468/DL.PTUV55

GBIF. (2022). *Global Biodiversity Information Facility*. https://www.gbif.org/

George, J., Paris, T. M., Allan, S. A., Lapointe, S. L., & Stelinski, L. L. (2020). UV reflective properties of magnesium oxide increase attraction and probing behavior of Asian citrus psyllids (Hemiptera: Liviidae). *Scientific Reports 2020 10:1*, *10*(1), 1–10. https://doi.org/10.1038/s41598-020-58593-4

Gibb, T. (2015). Networking. *Contemporary Insect Diagnostics*, 307–323. https://doi.org/10.1016/B978-0-12-404623-8.00009-0

Global Biodiversity Information Facility. (2024). *Diaphorina citri occurrance*. https://doi.org/GBIF.org (05 April 2024) GBIF Occurrence Download https://doi.org/10.15468/dl.ptuv55

Grafton-Cardwell, E. E., Stelinski, L. L., & Stansly, P. A. (2013). Biology and management of Asian citrus psyllid, vector of the huanglongbing pathogens. *Annual Review of Entomology*, *58*(Volume 58, 2013), 413–432.

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1146/ANNUREV-ENTO-120811-153542/CITE/REFWORKS

Graham, J. H., Bassanezi, R. B., Dawson, W. O., & Dantzler, R. (2024). Management ofHuanglongbing of Citrus:Lessons from São Paulo andFlorida. *Annu. Rev. Phytopathol*, *62*, 243–262. https://doi.org/10.1146/annurev-phyto-121423

Gunawan, Sulistijorini, Chikmawati, T., & Sobir. (2021). Predicting suitable areas for Baccaurea angulata in Kalimantan, Indonesia using Maxent modelling. *Biodiversitas Journal of Biological Diversity*, *22*(5), 2646–2653. https://doi.org/10.13057/BIODIV/D220523

Hakim, M. L., & Wahyuningsih, S. (2020). Analisis Kinerja Perdagangan Jeruk Semester I Tahun 2020. In *Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian*. https://satudata.pertanian.go.id/assets/docs/publikasi/Analisis_Kinerja_Perdagangan_Jeruk_Semester_I_Tahun_2020.pdf

Hall, D. G. (2014a). An Evaluation of Different Plant Species for Rearing Asian Citrus Psyllid , Diaphorina citri Kuwayama (Hemiptera : Psyllidae). *Journal of Citrus Pathology*, *1*(August).

Hall, D. G. (2014b). Interference by Western Flower Thrips in rearing Asian citrus psyllid: Damage to host plants and facultative predation. *Crop Protection*, *60*, 66–69. https://doi.org/10.1016/J.CROPRO.2014.02.007

Hall, D. G., Hentz, M. G., & Ciomperlik, M. A. (2007). A comparison of traps and stem tap sampling for monitoring adult Asian citrus psyllid (Hemiptera: Psyllidae) in citrus. *Florida Entomologist*, *90*(2), 327–334. https://doi.org/10.1653/0015-4040(2007)90[327:ACOTAS]2.0.CO;2

Hall, D. G., Hentz, M. G., & Patt, J. M. (2015). Behavioral Assay on Asian Citrus Psyllid Attraction to Orange Jasmine. *Journal of Insect Behavior*, *28*(5), 555–568. https://doi.org/10.1007/s10905-015-9525-1

Hall, D. G., Sétamou, M., & Mizell, R. F. (2010). A comparison of sticky traps for monitoring Asian citrus psyllid (Diaphorina citri Kuwayama). *Crop Protection*, *29*(11), 1341–1346. https://doi.org/10.1016/j.cropro.2010.06.003

Hangay, G., Gayubo, S. F., Hoy, M. A., Goula, M., Sanborn, A., Morrill, W. L., GÄde, G., Marco, H. G., Kabissa, J. C. B., Ellis, J., Ellis, A., Lord, C. C., Schabel, H. G., Heppner, J. B., Schabel, H. G., Heppner, J. B., Heppner, J. B., Heppner, J. B., Nadel, H., … Nayar, J. K. (2008). African Armyworm, Spodoptera exempta (Walker) (Lepidoptera: Noctuidae). *Encyclopedia of Entomology*, *June 1909*,

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

53–59. https://doi.org/10.1007/978-1-4020-6359-6_91

Himawan, A., Sumardiyono, Y. ., Somowiyarjo, S., Trisyono, Y. A., & Beattie, A. (2011). Deteksi menggunakan pcr (polymerase chain reaction) Candidatus liberibacter asiaticus, penyebab huanglongbing pada jeruk siem dengan beberapa tipe gejala pada daun. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, *10*(2), 178–183. https://doi.org/10.23960/J.HPTT.210178-183

Hosseinzadeh, S., & Heck, M. (2023). Variations on a theme: factors regulating interaction between Diaphorina citri and “Candidatus Liberibacter asiaticus” vector and pathogen of citrus huanglongbing. *Current Opinion in Insect Science*, *56*. https://doi.org/10.1016/j.cois.2023.101025

Ibanez, F., Racine, K., Hoyte, A., & Stelinski, L. L. (2019). Reproductive performance among color morphs of Diaphorina citri Kuwayama, vector of citrus greening pathogens. *Journal of Insect Physiology*, *117*(January), 103904. https://doi.org/10.1016/j.jinsphys.2019.103904

Iftikhar, Y., Rauf, S., Shahzad, U., & Zahid, M. A. (2016). Huanglongbing: Pathogen detection system for integrated disease management – A review. *Journal of the Saudi Society of Agricultural Sciences*, *15*(1), 1–11. https://doi.org/10.1016/J.JSSAS.2014.04.006

International, C. for A. and B. (2012). *Distribution Maps of Plant Diseases Present : national record*. *878*. https://doi.org/10.1186/1471-2180-12-39.X

Jacobson, M. (2003). Chemical Insect Attractants and Repellents. *Annual Review of Entomology*, *11*, 403–422. https://doi.org/10.1146/ANNUREV.EN.11.010166.002155

Jaronski, S. T. (2014). *Chapter 11 - Mass Production of Entomopathogenic Fungi: State of the Art* (J. A. Morales-Ramos, M. G. Rojas, & D. I. B. T.-M. P. of B. O. Shapiro-Ilan (eds.); pp. 357–413). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-12-391453-8.00011-X

Kalile, M. O., Janssen, A., Fancelli, M., Magalhães, D. G., Cardoso, A. C., Rosa, M. S., Ledo, C. A. S., & Ragni, M. (2022). UV light attracts Diaphorina citri and its parasitoid. *Biological Control*, *170*, 104928. https://doi.org/10.1016/J.BIOCONTROL.2022.104928

Killiny, N., Nehela, Y., George, J., Rashidi, M., Stelinski, L. L., & Lapointe, S. L. (2021). Phytoene desaturase-silenced citrus as a trap crop with multiple cues to attract Diaphorina citri, the vector of Huanglongbing. *Plant Science*, *308*, 110930. https://doi.org/10.1016/J.PLANTSCI.2021.110930

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kondo, T., F., G., Tauber, C., Sarmiento, Y. C., Mondragon, A., & Forero, D. (2015). A checklist of natural enemies of Diaphorina citri Kuwayama (Hemiptera: Liviidae) in the department of Valle del Cauca, Colombia and the world. *Insecta Mundi*, *0457*, 1–14. https://digitalcommons.unl.edu/insectamundi/966

Lee, R. F. (2015). Control of virus diseases of citrus. *Advances in Virus Research*, *91*(1), 143–173. https://doi.org/10.1016/BS.AIVIR.2014.10.002

Leong, S. S., Leong, S. C. T., & Beattie, G. A. C. (2022). Integrated Pest Management Strategies for Asian Citrus Psyllid Diaphorina citri Kuwayama (Hemiptera: Psyllidae) and Huanglongbing in Citrus for Sarawak, East Malaysia, Borneo. *Insects 2022, Vol. 13, Page 960*, *13*(10), 960. https://doi.org/10.3390/INSECTS13100960

Lestiyani, A., Joko, T., Holford, P., Beattie, G. A. C., Donovan, N., Mo, J., Subandiyah, S., & Iwanami, T. (2024). Natural Infection of Murraya Paniculata and Murraya Sumatrana with CLas in Java. *Plant Disease*, *108*(9), 2760–2770. https://doi.org/10.1094/PDIS-12-23-2593-RE

Liu, X. Q., Jiang, H. B., Liu, Y., Fan, J. Y., Ma, Y. J., Yuan, C. Y., Lou, B. H., & Wang, J. J. (2020). Odorant binding protein 2 reduces imidacloprid susceptibility of Diaphorina citri. *Pesticide Biochemistry and Physiology*, *168*(March), 104642. https://doi.org/10.1016/j.pestbp.2020.104642

Ma, G., & Ma, C. Sen. (2022). Potential distribution of invasive crop pests under climate change: incorporating mitigation responses of insects into prediction models. *Current Opinion in Insect Science*, *49*, 15–21. https://doi.org/10.1016/J.COIS.2021.10.006

Mann, R. S., Rouseff, R. L., Smoot, J., Rao, N., Meyer, W. L., Lapointe, S. L., Robbins, P. S., Cha, D., Linn, C. E., Webster, F. X., Tiwari, S., & Stelinski, L. L. (2012). Chemical and behavioral analysis of the cuticular hydrocarbons from Asian citrus psyllid, Diaphorina citri. *Insect Science*, *20*(3), 367–378. https://doi.org/10.1111/J.1744-7917.2012.01541.X

Marisna, I., Soffan, A., Subandiyah, S., Cen, Y., & Joko, T. (2024). The feeding behavior of Diaphorina citri monitored by using an electrical penetration graph (DC-EPG) on citrus plants treated with Bacillus cereus and Bacillus velezensis. *Journal of Plant Protection Research*, *64*(3), 234–241. https://doi.org/10.24425/JPPR.2024.151815

Mukhametzyanov, R. R., Brusenko, S. V., Khezhev, A. M., Kelemetov, E. M., & Kirillova, S. S. (2024). Changing the Global Production and Trade of Citrus

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Fruits. *Advances in Science, Technology and Innovation*, *Part F2358*, 19–24. https://doi.org/10.1007/978-3-031-51272-8_4

Nasihin, I., Widhiono, I., Sudiana, E., Nurdin, Herlina, N., & Imaningsih, W. (2024). Species distribution model and population dynamics of invasive alien plant Calliandra calothyrsus in Gunung Ciremai National Park, West Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, *25*(12), 4806–4815. https://doi.org/10.13057/BIODIV/D251217

Ninsin, K. D., Souza, P. G. C., Amaro, G. C., Aidoo, O. F., Barry, E. J. D. V., Da Silva, R. S., Osei-Owusu, J., Dofuor, A. K., Ablormeti, F. K., Heve, W. K., Edusei, G., Agboyi, L. K., Beseh, P., Boafo, H. A., Borgemeister, C., & Sétamou, M. (2024). Risk of spread of the Asian citrus psyllid Diaphorina citri Kuwayama (Hemiptera: Liviidae) in Ghana. *Bulletin of Entomological Research*, *114*(3), 327–346. https://doi.org/10.1017/S0007485324000105

Oke, A. O., Oladigbolu, A. A., Kunta, M., Alabi, O. J., & Sétamou, M. (2020). First report of the occurrence of Asian citrus psyllid Diaphorina citri (Hemiptera: Liviidae), an invasive species in Nigeria, West Africa. *Scientific Reports*, *10*(1), 1–8. https://doi.org/10.1038/s41598-020-66380-4

Patt, J. M., George, J., Markle, L., Moreno, A. T., Sétamou, M., Rivera, M., & Stelinski, L. (2023). Field Evaluation of Attract-And-Kill Devices for Control of Asian Citrus Psyllid (Hemiptera: Liviidae) in Urban Landscapes. *Https://Doi.Org/10.1653/024.106.0407*, *106*(4), 248–256. https://doi.org/10.1653/024.106.0407

Pelz-Stelinski, K. S., Martini, X., Kingdom-Gibbard, H., & Stelinski, L. L. (2017). Patterns of habitat use by the Asian citrus psyllid, Diaphorina citri, as influenced by abiotic and biotic growing conditions. *Agricultural and Forest Entomology*, *19*(2), 171–180. https://doi.org/10.1111/AFE.12197

Pertanian, P. D. dan S. I. P. S. J.-K. (2015). OUTLOOK JERUK 2015. *OUTLOOK JERUK*, 110.

Phillips, S. B., Aneja, V. P., Kang, D., & Arya, S. P. (2006). Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, *190*(3–4), 231–259. https://doi.org/10.1016/J.ECOLMODEL.2005.03.026

Phillips, S J., Dudik, M., & Schapire, Robert, E. (2022). *Maxent - American Museum of Natural History*. Maxent Software for Modelling Species Niches and Distribution (Version 3.4.1). https://biodiversityinformatics.amnh.org/open_source/maxent/

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Phillips, Steven J., Anderson, R. P., Dudík, M., Schapire, R. E., & Blair, M. E. (2017). Opening the black box: an open-source release of Maxent. *Ecography*, *40*(7), 887–893. https://doi.org/10.1111/ECOG.03049

Poerwanto, M. E., Solichah, C., Wicaksono, D., Ulilalbab, A. R., & Ajri, M. (2024). Olfactory Response of Diaphorina citri to Guava Leaves Powder. *Jurnal Perlindungan Tanaman Indonesia*, *28*(2), 77. https://doi.org/10.22146/jpti.96847

Qin, A., Liu, B., Guo, Q., Bussmann, R. W., Ma, F., Jian, Z., Xu, G., & Pei, S. (2017). Maxent modeling for predicting impacts of climate change on the potential distribution of Thuja sutchuenensis Franch., an extremely endangered conifer from southwestern China. *Global Ecology and Conservation*, *10*, 139–146. https://doi.org/10.1016/j.gecco.2017.02.004

Rodríguez-Aguilar, O., López-Collado, J., Soto-Estrada, A., Vargas-Mendoza, M. de la C., & García-Avila, C. de J. (2023). Future spatial distribution of Diaphorina citri in Mexico under climate change models. *Ecological Complexity*, *53*, 101041. https://doi.org/10.1016/J.ECOCOM.2023.101041

Rumada, I. W., Rai, I. N., & Dwiyani, R. (2021). Pembuahan Jeruk Siam (Citrus microcarpa L.) di Luar Musim dengan Perlakuan Induksi Pembungaan dan Zat Pemecah Dormansi. *Agrotrop : Journal on Agriculture Science*, *11*(1), 10–20. https://doi.org/10.24843/ajoas.2021.v11.i01.p02

Sallam, M. F., Xue, R. De, Pereira, R. M., & Koehler, P. G. (2016). Ecological niche modeling of mosquito vectors of West Nile virus in St. John's County, Florida, USA. *Parasites and Vectors*, *9*(1). https://doi.org/10.1186/s13071-016-1646-7

Santos Silva, M., Patt, J. M., de Jesus Barbosa, C., Fancelli, M., Roberto Ribeiro Mesquita, P., de Medeiros Rodrigues, F., & Selbach Schnadelbach, A. (2023). Asian citrus psyllid, Diaphorina citri (Hemiptera: Liviidae) responses to plant-associated volatile organic compounds: A mini-review. *Crop Protection*, *169*. https://doi.org/10.1016/j.cropro.2023.106242

Services, C. (2022). *3D PRINTED PSYLLID TRAP : Construction , field deployment , and servicing Bureau of Methods Development and Biological Control*. *April*.

Sétamou, M., Sanchez, A., Patt, J. M., & Nelson, S. D. (2011). Visual responses of adult Asian citrus psyllid (Hemiptera: Psyllidae) to colored sticky traps. *Journal of Insect Behavior*, *24*(3), 236–245.

Setyaningrum, H., Martono, E., Mo, J., Subandiyah, S., Joko, T., & Soffan, A. (2025). Distribution of Diaphorina citri, a citrus huanglongbing vector in

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Indonesia and new locality records. *Journal of Tropical Plant Pests and Diseases*.

Setyaningrum, H, Martono, E., Mo, J., Subandiyah, S., Soffan, A., & Joko, T. (2025). Evaluation of Acid-Based Pheromone for Monitoring Diaphorina citri, Vector of Huanglongbing Diseases Under Tropical Climate. *Pakistan Journal of Biological Sciences*, *28*(6), 383–391.

Setyaningrum, Haris, Martono, E., Soffan, A., & Mo, J. (2023). Best Practices Intercropping Citrus Controlling Asian Citrus Psyllids (Diaphorina citri) in Indonesia. *Advances in Biological Sciences Research*, *29*(April 2023), 591–596. https://doi.org/10.2991/978-94-6463-122-7_56

Shrestha, B., Martini, X., & Stelinski, L. L. (2021). Population Fluctuations of Diaphorina citri and Its Natural Enemies in Response to Various Management Practices in Florida. *Florida Entomologist*, *104*(3), 178–185. https://doi.org/10.1653/024.104.0306

Skendžić, S., Zovko, M., Živković, I. P., Lešić, V., & Lemić, D. (2021). The Impact of Climate Change on Agricultural Insect Pests. *Insects*, *12*(5). https://doi.org/10.3390/INSECTS12050440

Snyder, J., Dickens, K. L., Halbert, S. E., Dowling, S., Russell, D., Henderson, R., Rohrig, E., & Ramadugu, C. (2022a). The Development and Evaluation of Insect Traps for the Asian Citrus Psyllid, Diaphorina citri (Hemiptera: Psyllidae), Vector of Citrus Huanglongbing. *Insects*, *13*(3), 295. https://doi.org/10.3390/INSECTS13030295/S1

Snyder, J., Dickens, K. L., Halbert, S. E., Dowling, S., Russell, D., Henderson, R., Rohrig, E., & Ramadugu, C. (2022b). The Development and Evaluation of Insect Traps for the Asian Citrus Psyllid, Diaphorina citri (Hemiptera: Psyllidae), Vector of Citrus Huanglongbing. *Insects 2022, Vol. 13, Page 295*, *13*(3), 295. https://doi.org/10.3390/INSECTS13030295

Snyder, J., Dowling, S., Rohrig, E., Halbert, S., Ramadugu, C., Simmons, G., Mizell, R., & Henderson, R. (2022). *Field Assays of 3D Printed Asian Citrus Psyllid (Diaphorina citri) Trapping Systems*.

Souza, Philipe G.C., Aidoo, O. F., Farnezi, P. K. B., Heve, W. K., Júnior, P. A. S., Picanço, M. C., Ninsin, K. D., Ablormeti, F. K., Shah, M. A., Siddiqui, S. A., & Silva, R. S. (2023). Tamarixia radiata global distribution to current and future climate using the climate change experiment (CLIMEX) model. *Scientific Reports 2023 13:1*, *13*(1), 1–12. https://doi.org/10.1038/s41598-023-29064-3

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Souza, Philipe Guilherme Corcino, Aidoo, O. F., Araújo, F. H. V., da Silva, R. S., Júnior, P. A. S., Farnezi, P. K. B., Picanço, M. C., Sètamou, M., Ekesi, S., & Borgemeister, C. (2024). Modelling the potential distribution of the Asian citrus psyllid Diaphorina citri (Hemiptera: Liviidae) using CLIMEX. *International Journal of Tropical Insect Science*, *44*(2), 771–787. https://doi.org/10.1007/S42690-024-01191-Y/FIGURES/8

Sreekumar, E. R., & Nameer, P. O. (2022). A MaxEnt modelling approach to understand the climate change effects on the distributional range of White-bellied Sholakili Sholicola albiventris (Blanford, 1868) in the Western Ghats, India. *Ecological Informatics*, *70*, 101702. https://doi.org/10.1016/J.ECOINF.2022.101702

Subandiyah, S., Nikoh, N., Tsuyumu, S., Somowiyarjo, S., & Fukatsu, T. (2000). Complex endosymbiotic microbiota of the citrus psyllid Diaphorina citri (Homoptera: Psylloidea). *Zoological Science*, *17*(7), 983–989. https://doi.org/10.2108/zsj.17.983

Thakuria, D., Chaliha, C., Dutta, P., Sinha, S., Uzir, P., Singh, S. B., Hazarika, S., Sahoo, L., Kharbikar, L. L., & Singh, D. (2023a). Citrus Huanglongbing (HLB): Diagnostic and management options. *Physiological and Molecular Plant Pathology*, *125*, 102016. https://doi.org/10.1016/J.PMPP.2023.102016

Thakuria, D., Chaliha, C., Dutta, P., Sinha, S., Uzir, P., Singh, S. B., Hazarika, S., Sahoo, L., Kharbikar, L. L., & Singh, D. (2023b). Citrus Huanglongbing (HLB): Diagnostic and management options. *Physiological and Molecular Plant Pathology*, *125*. https://doi.org/10.1016/j.pmpp.2023.102016

Tiwari, S., Mann, R. S., Rogers, M. E., & Stelinski, L. L. (2011). Insecticide resistance in field populations of Asian citrus psyllid in Florida. *Pest Management Science*, *67*(10), 1258–1268. https://doi.org/10.1002/ps.2181

Tomaseto, A. F., Marques, R. N., Fereres, A., Zanardi, O. Z., Volpe, H. X. L., Alquézar, B., Peña, L., & Miranda, M. P. (2019). Orange jasmine as a trap crop to control Diaphorina citri. *Scientific Reports*, *9*(1), 1–11. https://doi.org/10.1038/s41598-019-38597-5

Tsai, J. H., Wang, J., & Liu, Y. (2002). Seasonal Abundance of the Asian Citrus Psyllid, Diaphorina citri (Homoptera: Psyllidae) in Southern Florida | Florida Entomologist. *Florida Entomologist*, 446–451. https://journals.flvc.org/flaent/article/view/75122

Urbaneja, A., Grout, T. G., Gravena, S., Wu, F., Cen, Y., & Stansly, P. A. (2020).

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Citrus pests in a global world. *The Genus Citrus*, 333–348. https://doi.org/10.1016/B978-0-12-812163-4.00016-4

Van Steenderen, C., Mauda, E., Kirkman, W., Faulkner, K., & Guy, S. (2024). The Asian Citrus Psyllid (Diaphorina citri) in Africa: using MaxEnt to predict current and future climatic suitability, with a focus on potential invasion routes. *African Entomology*, *32*, 1–10. https://doi.org/10.17159/2254-8854/2024/a18476

Vashisth, T., & Kadyampakeni, D. (2019). Diagnosis and management of nutrient constraints in citrus. *Fruit Crops: Diagnosis and Management of Nutrient Constraints*, 723–737. https://doi.org/10.1016/B978-0-12-818732-6.00049-6

Volpe, H. X. L., Carmo-Sousa, M., Luvizotto, R. A. G., de Freitas, R., Esperança, V., Darolt, J. C., Pegoraro, A. A. L., Magalhães, D. M., Favaris, A. P., Wulff, N. A., Miranda, M. P., Bento, J. M. S., & Leal, W. S. (2024a). The greening-causing agent alters the behavioral and electrophysiological responses of the Asian citrus psyllid to a putative sex pheromone. *Scientific Reports*, *14*(1), 1–11. https://doi.org/10.1038/s41598-023-50983-8

Volpe, H. X. L., Carmo-Sousa, M., Luvizotto, R. A. G., de Freitas, R., Esperança, V., Darolt, J. C., Pegoraro, A. A. L., Magalhães, D. M., Favaris, A. P., Wulff, N. A., Miranda, M. P., Bento, J. M. S., & Leal, W. S. (2024b). The greening-causing agent alters the behavioral and electrophysiological responses of the Asian citrus psyllid to a putative sex pheromone. *Scientific Reports*, *14*(1). https://doi.org/10.1038/S41598-023-50983-8

Wang, N. (2020). A perspective of citrus Huanglongbing in the context of the Mediterranean Basin. *Journal of Plant Pathology*, *102*(3), 635–640. https://doi.org/10.1007/S42161-020-00555-W/FIGURES/1

Wang, R., Yang, H., Luo, W., Wang, M., & Lu, X. (2019). Predicting the potential distribution of the Asian citrus psyllid , Diaphorina citri (Kuwayama), in China using the MaxEnt model. *PeerJ*, *July*, 1–19. https://doi.org/10.7717/peerj.7323

Wang, R., Yang, H., Wang, M., Zhang, Z., Huang, T., Wen, G., & Li, Q. (2020). Predictions of potential geographical distribution of Diaphorina citri (Kuwayama) in China under climate change scenarios. *Scientific Reports 2020 10:1*, *10*(1), 1–9. https://doi.org/10.1038/s41598-020-66274-5

Wang, R., Yang, H., Wang, M., Zhe, Z., Tingting, H., & Wen, G. (2020). *Predictions of potential geographical distribution of Diaphorina citri (Kuwayama) in China under climate change scenarios*. 1–9. https://doi.org/10.1038/s41598-020-66274-5

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Weinert, M. P., Jacobson, S. C., Grimshaw, J. F., Bellis, G. A., Stephens, P. M., Gunua, T. G., Kame, M. F., & Davis, R. I. (2004). Detection of Huanglongbing (citrus greening disease) in Timor-Leste (East Timor) and in Papua New Guinea. *Australasian Plant Pathology*, *33*(1), 135–136. https://doi.org/10.1071/AP03089/METRICS

Wenninger, E. J., & Hall, D. G. (2008). Daily timing of mating and age at reproductive maturity in Diaphorina citri (Hemiptera: Psyllidae). *Lorida Entomologist*, *91*(4), 715–718.

Wenninger, Erik J., Stelinski, L. L., & Hall, D. G. (2008). Behavioral evidence for a female-produced sex attractant in Diaphorina citri. *Entomologia Experimentalis et Applicata*, *128*(3), 450–459. https://doi.org/10.1111/J.1570-7458.2008.00738.X

West, A. M., Kumar, S., Brown, C. S., Stohlgren, T. J., & Bromberg, J. (2016). Field validation of an invasive species Maxent model. *Ecological Informatics*, *36*, 126–134. https://doi.org/10.1016/J.ECOINF.2016.11.001

Wicaksono, R. C. (2018). Pengendalian Hama Kutu Loncat (Diaphorina Citri) dan Kutu Daun (Toxoptera Citricidus) Menggunakan Bahan Aktif Imidakloprid Pada Tanaman Jeruk Rudi Cahyo Wicaksono Abstrak. *Prosiding Semnas Hayati IV, Universitas Nusantara PGRI Kediri*, 64–68.

Widyaningsih, S., Utami, S. N. H., Joko, T., & Subandiyah, S. (2017). Development of Disease and Growth on Six Scion/Rootstock Combinations of Citrus Seedlings under Huanglongbing Pressure. *Journal of Agricultural Science*, *9*(6), 229. https://doi.org/10.5539/jas.v9n6p229

Widyaningsih, S., Utami, S. N. H., Joko, T., & Subandiyah, S. (2019a). Plant response and huanglongbing disease development against heat treatments on ‘Siam Purworejo’ (Citrus nobilis (Lour)) and ‘Nambangan’ (C. maxima (Burm.) Merr.) under field condition. *Archives of Phytopathology and Plant Protection*, *52*(3–4), 259–276. https://doi.org/10.1080/03235408.2018.1544193

Widyaningsih, S., Utami, S. N. H., Joko, T., & Subandiyah, S. (2019b). Plant response and huanglongbing disease development against heat treatments on ‘Siam Purworejo’ (Citrus nobilis (Lour)) and ‘Nambangan’ (C. maxima (Burm.) Merr.) under field condition. *Archives of Phytopathology and Plant Protection*, *52*(3–4), 259–276. https://doi.org/10.1080/03235408.2018.1544193

Wolrdclim. (2022). *WorldClim Data base*. https://worldclim.org/ accesed January 23, 2023

UNIVERSITAS
GADJAH MADA
Evaluation of Trap Designs and Attractants for Monitoring The Asian Citrus Psyllid (Diaphorina citri) and Development of A Maxtent Model to Predict The Potential Distribution of ACP in Indonesia
Haris Setyaningrum, Prof. Tri Joko S.P, M.Sc., Ph.D; Prof. Dr. Ir. Edhi Martono, M.Sc.; Alan Soffan, SP., M.Sc., Ph.D
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Wu, F., Dai, Z., Shi, M., Huang, J., Zhu, H., Zheng, Y., Chen, Z., Li, X., Deng, X., & Fox, E. G. P. (2024). Tracking the geographical distribution of the Asian citrus psyllid Diaphorina citri throughout China using mitogenomes and endosymbionts. *Journal of Pest Science*, 1–13. https://doi.org/10.1007/S10340-024-01834-6/TABLES/1

Yang, Z., Wu, Q., Fan, J., Huang, J., Wu, Z., Lin, J., Bin, S., & Shu, B. (2021). Effects of the entomopathogenic fungus Clonostachys rosea on mortality rates and gene expression profiles in Diaphorina citri adults. *Journal of Invertebrate Pathology*, *179*(January), 1–7. https://doi.org/10.1016/j.jip.2021.107539

Zamzami, L., Sugiyatno, A., & Harwanto. (2021). Innovation Characteristics and Adoption Opportunity of Bujangseta Technology for Tangerine Farming. *Caraka Tani: Journal of Sustainable Agriculture*, *36*(1), 144–154. https://doi.org/10.20961/CARAKATANI.V36I1.43381

Zanardi, O. Z., Volpe, H. X. L., Favaris, A. P., Silva, W. D., Luvizotto, R. A. G., Magnani, R. F., Esperança, V., Delfino, J. Y., De Freitas, R., Miranda, M. P., Parra, J. R. P., Bento, J. M. S., & Leal, W. S. (2018). Putative sex pheromone of the Asian citrus psyllid, Diaphorina citri, breaks down into an attractant. *Scientific Reports*, *8*(1). https://doi.org/10.1038/S41598-017-18986-4

Zanardi, O. Z., Volpe, H. X. L., Luvizotto, R. A. G., Magnani, R. F., Gonzalez, F., Calvo, C., Oehlschlager, C. A., Lehan, B. J., Esperança, V., Delfino, J. Y., de Freitas, R., de Carvalho, R. I., Mulinari, T. A., Miranda, M. P., Bento, J. M. S., & Leal, W. S. (2019). Laboratory and field evaluation of acetic acid-based lures for male Asian citrus psyllid, Diaphorina citri. *Scientific Reports 2019 9:1*, *9*(1), 1–10. https://doi.org/10.1038/s41598-019-49469-3

Zuhran, M., Mudjiono, G., & Dyah Puspitarini, R. (2021). The effect of agroecosystem management on the abundance of Asian citrus psyllid Diaphorina citri Kuwayama (Hemiptera: Liviidae). *Jurnal Entomologi Indonesia*, *18*(2), 102–102. https://doi.org/10.5994/JEI.18.2.102