

DAFTAR PUSTAKA

- Abedi, V. *et al.* (2021) 'Predicting short and long-term mortality after acute ischemic stroke using EHR', *Journal of the Neurological Sciences*, 427, p. 117560. Available at: <https://doi.org/10.1016/j.jns.2021.117560>.
- Abegaz, T.M. *et al.* (2023) 'Machine learning algorithms to predict major adverse cardiovascular events in patients with diabetes', *Computers in Biology and Medicine*, 164, p. 107289. Available at: <https://doi.org/10.1016/j.compbiomed.2023.107289>.
- Adams, H.P. *et al.* (1993) 'Classification of subtype of acute ischemic stroke. Definitions for use in a multicenter clinical trial. TOAST. Trial of Org 10172 in Acute Stroke Treatment.', *Stroke*, 24(1), pp. 35–41. Available at: <https://doi.org/10.1161/01.STR.24.1.35>.
- Addo, J. *et al.* (2012) 'Socioeconomic Status and Stroke: An Updated Review', *Stroke*, 43(4), pp. 1186–1191. Available at: <https://doi.org/10.1161/STROKEAHA.111.639732>.
- Adeva-Andany, M.M. *et al.* (2019) 'Subclinical vascular disease in patients with diabetes is associated with insulin resistance', *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(3), pp. 2198–2206. Available at: <https://doi.org/10.1016/j.dsx.2019.05.025>.
- Agarwal, N. *et al.* (2023) 'Association of pulse pressure with risk of major adverse cardiovascular events among cardiovascular outcome trial participants', *European Heart Journal*, 44(Supplement_2). Available at: <https://doi.org/10.1093/eurheartj/ehad655.2317>.
- Akbar, M.R. *et al.* (2021) 'The association between triglyceride-glucose index and major adverse cardiovascular events in patients with acute coronary syndrome – dose–response meta-analysis', *Nutrition, Metabolism and Cardiovascular Diseases*, 31(11), pp. 3024–3030. Available at: <https://doi.org/10.1016/j.numecd.2021.08.026>.
- Al Jerdi, S. *et al.* (2022) 'Major cardiovascular events in patients presenting with acute stroke: a 5-year follow-up study in patients who had ischaemic stroke and stroke mimics', *BMJ Open*, 12(3), p. e053059. Available at: <https://doi.org/10.1136/bmjopen-2021-053059>.
- Alizadehasi, A. and Sadeghpour, A. (2018) 'Evaluation of Cardiac Sources of Emboli by Echocardiography', in *Case-based Textbook of Echocardiography*. Springer, pp. 467–475.
- Amalia, L. *et al.* (2019) 'Clinical Significance Alberta Stroke Program Early Computed Tomography Score (ASPECTS) And National Institute Of Health Stroke Score (NIHSS) On First Ever Acute Ischemic Stroke Patients', *The Internet Journal of Neurology*, 21(1), pp. 1–5.
- American Diabetes Association (2010) 'Diagnosis and Classification of Diabetes Mellitus', *Diabetes Care*, 33(Supplement_1), pp. S62–S69. Available at: <https://doi.org/10.2337/dc10-S062>.
- Appelros, P. (2007) 'Prediction of length of stay for stroke patients', *Acta Neurologica Scandinavica*, 116(1), pp. 15–19. Available at: <https://doi.org/10.1111/j.1600-0404.2006.00756.x>.
- Appelros, P. and Terént, A. (2004) 'Characteristics of the National Institute of Health Stroke Scale: Results from a Population-Based Stroke Cohort at Baseline and after One Year', *Cerebrovascular Diseases*, 17(1), pp. 21–27. Available at: <https://doi.org/10.1159/000073894>.
- Arboix, A. and Alioc, J. (2010) 'Cardioembolic Stroke: Clinical Features, Specific Cardiac Disorders and Prognosis', *Current Cardiology Reviews*, 6(3), pp. 150–161. Available at: <https://doi.org/10.2174/157340310791658730>.
- Aronson, D. and Rayfield, E.J. (2002) 'How hyperglycemia promotes atherosclerosis: molecular mechanisms', *Cardiovascular Diabetology* [Preprint].

- Asaithambi, G. and Martins, S.L. (2023) 'Validation of a neurovascular comorbidity index for risk adjustment of comorbid conditions among ischemic stroke patients receiving reperfusion treatment', *Journal of Stroke and Cerebrovascular Diseases*, 32(8), p. 107189. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2023.107189>.
- Bakris, G. *et al.* (2023) 'Association of uncontrolled blood pressure in apparent treatment-resistant hypertension with increased risk of major adverse cardiovascular events plus', *The Journal of Clinical Hypertension*, 25(8), pp. 737–747. Available at: <https://doi.org/10.1111/jch.14701>.
- Balch, M.H.H. *et al.* (2020) 'Beyond the Brain: The Systemic Pathophysiological Response to Acute Ischemic Stroke', *Journal of Stroke*, 22(2), pp. 159–172. Available at: <https://doi.org/10.5853/jos.2019.02978>.
- Bamford, J. *et al.* (1991) 'Classification and natural history of clinically identifiable subtypes of cerebral infarction', *The Lancet*, 337(8756), pp. 1521–1526. Available at: [https://doi.org/10.1016/0140-6736\(91\)93206-O](https://doi.org/10.1016/0140-6736(91)93206-O).
- Baydar, O. *et al.* (2021) 'The Triglyceride-Glucose Index, a Predictor of Insulin Resistance, Is Associated With Subclinical Atherosclerosis', *Angiology*, 72(10), pp. 994–1000. Available at: <https://doi.org/10.1177/00033197211007719>.
- Bettger, J.P. *et al.* (2014) 'The association between socioeconomic status and disability after stroke: Findings from the Adherence eValuation After Ischemic stroke Longitudinal (AVAIL) registry', *BMC Public Health*, 14(1), p. 281. Available at: <https://doi.org/10.1186/1471-2458-14-281>.
- Bibi, C. *et al.* (2024) 'Association of Triglyceride glucose index with the outcomes of Ischemic stroke.', *F1000Research*, 13, p. 1475. Available at: <https://doi.org/10.12688/f1000research.155634.1>.
- Bijuklic, K., Schwencke, C. and Schofer, J. (2017) 'Long-term major adverse cardiac and cerebrovascular events (MACCE) rate: Comparison of retrograde and antegrade recanalization of chronic total coronary occlusions', *Wiener klinische Wochenschrift*, 129(7–8), pp. 243–250. Available at: <https://doi.org/10.1007/s00508-016-1148-9>.
- Boehme, A.K., Esenwa, C. and Elkind, M.S.V. (2017) 'Stroke Risk Factors, Genetics, and Prevention', *Circulation Research*, 120(3), pp. 472–495. Available at: <https://doi.org/10.1161/CIRCRESAHA.116.308398>.
- Boulanger, M. *et al.* (2018) 'Long-Term Risk of Myocardial Infarction Compared to Recurrent Stroke After Transient Ischemic Attack and Ischemic Stroke: Systematic Review and Meta-Analysis', *Journal of the American Heart Association*, 7(2), p. e007267. Available at: <https://doi.org/10.1161/JAHA.117.007267>.
- Brea, D. (2023) 'Post-stroke immunosuppression: Exploring potential implications beyond infections', *European Journal of Neuroscience*, 58(11), pp. 4269–4281. Available at: <https://doi.org/10.1111/ejn.16174>.
- Bress, A.P. *et al.* (2024) 'The Management of Elevated Blood Pressure in the Acute Care Setting: A Scientific Statement From the American Heart Association', *Hypertension*, 81(8). Available at: <https://doi.org/10.1161/hyp.000000000000238>.
- Cai, W. *et al.* (2023) 'Association between triglyceride-glucose index and all-cause mortality in critically ill patients with ischemic stroke: analysis of the MIMIC-IV database', *Cardiovascular Diabetology*, 22(1), p. 138. Available at: <https://doi.org/10.1186/s12933-023-01864-x>.
- Caplan, L.R. (2023) 'Stroke: Etiology, classification, and epidemiology', in *UpToDate*. Waltham, MA: UpToDate.

- Carmienke, S. *et al.* (2013) 'General and abdominal obesity parameters and their combination in relation to mortality: a systematic review and meta-regression analysis', *European Journal of Clinical Nutrition*, 67(6), pp. 573–585. Available at: <https://doi.org/10.1038/ejcn.2013.61>.
- Carvalho, V. and Cruz, V.T. (2020) 'Clinical presentation of vertebrobasilar stroke', *Porto Biomedical Journal*, 5(6), p. e096. Available at: <https://doi.org/10.1097/j.pbj.0000000000000096>.
- Chang, Y. *et al.* (2021) 'Insulin resistance is associated with poor functional outcome after acute ischemic stroke in non-diabetic patients', *Scientific Reports*, 11(1), p. 1229. Available at: <https://doi.org/10.1038/s41598-020-80315-z>.
- Chen, P. *et al.* (2012) 'Classifying Ischemic Stroke, from TOAST to CISS', *CNS Neuroscience & Therapeutics*, 18(6), pp. 452–456. Available at: <https://doi.org/10.1111/j.1755-5949.2011.00292.x>.
- Cheng, Y. *et al.* (2023) 'Correlation of Atherosclerotic Dyslipidemia with Long-Term Stroke Recurrence in Patients Undergoing Intravenous Thrombolysis for Acute Ischemic Stroke', *International Journal of General Medicine*, Volume 16, pp. 1621–1629. Available at: <https://doi.org/10.2147/ijgm.s407971>.
- Dalby, T. *et al.* (2021) 'Pathophysiology of Cerebral Edema—A Comprehensive Review', *Journal of Neuroanaesthesiology and Critical Care*, 08(03), pp. 163–172. Available at: <https://doi.org/10.1055/s-0040-1721165>.
- Dang, H. *et al.* (2023) 'Systemic inflammation response index as a prognostic predictor in patients with acute ischemic stroke: A propensity score matching analysis', *Frontiers in Neurology*, 13, p. 1049241. Available at: <https://doi.org/10.3389/fneur.2022.1049241>.
- DeFronzo, R.A. and Tripathy, D. (2009) 'Skeletal Muscle Insulin Resistance Is the Primary Defect in Type 2 Diabetes', *Diabetes Care*, 32(suppl_2), pp. S157–S163. Available at: <https://doi.org/10.2337/dc09-S302>.
- Demaerschalk, B.M. *et al.* (2016) 'Scientific Rationale for the Inclusion and Exclusion Criteria for Intravenous Alteplase in Acute Ischemic Stroke: A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association', *Stroke*, 47(2), pp. 581–641. Available at: <https://doi.org/10.1161/STR.0000000000000086>.
- Demeestere, J. *et al.* (2020) 'Review of Perfusion Imaging in Acute Ischemic Stroke: From Time to Tissue', *Stroke*, 51(3), pp. 1017–1024. Available at: <https://doi.org/10.1161/STROKEAHA.119.028337>.
- Dewi, R. *et al.* (2022) 'Predictor of Major Adverse Cardiac Event (MACE) in Acute Coronary Syndrome (ACS) patients: A Scoping Review', *International Journal of Nursing and Health Services*, 5(4). Available at: <https://doi.org/10.35654/ijnhs.v5i4.634>.
- Dharan, A.S. *et al.* (2023) 'Risk Factors Associated with Major Adverse Cardiovascular Events after Ischemic Stroke: A Linked Registry Study', *Neuroepidemiology*, pp. 1–9. Available at: <https://doi.org/10.1159/000535872>.
- Diahhadi, S. and Aninditya, F. (2019) 'Kajian Sektor Kesehatan: Transisi Demografi dan Epidemiologi: Permintaan Pelayanan Kesehatan di Indonesia'. Available at: <https://doi.org/10.13140/RG.2.2.23355.44325>.
- Ding, P.-F. *et al.* (2022) 'Insulin resistance in ischemic stroke: Mechanisms and therapeutic approaches', *Frontiers in Endocrinology*, 13, p. 1092431. Available at: <https://doi.org/10.3389/fendo.2022.1092431>.

- Donkor, E.S. (2018) 'Stroke in the 21st Century: A Snapshot of the Burden, Epidemiology, and Quality of Life', *Stroke Research and Treatment*, 2018, pp. 1–10. Available at: <https://doi.org/10.1155/2018/3238165>.
- Drwiła-Stec, D. *et al.* (2023) 'Predictive value of metabolic score for insulin resistance and triglyceride glucose-BMI among patients with acute myocardial infarction in 1-year follow-up', *Coronary Artery Disease*, 34(5), pp. 314–319. Available at: <https://doi.org/10.1097/mca.0000000000001242>.
- Duan, W. *et al.* (2020) 'Impact of Prehypertension on the Risk of Major Adverse Cardiovascular Events in a Chinese Rural Cohort', *American Journal of Hypertension*, 33(5), pp. 465–470. Available at: <https://doi.org/10.1093/ajh/hpaa019>.
- Echouffo-Tcheugui, J.B. *et al.* (2018) 'Diabetes and long-term outcomes of ischaemic stroke: findings from Get With The Guidelines-Stroke', *European Heart Journal*, 39(25), pp. 2376–2386. Available at: <https://doi.org/10.1093/eurheartj/ehy036>.
- ElHabr, A.K. *et al.* (2021) 'Predicting 90-day modified Rankin Scale score with discharge information in acute ischaemic stroke patients following treatment', *BMJ Neurology Open*, 3(1), p. e000177. Available at: <https://doi.org/10.1136/bmjno-2021-000177>.
- El-Koussy, M. *et al.* (2014) 'Imaging of Acute Ischemic Stroke', *European Neurology*, 72(5–6), pp. 309–316. Available at: <https://doi.org/10.1159/000362719>.
- Esmael, A., Elsherief, M. and Eltoukhy, K. (2021) 'Predictive Value of the Alberta Stroke Program Early CT Score (ASPECTS) in the Outcome of the Acute Ischemic Stroke and Its Correlation with Stroke Subtypes, NIHSS, and Cognitive Impairment', *Stroke Research and Treatment*. Edited by A. Fusco, 2021, pp. 1–10. Available at: <https://doi.org/10.1155/2021/5935170>.
- Farooque, U. *et al.* (2020) 'Validity of National Institutes of Health Stroke Scale for Severity of Stroke to Predict Mortality Among Patients Presenting With Symptoms of Stroke', *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.10255>.
- Fatkhullina, A.R., Peshkova, I.O. and Koltsova, E.K. (2016) 'The role of cytokines in the development of atherosclerosis', *Biochemistry (Moscow)*, 81(11), pp. 1358–1370. Available at: <https://doi.org/10.1134/S0006297916110134>.
- Feigin, V.L., Norrving, B. and Mensah, G.A. (2017) 'Global Burden of Stroke', *Circulation Research*, 120(3), pp. 437–438. Available at: <https://doi.org/10.1161/CIRCRESAHA.116.310453>.
- Finlayson, O. *et al.* (2013) 'Interobserver Agreement of ASPECT Score Distribution for Noncontrast CT, CT Angiography, and CT Perfusion in Acute Stroke', *Stroke*, 44(1), pp. 234–236. Available at: <https://doi.org/10.1161/STROKEAHA.112.665208>.
- Foroughi, M. *et al.* (2013) 'Stroke and Nutrition: A Review of Studies', *International Journal of Preventive Medicine*, 4.
- Fulton, D.J.R. (2009) 'Mechanisms of Vascular Insulin Resistance: A Substitute Akt?', *Circulation Research*, 104(9), pp. 1035–1037. Available at: <https://doi.org/10.1161/CIRCRESAHA.109.198028>.
- Ghozy, S. *et al.* (2022) 'Physical activity level and stroke risk in US population: A matched case-control study of 102,578 individuals', *Annals of Clinical and Translational Neurology*, 9(3), pp. 264–275. Available at: <https://doi.org/10.1002/acn3.51511>.
- Gibney, K. *et al.* (2013) 'Using disability-adjusted life years to set health-based targets: A novel use of an established burden of disease metric', *Journal of Public Health Policy*, 34(3), pp. 439–446. Available at: <https://doi.org/10.1057/jphp.2013.22>.

- Giugliano, D. *et al.* (2021) ‘GLP-1 receptor agonists vs. SGLT-2 inhibitors: the gap seems to be leveling off’, *Cardiovascular Diabetology*, 20(1). Available at: <https://doi.org/10.1186/s12933-021-01400-9>.
- Gu, Y. *et al.* (2022) ‘Cerebral edema after ischemic stroke: Pathophysiology and underlying mechanisms’, *Frontiers in Neuroscience*, 16, p. 988283. Available at: <https://doi.org/10.3389/fnins.2022.988283>.
- Guerrero-Romero, F. *et al.* (2010) ‘The Product of Triglycerides and Glucose, a Simple Measure of Insulin Sensitivity. Comparison with the Euglycemic-Hyperinsulinemic Clamp’, *The Journal of Clinical Endocrinology & Metabolism*, 95(7), pp. 3347–3351. Available at: <https://doi.org/10.1210/jc.2010-0288>.
- Guilherme, A. *et al.* (2008) ‘Adipocyte dysfunctions linking obesity to insulin resistance and type 2 diabetes’, *Nature Reviews Molecular Cell Biology*, 9(5), pp. 367–377. Available at: <https://doi.org/10.1038/nrm2391>.
- Guo, W. *et al.* (2021) ‘Triglyceride Glucose Index Is Associated With Arterial Stiffness and 10-Year Cardiovascular Disease Risk in a Chinese Population’, *Frontiers in Cardiovascular Medicine*, 8, p. 585776. Available at: <https://doi.org/10.3389/fcvm.2021.585776>.
- Hajat, C. *et al.* (2001) ‘Cerebrovascular Risk Factors and Stroke Subtypes: Differences Between Ethnic Groups’, *Stroke*, 32(1), pp. 37–42. Available at: <https://doi.org/10.1161/01.STR.32.1.37>.
- Hall, R.E. *et al.* (2019) ‘Developing an adapted Charlson comorbidity index for ischemic stroke outcome studies’, *BMC Health Services Research*, 19(1). Available at: <https://doi.org/10.1186/s12913-019-4720-y>.
- Harano, Y. *et al.* (2002) ‘Multifactorial insulin resistance and clinical impact in hypertension and cardiovascular diseases’, *Journal of Diabetes and its Complications*, 16(1), pp. 19–23. Available at: [https://doi.org/10.1016/S1056-8727\(01\)00192-1](https://doi.org/10.1016/S1056-8727(01)00192-1).
- Harris, S. *et al.* (2018) ‘TOAST Subtypes of Ischemic Stroke and Its Risk Factors: A Hospital-Based Study at Cipto Mangunkusumo Hospital, Indonesia’, *Stroke Research and Treatment*, 2018, pp. 1–6. Available at: <https://doi.org/10.1155/2018/9589831>.
- Hatab, I. *et al.* (2023) ‘The value of clinical routine blood biomarkers in predicting long-term mortality after stroke’, *European Stroke Journal*, 8(2), pp. 532–540. Available at: <https://doi.org/10.1177/23969873231162125>.
- Henry, C. *et al.* (2017) ‘Mitochondrial Encephalomyopathy With Lactic Acidosis and Stroke-Like Episodes—MELAS Syndrome’, 17(3).
- Hicks, K.A. *et al.* (2018) ‘2017 Cardiovascular and Stroke Endpoint Definitions for Clinical Trials’, *Journal of the American College of Cardiology*, 71(9), pp. 1021–1034. Available at: <https://doi.org/10.1016/j.jacc.2017.12.048>.
- Hindy, G. *et al.* (2018) ‘Role of Blood Lipids in the Development of Ischemic Stroke and its Subtypes: A Mendelian Randomization Study’, *Stroke*, 49(4), pp. 820–827. Available at: <https://doi.org/10.1161/STROKEAHA.117.019653>.
- Ho, L.-T. *et al.* (2018) ‘On-treatment lipid profiles to predict the cardiovascular outcomes in ASCVD patients comorbid with chronic kidney disease – The multi-center T-SPARCLE registry study’, *Journal of the Formosan Medical Association*, 117(9), pp. 814–824. Available at: <https://doi.org/10.1016/j.jfma.2018.05.020>.

- Hoshino, T. *et al.* (2022) 'Triglyceride-glucose index as a prognostic marker after ischemic stroke or transient ischemic attack: a prospective observational study', *Cardiovascular Diabetology*, 21(1). Available at: <https://doi.org/10.1186/s12933-022-01695-2>.
- Hsieh, Y.-W. *et al.* (2007) 'Establishing the Minimal Clinically Important Difference of the Barthel Index in Stroke Patients', *Neurorehabilitation and Neural Repair*, 21(3), pp. 233–238. Available at: <https://doi.org/10.1177/1545968306294729>.
- Hurford, R. *et al.* (2023) 'How to approach the diagnosis of uncommon causes of ischaemic stroke'. Available at: <https://doi.org/10.1136/pn-2022-003449>.
- January, C.T. *et al.* (2014) '2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation', *Circulation*, 130(23), pp. 199–267. Available at: <https://doi.org/10.1161/CIR.000000000000041/-/DC2>.
- Jiménez Caballero, P.E. *et al.* (2013) 'Charlson Comorbidity Index in Ischemic Stroke and Intracerebral Hemorrhage as Predictor of Mortality and Functional Outcome after 6 Months', *Journal of Stroke and Cerebrovascular Diseases*, 22(7), pp. e214–e218. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2012.11.014>.
- Johnston, K.C. and Wagner, D.P. (2006) 'Relationship between 3-Month National Institutes of Health Stroke Scale Score and Dependence in Ischemic Stroke Patients', *Neuroepidemiology*, 27(2), pp. 96–100. Available at: <https://doi.org/10.1159/000095245>.
- Ju, Y.W. *et al.* (2022) 'Causes and Trends of Disabilities in Community-Dwelling Stroke Survivors: A Population-Based Study', *Brain & Neurorehabilitation*, 15(1), p. e5. Available at: <https://doi.org/10.12786/bn.2022.15.e5>.
- Juhan-Vague, I. *et al.* (2003) 'Plasminogen activator inhibitor-1, inflammation, obesity, insulin resistance and vascular risk', *Journal of Thrombosis and Haemostasis*, 1(7), pp. 1575–1579. Available at: <https://doi.org/10.1046/j.1538-7836.2003.00279.x>.
- Jung, R.G. *et al.* (2022) 'Impact of atrial fibrillation on the risk of major adverse cardiac events following coronary revascularisation', *Open Heart*, 9(2), p. e002012. Available at: <https://doi.org/10.1136/openhrt-2022-002012>.
- Kamel, H. and Healey, J.S. (2017) 'Cardioembolic Stroke', *Circulation*, 120, pp. 514–526. Available at: <https://doi.org/10.1161/CIRCRESAHA.116.308407>.
- Kanagala, R.S.D. *et al.* (2024) 'Stress Hyperglycemia Ratio Predicts MACE and All-cause Mortality in Acute Coronary Syndrome Patients: A Meta-Analysis Comparing Patient with Diabetes Mellitus and Non-Diabetes Mellitus', *Circulation*, 150(Suppl_1). Available at: https://doi.org/10.1161/circ.150.suppl_1.4138303.
- Kapil, N. *et al.* (2017) 'Antiplatelet and Anticoagulant Therapies for Prevention of Ischemic Stroke', *Clinical and Applied Thrombosis/Hemostasis*, 23(4), pp. 301–318. Available at: <https://doi.org/10.1177/1076029616660762>.
- Kaur, R., Kaur, M. and Singh, J. (2018) 'Endothelial dysfunction and platelet hyperactivity in type 2 diabetes mellitus: molecular insights and therapeutic strategies', *Cardiovascular Diabetology*, 17(1). Available at: <https://doi.org/10.1186/s12933-018-0763-3>.
- Kernan, W.N. *et al.* (2002) 'Insulin resistance and risk for stroke', *Neurology*, 59(6), pp. 809–815. Available at: <https://doi.org/10.1212/WNL.59.6.809>.
- Kilickap, M. *et al.* (2024) 'GLP-1 Receptor Agonists and SGLT-2 Inhibitors in Patients With Versus Without Cardiovascular Disease: A Systematic Review, Meta-analysis, and Trial Sequential

- Analysis', *Angiology*, 75(9), pp. 820–830. Available at: <https://doi.org/10.1177/00033197231183229>.
- Kim, B.J. and Kim, J.S. (2014) 'Ischemic Stroke Subtype Classification: An Asian Viewpoint', *Journal of Stroke*, 16(1), p. 8. Available at: <https://doi.org/10.5853/jos.2014.16.1.8>.
- Kim-Tenser, M. *et al.* (2021) 'CT perfusion core and ASPECT score prediction of outcomes in DEFUSE 3', *International Journal of Stroke*, 16(3), pp. 288–294. Available at: <https://doi.org/10.1177/1747493020915141>.
- Kleindorfer, D.O. *et al.* (2021) '2021 Guideline for the Prevention of Stroke in Patients With Stroke and Transient Ischemic Attack: A Guideline From the American Heart Association/American Stroke Association', *Stroke*, 52(7). Available at: <https://doi.org/10.1161/STR.0000000000000375>.
- Kongsawasdi, S. *et al.* (2019) 'Prognostic Factors of Functional Outcome Assessed by Using the Modified Rankin Scale in Subacute Ischemic Stroke', *Journal of Clinical Medicine Research*, 11(5), pp. 375–382. Available at: <https://doi.org/10.14740/jocmr3799>.
- Kuriakose, D. and Xiao, Z. (2020) 'Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives', *International Journal of Molecular Sciences*, 21(20), p. 7609. Available at: <https://doi.org/10.3390/ijms21207609>.
- Kurniawan, L.B. (2024) 'Triglyceride-Glucose Index As A Biomarker Of Insulin Resistance, Diabetes Mellitus, Metabolic Syndrome, And Cardiovascular Disease: A Review', *EJIFCC*, 35(1), pp. 44–51.
- Kwakkal, G. *et al.* (2010) 'Predictive value of the NIHSS for ADL outcome after ischemic hemispheric stroke: Does timing of early assessment matter?', *Journal of the Neurological Sciences*, 294(1–2), pp. 57–61. Available at: <https://doi.org/10.1016/j.jns.2010.04.004>.
- Laakso, M. and Kuusisto, J. (2014) 'Insulin resistance and hyperglycaemia in cardiovascular disease development', *Nature Reviews Endocrinology*, 10(5), pp. 293–302. Available at: <https://doi.org/10.1038/nrendo.2014.29>.
- Laksono, S. *et al.* (2021) 'Cryptogenic Stroke: Challenge in Diagnosis and Management', *Indonesian Journal of Cardiology*, 42, pp. 86–93. Available at: <https://doi.org/10.30701/ijc.1149>.
- Lee, S.B. *et al.* (2018) 'Association between triglyceride glucose index and arterial stiffness in Korean adults', *Cardiovascular Diabetology*, 17(1), p. 41. Available at: <https://doi.org/10.1186/s12933-018-0692-1>.
- Li, Q.-X. *et al.* (2020) 'Value of the Barthel scale in prognostic prediction for patients with cerebral infarction', *BMC Cardiovascular Disorders*, 20(1), p. 14. Available at: <https://doi.org/10.1186/s12872-019-01306-1>.
- Li, Siou *et al.* (2018) 'Homeostasis model assessment of insulin resistance in relation to the poor functional outcomes in nondiabetic patients with ischemic stroke', *Bioscience Reports*, 38(3), p. BSR20180330. Available at: <https://doi.org/10.1042/BSR20180330>.
- Li, S. *et al.* (2018) 'The suppression of ox-LDL-induced inflammatory cytokine release and apoptosis of HCAECs by long non-coding RNA-MALAT1 via regulating microRNA-155/SOCS1 pathway', *Nutrition, Metabolism and Cardiovascular Diseases*, 28(11), pp. 1175–1187. Available at: <https://doi.org/10.1016/j.numecd.2018.06.017>.
- Li, S. *et al.* (2019) 'The role of the triglyceride (triacylglycerol) glucose index in the development of cardiovascular events: a retrospective cohort analysis', *Scientific Reports*, 9(1), p. 7320. Available at: <https://doi.org/10.1038/s41598-019-43776-5>.

- Li, X. *et al.* (2016) 'miR-155 acts as an anti-inflammatory factor in atherosclerosis-associated foam cell formation by repressing calcium-regulated heat stable protein 1', *Scientific Reports*, 6(1), p. 21789. Available at: <https://doi.org/10.1038/srep21789>.
- Liebeskind, D.S. *et al.* (2011) 'Collaterals dramatically alter stroke risk in intracranial atherosclerosis', *Annals of Neurology*, 69(6), pp. 963–974. Available at: <https://doi.org/10.1002/ana.22354>.
- Lin, C.K. *et al.* (2014) 'Assessment of major adverse cardiovascular events and ischemic stroke with coronary computed tomography angiography based upon angiographic diagnosis in a high-volume single center', *SAGE Open Medicine*, 2, p. 205031211453353. Available at: <https://doi.org/10.1177/2050312114533535>.
- Lin, M.P. and Liebeskind, D.S. (2016) 'Imaging of Ischemic Stroke', *CONTINUUM: Lifelong Learning in Neurology*, 22(5), pp. 1399–1423. Available at: <https://doi.org/10.1212/CON.0000000000000376>.
- Liu, H. *et al.* (2021) 'Atherogenic Index of Plasma Predicts Outcomes in Acute Ischemic Stroke', *Frontiers in Neurology*, 12, p. 741754. Available at: <https://doi.org/10.3389/fneur.2021.741754>.
- Liu, R. *et al.* (2023) 'Triglyceride-glucose index predicts death in patients with stroke younger than 65', *Frontiers in Neurology*, 14. Available at: <https://doi.org/10.3389/fneur.2023.1198487>.
- Liu, X. *et al.* (2021) 'The Triglyceride-Glucose Index, an Insulin Resistance Marker, Was Non-linear Associated With All-Cause and Cardiovascular Mortality in the General Population', *Frontiers in Cardiovascular Medicine*, 7, p. 628109. Available at: <https://doi.org/10.3389/fcvm.2020.628109>.
- Lu, W.-Z. *et al.* (2021) 'Posterior circulation acute stroke prognosis early CT scores in predicting functional outcomes: A meta-analysis', *PLOS ONE*. Edited by M.A. Barboza, 16(2), p. e0246906. Available at: <https://doi.org/10.1371/journal.pone.0246906>.
- Lu, Y.-W. *et al.* (2021) 'Gender difference in the association between TyG index and subclinical atherosclerosis: results from the I-Lan Longitudinal Aging Study', *Cardiovascular Diabetology*, 20(1), p. 206. Available at: <https://doi.org/10.1186/s12933-021-01391-7>.
- Lwanga, S.K. and Lemeshow, L. (1991) *Sample Size Determination in Health Studies*. 1st edn. World Health Organization.
- Lyden, P. (2017) 'Using the National Institutes of Health Stroke Scale: A Cautionary Tale', *Stroke*, 48(2), pp. 513–519. Available at: <https://doi.org/10.1161/STROKEAHA.116.015434>.
- Ma, X. *et al.* (2022) 'Triglyceride-Glucose Index and the Prognosis of Patients with Acute Ischemic Stroke: A Meta-Analysis', *Hormone and Metabolic Research*, 54(06), pp. 361–370. Available at: <https://doi.org/10.1055/a-1853-9889>.
- Mader, A. *et al.* (2025) 'Contribution of type 2 diabetes to major adverse cardiovascular events (MACE) in a long-term observational study with different stages of atherosclerosis', *Scientific Reports*, 15(1). Available at: <https://doi.org/10.1038/s41598-024-84985-x>.
- Malekmohammad, K., Bezsonov, E.E. and Rafieian-Kopaei, M. (2021) 'Role of Lipid Accumulation and Inflammation in Atherosclerosis: Focus on Molecular and Cellular Mechanisms', *Frontiers in Cardiovascular Medicine*, 8, p. 707529. Available at: <https://doi.org/10.3389/fcvm.2021.707529>.
- Maradi, V., K, A. and Kumar, A. (2019) 'Measurement of Cerebral Infarct Volume by Magnetic Resonance Imaging using ABC/2 Method and its Correlation with Clinical Outcome using NIHSS Score', *International Journal of Contemporary Medicine, Surgery and Radiology*, 4(2). Available at: <https://doi.org/10.21276/ijcmr.2019.4.2.32>.

- Masuo, K. (ed.) (2013) 'Insulin Resistance and Endothelial Dysfunction: Macro and Microangiopathy', in *Type 2 Diabetes*. Available at: <https://doi.org/10.5772/56475>.
- McClain, D.A. *et al.* (2006) 'High prevalence of abnormal glucose homeostasis secondary to decreased insulin secretion in individuals with hereditary haemochromatosis', *Diabetologia*, 49(7), pp. 1661–1669. Available at: <https://doi.org/10.1007/s00125-006-0200-0>.
- Melaku, L. and Dabi, A. (2021) 'The cellular biology of atherosclerosis with atherosclerotic lesion classification and biomarkers', *Bulletin of the National Research Centre*, 45(1), p. 225. Available at: <https://doi.org/10.1186/s42269-021-00685-w>.
- Melchiori, R. *et al.* (2023) 'Abstract 16592: Cancer as a New Risk Factor for Major Adverse Cardiovascular Events in Secondary Prevention', *Circulation*, 148(Suppl_1). Available at: https://doi.org/10.1161/circ.148.suppl_1.16592.
- Menon, B.K. *et al.* (2011) 'ASPECTS and Other Neuroimaging Scores in the Triage and Prediction of Outcome in Acute Stroke Patients', *Neuroimaging Clinics of North America*, 21(2), pp. 407–423. Available at: <https://doi.org/10.1016/j.nic.2011.01.007>.
- Miao, B. *et al.* (2020) 'Incidence and Predictors of Major Adverse Cardiovascular Events in Patients With Established Atherosclerotic Disease or Multiple Risk Factors', *Journal of the American Heart Association*, 9(2), p. e014402. Available at: <https://doi.org/10.1161/JAHA.119.014402>.
- Miao, M. *et al.* (2023) 'Triglyceride-glucose index and short-term functional outcome and in-hospital mortality in patients with ischemic stroke', *Nutrition, Metabolism and Cardiovascular Diseases*, 33(2), pp. 399–407. Available at: <https://doi.org/10.1016/j.numecd.2022.11.004>.
- Michael, L. (2020) 'Sistem Skoring Alberta Stroke Program Early CT Score untuk Evaluasi Kasus Stroke Iskemik', *Cermin Dunia Kedokteran*, 47(9), p. 534. Available at: <https://doi.org/10.55175/cdk.v47i9.919>.
- Moltó-Balado, P. *et al.* (2023) 'Heart Failure and Major Adverse Cardiovascular Events in Atrial Fibrillation Patients: A Retrospective Primary Care Cohort Study', *Biomedicines*, 11(7), p. 1825. Available at: <https://doi.org/10.3390/biomedicines11071825>.
- Moon, J.R. *et al.* (2012) 'Stroke Incidence in Older US Hispanics: Is Foreign Birth Protective?', *Stroke*, 43(5), pp. 1224–1229. Available at: <https://doi.org/10.1161/STROKEAHA.111.643700>.
- Mousavi, A. *et al.* (2025) 'Safety, efficacy, and cardiovascular benefits of combination therapy with SGLT-2 inhibitors and GLP-1 receptor agonists in patients with diabetes mellitus: a systematic review and meta-analysis of randomized controlled trials', *Diabetology & Metabolic Syndrome*, 17(1). Available at: <https://doi.org/10.1186/s13098-025-01635-6>.
- Mukherjee, D. and Patil, C.G. (2011) 'Epidemiology and the Global Burden of Stroke', *World Neurosurgery*, 76(6), pp. S85–S90. Available at: <https://doi.org/10.1016/j.wneu.2011.07.023>.
- Musa, K.I. and Keegan, T.J. (2018) 'The change of Barthel Index scores from the time of discharge until 3-month post-discharge among acute stroke patients in Malaysia: A random intercept model', *PLOS ONE*. Edited by P.-N. Wang, 13(12), p. e0208594. Available at: <https://doi.org/10.1371/journal.pone.0208594>.
- Nagendra, C.V. *et al.* (2018) 'Factors affecting the effective management of acute stroke: A prospective observational study', *Indian Journal of Critical Care Medicine*, 22(3), pp. 138–143. Available at: https://doi.org/10.4103/ijccm.IJCCM_232_17.
- Nasution, S.A. *et al.* (2022) 'In-Hospital Major Adverse Cardiac Events Factor Predictors on ST-Elevation Myocardial Infarction after Primary Percutaneous Coronary Intervention at dr. Cipto

- Mangunkusumo General Hospital', *eJournal Kedokteran Indonesia*, 10(2), pp. 107–13. Available at: <https://doi.org/10.23886/ejki.10.193.107-13>.
- Natali, A. *et al.* (2006) 'Clustering of Insulin Resistance With Vascular Dysfunction and Low-Grade Inflammation in Type 2 Diabetes', *Diabetes*, 55(4), pp. 1133–1140. Available at: <https://doi.org/10.2337/diabetes.55.04.06.db05-1076>.
- Nezu, T. *et al.* (2022) 'Predictors of Stroke Outcome Extracted from Multivariate Linear Discriminant Analysis or Neural Network Analysis', *Journal of Atherosclerosis and Thrombosis*, 29(1), pp. 99–110. Available at: <https://doi.org/10.5551/jat.59642>.
- Ni, W. *et al.* (2025) 'Association between insulin resistance indices and outcomes in patients with heart failure with preserved ejection fraction', *Cardiovascular Diabetology*, 24(1). Available at: <https://doi.org/10.1186/s12933-025-02595-x>.
- Nogueira, R.C. *et al.* (2021) 'Cerebral Autoregulation in Ischemic Stroke: From Pathophysiology to Clinical Concepts', *Brain Sciences*, 11(4), p. 511. Available at: <https://doi.org/10.3390/brainsci11040511>.
- Novotny, V. *et al.* (2021) 'Clinical manifestation of acute cerebral infarcts in multiple arterial territories', *Brain and Behavior*, 11(8), p. e2296. Available at: <https://doi.org/10.1002/brb3.2296>.
- Okkonen, M. *et al.* (2021) 'Risk factors for major adverse cardiovascular events after the first acute coronary syndrome', *Annals of Medicine*, 53(1), pp. 817–823. Available at: <https://doi.org/10.1080/07853890.2021.1924395>.
- Ovbiagele, B., Lyden, P.D. and Saver, J.L. (2010) 'Disability status at 1 month is a reliable proxy for final ischemic stroke outcome', *Neurology*, 75(8), pp. 688–692. Available at: <https://doi.org/10.1212/WNL.0b013e3181eee426>.
- Ozilhan, M.O. *et al.* (2023) 'Systemic inflammation response index is associated MACE in patients with NSTEMI', *European Review for Medical and Pharmacology*, 27, pp. 8588–8597.
- Pan, B. *et al.* (2019) 'The relationship between smoking and stroke: A meta-analysis', *Medicine*, 98(12), p. e14872. Available at: <https://doi.org/10.1097/MD.00000000000014872>.
- Pan, L. *et al.* (2023) 'Predictive values of metabolic score for insulin resistance on risk of major adverse cardiovascular events and comparison with other insulin resistance indices among Chinese with and without diabetes mellitus: Results from the 4C cohort study', *Journal of Diabetes Investigation*, 14(8), pp. 961–972. Available at: <https://doi.org/10.1111/jdi.14024>.
- Pexman, J.H.W. *et al.* (2001) 'Use of the Alberta Stroke Program Early CT Score (ASPECTS) for Assessing CT Scans in Patients with Acute Stroke', *American Journal of Neuroradiology*, 22(8), pp. 1534–1542.
- Pop, N. *et al.* (2021) 'The Alberta Stroke Program Early CT score (ASPECTS): A predictor of mortality in acute ischemic stroke', *Experimental and Therapeutic Medicine*, 22(6), p. 1371. Available at: <https://doi.org/10.3892/etm.2021.10805>.
- Powers, W.J. *et al.* (2019) 'Guidelines for the Early Management of Patients With Acute Ischemic Stroke: 2019 Update to the 2018 Guidelines for the Early Management of Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association', *Stroke*, 50(12). Available at: <https://doi.org/10.1161/STR.0000000000000211>.
- Puetz, V. *et al.* (2008) 'Extent of Hypoattenuation on CT Angiography Source Images Predicts Functional Outcome in Patients With Basilar Artery Occlusion', *Stroke*, 39(9), pp. 2485–2490. Available at: <https://doi.org/10.1161/STROKEAHA.107.511162>.

- Quinn, T.J., Langhorne, P. and Stott, D.J. (2011) 'Barthel Index for Stroke Trials: Development, Properties, and Application', *Stroke*, 42(4), pp. 1146–1151. Available at: <https://doi.org/10.1161/STROKEAHA.110.598540>.
- Radovanovic, D. *et al.* (2014) 'Validity of Charlson Comorbidity Index in patients hospitalised with acute coronary syndrome. Insights from the nationwide AMIS Plus registry 2002–2012', *Heart*, 100(4), pp. 288–294. Available at: <https://doi.org/10.1136/heartjnl-2013-304588>.
- Rathburn, C.M. *et al.* (2024) 'TOAST stroke subtype classification in clinical practice: implications for the Get With The Guidelines-Stroke nationwide registry', *Frontiers in Neurology*, 15, p. 1375547. Available at: <https://doi.org/10.3389/fneur.2024.1375547>.
- Razani, B., Chakravarthy, M.V. and Semenkovich, C.F. (2008) 'Insulin Resistance and Atherosclerosis', *Endocrinology and Metabolism Clinics of North America*, 37(3), pp. 603–621. Available at: <https://doi.org/10.1016/j.ecl.2008.05.001>.
- Regenhardt, R.W. *et al.* (2019) 'Pathophysiology of Lacunar Stroke: History's Mysteries and Modern Interpretations', *Journal of Stroke and Cerebrovascular Diseases*, 28(8), pp. 2079–2097. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2019.05.006>.
- RISKESDAS (2018) *Hasil Utama Riskesdas 2018*. Jakarta: Badan Penelitian dan Pengembangan, Kementerian Kesehatan RI.
- Ropper, A.H. *et al.* (2023) 'Stroke and Cerebrovascular Diseases', in *Adam and Victor's Principles of Neurology*. 12th edn. New York: McGraw Hill.
- Rost, N.S. *et al.* (2016) 'Stroke Severity Is a Crucial Predictor of Outcome: An International Prospective Validation Study', *Journal of the American Heart Association*, 5(1), p. e002433. Available at: <https://doi.org/10.1161/JAHA.115.002433>.
- Rutten-Jacobs, L.C. *et al.* (2018) 'Genetic risk, incident stroke, and the benefits of adhering to a healthy lifestyle: cohort study of 306 473 UK Biobank participants', *BMJ*, p. k4168. Available at: <https://doi.org/10.1136/bmj.k4168>.
- Sacco, R.L. *et al.* (2013) 'An Updated Definition of Stroke for the 21st Century: A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association', *Stroke*, 44(7), pp. 2064–2089. Available at: <https://doi.org/10.1161/STR.0b013e318296aeca>.
- Saini, V., Guada, L. and Yavagal, D.R. (2021) 'Global Epidemiology of Stroke and Access to Acute Ischemic Stroke Interventions', *Neurology*, 97(20_Supplement_2). Available at: <https://doi.org/10.1212/WNL.0000000000012781>.
- Salazar, M.R. *et al.* (2017) 'Comparison of two surrogate estimates of insulin resistance to predict cardiovascular disease in apparently healthy individuals', *Nutrition, Metabolism and Cardiovascular Diseases*, 27(4), pp. 366–373. Available at: <https://doi.org/10.1016/j.numecd.2016.12.002>.
- Sarchielli, P. *et al.* (2006) 'Proinflammatory Cytokines, Adhesion Molecules, and Lymphocyte Integrin Expression in the Internal Jugular Blood of Migraine Patients Without Aura Assessed Ictally', *Headache: The Journal of Head and Face Pain*, 46(2), pp. 200–207. Available at: <https://doi.org/10.1111/j.1526-4610.2006.00337.x>.
- Sennfält, S. *et al.* (2020) 'Long-term outcome after ischemic stroke in relation to comorbidity – An observational study from the Swedish Stroke Register (Riksstroke)', *European Stroke Journal*, 5(1), pp. 36–46. Available at: <https://doi.org/10.1177/2396987319883154>.

- Shaikh, N. *et al.* (2024) ‘The Effect of the Charlson Comorbidity Index On In-Hospital Complications, Hospital Length of Stay, Mortality, and Readmissions Among Patients Hospitalized for Acute Stroke’, *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.60112>.
- Shen, Y. *et al.* (2020) ‘Association between Body Mass Index and Stroke Risk Among Patients with Type 2 Diabetes’, *The Journal of Clinical Endocrinology & Metabolism*, 105(1), pp. 96–105. Available at: <https://doi.org/10.1210/clinem/dgz032>.
- Simental-Mendía, L.E., Rodríguez-Morán, M. and Guerrero-Romero, F. (2008) ‘The Product of Fasting Glucose and Triglycerides As Surrogate for Identifying Insulin Resistance in Apparently Healthy Subjects’, *Metabolic Syndrome and Related Disorders*, 6(4), pp. 299–304. Available at: <https://doi.org/10.1089/met.2008.0034>.
- Smyth, A. *et al.* (2023) ‘Alcohol Intake as a Risk Factor for Acute Stroke: The INTERSTROKE Study’, *Neurology*, 100(2). Available at: <https://doi.org/10.1212/WNL.0000000000201388>.
- Soldozy, S. *et al.* (2022) ‘Biomarkers Predictive of Long-Term Outcome After Ischemic Stroke: A Meta-Analysis’, *World Neurosurgery*, 163, pp. e1–e42. Available at: <https://doi.org/10.1016/j.wneu.2021.10.157>.
- Spence, J.D. (2018) ‘Cardioembolic stroke: everything has changed’, *Stroke and Vascular Neurology*, 3(2), pp. 76–83. Available at: <https://doi.org/10.1136/svn-2018-000143>.
- Sprenger, L. *et al.* (2021) ‘Type 2 diabetes and the risk of cardiovascular events in peripheral artery disease versus coronary artery disease’, *BMJ Open Diabetes Research & Care*, 9(2), p. e002407. Available at: <https://doi.org/10.1136/bmjdr-2021-002407>.
- Strisciunglio, T. *et al.* (2020) ‘Insulin Resistance Predicts Severity of Coronary Atherosclerotic Disease in Non-Diabetic Patients’, *Journal of Clinical Medicine*, 9(7), p. 2144. Available at: <https://doi.org/10.3390/jcm9072144>.
- Sulter, G., Steen, C. and Keyser, J.D. (1999) ‘Use of the Barthel Index and Modified Rankin Scale in Acute Stroke Trials’, *Stroke*, 30(8), pp. 1538–1541. Available at: <https://doi.org/10.1161/01.STR.30.8.1538>.
- Sun, X. *et al.* (2025) ‘Triglyceride-glucose index as a superior marker of insulin resistance for predicting long-term major adverse cardiovascular events following coronary artery bypass grafting in China’, *Scientific Reports*, 15(1). Available at: <https://doi.org/10.1038/s41598-025-87967-9>.
- Suwanwela, N.C., Pongvarin, N. and The Asian Stroke Advisory Panel (2016) ‘Stroke Burden and Stroke Care System in Asia’, *Neurology India*, 64(7), pp. 46–51. Available at: <https://doi.org/10.4103/0028-3886.178042>.
- Talayero, B.G. and Sacks, F.M. (2011) ‘The Role of Triglycerides in Atherosclerosis’, *Current Cardiology Reports*, 13(6), pp. 544–552. Available at: <https://doi.org/10.1007/s11886-011-0220-3>.
- Uchiyama, S. *et al.* (2025) ‘Risk of major vascular events in patients without traditional risk factors after transient ischemic attack or minor ischemic stroke: An international prospective cohort’, *European Stroke Journal*, 10(2), pp. 531–540. Available at: <https://doi.org/10.1177/23969873241300071>.
- Unger, T. *et al.* (2020) ‘2020 International Society of Hypertension Global Hypertension Practice Guidelines’, *Hypertension*, 75, pp. 1334–1357. Available at: <https://doi.org/10.1161/HYPERTENSIONAHA.120.15026>.
- Vernino, S. *et al.* (2003) ‘Cause-Specific Mortality After First Cerebral Infarction: A Population-Based Study’, *Stroke*, 34(8), pp. 1828–1832. Available at: <https://doi.org/10.1161/01.STR.0000080534.98416.A0>.

- Voukalis, C., Shantsila, E. and Lip, G. (2017) 'Stroke Prevention in Atrial Fibrillation', *Journal of the Royal College of Physicians of Edinburgh*, 47(1), pp. 13–23. Available at: <https://doi.org/10.4997/jrcpe.2017.105>.
- Wang, A. *et al.* (2021) 'Triglyceride-glucose index and the risk of stroke and its subtypes in the general population: an 11-year follow-up', *Cardiovascular Diabetology*, 20(1), p. 46. Available at: <https://doi.org/10.1186/s12933-021-01238-1>.
- Wang, H. *et al.* (2013) 'Nitric Oxide Directly Promotes Vascular Endothelial Insulin Transport', *Diabetes*, 62(12), pp. 4030–4042. Available at: <https://doi.org/10.2337/db13-0627>.
- Wang, J. *et al.* (2022) 'Predictive values of systemic inflammatory responses index in early neurological deterioration in patients with acute ischemic stroke', *Journal of Integrative Neuroscience*, 21(3), p. 94. Available at: <https://doi.org/10.31083/j.jin2103094>.
- Wang, Q. *et al.* (2023) 'Association of atherogenic index of plasma with early neurological deterioration in patients with acute ischemic stroke', *Clinical Neurology and Neurosurgery*, 234, p. 108014. Available at: <https://doi.org/10.1016/j.clineuro.2023.108014>.
- Wei, L.-M. *et al.* (2019) 'Atherosclerosis in intracranial or extracranial vessels in diabetic patients and the association with stroke subtype', *Quantitative Imaging in Medicine and Surgery*, 9(6), pp. 960–967. Available at: <https://doi.org/10.21037/qims.2019.04.17>.
- Wei, W. *et al.* (2018) 'Retrospective analysis of prognosis and risk factors of patients with stroke by TOAST', *Medicine*, 97(15), p. e0412. Available at: <https://doi.org/10.1097/MD.00000000000010412>.
- Wein, T. *et al.* (2018) 'Canadian stroke best practice recommendations: Secondary prevention of stroke, sixth edition practice guidelines, update 2017', *International Journal of Stroke*, 13(4), pp. 420–443. Available at: <https://doi.org/10.1177/1747493017743062>.
- Widyasari, V., Rahman, F.F. and Ningrum, V. (2023) 'The Incidence and Prevalence of Stroke by Cause in Indonesia Based on Global Burden of Disease Study 2019', in H. Nurdianto, I. Miladiyah, and N.A. Jamil (eds) *Proceedings of the 3rd International Conference on Cardiovascular Diseases (ICCVd 2021)*. Dordrecht: Atlantis Press International BV, pp. 435–446. Available at: https://doi.org/10.2991/978-94-6463-048-0_50.
- Yafasova, A. *et al.* (2021) 'Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke: A Nationwide Study', *Stroke*, 52(5), pp. 1724–1732. Available at: <https://doi.org/10.1161/strokeaha.120.032837>.
- Yaghi, S. *et al.* (2014) 'ASPECTS is a predictor of favorable CT perfusion in acute ischemic stroke', *Journal of Neuroradiology*, 41(3), pp. 184–187. Available at: <https://doi.org/10.1016/j.neurad.2013.09.001>.
- Yan, J. and Zhang, Z. (2013) 'Hyperglycemia as a Risk Factor of Ischemic Stroke', *Journal of Drug Metabolism & Toxicology*, 04(04). Available at: <https://doi.org/10.4172/2157-7609.1000153>.
- Yang, J.-L., Lin, C.-M. and Hsu, Y.-L. (2022) 'Long-Term Functionality Prediction for First Time Ischemic Middle Cerebral Artery Stroke Patients Receiving Conventional Medical Treatment', *Neuropsychiatric Disease and Treatment*, Volume 18, pp. 275–288. Available at: <https://doi.org/10.2147/ndt.s350266>.
- Yang, Ying *et al.* (2023) 'The impact of triglyceride-glucose index on ischemic stroke: a systematic review and meta-analysis', *Cardiovascular Diabetology*, 22(1), p. 2. Available at: <https://doi.org/10.1186/s12933-022-01732-0>.

- Yilmaz, G. and Granger, D.N. (2008) 'Cell adhesion molecules and ischemic stroke', *Neurological Research*, 30(8), pp. 783–793. Available at: <https://doi.org/10.1179/174313208X341085>.
- Zhang, H. *et al.* (2022) 'Triglyceride–glucose index in the prediction of major adverse cardiovascular events in patients with type 2 diabetes mellitus after coronary artery bypass surgery: A retrospective cohort study', *Frontiers in Endocrinology*, 13. Available at: <https://doi.org/10.3389/fendo.2022.1015747>.
- Zhao, K. *et al.* (2021) 'Was Antiphospholipid Syndrome a Risk Factor of Stroke? A Systemic Review and Meta-Analysis of Cohort Studies', *Disease Markers*. Edited by Y. Xu, 2021, pp. 1–9. Available at: <https://doi.org/10.1155/2021/4431907>.
- Zhao, Y. *et al.* (2021) 'Elevated triglyceride–glucose index predicts risk of incident ischaemic stroke: The Rural Chinese cohort study', *Diabetes & Metabolism*, 47(4), p. 101246. Available at: <https://doi.org/10.1016/j.diabet.2021.101246>.
- Zhou, Y. *et al.* (2020) 'Triglyceride Glucose Index and Prognosis of Patients With Ischemic Stroke', *Frontiers in Neurology*, 11, p. 456. Available at: <https://doi.org/10.3389/fneur.2020.00456>.