

DAFTAR PUSTAKA

- Aflaha, R., Afiyanti, H., Azizah, Z.N., Khoirudin, H., Rianjanu, A., Kusumaatmaja, A., Roto, R., and Triyana, K., 2023, Improving ammonia sensing performance of quartz crystal microbalance (QCM) coated with nanofibers and polyaniline (PANi) overlay, *Biosens. Bioelectron. X*, 13, 100300.
- Aflaha, R., Maharani, C.N., Prabowo, Y.D., Roto, R., Gupta, R., Wasisto, H.S., Rianjanu, A., Putri, W.B.K., and Triyana, K., 2025, Environmentally friendly waterproof and breathable nanofiber membranes with ultra-low pressure drop and high performance, *Colloids Surfaces A Physicochem. Eng. Asp.*, 711, 136319.
- Aflaha, R., Maharani, C.N., Putri, L.A., Prabowo, Y.D., Rahman, I., Taher, T., Rianjanu, A., Roto, R., Wasisto, H.S., and Triyana, K., 2024, A superhydrophobic and heat-resistant PAN/PSU/PTFE composite nanofiber membrane for high-efficiency PM1.0 and PM2.5 filtration, *Mater. Adv.*, 5, 9731–9743.
- Aflaha, R., Putri, L.A., Farrel, A., Anzinger, S., Rianjanu, A., Yulianto, N., Fueidner, M., Roto, R., Peiner, E., Wasisto, H.S., and Triyana, K., 2025, Crafting high-temperature stable and hydrophobic nanofiber membranes for particulate matter filtration, *Commun. Mater.*, 6, 87.
- Aflaha, R., Putri, L.A., Maharani, C.N., Rianjanu, A., Roto, R., Wasisto, H.S., and Triyana, K., 2024, Tuning a Superhydrophobic Surface on an Electrospun Polyacrylonitrile Nanofiber Membrane by Polysulfone Blending, *ACS Omega*, 9, 29840–29847.
- Ahn, S., Shim, E., Kim, Y., Bae, Y.-S., and Eom, H., 2022, Air filtration performance enhancement of PTFE foam-coated filters at high temperatures via secondary strongly adhering PTFE nanofiber coatings, *Process Saf. Environ. Prot.*, 162, 914–922.
- Alam, K.I., Garodia, A., Bragaw, P., and Burris, D.L., 2022, Independently tuning surface and subsurface reinforcement to optimize PTFE wear, *Wear*, 510–511, 204516.

- Alosaimi, A.M., 2021, Polysulfone Membranes Based Hybrid Nanocomposites for the Adsorptive Removal of Hg(II) Ions, *Polymers (Basel)*, 13, .
- Amalia, R., Noviyanto, A., Rahma, L.A., Merita, Labanni, A., Fahroji, M., Purwajanti, S., Hapidin, D.A., and Zulfi, A., 2024, PVC waste-derived nanofiber: Simple fabrication with high potential performance for PM removal in air filtration, *Sustain. Mater. Technol.*, 40, e00928.
- Apte, J.S., Marshall, J.D., Cohen, A.J., and Brauer, M., 2015, Addressing Global Mortality from Ambient PM_{2.5}, *Environ. Sci. Technol.*, 49, 8057–8066.
- Archer, B., Shaumbwa, V.R., Liu, D., Li, M., Iimaa, T., and Surenjav, U., 2021, Nanofibrous Mats for Particulate Matter Filtration, *Ind. Eng. Chem. Res.*, 60, 7517–7534.
- Asrafali, S.P., Periyasamy, T., and Kim, S.-C., 2023, Rapid Transformation in Wetting Properties of PTFE Membrane Using Plasma Treatment, *Polymers (Basel)*, 15, .
- Banerjee, S., and Mukhopadhyay, P.B.T.-P.M.S., eds., 2007, Chapter 7 - Diffusional Transformations, In, *Phase Transformations*. Pergamon, pp. 555–716.
- Barhoum, A., Pal, K., Rahier, H., Uludag, H., Kim, I.S., and Bechelany, M., 2019, Nanofibers as new-generation materials: From spinning and nano-spinning fabrication techniques to emerging applications, *Appl. Mater. Today*, 17, 1–35.
- Beigmoradi, R., Samimi, A., and Mohebbi-Kalhari, D., 2021, Controllability of the hydrophilic or hydrophobic behavior of the modified polysulfone electrospun nanofiber mats, *Polym. Test.*, 93, 106970.
- Betha, R., Behera, S.N., and Balasubramanian, R., 2014, 2013 Southeast Asian Smoke Haze: Fractionation of Particulate-Bound Elements and Associated Health Risk, *Environ. Sci. Technol.*, 48, 4327–4335.
- Bui, T.T., Shin, M.K., Jee, S.Y., Long, D.X., Hong, J., and Kim, M.-G., 2022, Ferroelectric PVDF nanofiber membrane for high-efficiency PM_{0.3} air filtration with low air flow resistance, *Colloids Surfaces A Physicochem. Eng. Asp.*, 640, 128418.

- Burg, K.J.L., and Shalaby, S.W., 2001, PES and PEEK,. In, Buschow, K.H.J., Cahn, R.W., Flemings, M.C., Ilshner, B., Kramer, E.J., Mahajan, S., and Veysseyre, P.B.T.-E. of M.S. and T., (eds). Elsevier, Oxford, pp. 6837–6839.
- Cai, C., and Zhou, K., 2022, Chapter 7 - Metal additive manufacturing,. In, Patel, C.D., and Chen, C.-H.B.T.-D.M., (eds). Elsevier, pp. 247–298.
- Cao, J., Cheng, Z., Kang, L., Lin, M., and Han, L., 2020, Patterned nanofiber air filters with high optical transparency, robust mechanical strength, and effective PM2.5 capture capability, *RSC Adv.*, 10, 20155–20161.
- Cao, Y., and Mu, T., 2014, Comprehensive Investigation on the Thermal Stability of 66 Ionic Liquids by Thermogravimetric Analysis, *Ind. Eng. Chem. Res.*, 53, 8651–8664.
- Casper, C.L., Stephens, J.S., Tassi, N.G., Chase, D.B., and Rabolt, J.F., 2004, Controlling Surface Morphology of Electrospun Polystyrene Fibers: Effect of Humidity and Molecular Weight in the Electrospinning Process, *Macromolecules*, 37, 573–578.
- Cea, P.A., Pérez, M., Herrera, S.M., Muñoz, S.M., Fuentes-Ugarte, N., Coche-Miranda, J., Maturana, P., Guixé, V., and Castro-Fernandez, V., 2024, Deciphering Structural Traits for Thermal and Kinetic Stability across Protein Family Evolution through Ancestral Sequence Reconstruction, *Mol. Biol. Evol.*, 41, msae127.
- Cha, D. Il, Kim, K.W., Chu, G.H., Kim, H.Y., Lee, K.H., and Bhattarai, N., 2006, Mechanical behaviors and characterization of electrospun polysulfone/polyurethane blend nonwovens, *Macromol. Res.*, 14, 331–337.
- Chen, C.Y., 1955, Filtration of Aerosols By Fibrous Media, *Chem. Rev.*, 55, 595–623.
- Chen, H.-W., Kuo, Y.-L., Chen, C.-H., Chiou, C.-S., Chen, W.-T., and Lai, Y.-H., 2022, Biocompatible nanofiber based membranes for high-efficiency filtration of nano-aerosols with low air resistance, *Process Saf. Environ. Prot.*, 167, 695–707.
- Chen, M., Jiang, J., Feng, S., Low, Z.-X., Zhong, Z., and Xing, W., 2021, Graphene oxide functionalized polyvinylidene fluoride nanofibrous membranes for

- efficient particulate matter removal, *J. Memb. Sci.*, 635, 119463.
- Cheng, X., Zhao, L., Zhang, Z., Deng, C., Li, C., Du, Y., Shi, J., and Zhu, M., 2022, Highly efficient, low-resistant, well-ordered PAN nanofiber membranes for air filtration, *Colloids Surfaces A Physicochem. Eng. Asp.*, 655, 130302.
- Cho, B.M., Nam, Y.S., Cheon, J.Y., and Park, W.H., 2015, Residual charge and filtration efficiency of polycarbonate fibrous membranes prepared by electrospinning, *J. Appl. Polym. Sci.*, 132, .
- Crawford, C.B., and Quinn, B., 2017, 4 - Physiochemical properties and degradation,. In, Crawford, C.B., and Quinn, B.B.T.-M.P., (eds). Elsevier, pp. 57–100.
- Darquenne, C., 2014, Aerosol Deposition in the Human Lung in Reduced Gravity, *J. Aerosol Med. Pulm. Drug Deliv.*, 27, 170–177.
- Deng, N., Wang, L., Feng, Y., Liu, M., Li, Q., Wang, G., Zhang, L., Kang, W., Cheng, B., and Liu, Y., 2020, Co-based and Cu-based MOFs modified separators to strengthen the kinetics of redox reaction and inhibit lithium-dendrite for long-life lithium-sulfur batteries, *Chem. Eng. J.*, 388, 124241.
- Deng, Y., Lu, T., Cui, J., Keshari Samal, S., Xiong, R., and Huang, C., 2021, Bio-based electrospun nanofiber as building blocks for a novel eco-friendly air filtration membrane: A review, *Sep. Purif. Technol.*, 277, 119623.
- Dhanumalayan, E., and Joshi, G.M., 2018, Performance properties and applications of polytetrafluoroethylene (PTFE)—a review, *Adv. Compos. Hybrid Mater.*, 1, 247–268.
- Ding, X., Li, Y., Si, Y., Yin, X., Yu, J., and Ding, B., 2019, Electrospun polyvinylidene fluoride/SiO₂ nanofibrous membranes with enhanced electret property for efficient air filtration, *Compos. Commun.*, 13, 57–62.
- Diogo, H.P., and Ramos, J.J.M., 2013, Slow molecular mobility in the amorphous thermoplastic polysulfone, *J. Therm. Anal. Calorim.*, 111, 773–779.
- Du, Q., Zhou, P., Pan, Y., Qu, X., Liu, L., Yu, H., and Hou, J., 2022, Influence of hydrophobicity and roughness on the wetting and flow resistance of water droplets on solid surface: A many-body dissipative particle dynamics study, *Chem. Eng. Sci.*, 249, 117327.

- Dziubak, T., 2021, Experimental Studies of Dust Suction Irregularity from Multi-Cyclone Dust Collector of Two-Stage Air Filter, *Energies*, 14, .
- Enderle, J.D., 2012, Chapter 12 - Bioelectric Phenomena,. In, Enderle, J.D., and Bronzino, J.D.B.T.-I. to B.E. (Third E., (eds), *Biomedical Engineering*. Academic Press, Boston, pp. 747–815.
- Fan, H., Xiao, K., Mu, S., Zhou, Y., Ma, J., Wang, X., and Huang, X., 2018, Impact of membrane pore morphology on multi-cycle fouling and cleaning of hydrophobic and hydrophilic membranes during MBR operation, *J. Memb. Sci.*, 556, 312–320.
- Fan, L., Deng, N., Yan, J., Li, Z., Kang, W., and Cheng, B., 2019, The recent research status quo and the prospect of electrolytes for lithium sulfur batteries, *Chem. Eng. J.*, 369, 874–897.
- Feng, Y., Xiong, T., Xu, H., Li, C., and Hou, H., 2016, Polyamide-imide reinforced polytetrafluoroethylene nanofiber membranes with enhanced mechanical properties and thermal stabilities, *Mater. Lett.*, 182, 59–62.
- Filimon, A., Olaru, N., Doroftei, F., Coroaba, A., and Dunca, S., 2021, Processing of quaternized polysulfones solutions as tool in design of electrospun nanofibers: Microstructural characteristics and antimicrobial activity, *J. Mol. Liq.*, 330, 115664.
- Furushima, Y., Kumazawa, R., Yamaguchi, Y., Hirota, N., Sawada, K., Nakada, M., and Murakami, M., 2021, Precursory reaction of thermal cyclization for polyacrylonitrile, *Polymer (Guildf)*., 226, 123780.
- Gaina, C., Gaina, V., Ursache, O., and Vasiliu, L., 2023, TEOS loading effect on the properties of PVA-modified polysulfone membranes, *Polym. Technol. Mater.*, 62, 712–721.
- Gao, X., Wen, S., Yang, B., Xue, J., and Wang, H., 2020, Enhanced air filtration performance under high-humidity condition through electrospun membranes with optimized structure, *Chinese J. Chem. Eng.*, 28, 1788–1795.
- Ghodke, S.A., Maheshwari, U., Gupta, S., Sonawane, S.H., and Bhanvase, B.A., 2021, Chapter 12 - Nanomaterials for adsorption of pollutants and heavy metals: Introduction, mechanism, and challenges,. In, Bhanvase, B.,,

- Sonawane, S., Pawade, V., and Pandit, A.B.T.-H. of N. for W.T., (eds), *Micro and Nano Technologies*. Elsevier, pp. 343–366.
- Giesa, R., and Schmidt, H.-W., 2001, High-temperature Stable Polymers,. In, Buschow, K.H.J., Cahn, R.W., Flemings, M.C., Ilshner, B., Kramer, E.J., Mahajan, S., and Veysière, P.B.T.-E. of M.S. and T., (eds). Elsevier, Oxford, pp. 3803–3806.
- Givehchi, R., Li, Q., and Tan, Z., 2016, Quality factors of PVA nanofibrous filters for airborne particles in the size range of 10–125nm, *Fuel*, 181, 1273–1280.
- Gu, G.Q., Han, C.B., Lu, C.X., He, C., Jiang, T., Gao, Z.L., Li, C.J., and Wang, Z.L., 2017, Triboelectric Nanogenerator Enhanced Nanofiber Air Filters for Efficient Particulate Matter Removal, *ACS Nano*, 11, 6211–6217.
- Halim, A., Lin, K.-H., and Enomae, T., 2020, Biomimicking properties of cellulose nanofiber under ethanol/water mixture., *Sci. Rep.*, 10, 21070.
- Hao, Z., Wu, J., Wang, C., and Liu, J., 2019, Electrospun Polyimide/Metal-Organic Framework Nanofibrous Membrane with Superior Thermal Stability for Efficient PM_{2.5} Capture, *ACS Appl. Mater. Interfaces*, 11, 11904–11909.
- Harrison, R.M., and Yin, J., 2000, Particulate matter in the atmosphere: which particle properties are important for its effects on health?, *Sci. Total Environ.*, 249, 85–101.
- Hassan, H.M.A., Alsohaimi, I.H., El-Aassar, M.R., El-Hashemy, M.A., El-Sayed, M.Y., Alotaibi, N.F., Betiha, M.A., Alsuhybani, M., and Alenazi, R.A., 2023, Electrospun TiO₂-GO/PAN-CA nanofiber mats: A novel material for remediation of organic contaminants and nitrophenol reduction, *Environ. Res.*, 234, 116587.
- He, B., Han, Z., Wang, J., Li, Y., Li, J., Song, S., Li, C., Liu, W., and Wu, C., 2024, Construction of Al@PTFE composites with excellent ignition and combustion properties through mechanical and thermal activation, *J. Alloys Compd.*, 987, 174178.
- Heo, K.J., Oh, H.J., Eom, H., Kim, Y., and Jung, J.H., 2021, High-performance bag filter with a super-hydrophobic microporous polytetrafluoroethylene layer fabricated by air-assisted electrospaying, *Sci. Total Environ.*, 783, 147043.

- Hidayat, S.N., Julian, T., Rianjanu, A., Kusumaatmadja, A., Triyana, K., and Roto, 2017, Quartz crystal microbalance coated by PAN nanofibers and PEDOT:PSS for humidity sensor, *2017 Int. Semin. Sensors, Instrumentation, Meas. Metrol.*, 119–123.
- Hill, R.G., 2005, 10 - Biomedical polymers,. In, Hench, L.L., and Jones Artificial Organs and Tissue Engineering, J.R.B.T.-B., (eds), *Woodhead Publishing Series in Biomaterials*. Woodhead Publishing, pp. 97–106.
- Hosseini, S.A., and Tafreshi, H.V., 2010, 3-D simulation of particle filtration in electrospun nanofibrous filters, *Powder Technol.*, 201, 153–160.
- Hu, M., Yin, L., Zhou, H., Wu, L., Yuan, K., Pan, B., Zhong, Z., and Xing, W., 2020, Manganese dioxide-filled hierarchical porous nanofiber membrane for indoor air cleaning at room temperature, *J. Memb. Sci.*, 605, 118094.
- Hu, Q., Huang, H., Teng, Y., Yang, Y., Wang, G., Chen, J., and Zhao, Y., 2024, Exploring the structure, characteristics, and thermal degradation of composites comprising thermoplastic polyolefin and graphene oxide under high-temperature dynamic shear conditions, *Polym. Degrad. Stab.*, 225, 110797.
- Huang, J.J., Tian, Y., Wang, R., Tian, M., and Liao, Y., 2020, Fabrication of bead-on-string polyacrylonitrile nanofibrous air filters with superior filtration efficiency and ultralow pressure drop, *Sep. Purif. Technol.*, 237, 116377.
- Huang, L., Arena, J.T., Manickam, S.S., Jiang, X., Willis, B.G., and McCutcheon, J.R., 2014, Improved mechanical properties and hydrophilicity of electrospun nanofiber membranes for filtration applications by dopamine modification, *J. Memb. Sci.*, 460, 241–249.
- Huang, Q., Xiao, C., Hu, X., and Li, X., 2011, Study on the effects and properties of hydrophobic poly(tetrafluoroethylene) membrane, *Desalination*, 277, 187–192.
- Inagaki, M., Kang, F., Toyoda, M., and Konno, H., 2014, Chapter 8 - Carbon Nanofibers Via Electrospinning,. In, Inagaki, M., Kang, F., Toyoda, M., and Konno, H.B.T.-A.M.S. and E. of C., (eds). Butterworth-Heinemann, Boston, pp. 165–188.
- ISO/TC 142, 2016, ISO 16890-1:2016 Air filters for general ventilation. Technical

specifications, requirements and classification system based upon particulate matter efficiency (ePM)₁, 1–27.

- Ju, J., Fejjari, K., Cheng, Y., Liu, M., Li, Z., Kang, W., and Liao, Y., 2020, Engineering hierarchically structured superhydrophobic PTFE/POSS nanofibrous membranes for membrane distillation, *Desalination*, 486, 114481.
- Kang, Y., Chen, J., Feng, S., Zhou, H., Zhou, F., Low, Z.-X., Zhong, Z., and Xing, W., 2022, Efficient removal of high-temperature particulate matters via a heat resistant and flame retardant thermally-oxidized PAN/PVP/SnO₂ nanofiber membrane, *J. Memb. Sci.*, 662, 120985.
- Khalid, B., Bai, X., Wei, H., Huang, Y., Wu, H., and Cui, Y., 2017, Direct Blow-Spinning of Nanofibers on a Window Screen for Highly Efficient PM_{2.5} Removal, *Nano Lett.*, 17, 1140–1148.
- Kim, C., Hong, S., Ku, E., Oh, H.J., Jeon, B., Lee, H., Ahn, H., Choi, J., Bae, J., Choi, Y.O., and Lee, B.-S., 2024, Design of inherently polarized nanofiber-based membranes for superior filtration performance, *J. Ind. Eng. Chem.*.
- King, S.G., Stolojan, V., and Silva, S.R.P., 2018, Large Area Uniform Electrospun Polymer Nanofibres by Balancing of the Electrostatic Field, *React. Funct. Polym.*, 129, 89–94.
- Kobayashi, Y., Seki, S., and Terada, N., 2009, SECONDARY BATTERIES – LITHIUM RECHARGEABLE SYSTEMS – LITHIUM-ION | Lithium-Ion Polymer Batteries,. In, Garche, J.B.T.-E. of E.P.S., (ed). Elsevier, Amsterdam, pp. 375–382.
- Krainer, S., and Hirn, U., 2021, Contact angle measurement on porous substrates: Effect of liquid absorption and drop size, *Colloids Surfaces A Physicochem. Eng. Asp.*, 619, 126503.
- Lee, E.S., Fung, C.-C.D., and Zhu, Y., 2015, Evaluation of a high efficiency cabin air (HECA) filtration system for reducing particulate pollutants inside school buses., *Environ. Sci. Technol.*, 49, 3358–3365.
- Li, L., Shang, L., Li, Y., and Yang, C., 2017, Three-layer composite filter media containing electrospun polyimide nanofibers for the removal of fine particles, *Fibers Polym.*, 18, 749–757.

- Li, P., Wang, C., Zhang, Y., and Wei, F., 2014, Air Filtration in the Free Molecular Flow Regime: A Review of High-Efficiency Particulate Air Filters Based on Carbon Nanotubes, *Small*, 10, 4543–4561.
- Li, T.-T., Fan, Y., Cen, X., Wang, Y., Shiu, B.-C., Ren, H.-T., Peng, H.-K., Jiang, Q., Lou, C.-W., and Lin, J.-H., 2020, Polypropylene/Polyvinyl Alcohol/Metal-Organic Framework-Based Melt-Blown Electrospun Composite Membranes for Highly Efficient Filtration of PM_{2.5}, *Nanomaterials*, 10, .
- Li, X., Wang, C., Huang, X., Zhang, T., Wang, X., Min, M., Wang, L., Huang, H., and Hsiao, B.S., 2018, Anionic Surfactant-Triggered Steiner Geometrical Poly(vinylidene fluoride) Nanofiber/Nanonet Air Filter for Efficient Particulate Matter Removal, *ACS Appl. Mater. Interfaces*, 10, 42891–42904.
- Li, Y., Yin, X., Yu, J., and Ding, B., 2019, Electrospun nanofibers for high-performance air filtration, *Compos. Commun.*, 15, 6–19.
- Liao, Y., Loh, C.-H., Tian, M., Wang, R., and Fane, A.G., 2018, Progress in electrospun polymeric nanofibrous membranes for water treatment: Fabrication, modification and applications, *Prog. Polym. Sci.*, 77, 69–94.
- Light, K.M., Yamanaka, Y., Odaka, M., and Solomon, E.I., 2015, Spectroscopic and computational studies of nitrile hydratase: insights into geometric and electronic structure and the mechanism of amide synthesis, *Chem. Sci.*, 6, 6280–6294.
- Lisa, G., Avram, E., Paduraru, G., Irimia, M., Hurduc, N., and Aelenei, N., 2003, Thermal behaviour of polystyrene, polysulfone and their substituted derivatives, *Polym. Degrad. Stab.*, 82, 73–79.
- Liu, B., Zhang, S., Wang, X., Yu, J., and Ding, B., 2015, Efficient and reusable polyamide-56 nanofiber/nets membrane with bimodal structures for air filtration, *J. Colloid Interface Sci.*, 457, 203–211.
- Liu, C., Hsu, P.-C., Lee, H.-W., Ye, M., Zheng, G., Liu, N., Li, W., and Cui, Y., 2015, Transparent air filter for high-efficiency PM_{2.5} capture, *Nat. Commun.*, 6, 6205.
- Liu, F., Li, M., Shao, W., Yue, W., Hu, B., Weng, K., Chen, Y., Liao, X., and He, J., 2019, Preparation of a polyurethane electret nanofiber membrane and its

- air-filtration performance, *J. Colloid Interface Sci.*, 557, 318–327.
- Liu, H., Zhu, Y., Zhang, C., Zhou, Y., and Yu, D.-G., 2024, Electrospun nanofiber as building blocks for high-performance air filter: A review, *Nano Today*, 55, 102161.
- Liu, Y., Jia, C., Zhang, H., Wang, Haiyang, Li, P., Jia, L., Wang, Feng, Zhu, P., Wang, Hao, Yu, L., Wang, Feipeng, Wang, L., Zhang, X., Sun, Y., and Li, B., 2021, Free-Standing Ultrafine Nanofiber Papers with High PM0.3 Mechanical Filtration Efficiency by Scalable Blow and Electro-Blow Spinning, *ACS Appl. Mater. Interfaces*, 13, 34773–34781.
- Lu, T., Cui, J., Qu, Q., Wang, Y., Zhang, J., Xiong, R., Ma, W., and Huang, C., 2021, Multistructured Electrospun Nanofibers for Air Filtration: A Review, *ACS Appl. Mater. Interfaces*, 13, 23293–23313.
- Lv, D., Wang, R., Tang, G., Mou, Z., Lei, J., Han, J., De Smedt, S., Xiong, R., and Huang, C., 2019, Ecofriendly Electrospun Membranes Loaded with Visible-Light-Responding Nanoparticles for Multifunctional Usages: Highly Efficient Air Filtration, Dye Scavenging, and Bactericidal Activity, *ACS Appl. Mater. Interfaces*, 11, 12880–12889.
- Macedonio, F., Ali, A., and Drioli, E., 2017, 3.10 Membrane Distillation and Osmotic Distillation,. In, Drioli, E., Giorno, L., and Fontananova, E.B.T.-C.M.S. and E. (Second E., (eds). Elsevier, Oxford, pp. 282–296.
- Madaniyazi, L., Nagashima, T., Guo, Y., Yu, W., and Tong, S., 2015, Projecting Fine Particulate Matter-Related Mortality in East China, *Environ. Sci. Technol.*, 49, 11141–11150.
- Madorsky, S.L., and Straus, S., 1959, Thermal Degradation of Polymers at High Temperatures., *J. Res. Natl. Bur. Stand. Sect. A, Phys. Chem.*, 63A, 261–268.
- Manzo, G.M., Wu, Y., Chase, G.G., and Goux, A., 2016, Comparison of nonwoven glass and stainless steel microfiber media in aerosol coalescence filtration, *Sep. Purif. Technol.*, 162, 14–19.
- Mcneill, I.C., 1989, 15 - Thermal Degradation,. In, Allen, G., and Bevington, J.C.B.T.-C.P.S. and S., (eds). Pergamon, Amsterdam, pp. 451–500.
- Miller, A., Marinos, A., Wendel, C., King, G., and Bugarski, A., 2012, Design

- Optimization of a Portable Thermophoretic Precipitator Nanoparticle Sampler, *Aerosol Sci. Technol.*, 46, 897–904.
- Molnár, G., Botvay, A., Pöpl, L., Torkos, K., Borossay, J., Máthé, Á., and Török, T., 2005, Thermal degradation of chemically modified polysulfones, *Polym. Degrad. Stab.*, 89, 410–417.
- Nalesso, F., and Claudio, R., 2017, Chapter 17 - Selecting a Dialyzer: Technical and Clinical Considerations,. In, Nissenson, A.R., and Fine, R.N.B.T.-H. of D.T. (Fifth E., (eds). Elsevier, pp. 227-238.e4.
- Naragund, V.S., and Panda, P.K., 2022, Electrospun polyacrylonitrile nanofiber membranes for air filtration application, *Int. J. Environ. Sci. Technol.*, 19, 10233–10244.
- Nelin, T.D., Joseph, A.M., Gorr, M.W., and Wold, L.E., 2012, Direct and indirect effects of particulate matter on the cardiovascular system, *Toxicol. Lett.*, 208, 293–299.
- Nuraje, N., Khan, W.S., Lei, Y., Ceylan, M., and Asmatulu, R., 2013, Superhydrophobic electrospun nanofibers, *J. Mater. Chem. A*, 1, 1929–1946.
- Özcan, M., 2024, Green synthesis of ZnO nanoparticles decorating electrospun PAN nanofibers for enhanced radiation shielding, *Phys. B Condens. Matter*, 674, 415584.
- Park, H.-S., and Park, Y.O., 2005, Filtration properties of electrospun ultrafine fiber webs, *Korean J. Chem. Eng.*, 22, 165–172.
- Parodi, F., 1989, 33 - Polysulfones,. In, Allen, G., and Bevington, J.C.B.T.-C.P.S. and S., (eds). Pergamon, Amsterdam, pp. 561–591.
- Pethrick, R.A., 1989, 17 - Acoustical Properties,. In, Allen, G., and Bevington, J.C.B.T.-C.P.S. and S., (eds). Pergamon, Amsterdam, pp. 571–599.
- Qu, M., Lv, Y., Ge, J., Zhang, B., Wu, Y., Shen, L., Liu, Q., Yan, M., and He, J., 2023, Hydrophobic and multifunctional strain, pressure and temperature sensor based on TPU/SiO₂-ILs ionogel for human motion monitoring, liquid drop monitoring, underwater applications, *Colloids Surfaces A Physicochem. Eng. Asp.*, 664, 131103.
- Ramaseshan, R., Sundarrajan, S., Jose, R., and Ramakrishna, S., 2007,

- Nanostructured ceramics by electrospinning, *J. Appl. Phys.*, 102, 111101.
- Rianjanu, A., Julian, T., Hidayat, S.N., Yulianto, N., Majid, N., Syamsu, I., Wasisto, H.S., and Triyana, K., 2020, Quartz Crystal Microbalance Humidity Sensors Integrated with Hydrophilic Polyethyleneimine-Grafted Polyacrylonitrile Nanofibers, *Sensors Actuators, B Chem.*, 319, 128286.
- Rianjanu, A., Kusumaatmaja, A., Suyono, E.A., and Triyana, K., 2018, Solvent Vapor Treatment Improves Mechanical Strength of Electrospun Polyvinyl Alcohol Nanofibers, *Heliyon*, 4, 1–19.
- Rianjanu, A., Roto, R., Julian, T., Hidayat, S.N., Kusumaatmaja, A., Suyono, E.A., and Triyana, K., 2018, Polyacrylonitrile Nanofiber-based Quartz Crystal Microbalance for Sensitive Detection of Safrole, *Sensors*, 18, 1–11.
- Roto, R., Rianjanu, A., Rahmawati, A., Fatyadi, I.A., Yulianto, N., Majid, N., Syamsu, I., Wasisto, H.S., and Triyana, K., 2020, Quartz Crystal Microbalances Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing, *ACS Appl. Nano Mater.*, 3, 5687–5697.
- Russo, F., Castro-Muñoz, R., Santoro, S., Galiano, F., and Figoli, A., 2022, A review on electrospun membranes for potential air filtration application, *J. Environ. Chem. Eng.*, 10, 108452.
- Sanderson, T., 2006, Positronium Annihilation in Semi-Crystalline PTFE,.
- Sarfraz, A., Raza, A.H., Mirzaeian, M., Abbas, Q., and Raza, R., 2022, Electrode Materials for Fuel Cells,. In, Olabi, A.-G.B.T.-E. of S.M., (ed). Elsevier, Oxford, pp. 341–356.
- Saxena, P., and Shukla, P., 2025, Review—A Comparative Analysis of the Fundamental Characteristics and Uses of the Amorphous Polymers Poly(sulfone) and Poly(methyl methacrylate), *J. Electrochem. Soc.*, 172, 17506.
- Selva, T.M.G., Selva, J.S.G., and Prata, R.B., 2023, Sensing Materials: Diamond-Based Materials,. In, Narayan, R.B.T.-E. of S. and B. (First E., (ed). Elsevier, Oxford, pp. 45–72.
- Shin, H.K., Kim, C., Talkner, P., and Lee, E.K., 2010, Brownian motion from molecular dynamics, *Chem. Phys.*, 375, 316–326.

- Singh, S., Varghese, A.M., Reddy, K.S.K., Romanos, G.E., and Karanikolos, G.N., 2021, Polysulfone Mixed-Matrix Membranes Comprising Poly(ethylene glycol)-Grafted Carbon Nanotubes: Mechanical Properties and CO₂ Separation Performance, *Ind. Eng. Chem. Res.*, 60, 11289–11308.
- Sohrabi, M., Abbasi, M., and Sadighzadeh, A., 2023, Fabrication and evaluation of electrospun polyacrylonitrile/silver nanofiber membranes for air filtration and antibacterial activity, *Polym. Bull.*, 80, 5481–5499.
- Spurny, K.R., 1986, On the filtration of fibrous aerosols, *J. Aerosol Sci.*, 17, 450–455.
- Su, C., Li, Yuping, Cao, H., Lu, C., Li, Yujiao, Chang, J., and Duan, F., 2019, Novel PTFE hollow fiber membrane fabricated by emulsion electrospinning and sintering for membrane distillation, *J. Memb. Sci.*, 583, 200–208.
- Su, Q., Wei, Z., Zhu, C., Wang, X., Zeng, W., Wang, S., Long, S., and Yang, J., 2022, Multilevel structured PASS nanofiber filter with outstanding thermal stability and excellent mechanical property for high-efficiency particulate matter removal, *J. Hazard. Mater.*, 431, 128514.
- Su, Q., Zhu, C., Gong, A., Long, S., Zhang, G., Wei, Z., Wang, X., and Yang, J., 2024, Novel multi-hierarchical nanofiber aerogel for high efficient filtration of high-temperature flue gas, *Sep. Purif. Technol.*, 347, 127573.
- Theakstone, A.G., Rinaldi, C., Butler, H.J., Cameron, J.M., Confield, L.R., Rutherford, S.H., Sala, A., Sangamnerkar, S., and Baker, M.J., 2021, Fourier-transform infrared spectroscopy of biofluids: A practical approach, *Transl. Biophotonics*, 3, e202000025.
- Tian, E., Gao, Y., and Mo, J., 2023, Experimental studies on electrostatic-force strengthened particulate matter filtration for built environments: Progress and perspectives, *Build. Environ.*, 228, 109782.
- Tomoda, B.T., Yassue-Cordeiro, P.H., Ernesto, J.V., Lopes, P.S., Péres, L.O., da Silva, C.F., and de Moraes, M.A., 2020, Chapter 3 - Characterization of biopolymer membranes and films: Physicochemical, mechanical, barrier, and biological properties,. In, de Moraes, M.A., da Silva, C.F., and Vieira, R.S.B.T.-B.M. and F., (eds). Elsevier, pp. 67–95.

- Uzal, N., Ates, N., Saki, S., Bulbul, Y.E., and Chen, Y., 2017, Enhanced hydrophilicity and mechanical robustness of polysulfone nanofiber membranes by addition of polyethyleneimine and Al₂O₃ nanoparticles, *Sep. Purif. Technol.*, 187, 118–126.
- Velasco-Soto, M.A., León-Gil, J.A., Alvarez-Quintana, J., Pérez-García, S.A., Laine, B., Mercader, C., Jestin, S., Rychwalski, R., and Licea-Jiménez, L., 2016, Chapter 8 - Carbon Polymer Nanocomposites, In, Domínguez, M.S., and Abreu, C.R.B.T.-N., (eds). Elsevier, Amsterdam, pp. 265–297.
- Vidakis, N., Petousis, M., Moutsopoulou, A., Papadakis, V., Spiridaki, M., Mountakis, N., Charou, C., Tsikritzis, D., and Maravelakis, E., 2023, Nanocomposites with Optimized Polytetrafluoroethylene Content as a Reinforcement Agent in PA12 and PLA for Material Extrusion Additive Manufacturing, *Polymers (Basel)*, 15, .
- Wan, H., Wang, N., Yang, J., Si, Y., Chen, K., Ding, B., Sun, G., El-Newehy, M., Al-Deyab, S.S., and Yu, J., 2014, Hierarchically structured polysulfone/titania fibrous membranes with enhanced air filtration performance, *J. Colloid Interface Sci.*, 417, 18–26.
- Wang, A., Li, X., Hou, T., Lu, Y., Zhou, J., Zhang, X., and Yang, B., 2021, High efficiency, low resistance and high temperature resistance PTFE porous fibrous membrane for air filtration, *Mater. Lett.*, 295, 129831.
- Wang, C., and Otani, Y., 2013, Removal of Nanoparticles from Gas Streams by Fibrous Filters: A Review, *Ind. Eng. Chem. Res.*, 52, 5–17.
- Wang, F., Zhu, H., Zhang, H., Tang, H., Chen, J., and Guo, Y., 2016, An elastic microporous material with tunable optical property, *Mater. Lett.*, 164, 376–379.
- Wang, J., Zhang, Y., Li, B., Zhao, Z., Huang, C., Zhang, X., Deng, Q., Lu, C., Qian, H., Yang, X., Sun, Y., Sundell, J., and Norbäck, D., 2021, Asthma and allergic rhinitis among young parents in China in relation to outdoor air pollution, climate and home environment, *Sci. Total Environ.*, 751, 141734.
- Wang, Q., Bai, Y., Xie, J., Jiang, Q., and Qiu, Y., 2016, Synthesis and filtration properties of polyimide nanofiber membrane/carbon woven fabric sandwiched

- hot gas filters for removal of PM 2.5 particles, *Powder Technol.*, 292, 54–63.
- Wang, R., Li, Y., Lv, D., Zhao, W., Zhang, C., Zachert, H., Eichhoff, G., and Beroya-Eitner, M.A., 2022, Comparison of Test Methods for Determining the Tensile Strength of Soil and Weak Rocks , *Front. Earth Sci.* , 10, .
- Wang, S., Zhao, X., Yin, X., Yu, J., and Ding, B., 2016, Electret Polyvinylidene Fluoride Nanofibers Hybridized by Polytetrafluoroethylene Nanoparticles for High-Efficiency Air Filtration, *ACS Appl. Mater. Interfaces*, 8, 23985–23994.
- Wang, Z., Zhao, C., and Pan, Z., 2015, Porous Bead-on-String Poly (lactic acid) Fibrous Membranes for Air Filtration, *J. Colloid Interface Sci.*, 441, 121–129.
- Xiao, J., Liang, J., Zhang, C., Tao, Y., Ling, G.-W., and Yang, Q.-H., 2018, Advanced Materials for Capturing Particulate Matter: Progress and Perspectives, *Small Methods*, 2, 1800012.
- Xing, J., Zhang, W., Sun, S., and Liu, Z., 2024, Preparation of porous polylactic acid nanofibers and application in non-electret high-efficiency filtration composites, *RSC Adv.*, 14, 14857–14867.
- Xu, J., Liu, C., Hsu, P.-C., Liu, K., Zhang, R., Liu, Y., and Cui, Y., 2016, Roll-to-Roll Transfer of Electrospun Nanofiber Film for High-Efficiency Transparent Air Filter, *Nano Lett.*, 16, 1270–1275.
- Xue, J., Wu, T., Dai, Y., and Xia, Y., 2019, Electrospinning and Electrospun Nanofibers: Methods, Materials, and Applications, *Chem. Rev.*, 119, 5298–5415.
- Xue, T.J., McKinney, M.A., and Wilkie, C.A., 1997, The thermal degradation of polyacrylonitrile, *Polym. Degrad. Stab.*, 58, 193–202.
- Yadav, I.C., and Devi, N.L., 2019, Biomass Burning, Regional Air Quality, and Climate Change,. In, Nriagu, J.B.T.-E. of E.H. (Second E., (ed). Elsevier, Oxford, pp. 386–391.
- Yang, G., Hou, N., Li, Z., Huang, K., Zhang, B., Xu, J., and Sun, J., 2023, Pressure Drop Performance of Porous Composites Based on Cotton Cellulose Nanofiber and Aramid Nanofiber for Cigarette Filter Rod, *Materials (Basel)*., 16, .
- Yang, Y., Christakos, G., Huang, W., Lin, C., Fu, P., and Mei, Y., 2016, Uncertainty

- assessment of PM_{2.5} contamination mapping using spatiotemporal sequential indicator simulations and multi-temporal monitoring data, *Sci. Rep.*, 6, 24335.
- Yi, B., Zhao, Y., Tian, E., Li, J., and Ren, Y., 2018, High-performance polyimide nanofiber membranes prepared by electrospinning, *High Perform. Polym.*, 31, 438–448.
- Yu, X., Li, C., Tian, H., Yuan, L., Xiang, A., Li, J., Wang, C., and Rajulu, A.V., 2020, Hydrophobic cross-linked zein-based nanofibers with efficient air filtration and improved moisture stability, *Chem. Eng. J.*, 396, 125373.
- Yuan, S., Strobbe, D., Kruth, J.-P., Van Puyvelde, P., and Van der Bruggen, B., 2017, Super-hydrophobic 3D printed polysulfone membranes with a switchable wettability by self-assembled candle soot for efficient gravity-driven oil/water separation, *J. Mater. Chem. A*, 5, 25401–25409.
- Yuan, X., Zhang, Y., Dong, C., and Sheng, J., 2004, Morphology of ultrafine polysulfone fibers prepared by electrospinning, *Polym. Int.*, 53, 1704–1710.
- Zhang, A., Li, H., Zhang, Aohua, Zhou, J., and Yan, Y., 2021, High-temperature bearable polysulfonamide/polyacrylonitrile composite nanofibers for high-efficiency PM_{2.5} filtration, *Compos. Commun.*, 23, 100582.
- Zhang, H., Xie, Y., Song, Y., and Qin, X., 2021, Preparation of high-temperature resistant poly (m-phenylene isophthalamide)/polyacrylonitrile composite nanofibers membrane for air filtration, *Colloids Surfaces A Physicochem. Eng. Asp.*, 624, 126831.
- Zhang, S., Liu, H., Yin, X., Yu, J., and Ding, B., 2016, Anti-deformed Polyacrylonitrile/Polysulfone Composite Membrane with Binary Structures for Effective Air Filtration, *ACS Appl. Mater. Interfaces*, 8, 8086–8095.
- Zhang, S., Shim, W.S., and Kim, J., 2009, Design of ultra-fine nonwovens via electrospinning of Nylon 6: Spinning parameters and filtration efficiency, *Mater. Des.*, 30, 3659–3666.
- Zhang, S., Tang, N., Cao, L., Yin, X., Yu, J., and Ding, B., 2016, Highly Integrated Polysulfone/Polyacrylonitrile/Polyamide-6 Air Filter for Multilevel Physical Sieving Airborne Particles, *ACS Appl. Mater. Interfaces*, 8, 29062–29072.
- Zhang, X., Reagan, M.R., and Kaplan, D.L., 2009, Electrospun silk biomaterial

- scaffolds for regenerative medicine, *Adv. Drug Deliv. Rev.*, 61, 988–1006.
- Zhao, S., Chen, L., Li, Y., Xing, Z., and Du, K., 2015, Summertime Spatial Variations in Atmospheric Particulate Matter and Its Chemical Components in Different Functional Areas of Xiamen, China, *Atmosphere (Basel)*, 6, 234–254.
- Zhao, X., Ruan, K., Qiu, H., Zhang, Y., and Gu, J., 2023, Polyacrylonitrile nanofiber reinforced polyimide composite aerogels with fiber-pore interpenetrating structures for sound absorption, air filtration and thermal insulation, *Compos. Sci. Technol.*, 244, 110275.
- Zhao, X., Wang, S., Yin, X., Yu, J., and Ding, B., 2016, Slip-Effect Functional Air Filter for Efficient Purification of PM_{2.5}, *Sci. Rep.*, 6, 35472.
- Zhou, X., Ju, J., Deng, N., Li, Z., Kang, W., and Cheng, B., 2019, Designing of one-dimensional C/Ce-compound composite materials, *Mater. Lett.*, 236, 34–37.
- Zhou, Y., Liu, Y., Zhang, M., Feng, Z., Yu, D.-G., and Wang, K., 2022, Electrospun Nanofiber Membranes for Air Filtration: A Review, *Nanomaterials*, 12, .
- Zhu, C., Yang, F., Xue, T., Wali, Q., Fan, W., and Liu, T., 2022, Metal-organic framework decorated polyimide nanofiber aerogels for efficient high-temperature particulate matter removal, *Sep. Purif. Technol.*, 300, 121881.
- Zhu, M., Xiong, R., and Huang, C., 2019, Bio-based and photocrosslinked electrospun antibacterial nanofibrous membranes for air filtration, *Carbohydr. Polym.*, 205, 55–62.
- Zussman, E., Chen, X., Ding, W., Calabri, L., Dikin, D.A., Quintana, J.P., and Ruoff, R.S., 2005, Mechanical and structural characterization of electrospun PAN-derived carbon nanofibers, *Carbon N. Y.*, 43, 2175–2185.