



DAFTAR PUSTAKA

- [1] H. C. Shin, L. Lu, and R. M. Summers, “Natural Language Processing for Large-Scale Medical Image Analysis Using Deep Learning,” in *Deep Learning for Medical Image Analysis*, Elsevier Inc., 2017, pp. 405–421. doi: 10.1016/B978-0-12-810408-8.00023-7.
- [2] Supriyono, A. P. Wibawa, Suyono, and F. Kurniawan, “A survey of text summarization: Techniques, evaluation and challenges,” *Nat. Lang. Process. J.*, vol. 7, p. 100070, Jun. 2024, doi: 10.1016/j.nlp.2024.100070.
- [3] R. I. Naharuddin, P. I. Santosa, and T. B. Adji, “Systematic Literature Review: Automated Text Summarization for Indonesian Language,” in *2023 10th International Conference on Information Technology, Computer, and Electrical Engineering, ICITACEE 2023*, Institute of Electrical and Electronics Engineers Inc., 2023, pp. 254–259. doi: 10.1109/ICITACEE58587.2023.10277395.
- [4] D. R. Radev, E. Hovy, and K. McKeown, “Introduction to the special issue on summarization,” *Comput. Linguist.*, vol. 28, no. 4, pp. 399–408, Dec. 2002, doi: 10.1162/089120102762671927.
- [5] A. Khan and N. Salim, “A REVIEW ON ABSTRACTIVE SUMMARIZATION METHODS,” *J. Theor. Appl. Inf. Technol.*, vol. 10, no. 1, 2014, [Online]. Available: www.jatit.org
- [6] S. Zhao *et al.*, “HyFit: Hybrid Fine-tuning With Diverse Sampling for Abstractive Summarization,” *IEEE Trans. Big Data*, pp. 1–12, 2024, doi: 10.1109/TBDATA.2024.3387311.
- [7] H. Chen, C. Li, J. Liang, and L. Tian, “A Dialogues Summarization Algorithm Based on Multi-task Learning,” *Neural Process. Lett.*, vol. 56, Oct. 2024, doi: 10.1007/s11063-024-11619-8.
- [8] F. Koto, “A publicly available Indonesian corpora for automatic abstractive and extractive chat summarization,” *Proc. 10th Int. Conf. Lang. Resour. Eval. Lr. 2016*, pp. 801–805, 2016.
- [9] A. A. Irfan, N. A. Khatim, and M. M. Arief, “Using LLM for Real-Time Transcription and Summarization of Doctor-Patient Interactions into ePuskesmas in Indonesia,” 2024, [Online]. Available: <http://arxiv.org/abs/2409.17054>
- [10] H. Lin *et al.*, “Topic-Oriented Dialogue Summarization,” *IEEE/ACM Trans. Audio, Speech, Lang. Process.*, vol. 31, pp. 1797–1810, 2023, doi: 10.1109/TASLP.2023.3271118.
- [11] J. You and Y. Ko, “Topic-Informed Dialogue Summarization using Topic Distribution and Prompt-based Modeling,” in *Findings of the Association for Computational Linguistics: EMNLP 2023*, 2023, pp. 5657 – 5663. [Online]. Available: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85183290168&partnerID=40&md5=11f760af4f8141e4ced600fdal18caab>
- [12] D. Chandrasekaran and V. Mago, “Evolution of Semantic Similarity-A Survey,” *ACM Comput. Surv.*, vol. 54, no. 2, pp. 1–35, 2021, doi: 10.1145/3440755.
- [13] S. Herbold, “Semantic similarity prediction is better than other semantic similarity measures,” *J. Mach. Learn. Res.*, pp. 1–16, 2023, [Online]. Available: <https://arxiv.org/abs/2309.12697v1>
- [14] Y. Wang, W. Chen, and S. Shan, “How to Train Text Summarization Model with Weak Supervisions,” pp. 1–16, 2024, [Online]. Available: <http://arxiv.org/abs/2409.00098>
- [15] Y. Zou *et al.*, “Topic-Oriented Spoken Dialogue Summarization for Customer Service with Saliency-Aware Topic Modeling,” *35th AAAI Conf. Artif. Intell. AAAI 2021*, vol. 16, pp. 14665–14673, 2021, doi: 10.1609/aaai.v35i16.17723.



- [16] S. Ouyang, J. Chen, J. Han, and D. Yang, “COMPOsitional Data Augmentation for Abstractive Conversation Summarization,” Long Papers. [Online]. Available: <https://github.com/>
- [17] S. Wang, H. Ma, Y. Zhang, J. Ma, and L. He, “Enhancing Abstractive Dialogue Summarization with Internal Knowledge,” in *2024 International Joint Conference on Neural Networks (IJCNN)*, 2024, pp. 1–8. doi: 10.1109/IJCNN60899.2024.10650220.
- [18] J. Liu *et al.*, “Topic-Aware Contrastive Learning for Abstractive Dialogue Summarization,” *Find. Assoc. Comput. Linguist. Find. ACL EMNLP 2021*, pp. 1229–1243, 2021, doi: 10.18653/v1/2021.findings-emnlp.106.
- [19] L. Zhao, W. Xu, and J. Guo, “Improving Abstractive Dialogue Summarization with Graph Structures and Topic Words,” *COLING 2020 - 28th Int. Conf. Comput. Linguist. Proc. Conf.*, pp. 437–449, 2020, doi: 10.18653/v1/2020.coling-main.39.
- [20] N. Z. Kayali and S. I. Omurca, “Hybrid Tokenization Strategy for Turkish Abstractive Text Summarization,” *8th Int. Artif. Intell. Data Process. Symp. IDAP 2024*, pp. 21–22, 2024, doi: 10.1109/IDAP64064.2024.10711036.
- [21] A. Akhmedova, I. Zhazhneva, and G. Galimov, “System for News Summarizing Using a Neural Network Algorithm,” *RusAutoCon - Proc. Int. Russ. Autom. Conf.*, no. 2024, pp. 307–312, 2024, doi: 10.1109/RusAutoCon61949.2024.10694002.
- [22] N. Reimers and I. Gurevych, “Sentence-BERT: Sentence *Embeddings* using Siamese BERT-Networks,” Aug. 2019, [Online]. Available: <http://arxiv.org/abs/1908.10084>
- [23] F. B. Fikri, K. Oflazer, and B. Yanıkoğlu, “Abstractive summarization with deep reinforcement learning using semantic similarity rewards,” *Nat. Lang. Eng.*, vol. 30, no. 3, pp. 554–576, 2024, doi: 10.1017/S1351324923000505.
- [24] H. P. Luhn, “The Automatic Creation of Literature Abstracts,” *IBM J. Res. Dev.*, vol. 2, no. 2, pp. 159–165, 1958, doi: 10.1147/rd.22.0159.
- [25] A. Nenkova and K. McKeown, “A Survey of Text Summarization Techniques,” in *Mining Text Data*, C. C. Aggarwal and C. Zhai, Eds., Boston, MA: Springer US, 2012, pp. 43–76. doi: 10.1007/978-1-4614-3223-4_3.
- [26] W. T. Hsu, C. K. Lin, M. Y. Lee, K. Min, J. Tang, and M. Sun, “A unified model for extractive and abstractive summarization using inconsistency loss,” *ACL 2018 - 56th Annu. Meet. Assoc. Comput. Linguist. Proc. Conf. (Long Pap.*, vol. 1, pp. 132–141, 2018, doi: 10.18653/v1/p18-1013.
- [27] J. Chen and D. Yang, “Multi-view sequence-to-sequence models with conversational structure for abstractive dialogue summarization,” *EMNLP 2020 - 2020 Conf. Empir. Methods Nat. Lang. Process. Proc. Conf.*, pp. 4106–4118, 2020, doi: 10.18653/v1/2020.emnlp-main.336.
- [28] S. S. Birunda and R. K. Devi, “A Review on Word *Embedding* Techniques for Text Classification,” 2021. [Online]. Available: <https://api.semanticscholar.org/CorpusID:234104086>
- [29] F. Almeida and G. Xexéo, “Word *Embeddings*: A Survey,” Jan. 2019, [Online]. Available: <http://arxiv.org/abs/1901.09069>
- [30] D. Jurafsky and J. H. Martin, *Speech and Language Processing: An Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition with Language Models*, 3rd ed. 2025. [Online]. Available: <https://web.stanford.edu/~jurafsky/slp3/>
- [31] J. Han, M. Kamber, and J. Pei, “Getting to Know Your Data,” in *Data Mining*, Elsevier, 2012, pp. 39–82. doi: 10.1016/b978-0-12-381479-1.00002-2.
- [32] W. H. Gooma and A. A. Fahmy, “A Survey of Text Similarity Approaches,” *Int. J.*



- Comput. Appl.*, vol. 68, no. 13, pp. 13–18, 2013, doi: 10.5120/11638-7118.
- [33] S. Deerwester, S. T. Dumais, G. W. Furnas, T. K. Landauer, and R. Harshman, “Indexing by Latent Semantic Analysis Scott,” *Int. J. Appl. Eng. Res.*, vol. 9, no. 12, p. 34, 2015.
- [34] D. M. Blei, A. Y. Ng, and M. I. Jordan, “Latent Dirichlet Allocation: Extracting Topics from Software Engineering Data,” *Art Sci. Anal. Softw. Data*, vol. 3, pp. 139–159, 2015, doi: 10.1016/B978-0-12-411519-4.00006-9.
- [35] T. Mikolov, K. Chen, G. Corrado, and J. Dean, “Efficient estimation of word representations in vector space,” *1st Int. Conf. Learn. Represent. ICLR 2013 - Work. Track Proc.*, pp. 1–12, 2013.
- [36] J. Pennington, R. Socher, and C. Manning, “{G}lo{V}e: Global Vectors for Word Representation,” in *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, A. Moschitti, B. Pang, and W. Daelemans, Eds., Doha, Qatar: Association for Computational Linguistics, Oct. 2014, pp. 1532–1543. doi: 10.3115/v1/D14-1162.
- [37] P. D. Turney and P. Pantel, “From frequency to meaning: Vector space models of semantics,” *J. Artif. Intell. Res.*, vol. 37, pp. 141–188, 2010, doi: 10.1613/jair.2934.
- [38] J. Devlin, M.-W. Chang, K. Lee, K. T. Google, and A. I. Language, “BERT: Pre-training of Deep Bidirectional Transformer for Language Understanding,” *Naacl-Hlt 2019*, no. Mlm, pp. 4171–4186, 2018, [Online]. Available: <https://aclanthology.org/N19-1423.pdf>
- [39] N. Reimers and I. Gurevych, “Sentence-BERT: Sentence embeddings using siamese BERT-networks,” *EMNLP-IJCNLP 2019 - 2019 Conf. Empir. Methods Nat. Lang. Process. 9th Int. Jt. Conf. Nat. Lang. Process. Proc. Conf.*, pp. 3982–3992, 2019, doi: 10.18653/v1/d19-1410.
- [40] A. Vaswani *et al.*, “Attention is all you need,” *Adv. Neural Inf. Process. Syst.*, vol. 2017-Decem, no. Nips, pp. 5999–6009, 2017.
- [41] M. Lewis *et al.*, “BART: Denoising Sequence-to-Sequence Pre-training for Natural Language Generation, Translation, and Comprehension,” Oct. 2019, [Online]. Available: <http://arxiv.org/abs/1910.13461>
- [42] D. Hendrycks and K. Gimpel, “Gaussian Error Linear Units (GELUs),” pp. 1–10, 2016, [Online]. Available: <http://arxiv.org/abs/1606.08415>
- [43] G. Wenzek *et al.*, “CCNet: Extracting high quality monolingual datasets from web crawl data,” *Lr. 2020 - 12th Int. Conf. Lang. Resour. Eval. Conf. Proc.*, pp. 4003–4012, 2020.
- [44] T. Kudo and J. Richardson, “{S}entence{P}iece: A simple and language independent subword tokenizer and detokenizer for Neural Text Processing,” in *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, E. Blanco and W. Lu, Eds., Brussels, Belgium: Association for Computational Linguistics, Nov. 2018, pp. 66–71. doi: 10.18653/v1/D18-2012.
- [45] Y. Liu *et al.*, “Multilingual denoising pre-training for neural machine translation,” *Trans. Assoc. Comput. Linguist.*, vol. 8, pp. 726–742, 2020, doi: 10.1162/tacl_a_00343.
- [46] A. P. Widyassari, E. Noersasongko, A. Syukur, and Affandy, “The 7-Phases Preprocessing Based On Extractive Text Summarization,” *2022 7th Int. Conf. Informatics Comput. ICIC 2022*, pp. 1–8, 2022, doi: 10.1109/ICIC56845.2022.10006998.
- [47] I. Ahmed, A. Roy, M. Kajol, U. Hasan, P. P. Datta, and M. R. Reza, “ChatGPT vs. Bard: A Comparative Study,” *Authorea Prepr.*, 2023, [Online]. Available:



- <https://www.authorea.com/doi/full/10.22541/au.168923529.98827844?commit=3c9f580c64c1f386e945c0d695d2422377ad5783>
- [48] Y. B. Kaya and A. C. Tantuğ, “Effect of tokenization granularity for Turkish large language models,” *Intell. Syst. with Appl.*, vol. 21, no. January, 2024, doi: 10.1016/j.iswa.2024.200335.
- [49] M. Schuster and K. Nakajima, “Japanese and Korean voice search,” *ICASSP, IEEE Int. Conf. Acoust. Speech Signal Process. - Proc.*, vol. 1, pp. 5149–5152, 2012, doi: 10.1109/ICASSP.2012.6289079.
- [50] Y. Wu *et al.*, “Google’s Neural Machine Translation System: Bridging the Gap between Human and Machine Translation,” pp. 1–23, 2016, [Online]. Available: <http://arxiv.org/abs/1609.08144>
- [51] P. Gage, “A New Algorithm for Data Compression,” 1994. doi: 10.5555/177910.177914.
- [52] Y. Shibata *et al.*, “Byte pair encoding: a text compression scheme that accelerates pattern matching,” *Tech. Rep. DOI-TR-161, Dep. Informatics*, no. September 2013, pp. 1–13, 1999, [Online]. Available: <https://pdfs.semanticscholar.org/1e94/41bbad598e181896349757b82af42b6a6902.pdf>
- [53] T. Kudo, “Subword regularization: Improving neural network translation models with multiple subword candidates,” *ACL 2018 - 56th Annu. Meet. Assoc. Comput. Linguist. Proc. Conf. (Long Pap.*, vol. 1, pp. 66–75, 2018, doi: 10.18653/v1/p18-1007.
- [54] D. M. Anisuzzaman, J. G. Malins, P. A. Friedman, and Z. I. Attia, “Fine-tuning Large Language Models for Specialized Use Cases,” *Mayo Clin. Proc. Digit. Heal.*, vol. 3, no. 1, p. 100184, 2025, doi: <https://doi.org/10.1016/j.mcpdig.2024.11.005>.
- [55] J. Dodge, G. Ilharco, R. Schwartz, A. Farhadi, H. Hajishirzi, and N. Smith, “Fine-tuning Pretrained Language Models: Weight Initializations, Data Orders, and Early Stopping,” 2020, [Online]. Available: <http://arxiv.org/abs/2002.06305>
- [56] H. Chawre, “Fine-tuning LLMs: Overview, Methods, and Best Practices,” Turing. [Online]. Available: <https://www.turing.com/resources/finetuning-large-language-models>
- [57] L. Yang and A. Shami, “On hyperparameter optimization of machine learning algorithms: Theory and practice,” *Neurocomputing*, vol. 415, pp. 295–316, 2020, doi: 10.1016/j.neucom.2020.07.061.
- [58] E. Bochinsk, T. Senst, and T. Sikora, “HYPER-PARAMETER OPTIMIZATION FOR CONVOLUTIONAL NEURAL NETWORK COMMITTEES BASED ON EVOLUTIONARY ALGORITHMS Technische Universit “ at Berlin Communication Systems Group,” *2017 IEEE Int. Conf. Image Process.*, pp. 3–7, 2017.
- [59] M. Kaloev and G. Krastev, “Tailored Learning Rates for Reinforcement Learning: A Visual Exploration and Guideline Formulation,” *ISAS 2023 - 7th Int. Symp. Innov. Approaches Smart Technol. Proc.*, 2023, doi: 10.1109/ISAS60782.2023.10391644.
- [60] S. Ruder, “An overview of gradient descent optimization algorithms,” pp. 1–14, 2016, [Online]. Available: <http://arxiv.org/abs/1609.04747>
- [61] E. Hu *et al.*, “Lora: Low-Rank Adaptation of Large Language Models,” *ICLR 2022 - 10th Int. Conf. Learn. Represent.*, pp. 1–26, 2022.
- [62] C.-Y. Lin, “ROUGE: A Package for Automatic Evaluation of summaries,” in *Proceedings of the ACL Workshop: Text Summarization Braches Out 2004*, Sep.



- 2004, p. 10.
- [63] X. Feng, X. Feng, L. Qin, B. Qin, and T. Liu, "Language model as an annotator: Exploring DialoGPT for dialogue summarization," *ACL-IJCNLP 2021 - 59th Annu. Meet. Assoc. Comput. Linguist. 11th Int. Jt. Conf. Nat. Lang. Process. Proc. Conf.*, vol. 1, pp. 1479–1491, 2021, doi: 10.18653/v1/2021.acl-long.117.
- [64] S. Sirisilla, "7 Ways to Choose the Right Statistical Test for Your Research Study," Enago Academy. [Online]. Available: <https://www.enago.com/academy/right-statistical-test/>
- [65] R. Schumacker and S. Tomek, "t-Test," in *Understanding Statistics Using R*, New York, NY: Springer New York, 2013, pp. 187–195. doi: 10.1007/978-1-4614-6227-9_10.
- [66] D. Rey and M. Neuhäuser, "Wilcoxon-Signed-Rank Test," in *International Encyclopedia of Statistical Science*, M. Lovric, Ed., Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pp. 1658–1659. doi: 10.1007/978-3-642-04898-2_616.
- [67] M. Zhang, D. You, and S. Wang, "Novel framework for dialogue summarization based on factual-statement fusion and dialogue segmentation," *PLoS One*, vol. 19, p. e0302104, Oct. 2024, doi: 10.1371/journal.pone.0302104.
- [68] Y. Chen, Y. Liu, L. Chen, and Y. Zhang, "DialogSum: A Real-Life Scenario Dialogue Summarization Dataset," Oct. 2021, pp. 5062–5074. doi: 10.18653/v1/2021.findings-acl.449.
- [69] X. Feng, X. Feng, and B. Qin, "MSAMSum: Towards Benchmarking Multi-lingual Dialogue Summarization," *DialDoc 2022 - Proc. 2nd DialDoc Work. Doc. Dialogue Conversational Quest. Answering, Proc. Work.*, pp. 1–12, 2022, doi: 10.18653/v1/2022.dialdoc-1.1.
- [70] M. S. U. Miah, M. M. Kabir, T. Bin Sarwar, M. Safran, S. Alfarhood, and M. F. Mridha, "A multimodal approach to cross-lingual sentiment analysis with ensemble of *Transformer* and LLM," *Sci. Rep.*, vol. 14, no. 1, pp. 1–19, 2024, doi: 10.1038/s41598-024-60210-7.
- [71] A. Sutrisno, "The Accuracy and Shortcomings of Google Translate Translating English Sentences to Indonesian," *Educ. Q. Rev.*, vol. 3, no. 4, pp. 555–568, 2020, doi: 10.31014/aior.1993.03.04.161.
- [72] Y. Farahsani, I. P. Rini, and P. H. Jaya, "Google Translate Accuracy in Translating Specialized Language From English to Bahasa Indonesia: A Case Study on Mechanical Engineering Terminology," *Proc. 4th Int. Conf. Sustain. Innov. 2020–Social, Humanit. Educ. (ICoSIHESS 2020)*, vol. 518, no. ICoSIHESS 2020, pp. 427–435, 2021, [Online]. Available: <http://penerjemahonline.wordpress.com/contoh->
- [73] R. Winastwan, "All-Mpnet-Base-V2: Enhancing Sentence *Embedding* with AI," Zilliz. [Online]. Available: <https://zilliz.com/learn/all-mpnet-base-v2-enhancing-sentence-embedding-with-ai>
- [74] N. Glazkov and I. Makarov, "Utterance-Aware Adaptive Data Labeling and Summarization: Exploiting Large Language Models for Unbiased Dialog Annotation," *IEEE Access*, pp. 1–15, 2024, doi: 10.1109/ACCESS.2024.3476981.
- [75] S. D. Halder, M. K. Paul, and B. Islam, "Abstractive Dialog Summarization using Two Stage Framework with Contrastive Learning," in *Proceedings of 2022 25th International Conference on Computer and Information Technology, ICCIT 2022*, Institute of Electrical and Electronics Engineers Inc., 2022, pp. 540–544. doi: 10.1109/ICCIT57492.2022.10055286.
- [76] X. Mo, Y. Xiang, Y. Pan, Y. Hou, and P. Luo, "Mitigating Knowledge Conflicts in Data-to-Text Generation via the Internalization of Fact Extraction," Institute of



Model Dialogue Summarization Bahasa Indonesia Berbasis mBART dengan Semantic Similarity
Delta Setiyarini, Teguh Bharata Adji, S.T., M.T., M.Eng., Ph.D; Dr. Indriana Hidayah, S.T., M.T.
Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

Electrical and Electronics Engineers (IEEE), Sep. 2024, pp. 1–9. doi:
10.1109/ijcnn60899.2024.10651167.