

## DAFTAR PUSTAKA

- Albano, K.M., Nicoletti, V.R., 2018. Ultrasound impact on whey protein concentrate-pectin complexes and in the O/W emulsions with low oil soybean content stabilization. *Ultrasonics Sonochemistry* 41, 562–571. <https://doi.org/10.1016/j.ultsonch.2017.10.018>
- Alimi, M., Mizani, M., Naderi, G., Shokoohi, S., 2013. Effect of inulin formulation on the microstructure and viscoelastic properties of low-fat mayonnaise containing modified starch. *Journal of Applied Polymer Science* 130, 801–809. <https://doi.org/10.1002/app.39159>
- Alizadeh, L., Abdolmaleki, K., Nayebzadeh, K., Shahin, R., 2019. Effects of tocopherol, rosemary essential oil and *Ferulago angulata* extract on oxidative stability of mayonnaise during its shelf life: A comparative study. *Food Chemistry* 285, 46–52. <https://doi.org/10.1016/j.foodchem.2019.01.028>
- André, R., Brown, L., 2015. Use of microcalorimetry to study protein stability. *American Laboratory* 47, 8–11.
- Antunes, A.E.C., Gallina, D.A., da Cruz Rodrigues, V.C., da Cunha, D.T., 2022. Chapter 9 - Dairy foods reformulation by lower salt, sugar, and fat content, in: da Cruz, A.G., Ranadheera, C.S., Nazzaro, F., Mortazavian, A.M. (Eds.), *Dairy Foods*. Woodhead Publishing, pp. 195–213. <https://doi.org/10.1016/B978-0-12-820478-8.00014-6>
- AOAC, 2023a. AOAC Official Method 981.12 pH of Acidified Foods. Official Methods of Analysis of AOAC INTERNATIONAL. <https://doi.org/10.1093/9780197610145.003.3563>
- AOAC, 2023b. AOAC Official Method 920.116 Moisture in Butter. Official Methods of Analysis of AOAC INTERNATIONAL. <https://doi.org/10.1093/9780197610145.003.3149>
- AOAC, 2023c. AOAC Official Method 989.05 Fat in Milk: Modified Mojonnier Ether Extraction Method. Official Methods of Analysis of AOAC INTERNATIONAL. <https://doi.org/10.1093/9780197610145.003.3060>
- AOAC, 2023d. AOAC Official Method 945.46 Ash of Milk: Gravimetric Method. Official Methods of Analysis of AOAC INTERNATIONAL. <https://doi.org/10.1093/9780197610145.003.3044>
- AOAC, 2023e. AOAC Official Method 978.04 Nitrogen (Total) (Crude Protein) in Plants: Kjeldahl Methods. Official Methods of Analysis of AOAC INTERNATIONAL. <https://doi.org/10.1093/9780197610145.003.1359>
- AOAC, 2023f. AOAC Official Method 940.28 Fatty Acids (Free) in Crude and Refined Oils: Titration Method. Official Methods of Analysis of AOAC INTERNATIONAL. <https://doi.org/10.1093/9780197610145.003.3507>

- AOCS, 2003. Official Method Cd 8b-90. Peroxide Value Acetic Acid-Isooctane Method. Sampling and Analysis of Commercial Fats and Oils.
- Arifan, F., Nandita, M.K., Sapatra, E.F., Salsabila, S., 2021. Utilization of Corn Oil through Water Degumming Process for Lecithin Emulsifier Production. *Indonesian Journal of Chemistry* 21, 1408–1417. <https://doi.org/10.22146/IJC.65195>
- Artiga-Artigas, M., de Abreu-Martins, H.H., Zeeb, B., Piccoli, R.H., Martín-Belloso, O., Salvia-Trujillo, L., 2020. Antimicrobial Kinetics of Nanoemulsions Stabilized with Protein:Pectin Electrostatic Complexes. *Food and Bioprocess Technology* 13, 1893–1907. <https://doi.org/10.1007/s11947-020-02531-9>
- Awuchi, C.G., 2022. Whey Protein from Milk as a Source of Nutraceuticals BT - Food and Agricultural Byproducts as Important Source of Valuable Nutraceuticals, in: Egbuna, C., Sawicka, B., Khan, J. (Eds.), . Springer International Publishing, Cham, pp. 159–183. [https://doi.org/10.1007/978-3-030-98760-2\\_12](https://doi.org/10.1007/978-3-030-98760-2_12)
- Badan Standar Nasional, 1998. Standar Nasional Indonesia Mayones SNI 01-4473-1998. Jakarta.
- Binks, B.P., Rocher, A., 2009. Effects of temperature on water-in-oil emulsions stabilised solely by wax microparticles. *Journal of Colloid and Interface Science* 335, 94–104. <https://doi.org/10.1016/j.jcis.2009.03.089>
- Blume, K., Dietrich, K., Lilienthal, S., Ternes, W., Drotleff, A.M., 2015. Exploring the relationship between protein secondary structures, temperature-dependent viscosities, and technological treatments in egg yolk and LDL by FTIR and rheology. *Food Chemistry* 173, 584–593. <https://doi.org/10.1016/j.foodchem.2014.10.084>
- Bockisch, M.B.T.-F. and O.H. (Ed.), 1998. Fat as or in Food. AOCS Press, pp. 719–802. <https://doi.org/https://doi.org/10.1016/B978-0-9818936-0-0.50013-5>
- BPOM RI, 2022. Peraturan BPOM RI Nomor 1 Tahun 2022 tentang Pengawasan Klaim Pada Label dan Iklan Pangan. *Badan Pengawas Obat dan Makanan* 11, 1–16.
- Çakir-Fuller, E., 2015. Enhanced heat stability of high protein emulsion systems provided by microparticulated whey proteins. *Food Hydrocolloids* 47, 41–50. <https://doi.org/10.1016/j.foodhyd.2015.01.003>
- Cao, M., Gao, J., Li, Y., Liu, C., Shi, J., Ni, F., Ren, G., Xie, H., 2021. Complexation of  $\beta$ -lactoglobulin with gum arabic: Effect of heat treatment and enhanced encapsulation efficiency. *Food Science and Nutrition* 9, 1399–1409. <https://doi.org/10.1002/fsn3.2103>
- Cao, X., Wang, S., Yu, Y., Han, L., Liu, H., 2025. *International Journal of Biological Macromolecules* Enhancing emulsification properties of pea

- protein isolate : Impact of heat treatment and soy hull polysaccharides on conformational modification and stability. *International Journal of Biological Macromolecules* 298, 140106. <https://doi.org/10.1016/j.ijbiomac.2025.140106>
- Chang, C., Li, J., Li, X., Wang, C., Zhou, B., Su, Y., Yang, Y., 2017. Effect of protein microparticle and pectin on properties of light mayonnaise. *Lwt* 82, 8–14. <https://doi.org/10.1016/j.lwt.2017.04.013>
- Chen, J., Liang, R.H., Liu, W., Liu, C.M., Li, T., Tu, Z.C., Wan, J., 2012. Degradation of high-methoxyl pectin by dynamic high pressure microfluidization and its mechanism. *Food Hydrocolloids* 28, 121–129. <https://doi.org/10.1016/j.foodhyd.2011.12.018>
- Chen, X., Qiu, Q., Chen, K., Li, D., Liang, L., 2020. Water-soluble myofibrillar protein–pectin complex for enhanced physical stability near the isoelectric point: Fabrication, rheology and thermal property. *International Journal of Biological Macromolecules* 142, 615–623. <https://doi.org/10.1016/j.ijbiomac.2019.10.003>
- Chung, C., Degner, B., McClements, D.J., 2014. Development of Reduced-calorie foods: Microparticulated whey proteins as fat mimetics in semi-solid food emulsions. *Food Research International* 56, 136–145. <https://doi.org/10.1016/j.foodres.2013.11.034>
- Cui, L., Decker, E.A., 2016. Phospholipids in foods: Prooxidants or antioxidants? *Journal of the Science of Food and Agriculture* 96, 18–31. <https://doi.org/10.1002/jsfa.7320>
- Das, P.C., Islam, M.A., Hossain, M.M., Jubayer, M.F., Hongsprabhas, P., Ranganathan, T.V., Mazumder, M.A.R., 2020. The roles of soy soluble polysaccharide on the emulsion stability against stimulated gastric conditions and food complexes - a review. *Cogent Food and Agriculture* 6. <https://doi.org/10.1080/23311932.2020.1800238>
- Dickinson, E., 2006. Interfacial Particles in Food Emulsions and Foams, in: Binks, B.P., Horozov, T.S. (Eds.), *Colloidal Particles at Liquid Interfaces*. Cambridge University Press, Cambridge, pp. 298–327. <https://doi.org/DOI:10.1017/CBO9780511536670.009>
- Dong, S., Wei, B., Chen, B., McClements, D.J., Decker, E.A., 2011. Chemical and Antioxidant Properties of Casein Peptide and Its Glucose Maillard Reaction Products in Fish Oil-in-Water Emulsions.
- Du, Q., Wang, S., Lyu, F., Liu, J., Ding, Y., 2021. The interfacial covalent bonding of whey protein hydrolysate and pectin under high temperature sterilization: Effect on emulsion stability. *Colloids and Surfaces B: Biointerfaces* 206, 111936. <https://doi.org/10.1016/j.colsurfb.2021.111936>
- Du, Q., Zhou, L., Lyu, F., Liu, J., Ding, Y., 2022. The complex of whey protein and

- pectin: Interactions, functional properties and applications in food colloidal systems – A review. *Colloids and Surfaces B: Biointerfaces* 210, 112253. <https://doi.org/10.1016/j.colsurfb.2021.112253>
- Dybowska, B.E., Krupa-Kozak, U., 2020. Stability of oil-in-water emulsions as influenced by thermal treatment of whey protein dispersions or emulsions. *International Journal of Dairy Technology* 73, 513–520. <https://doi.org/10.1111/1471-0307.12689>
- El-Waseif, M., Saed, B., Fahmy, H., Sabry, A., Shaaban, H., Abdelgawad, M., Amin, A., Farouk, A., 2022. Mayonnaise Enriched with Flaxseed Oil: Omega-3 Fatty Acids Content, Sensory Quality and Stability during the Storage. *Foods* 11. <https://doi.org/10.3390/foods11152288>
- Filla, J.M., Heck, S., Hinrichs, J., 2025. Formation mechanism of thermomechanically stabilized whey protein-pectin complexes: Contribution of pectin and protein to complex structure. *Food Structure* 43. <https://doi.org/10.1016/j.foostr.2025.100412>
- Gao, J., Dai, W., Wang, H., Pan, Y., Yu, J., Liu, H., Guo, Q., Liu, X., Zhu, Q., 2025. Formulation of High Internal Phase Pickering Emulsions Stabilized by Pomelo Peel-Derived Cellulose Nanofibrils and Pea Protein Isolate as Pork Fat Substitutes in Meat Patties. *ACS Food Science and Technology*. [https://doi.org/10.1021/ACSFOODSCITECH.5C00076/SUPPL\\_FILE/FS5C00076\\_SI\\_001.PDF](https://doi.org/10.1021/ACSFOODSCITECH.5C00076/SUPPL_FILE/FS5C00076_SI_001.PDF)
- Gentés, M.C., St-Gelais, D., Turgeon, S.L., 2010. Stabilization of whey protein Isolate-pectin complexes by heat. *Journal of Agricultural and Food Chemistry* 58, 7051–7058. <https://doi.org/10.1021/jf100957b>
- Gharsallaoui, A., Yamauchi, K., Chambin, O., Cases, E., Saurel, R., 2010. Effect of high methoxyl pectin on pea protein in aqueous solution and at oil/water interface. *Carbohydrate Polymers* 80, 817–827. <https://doi.org/10.1016/j.carbpol.2009.12.038>
- Ghelichi, S., Hajfathalian, M., Yesiltas, B., Sørensen, A.D.M., García-Moreno, P.J., Jacobsen, C., 2023. Oxidation and oxidative stability in emulsions. *Comprehensive Reviews in Food Science and Food Safety* 22, 1864–1901. <https://doi.org/10.1111/1541-4337.13134>
- Ghorbani Gorji, S., Smyth, H.E., Sharma, M., Fitzgerald, M., 2016. Lipid oxidation in mayonnaise and the role of natural antioxidants: A review. *Trends in Food Science and Technology* 56, 88–102. <https://doi.org/10.1016/j.tifs.2016.08.002>
- Gubsky, S., Sachko, A., 2023. Rheological and Microstructural Characteristics of Commercial Mayonnaise-Type Emulsions: A Chemometric Analysis. *Engineering Proceedings* 56. <https://doi.org/10.3390/ASEC2023-15338>
- Habashi, V., Elhamirad, A.H., Pedramnia, A., 2021. Textural properties of low fat

mayonnaise with whey protein concentrate and Tragacanth gum as egg and fat substitutes. *Foods and Raw Materials* 9, 19–23. <https://doi.org/10.21603/2308-4057-2021-1-19-23>

Hahn, C.-G., Kurt, L., 1977. Process for the production of sterilized mayonnaise or mayonnaise-containing products. US4175142A.

Hu, J., Yang, R., Chen, R., Liu, C., Sha, X., Li, K., Guo, H., Zhang, Y., 2024. Enhanced O/W emulsion stability and betanin protection using yeast protein and chitooligosaccharide: Comparative insights from complex coacervation and layer-by-layer methods. *Food Hydrocolloids* 147, 109409. <https://doi.org/10.1016/J.FOODHYD.2023.109409>

Huang, S., Wang, H., Wang, S., Sha, X., Chen, N., Hu, Y., Tu, Z., 2022. Pectin Stabilized Fish Gelatin Emulsions: Physical Stability, Rheological, and Interaction Properties. *Frontiers in Nutrition* 9. <https://doi.org/10.3389/fnut.2022.961875>

Igartúa, D.E., Platania, F.A., Balcone, A., Palazolo, G.G., Cabezas, D.M., 2022. Impact of heat treatment in whey proteins-soluble soybean polysaccharides electrostatic complexes in different pH and biopolymer mass ratio conditions. *Applied Food Research* 2, 100184. <https://doi.org/10.1016/j.afres.2022.100184>

Katsaros, G., Tsoukala, M., Giannoglou, M., Taoukis, P., 2021. Heliyon Effect of storage on the rheological and viscoelastic properties of mayonnaise emulsions of different oil droplet size. *Heliyon* 6, e05788. <https://doi.org/10.1016/j.heliyon.2020.e05788>

Kim, Y.S., Lee, J.H., 2017. Effects of Hydrolyzed Rapeseed Cake Extract on the Quality Characteristics of Mayonnaise Dressing. *Journal of Food Science* 82, 2847–2856. <https://doi.org/10.1111/1750-3841.13979>

Kori, A.H., Mahesar, S.A., Sherazi, S.T.H., Khatri, U.A., Laghari, Z.H., Panhwar, T., 2021. Effect of process parameters on emulsion stability and droplet size of pomegranate oil-in-water 72.

Korin, A., Youssef, M., Elkhedir, A., Li, Y., Albahi, A., Abd\_Elazim, E., Khalifa, I., Maqsood, S., Li, B., 2025. Effect of different anionic polysaccharides on whey protein's S/O/W bilayer emulsions containing EGCG: Molecular interaction and stability under various environmental stresses. *International Journal of Biological Macromolecules* 284, 138209. <https://doi.org/10.1016/j.ijbiomac.2024.138209>

Krapivnytska, I., Potapov, V., Gurskyi, P., Pertsevyi, F., 2015. Study of moisture structurization and binding form changes in pectin gels by differential scanning calorimetry. *Eastern-European Journal of Enterprise Technologies* 1, 48–52. <https://doi.org/10.15587/1729-4061.2015.37358>

Krzeminski, A., Prell, K.A., Weiss, J., Hinrichs, J., 2014. Environmental response

- of pectin-stabilized whey protein aggregates. *Food Hydrocolloids* 35, 332–340. <https://doi.org/10.1016/j.foodhyd.2013.06.014>
- Kupikowska-Stobba, B., Domagała, J., Kasprzak, M.M., 2024. Critical Review of Techniques for Food Emulsion Characterization. *Applied Sciences (Switzerland)* 14, 1–50. <https://doi.org/10.3390/app14031069>
- Law, A.J.R., Leaver, J., 2000. Effect of pH on the thermal denaturation of whey proteins in milk. *Journal of Agricultural and Food Chemistry* 48, 672–679. <https://doi.org/10.1021/jf981302b>
- Li, B., Shi, X., Yang, S., Yang, L., Wang, X., Fan, C., Xie, Q., Jiang, Y., Jiang, S., 2024. Impact of storage temperature on physical stability and protein-lipid Co-oxidation in whey protein functional emulsions. *Food Bioscience* 62, 105433. <https://doi.org/10.1016/J.FBIO.2024.105433>
- Li, J., Wang, Y., Jin, W., Zhou, B., Li, B., 2014. Application of micronized konjac gel for fat analogue in mayonnaise. *Food Hydrocolloids* 35, 375–382. <https://doi.org/10.1016/j.foodhyd.2013.06.010>
- Li, X., Xu, Z., Xu, X., Pan, S., Regenstein, J.M., Wang, H., Wang, L., 2025. Trends in Food Science & Technology Carbohydrate-based fat mimetics : A focus on fat-mimicking mechanisms and a tribology perspective. *Trends in Food Science & Technology* 157, 104885. <https://doi.org/10.1016/j.tifs.2025.104885>
- Liang, Y., Matia-Merino, L., Gillies, G., Patel, H., Ye, A., Golding, M., 2017. The heat stability of milk protein-stabilized oil-in-water emulsions: A review. *Current Opinion in Colloid and Interface Science* 28, 63–73. <https://doi.org/10.1016/j.cocis.2017.03.007>
- Liu, Q.R., Qi, J.R., Yin, S.W., Wang, J.M., Guo, J., Feng, J.L., Cheng, M., Cao, J., Weng, J.Y., Yang, X.Q., 2016. The influence of heat treatment on acid-tolerant emulsions prepared from acid soluble soy protein and soy soluble polysaccharide complexes. *Food Research International* 89, 211–218. <https://doi.org/10.1016/j.foodres.2016.07.001>
- Ma, Z., Boye, J.I., 2013. Advances in the Design and Production of Reduced-Fat and Reduced-Cholesterol Salad Dressing and Mayonnaise : A Review 648–670. <https://doi.org/10.1007/s11947-012-1000-9>
- Mahesar, S.A., Sherazi, S.T.H., Khaskheli, A.R., Kandhro, A.A., Uddin, S., 2014. Analytical approaches for the assessment of free fatty acids in oils and fats. *Analytical Methods* 6, 4956–4963. <https://doi.org/10.1039/c4ay00344f>
- Mcclements, D.J., 2002. Theoretical prediction of emulsion color 63–89.
- Minaker, S.A., Mason, R.H., Chow, D.R., 2021. Optimizing Color Performance of the Ngenuity 3-Dimensional Visualization System. *Ophthalmology Science* 1, 100054. <https://doi.org/10.1016/j.xops.2021.100054>

- Mirzanajafi-Zanjani, M., Yousefi, M., Ehsani, A., 2019. Challenges and approaches for production of a healthy and functional mayonnaise sauce. *Food Science and Nutrition* 7, 2471–2484. <https://doi.org/10.1002/fsn3.1132>
- Morley, W.G., 2015. Mayonnaise, in: *Encyclopedia of Food and Health*. Elsevier Inc., pp. 669–676. <https://doi.org/10.1016/B978-0-12-384947-2.00449-9>
- Mozuraityte, R., Kotsoni, E., Cropotova, J., Rustad, T., 2021. Chapter 12 - Low-fat (<50%) oil-in-water emulsions, in: García-Moreno, P.J., Jacobsen, C., Moltke Sørensen, A.-D., Yesiltas, B. (Eds.), *Omega-3 Delivery Systems*. Academic Press, pp. 241–254. <https://doi.org/https://doi.org/10.1016/B978-0-12-821391-9.00010-7>
- Mozuraityte, R., Kristinova, V., Rustad, T., 2015. Oxidation of Food Components. *Encyclopedia of Food and Health* 186–190. <https://doi.org/10.1016/B978-0-12-384947-2.00508-0>
- Mun, S., Kim, Y.L., Kang, C.G., Park, K.H., Shim, J.Y., Kim, Y.R., 2009. Development of reduced-fat mayonnaise using 4 $\alpha$ GTase-modified rice starch and xanthan gum. *International Journal of Biological Macromolecules* 44, 400–407. <https://doi.org/10.1016/j.ijbiomac.2009.02.008>
- Neiryck, N., Meeren, P. Van Der, Lukaszewicz-lausecker, M., 2007. Influence of pH and biopolymer ratio on whey protein – pectin interactions in aqueous solutions and in O / W emulsions 298, 99–107. <https://doi.org/10.1016/j.colsurfa.2006.12.001>
- Niu, H., Chen, X., Fu, X., Zhang, B., Dou, Z., Huang, Q., 2025. Pectin-stabilized emulsions: Structure-emulsification relationships, covalent and non-covalent modifications, and future trends. *Trends in Food Science & Technology* 159, 104986. <https://doi.org/10.1016/J.TIFS.2025.104986>
- Nooshkam, M., Varidi, M., Zareie, Z., Alkobeisi, F., 2023. Behavior of protein-polysaccharide conjugate-stabilized food emulsions under various destabilization conditions. *Food Chemistry: X* 18, 100725. <https://doi.org/10.1016/J.FOCHX.2023.100725>
- Oduse, K., Campbell, L., Lonchamp, J., Euston, S.R., 2018. Electrostatic complexes of whey protein and pectin as foaming and emulsifying agents. *International Journal of Food Properties* 20, S3027–S3041. <https://doi.org/10.1080/10942912.2017.1396478>
- Orgulloso-Bautista, S., Ortega-Toro, R., García Zapateiro, L.A., 2021. Design and Application of Hydrocolloids from Butternut Squash (*Cucurbita moschata*) Epidermis as a Food Additive in Mayonnaise-type Sauces. *ACS Omega* 6, 5499–5508. <https://doi.org/10.1021/acsomega.0c05852>
- Patel, A.R., Nicholson, R.A., Marangoni, A.G., 2020. Applications of fat mimetics for the replacement of saturated and hydrogenated fat in food products. *Current Opinion in Food Science* 33, 61–68.

<https://doi.org/10.1016/j.cofs.2019.12.008>

- Pelegrine, D.H.G., Gasparetto, C.A., 2005. Whey proteins solubility as function of temperature and pH. *Lwt* 38, 77–80. <https://doi.org/10.1016/j.lwt.2004.03.013>
- Protte, K., Bollow, C., Sonne, A., Menéndez-Aguirre, O., Weiss, J., Hinrichs, J., 2016. Impacts on Micro- and Macro-Structure of Thermally Stabilised Whey Protein-Pectin Complexes: A Fluorescence Approach. *Food Biophysics* 11, 226–234. <https://doi.org/10.1007/s11483-016-9433-8>
- Qian, F., Sun, J., Cao, D., Tuo, Y., Jiang, S., 2017. Food Science of Animal Resources Experimental and Modelling Study of the Denatur- ation of Milk Protein by Heat Treatment.
- Rakić, V., Miljković, V., Miljković, M., Poklar Ulrih, N., Stančić, N., 2022. Physico-Chemical Parameters of Fresh Standard and Light Mayonnaise. *Journal of Agricultural, Food and Environmental Sciences* 76, 41–46. <https://doi.org/10.55302/jafes22767041r>
- Rocha, C.M.R., Souza, H.K.S., Magalhães, N.F., Andrade, C.T., Gonçalves, M.P., 2014. Rheological and structural characterization of agar/whey proteins insoluble complexes. *Carbohydrate Polymers* 110, 345–353. <https://doi.org/10.1016/j.carbpol.2014.04.015>
- Roshandel, Z., Zibaei, R., Abdolmaleki, K., 2023. Characteristics of reduced-fat mayonnaise prepared by oleaster as a fat replacer and natural antioxidant. *Food Science and Nutrition* 11, 3329–3338. <https://doi.org/10.1002/fsn3.3318>
- Rudra, S.G., Hanan, E., Sagar, V.R., Bhardwaj, R., Basu, S., Sharma, V., 2020. Manufacturing of mayonnaise with pea pod powder as a functional ingredient. *Journal of Food Measurement and Characterization* 14, 2402–2413. <https://doi.org/10.1007/s11694-020-00487-0>
- Sahan, Y., Gocmen, D., Cansev, A., Celik, G., Aydin, E., Dundar, A.N., Dulger, D., Kaplan, H.B., Kilci, A., Gucer, S., 2015. Chemical and techno-functional properties of flours from peeled and unpeeled oleaster (*Elaeagnus angustifolia* L.). *Journal of Applied Botany and Food Quality* 88, 34–41. <https://doi.org/10.5073/JABFQ.2015.088.007>
- Salminen, H., Weiss, J., 2014. Electrostatic adsorption and stability of whey protein–pectin complexes on emulsion interfaces. *Food Hydrocolloids* 35, 410–419. <https://doi.org/10.1016/j.foodhyd.2013.06.020>
- Sarika, P.R., Pavithran, A., James, N.R., 2015. Cationized gelatin/gum arabic polyelectrolyte complex: Study of electrostatic interactions. *Food Hydrocolloids* 49, 176–182. <https://doi.org/10.1016/j.foodhyd.2015.02.039>
- Setiowati, A.D., Vermeir, L., De Neve, L., Sedaghat Doost, A., Sinnaeve, D., Van der Meeren, P., 2019. Quantification of the electrostatic and covalent interaction between whey proteins and low methoxyl pectin using PFG-NMR diffusometry. *Magnetic Resonance in Chemistry* 57, 719–729.

<https://doi.org/10.1002/mrc.4812>

- Shen, R., Luo, S., Dong, J., 2011. Application of oat dextrine for fat substitute in mayonnaise. *Food Chemistry* 126, 65–71. <https://doi.org/10.1016/j.foodchem.2010.10.072>
- Smittle, R.B., 2000. Microbiological Safety of Mayonnaise , Salad Dressings , and Sauces Produced in the United States : A Review. *Journal of Food Protection* 63, 1144–1153. <https://doi.org/10.4315/0362-028X-63.8.1144>
- Sopelana, P., Ibargoitia, M.L., Guillén, M.D., 2016. Influence of fat and phytosterols concentration in margarines on their degradation at high temperature. A study by 1H Nuclear Magnetic Resonance. *Food Chemistry* 197, 1256–1263. <https://doi.org/10.1016/j.foodchem.2015.11.058>
- Stounbjerg, L., Andreasen, B., Ipsen, R., 2019. Microparticles formed by heating potato protein—polysaccharide electrostatic complexes. *Journal of Food Engineering* 263, 79–86. <https://doi.org/10.1016/j.jfoodeng.2019.05.041>
- Sumonsiri, N., Panjun, B., Naksuk, S., Boonmawat, S., Mukprasirt, A., Phasuthan, P., 2020. Effect of Oatmeal as a Fat Replacer on Physical Properties and Sensory Acceptance of Creamy Salad Dressing. *E3S Web of Conferences* 141, 1–5. <https://doi.org/10.1051/e3sconf/202014102006>
- Sun-Waterhouse, D., Waterhouse, G.I.N.G.I.N., Zhao, M., Zhao, Q., 2014. Novel uses of pectins as health ingredients for food and pharmaceutical applications, Pectin: Chemical Properties, Uses and Health Benefits.
- Sun, C., Liu, R., Liang, B., Wu, T., Sui, W., Zhang, M., 2018. Microparticulated whey protein-pectin complex: A texture-controllable gel for low-fat mayonnaise. *Food Research International* 108, 151–160. <https://doi.org/10.1016/j.foodres.2018.01.036>
- Sun, C., Liu, R., Wu, T., Liang, B., Shi, C., Cong, X., Hou, T., Zhang, M., 2016. Combined Superfine Grinding and Heat-Shearing Treatment for the Microparticulation of Whey Proteins. *Food and Bioprocess Technology* 9, 378–386. <https://doi.org/10.1007/s11947-015-1629-2>
- Talens, C., Sanmartín, E., 2025. Comprehensive Sensory Evaluation in Low- - Fat Emulsions : A Systematic Review of Diverse Food Applications 1–11. <https://doi.org/10.1002/fsn3.4700>
- U.S. Food and Drug Administration, 2016a. 21 CFR § 101.62 Nutrient content claims for fat, fatty acid, and cholesterol content of foods. [WWW Document]. Electronic Code of Federal Regulations (eCFR). URL <https://www.ecfr.gov/current/title-21/part-101/section-101.62> (accessed 8.5.25).
- U.S. Food and Drug Administration, 2016b. 21 CFR § 101.56 - Nutrient content claims for “light” or “lite” [WWW Document]. Electronic Code of Federal Regulations (eCFR). URL <https://www.ecfr.gov/current/title-21/part->

101/section-101.56 (accessed 8.5.25).

- U.S. Food and Drug Administration, 1993. CFR - Code of Federal Regulations Title 21. Sec. 169.140 Mayonnaise [WWW Document]. URL <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm?fr=169.140> (accessed 2.22.23).
- U.S. Food Safety and Inspection Service, 2023. Egg Products and Food Safety [WWW Document]. USDA Food Safety and Inspection Service. URL <https://www.fsis.usda.gov/food-safety/safe-food-handling-and-preparation/eggs/egg-products-and-food-safety> (accessed 5.26.25).
- Wagoner, T.B., Foegeding, E.A., 2017. Whey protein–pectin soluble complexes for beverage applications. *Food Hydrocolloids* 63, 130–138. <https://doi.org/10.1016/j.foodhyd.2016.08.027>
- Wang, J., Zeng, D., Yan, R., Huangfu, J., Hu, Q., Cai, Y., Liu, T., Zhao, M., Zhao, Q., 2025. Investigating the impact of static destabilization mechanism on fat crystallization dynamics, emulsion rheology, and whipping properties of whipping cream. *Food Chemistry* 463, 141272. <https://doi.org/10.1016/J.FOODCHEM.2024.141272>
- Wang, Q., Zhu, Y., Ji, Z., Chen, J., 2021. Lubrication and sensory properties of emulsion systems and effects of droplet size distribution. *Foods* 10. <https://doi.org/10.3390/foods10123024>
- Wang, W., Hu, C., Sun, H., Zhao, J., Xu, C., Ma, Y., Ma, J., Jiang, L., Hou, J., 2022a. Physicochemical Properties, Stability and Texture of Soybean-Oil-Body-Substituted Low-Fat Mayonnaise: Effects of Thickeners and Storage Temperatures. *Foods* 11. <https://doi.org/10.3390/foods11152201>
- Wang, W., Hu, C., Sun, H., Zhao, J., Xu, C., Ma, Y., Ma, J., Jiang, L., Hou, J., Jiang, Z., 2022b. Low-cholesterol-low-fat mayonnaise prepared from soybean oil body as a substitute for egg yolk: The effect of substitution ratio on physicochemical properties and sensory evaluation. *LWT* 167, 113867. <https://doi.org/10.1016/j.lwt.2022.113867>
- Warnakulasuriya, S.N., Nickerson, M.T., 2018. Review on plant protein–polysaccharide complex coacervation, and the functionality and applicability of formed complexes. *Journal of the Science of Food and Agriculture* 98, 5559–5571. <https://doi.org/10.1002/jsfa.9228>
- Williams, R.A., Roe, L.S., Rolls, B.J., 2013. Comparison of three methods to reduce energy density . Effects on daily energy intake q. *APPETITE* 66, 75–83. <https://doi.org/10.1016/j.appet.2013.03.004>
- Xiang, H., Tao, W., Su, Y., Jiang, Y., He, Y., Cheng, Y., Mu, W., Wang, C., Wang, K., Chen, X., Sun, X., 2025. Effects of astragalus polysaccharide on the physicochemical properties of heat-induced whey protein gels by simultaneous rheology and Fourier transform infrared spectroscopy. *Journal*

- of Dairy Science 108, 4626–4637. <https://doi.org/10.3168/jds.2025-26374>
- Xie, M., 2018. Phospholipids, in: Encyclopedia of Food Chemistry. pp. 214–217. <https://doi.org/10.1016/B978-0-08-100596-5.21597-7>
- Xu, Y., Wang, S., Xin, L., Zhang, L., Liu, H., 2025. Interfacial mechanisms, environmental influences, and applications of polysaccharide-based emulsions: A review. *International Journal of Biological Macromolecules* 293, 139420. <https://doi.org/10.1016/j.ijbiomac.2024.139420>
- Ye, H., Chen, T., Huang, M., Ren, G., Lei, Q., Fang, W., Xie, H., 2021. Exploration of the microstructure and rheological properties of sodium alginate-pectin-whey protein isolate stabilized B-carotene emulsions: To improve stability and achieve gastrointestinal sustained release. *Foods* 10. <https://doi.org/10.3390/foods10091991>
- Yin, B., Deng, W., Xu, K., Huang, L., Yao, P., 2012. Stable nano-sized emulsions produced from soy protein and soy polysaccharide complexes. *Journal of Colloid and Interface Science* 380, 51–59. <https://doi.org/10.1016/j.jcis.2012.04.075>
- Yu, X., Li, Q., Sun, D., Dong, X., Wang, T., 2015. Determination of the peroxide value of edible oils by FTIR spectroscopy using polyethylene films. *Analytical Methods* 7, 1727–1731. <https://doi.org/10.1039/c4ay02718c>
- Zeeb, B., Schöck, V., Schmid, N., Majer, L., Herrmann, K., Hinrichs, J., Weiss, J., 2018. Impact of food structure on the compatibility of heated WPI-pectin-complexes in meat dispersions. *Food and Function* 9, 1647–1656. <https://doi.org/10.1039/c7fo01577a>
- Zhang, S., Zhang, Z., Lin, M., Vardhanabhuti, B., 2012. Raman spectroscopic characterization of structural changes in heated whey protein isolate upon soluble complex formation with pectin at near neutral pH. *Journal of Agricultural and Food Chemistry* 60, 12029–12035. <https://doi.org/10.1021/jf303780c>
- Zhang, W., Zhang, Y., He, Y., Xu, X., Zhao, X., 2024. Oil density and viscosity affect emulsion stability and destabilization mechanism. *Journal of Food Engineering* 366, 111864. <https://doi.org/10.1016/j.jfoodeng.2023.111864>
- Zhang, Y., Ma, H., Wu, D., Li, Y., Du, B., Wei, Q., 2015. Label-free immunosensor based on Au@Ag<sub>2</sub>S nanoparticles/magnetic chitosan matrix for sensitive determination of ractopamine. *Journal of Electroanalytical Chemistry* 741, 14–19. <https://doi.org/10.1016/j.jelechem.2015.01.007>
- Zhao, G., Wang, S., Yang, H., Yang, L., Song, H., Zhang, G., Liu, H., He, Y., 2025. Impact of oil volume fraction on stability of Pickering emulsion prepared by silica particles and soy hull polysaccharides. *Journal of Food Engineering* 397, 112601. <https://doi.org/10.1016/j.jfoodeng.2025.112601>
- Zhao, W., Zang, J., Qing, M., Wang, H., Chi, Yujie, Chi, Yuan, 2023. The thermal

behavior of egg yolk involves lipoprotein instability. *Journal of Food Engineering* 343, 111370. <https://doi.org/10.1016/j.jfoodeng.2022.111370>

Zhao, X., Cheng, M., Zhang, X., Li, X., Wang, C., Chen, D., Qin, Y., Wang, J., 2020. The effect of heat treatment on the microstructure and functional properties of whey protein from goat milk. *Journal of Dairy Science* 103, 1289–1302. <https://doi.org/10.3168/jds.2019-17221>

Zhou, F., Li, G., Huang, J., 2019. Effect of Chitosan/BSA addition on the physical stability of sunflower oil emulsions. *Journal of Food Quality* 2019. <https://doi.org/10.1155/2019/6264270>

Zhu, Q., Qiu, Y., Zhang, L., Lu, W., Pan, Y., Liu, X., Li, Z., Yang, H., 2024. Encapsulation of lycopene in Pickering emulsion stabilized by complexes of whey protein isolate fibrils and sodium alginate: Physicochemical property, structural characterization and in vitro digestion property. *Food Research International* 191, 114675. <https://doi.org/10.1016/j.foodres.2024.114675>