

DAFTAR PUSTAKA

- Antony, A., & Leslie, G. (2011). *Degradation of polymeric membranes in water and wastewater treatment*.
- Arca, V. da C., Peres, A. M., Machado, A. A. S. C., Bona, E., & Dias, L. G. (2019). Sugars' quantifications using a potentiometric electronic tongue with cross-selective sensors: Influence of an ionic background. *Chemosensors*, 7(3). <https://doi.org/10.3390/chemosensors7030043>
- Bobacka, J. (1999). Potential Stability of All-Solid-State Ion-Selective Electrodes Using Conducting Polymers as Ion-to-Electron Transducers. *Analytical Chemistry*, 71(21), 4932–4937. <https://doi.org/10.1021/ac990497z>
- Bougrini, M., Tahri, K., Haddi, Z., el Bari, N., Llobet, E., Jaffrezic-Renault, N., & Bouchikhi, B. (2014). Aging time and brand determination of pasteurized milk using a multisensor e-nose combined with a voltammetric e-tongue. *Materials Science and Engineering C*, 45, 348–358. <https://doi.org/10.1016/j.msec.2014.09.030>
- Brereton, R. G. (2007). *Applied Chemometrics for Scientists*.
- Cattrall, R. W., & Freiser, Henry. (1971). Coated wire ion-selective electrodes. *Analytical Chemistry*, 43(13), 1905–1906. <https://doi.org/10.1021/ac60307a032>
- Chen, R., Hidekazu, I., & Toko, K. (2010). Development of Sensor with High Selectivity for Saltiness and Its Application in Taste Evaluation of Table Salt. In *Sensors and Materials* (Vol. 22, Issue 6).
- Crespo, G. A., Macho, S., & Rius, F. X. (2008). Ion-Selective Electrodes Using Carbon Nanotubes as Ion-to-Electron Transducers. *Analytical Chemistry*, 80(4), 1316–1322. <https://doi.org/10.1021/ac071156l>
- Cruz, M. G. N., Ferreira, N. S., Gomes, M. T. S. R., Botelho, M. J., Costa, S. T., Vale, C., & Rudnitskaya, A. (2018). Determination of paralytic shellfish toxins using potentiometric electronic tongue. *Sensors and Actuators, B: Chemical*, 263, 550–556. <https://doi.org/10.1016/j.snb.2018.02.158>
- D. Lelono, K. T. S. H. F. A. U. K. and I. U. (n.d.). *I. D lelono_prototipe_2011*.

- Daikuzono, C. M., Dantas, C. A. R., Volpati, D., Constantino, C. J. L., Piazzetta, M. H. O., Gobbi, A. L., Taylor, D. M., Oliveira, O. N., & Riul, A. (2015). Microfluidic electronic tongue. *Sensors and Actuators, B: Chemical*, 207(PB), 1129–1135. <https://doi.org/10.1016/j.snb.2014.09.112>
- del Valle, M. (2012). Sensor Arrays and Electronic Tongue Systems. *International Journal of Electrochemistry*, 2012, 1–11. <https://doi.org/10.1155/2012/986025>
- di Rosa, A. R., Leone, F., Cheli, F., & Chiofalo, V. (2017). Fusion of electronic nose, electronic tongue and computer vision for animal source food authentication and quality assessment – A review. In *Journal of Food Engineering* (Vol. 210, pp. 62–75). Elsevier Ltd. <https://doi.org/10.1016/j.jfoodeng.2017.04.024>
- Dias, L. A., Peres, A. M., Vilas-Boas, M., Rocha, M. A., Estevinho, L., & Machado, A. A. S. C. (2008). An electronic tongue for honey classification. *Microchimica Acta*, 163(1–2), 97–102. <https://doi.org/10.1007/s00604-007-0923-8>
- Etoh, S., Feng, L., Nakashi, K., Hayashi, K., Ishii, A., & Toko, K. (2008). Taste Sensor Chip for Portable Taste Sensor System. In *Sensors and Materials* (Vol. 20, Issue 4).
- Facure, M. H. M., Mercante, L. A., Mattoso, L. H. C., & Correa, D. S. (2017). Detection of trace levels of organophosphate pesticides using an electronic tongue based on graphene hybrid nanocomposites. *Talanta*, 167, 59–66. <https://doi.org/10.1016/j.talanta.2017.02.005>
- Surya Wibowo, B., Tazi, I., Triyana, K., Fisika, J., Mipa, F., Gadjah Mada, U., & Sekip Utara BLS, Y. (2013a). *Bagas Surya Wibowo / Pengembangan sistem sensor rasa berbasis membran selektif ion ... PENGEMBANGAN SISTEM SENSOR RASA BERBASIS MEMBRAN SELEKTIF ION UNTUK KLASIFIKASI BUAH JERUK*. 49.
- Fouskaki, M., & Chaniotakis, N. (2008). Fullerene-based electrochemical buffer layer for ion-selective electrodes. *The Analyst*, 133(8), 1072. <https://doi.org/10.1039/b719759d>

- Guilherme, R., Rodrigues, N., Marx, Í. M. G., Dias, L. G., Veloso, A. C. A., Ramos, A. C., Peres, A. M., & Pereira, J. A. (2020). Sweet peppers discrimination according to agronomic production mode and maturation stage using a chemical-sensory approach and an electronic tongue. *Microchemical Journal*, *157*. <https://doi.org/10.1016/j.microc.2020.105034>
- Guzinski, M., Jarvis, J. M., Perez, F., Pendley, B. D., Lindner, E., De Marco, R., Crespo, G. A., Acres, R. G., Walker, R., & Bishop, J. (2017). PEDOT(PSS) as Solid Contact for Ion-Selective Electrodes: The Influence of the PEDOT(PSS) Film Thickness on the Equilibration Times. *Analytical Chemistry*, *89*(6), 3508–3516. <https://doi.org/10.1021/acs.analchem.6b04625>
- Hayashi, K., Yamanaka, M., Toko, K., & Yamafuji, K. (1990). Multichannel taste sensor using lipid membranes. *Sensors and Actuators B: Chemical*, *2*(3), 205–213. [https://doi.org/10.1016/0925-4005\(90\)85006-K](https://doi.org/10.1016/0925-4005(90)85006-K)
- He, W., Han, M., Bu, Y., Zhu, W., Li, J., & Li, X. (2023). Flavor mechanism of micro-nanoparticles and correlation analysis between flavor substances in thermoultrasonic treated fishbone soup. *Ultrasonics Sonochemistry*, *93*. <https://doi.org/10.1016/j.ultsonch.2023.106299>
- Hu, J., Zou, X. U., Stein, A., & Bühlmann, P. (2014). Ion-Selective Electrodes with Colloid-Imprinted Mesoporous Carbon as Solid Contact. *Analytical Chemistry*, *86*(14), 7111–7118. <https://doi.org/10.1021/ac501633r>
- Iiyama, S., Iida, Y., & Toko, K. (1998). Measurement of Umami Substances Using Multichannel Taste Sensor with Lipid Membranes. In *Sensors and Materials* (Vol. 10, Issue 8).
- Imamura, T., Toko, K., Yanagisawa, S., & Kume, T. (1996). Monitoring of fermentation process of miso (soybean paste) using multichannel taste sensor. In *Sensors and Actuators B* (Vol. 37).
- Janrungroatsakul, W., Lertvachirapaiboon, C., Ngeontae, W., Aeungmaitrepirom, W., Chailapakul, O., Ekgasit, S., & Tuntulani, T. (2013). Development of coated-wire silver ion selective electrodes on paper using conductive films of silver nanoparticles. *The Analyst*, *138*(22), 6786. <https://doi.org/10.1039/c3an01385e>

- Jayasundar, R., Singh, A., & Kumar, D. (2021). Challenges in using electronic tongue to study rasa of plants: I. Finding the right tool for the right job. *Journal of Ayurveda and Integrative Medicine*, 12(2), 234–237. <https://doi.org/10.1016/j.jaim.2020.12.011>
- Kadara, R. O., Jenkinson, N., & Banks, C. E. (2009). Characterisation of commercially available electrochemical sensing platforms. *Sensors and Actuators, B: Chemical*, 138(2), 556–562. <https://doi.org/10.1016/j.snb.2009.01.044>
- Kaltsum, U., Triyana, K., & Siswanta, D. (2014). Development of taste sensor system for differentiation of Indonesian herbal medicines. *AIP Conference Proceedings*, 1617, 100–104. <https://doi.org/10.1063/1.4897114>
- Kingma, A. J. (2015). Compatibility of nonionic surfactants with membrane materials and their cleaning performance. *Food and Bioproducts Processing*, 93, 304–309. <https://doi.org/10.1016/j.fbp.2014.10.002>
- Kobayashi, Y., Habara, M., Ikezaki, H., Chen, R., Naito, Y., & Toko, K. (2010). Advanced taste sensors based on artificial lipids with global selectivity to basic taste qualities and high correlation to sensory scores. In *Sensors* (Vol. 10, Issue 4, pp. 3411–3443). <https://doi.org/10.3390/s100403411>
- Lai, C.-Z., Fierke, M. A., Stein, A., & Bühlmann, P. (2007). Ion-Selective Electrodes with Three-Dimensionally Ordered Macroporous Carbon as the Solid Contact. *Analytical Chemistry*, 79(12), 4621–4626. <https://doi.org/10.1021/ac070132b>
- Legin, A. v, Rudnitskaya, A. M., Vlasov, Y. G., di Natale, C., & D'amico, A. (1999). The features of the electronic tongue in comparison with the characteristics of the discrete ion-selective sensors. In *Sensors and Actuators B* (Vol. 58).
- Lvova, L., Pudi, R., Galloni, P., Lippolis, V., di Natale, C., Lundström, I., & Paolesse, R. (2015). Multi-transduction sensing films for Electronic Tongue applications. *Sensors and Actuators, B: Chemical*, 207(PB), 1076–1086. <https://doi.org/10.1016/j.snb.2014.10.086>

- Lyu, Y., Gan, S., Bao, Y., Zhong, L., Xu, J., Wang, W., Liu, Z., Ma, Y., Yang, G., & Niu, L. (2020). Solid-contact ion-selective electrodes: Response mechanisms, transducer materials and wearable sensors. In *Membranes* (Vol. 10, Issue 6, pp. 1–24). MDPI AG. <https://doi.org/10.3390/membranes10060128>
- Martín-Vertedor, D., Rodrigues, N., Marx, Í. M. G., Dias, L. G., Veloso, A. C. A., Pereira, J. A., & Peres, A. M. (2020). Assessing acrylamide content in sterilized Californian-style black table olives using HPLC-MS-QQQ and a potentiometric electronic tongue. *LWT*, 129. <https://doi.org/10.1016/j.lwt.2020.109605>
- Marx, Í. M. G., Casal, S., Rodrigues, N., Veloso, A. C. A., Pereira, J. A., & Peres, A. M. (2021). Estimating hydroxytyrosol-tyrosol derivatives amounts in cv. Cobrançosa olive oils based on the electronic tongue analysis of olive paste extracts. *LWT*, 147. <https://doi.org/10.1016/j.lwt.2021.111542>
- Marx, Í. M. G., Rodrigues, N., Veloso, A. C. A., Casal, S., Pereira, J. A., & Peres, A. M. (2021). Effect of malaxation temperature on the physicochemical and sensory quality of cv. Cobrançosa olive oil and its evaluation using an electronic tongue. *LWT*, 137. <https://doi.org/10.1016/j.lwt.2020.110426>
- Marx, Í. M. G., Veloso, A. C. A., Casal, S., Pereira, J. A., & Peres, A. M. (2021). Sensory analysis using electronic tongues. In *Innovative Food Analysis* (pp. 323–343). Elsevier. <https://doi.org/10.1016/b978-0-12-819493-5.00012-1>
- Marx, Í., Rodrigues, N., Dias, L. G., Veloso, A. C. A., Pereira, J. A., Drunkler, D. A., & Peres, A. M. (2017). Sensory classification of table olives using an electronic tongue: Analysis of aqueous pastes and brines. *Talanta*, 162, 98–106. <https://doi.org/10.1016/j.talanta.2016.10.028>
- Middleton, W. (1999). *ENERGY-DISPERSIVE X-RAY MICROANALYSIS An Introduction NORAN Instruments Middleton, Wisconsin*. <http://www.noran.com>
- Monir, T., Shahr El-Din, A., El-Nadi, Y., & Ali, A. (2020). A novel ionic liquid-impregnated chitosan application for separation and purification of fission

- 99Mo from alkaline solution. *Radiochimica Acta*, 108(8), 649–659.
<https://doi.org/10.1515/ract-2019-3202>
- Naim, R., Levitsky, I., & Gitis, V. (2012). Surfactant cleaning of UF membranes fouled by proteins. *Separation and Purification Technology*, 94, 39–43.
<https://doi.org/10.1016/j.seppur.2012.03.031>
- Nikita H. Patel. (2015). *CHAPTER 2 Basic Principle, Working and Instrumentation of Experimental Techniques*.
- Njoman, M. F., Nugroho, G., Chandra, S. D. P., Permana, Y., Suhadi, S., Mujiono, M., Hermawan, A. D., & Sugiono, S. (2017). The vulnerability of human sensory evaluation and the promising senses instrumentation. *British Food Journal*, 119(10), 2145–2160. <https://doi.org/10.1108/BFJ-10-2016-0505>
- Nuñez, L., Cetó, X., Pividori, M. I., Zanoni, M. V. B., & del Valle, M. (2013). Development and application of an electronic tongue for detection and monitoring of nitrate, nitrite and ammonium levels in waters. *Microchemical Journal*, 110, 273–279. <https://doi.org/10.1016/j.microc.2013.04.018>
- Oohira, K., & Toko, K. (1996). Theory of electric characteristics of the lipid/PVC/DOPP membrane and PVC/DOPP membrane in response to taste stimuli. *Biophysical Chemistry*, 61(1), 29–35. [https://doi.org/10.1016/0301-4622\(96\)00026-9](https://doi.org/10.1016/0301-4622(96)00026-9)
- Oohira, K., Toko, K., Akiyama, H., Yoshihara, H., & Yamafuji, K. (1995). Electric Characteristics of Hybrid Polymer Membranes Composed of Two Lipid Species. *Journal of the Physical Society of Japan*, 64(9), 3554–3561.
<https://doi.org/10.1143/JPSJ.64.3554>
- Pein, M., Preis, M., Eckert, C., & Kiene, F. E. (2014). Taste-masking assessment of solid oral dosage forms - A critical review. In *International Journal of Pharmaceutics* (Vol. 465, Issues 1–2, pp. 239–254). Elsevier B.V.
<https://doi.org/10.1016/j.ijpharm.2014.01.036>
- Pérez-González, C., Salvo-Comino, C., Martín-Pedrosa, F., Dias, L., Rodríguez-Perez, M. A., García-Cabezón, C., & Rodríguez-Mendez, M. L. (2021). Analysis of Milk Using a Portable Potentiometric Electronic Tongue Based on

- Five Polymeric Membrane Sensors. *Frontiers in Chemistry*, 9. <https://doi.org/10.3389/fchem.2021.706460>
- Ping, J., Wang, Y., Wu, J., & Ying, Y. (2011). Development of an all-solid-state potassium ion-selective electrode using graphene as the solid-contact transducer. *Electrochemistry Communications*, 13(12), 1529–1532. <https://doi.org/10.1016/j.elecom.2011.10.018>
- Podrazka, M., Bączynska, E., Kundys, M., Jeleń, P. S., & Nery, E. W. (2017). Electronic tongue-A tool for all tastes? In *Biosensors* (Vol. 8, Issue 1). MDPI. <https://doi.org/10.3390/bios8010003>
- Prasetyowati, R., Aflaha, R., Khoirudin, H., Tamara, M. R., Roto, R., Nurwantoro, P., & Triyana, K. (2024). A study on sensitivity, reproducibility, and stability of sourness and saltiness taste sensors using a mixture of lipid membranes. *Biosensors and Bioelectronics: X*, 18. <https://doi.org/10.1016/j.biosx.2024.100459>
- Prasetyowati, R., Aflaha, R., Salsabila, F. N., Roto, R., Nurwantoro, P., & Triyana, K. (2025). A comparison of liquid-contact design and solid-contact design performance in stability and reproducibility as bitterness taste sensor. *Journal of Materials Science: Materials in Electronics*, 36(16). <https://doi.org/10.1007/s10854-025-15104-3>
- Riyanto. (2020). *Validasi & Verifikasi Metode Uji: Sesuai Dengan Iso/Iec 17025 Laboratorium Pengujian Dan Kalibrasi*. deepublish.
- Rodrigues, I., Rodrigues, N., Marx, Í. M. G., Veloso, A. C. A., Ramos, A. C., Pereira, J. A., & Peres, A. M. (2020). Discrimination of sweet cherry cultivars based on electronic tongue potentiometric fingerprints. *Applied Sciences (Switzerland)*, 10(20), 1–11. <https://doi.org/10.3390/app10207053>
- Rodrigues, N., Marx, Í. M. G., Casal, S., Dias, L. G., Veloso, A. C. A., Pereira, J. A., & Peres, A. M. (2019). Application of an electronic tongue as a single-run tool for olive oils' physicochemical and sensory simultaneous assessment. *Talanta*, 197, 363–373. <https://doi.org/10.1016/j.talanta.2019.01.055>
- Shao, Y., Ying, Y., & Ping, J. (2020). Recent advances in solid-contact ion-selective electrodes: functional materials, transduction mechanisms, and

- development trends. *Chemical Society Reviews*, 49(13), 4405–4465.
<https://doi.org/10.1039/C9CS00587K>
- Sharma, G., Kumar, S., Kumar, A., Sharma, A., Kumar, R., Kaur, R., & Bhondekar, A. P. (2015). Development of Lipid Membrane Based Taste Sensors for Electronic Tongue. *Procedia Computer Science*, 70, 146–152.
<https://doi.org/10.1016/j.procs.2015.10.062>
- Son, M., & Park, T. H. (2018). The bioelectronic nose and tongue using olfactory and taste receptors: Analytical tools for food quality and safety assessment. In *Biotechnology Advances* (Vol. 36, Issue 2, pp. 371–379). Elsevier Inc.
<https://doi.org/10.1016/j.biotechadv.2017.12.017>
- Sujatno, A., Salam, R., & Dimiyati Pusat Sains dan Teknologi Bahan Maju, A. (2015). STUDI SCANNING ELECTRON MICROSCOPY (SEM) UNTUK KARAKTERISASI PROSES OXIDASI PADUAN ZIRKONIUM. In *Jurnal Forum Nuklir (JFN)* (Vol. 9, Issue 2).
- Szűcs, J., Lindfors, T., Bobacka, J., & Gyurcsányi, R. E. (2016). Ion-selective Electrodes with 3D Nanostructured Conducting Polymer Solid Contact. *Electroanalysis*, 28(4), 778–786. <https://doi.org/10.1002/elan.201500465>
- Tahara, Y., Ikeda, A., Maehara, Y., Habara, M., & Toko, K. (2011). Development and evaluation of a miniaturized taste sensor chip. *Sensors*, 11(10), 9878–9886. <https://doi.org/10.3390/s111009878>
- Tahara, Y., Nakashi, K., Ji, K., Ikeda, A., & Toko, K. (2013). Development of a portable taste sensor with a lipid/polymer membrane. *Sensors (Switzerland)*, 13(1), 1076–1084. <https://doi.org/10.3390/s130101076>
- Tahara, Y., & Toko, K. (2013). Electronic tongues-a review. In *IEEE Sensors Journal* (Vol. 13, Issue 8, pp. 3001–3011). <https://doi.org/10.1109/JSEN.2013.2263125>
- Takagi, S., Toko, K., Wada, K., Yamada, H., & Toyoshima, K. (1998). Detection of Suppression of Bitterness by Sweet Substance Using a Multichannel Taste Sensor. *Journal of Pharmaceutical Sciences*, 87(5), 552–555.
<https://doi.org/10.1021/js970429x>

- Tang, J., Liu, Y., Wang, C., Niu, X., Tan, B., & Gao, B. (2018). Application of surfactant for facilitating benzotriazole removal and inhibiting copper corrosion during post-CMP cleaning. *Microelectronic Engineering*, 202, 1–8. <https://doi.org/10.1016/j.mee.2018.09.005>
- Tazi, I., Triyana, K., & Siswanta, D. (2016). A novel Arduino Mega 2560 microcontroller-based electronic tongue for dairy product classification. *AIP Conference Proceedings*, 1755. <https://doi.org/10.1063/1.4958605>
- Tazi, I., Triyana, K., Siswanta, D., Veloso, A. C. A., Peres, A. M., & Dias, L. G. (2018). Dairy products discrimination according to the milk type using an electrochemical multisensor device coupled with chemometric tools. *Journal of Food Measurement and Characterization*, 12(4), 2385–2393. <https://doi.org/10.1007/s11694-018-9855-8>
- Toko, K. (1996). Taste sensor with global selectivity. In *Materials Science and Engineering C* (Vol. 4).
- Toko, K. (2000a). *Biomimetic sensor technology*. Cambridge University Press.
- Toko, K. (2000b). Taste sensor. In *Sensors and Actuators B* (Vol. 64). www.elsevier.nl/locate/sensorb
- Toko, K., Hara, D., Tahara, Y., Yasuura, M., & Ikezaki, H. (2014). Relationship between the amount of bitter substances adsorbed onto lipid/polymer membrane and the electric response of taste sensors. *Sensors (Switzerland)*, 14(9), 16274–16286. <https://doi.org/10.3390/s140916274>
- Toko, K., Tahara, Y., Habara, M., & Ikezaki, H. (2021). Potentiometric electronic tongue using lipid/polymer membrane. In *Electronic Tongues*. IOP Publishing. <https://doi.org/10.1088/978-0-7503-3687-1ch2>
- Toyota, K., Cui, H., Abe, K., Habara, M., Toko, K., & Ikezaki, H. (2011). Sweetness Sensor with Lipid/Polymer Membranes: Sweet-Responsive Substances. In *Sensors and Materials* (Vol. 23, Issue 8).
- Tran, T. N. T., Qiu, S., & Chung, H. J. (2018). Potassium Ion Selective Electrode Using Polyaniline and Matrix-Supported Ion-Selective PVC Membrane. *IEEE Sensors Journal*, 18(22), 9081–9087. <https://doi.org/10.1109/JSEN.2018.2871001>

- U. Kaltsum U, K. T. D. S. (n.d.). Fabrication dan Characterization of Membrane Based on Taste Sensor to Classify Five Types of Basic Taste. *Proc,ISSTEC 2009*, 301.
- Vidushi, Y., Meenakshi, B., & Bharkatiya, M. B. (2017). *A REVIEW ON HPLC METHOD DEVELOPMENT AND VALIDATION*.
<https://doi.org/10.26479/2017.0206.12>
- Vlasov, Y., Legin, A., Rudnitskaya, A., di Natale, C., & D'Amico, A. (2005). Nonspecific sensor arrays (“electronic tongue”) for chemical analysis of liquids: (IUPAC technical report). *Pure and Applied Chemistry*, 77(11), 1965–1983. <https://doi.org/10.1351/pac200577111965>
- Wang, H., & Sun, H. (2019). Potential use of electronic tongue coupled with chemometrics analysis for early detection of the spoilage of *Zygosaccharomyces rouxii* in apple juice. *Food Chemistry*, 290, 152–158. <https://doi.org/10.1016/j.foodchem.2019.03.120>
- Wasilewski, T., Migoń, D., Gębicki, J., & Kamysz, W. (2019). Critical review of electronic nose and tongue instruments prospects in pharmaceutical analysis. In *Analytica Chimica Acta* (Vol. 1077, pp. 14–29). Elsevier B.V. <https://doi.org/10.1016/j.aca.2019.05.024>
- Wu, C., Du, L., Zou, L., Zhao, L., Huang, L., & Wang, P. (2014). Recent advances in taste cell- and receptor-based biosensors. In *Sensors and Actuators, B: Chemical* (Vol. 201, pp. 75–85). Elsevier. <https://doi.org/10.1016/j.snb.2014.04.021>
- Wu, X., Miyake, K., Tahara, Y., Fujimoto, H., Iwai, K., Narita, Y., Hanzawa, T., Kobayashi, T., Kakiuchi, M., Ariki, S., Fukunaga, T., Ikezaki, H., & Toko, K. (2020). Quantification of bitterness of coffee in the presence of high-potency sweeteners using taste sensors. *Sensors and Actuators, B: Chemical*, 309. <https://doi.org/10.1016/j.snb.2020.127784>
- Wu, X., Onitake, H., Haraguchi, T., Tahara, Y., Yatabe, R., Yoshida, M., Uchida, T., Ikezaki, H., & Toko, K. (2016). Quantitative prediction of bitterness masking effect of high-potency sweeteners using taste sensor. *Sensors and*

- Actuators, B: Chemical, 235, 11–17.*
<https://doi.org/10.1016/j.snb.2016.05.009>
- Wu, X., Tahara, Y., Yatabe, R., & Toko, K. (2020). *Taste Sensor: Electronic Tongue with Lipid Membranes* (Vol. 36).
- Wu, X., Yuan, Y., Tahara, Y., Habara, M., Ikezaki, H., & Toko, K. (2020). Reusability Enhancement of Taste Sensor Using Lipid Polymer Membranes by Surfactant Cleaning Treatment. *IEEE Sensors Journal, 20*(9), 4579–4586.
<https://doi.org/10.1109/JSEN.2020.2967083>
- Xiang, Z., Jing, Y., Ikezaki, H., & Toko, K. (2021). Electrical properties of two types of membrane component used in taste sensors. *Sensors, 21*(24).
<https://doi.org/10.3390/s21248343>
- Y. Miyanaga, N. I. A. O. E. F. M. Y. and T. U. (2003). Quantitative prediction of the bitterness suppression of elemental diets by various flavors using a taste sensor. *Pharmaceutical Research, 20*, 1932–1938.
- Yasuura, M., Okazaki, H., Tahara, Y., Ikezaki, H., & Toko, K. (2014). Development of sweetness sensor with selectivity to negatively charged high-potency sweeteners. *Sensors and Actuators, B: Chemical, 201*, 329–335.
<https://doi.org/10.1016/j.snb.2014.04.087>
- Yasuura, M., Tahara, Y., Ikezaki, H., & Toko, K. (2014). Development of a sweetness sensor for aspartame, a positively charged high-potency sweetener. *Sensors (Switzerland), 14*(4), 7359–7373. <https://doi.org/10.3390/s140407359>
- Yin, T., Yang, Z., Miao, N., Zhang, X., Li, Q., Wang, Z., Li, C., Sun, X., & Lan, Y. (2021). Development of a remote electronic tongue system combined with the VMD-HT feature extraction method for honey botanical origin authentication. *Measurement: Journal of the International Measurement Confederation, 171*. <https://doi.org/10.1016/j.measurement.2020.108555>
- Yoshimatsu, J., Toko, K., Tahara, Y., Ishida, M., Habara, M., Ikezaki, H., Kojima, H., Ikegami, S., Yoshida, M., & Uchida, T. (2020). Development of taste sensor to detect non-charged bitter substances. *Sensors (Switzerland), 20*(12), 1–13. <https://doi.org/10.3390/s20123455>

- Yuri Vlasof; Andrey Legin. (1998). Non-selective chemical sensors in analytical chemistry : from “e-nose” to “e-tongue.” *Fresenius J Anal Chem*, 255–260.
- Zhang, L., Wei, Z., & Liu, P. (2020). An all-solid-state NO₃- ion-selective electrode with gold nanoparticles solid contact layer and molecularly imprinted polymer membrane. *PLOS ONE*, 15(10), e0240173. <https://doi.org/10.1371/journal.pone.0240173>
- Zhen, X. V., Rousseau, C. R., & Bühlmann, P. (2018). Redox Buffer Capacity of Ion-Selective Electrode Solid Contacts Doped with Organometallic Complexes. *Analytical Chemistry*, 90(18), 11000–11007. <https://doi.org/10.1021/acs.analchem.8b02595>
- Zou, G., Xiao, Y., Wang, M., & Zhang, H. (2018). Detection of bitterness and astringency of green tea with different taste by electronic nose and tongue. *PLoS ONE*, 13(12). <https://doi.org/10.1371/journal.pone.0206517>
- Zou, X. U., Cheong, J. H., Taitt, B. J., & Bühlmann, P. (2013). Solid Contact Ion-Selective Electrodes with a Well-Controlled Co(II)/Co(III) Redox Buffer Layer. *Analytical Chemistry*, 85(19), 9350–9355. <https://doi.org/10.1021/ac4022117>