

DAFTAR PUSTAKA

- Abba, K., Kirkham, A.J., Olliaro, P.L., Deeks, J.J., Donegan, S., Garner, P., *et al.*, 2014. Rapid diagnostic tests for diagnosing uncomplicated non-falciparum or *Plasmodium vivax* malaria in endemic countries. *Cochrane Database of Systematic Reviews*, 2015(4). (Diakses: 10 Juni 2025). (<https://doi.org/10.1002/14651858.CD011431>).
- Acquah, F.K. Donu, D., Obboh, E.K., Bredu, D., Mawuli, B., Amponsah, J.A., Quartey, J., Amoah, L.E., 2021. Diagnostic performance of an ultrasensitive HRP2-based malaria rapid diagnostic test kit used in surveys of afebrile people living in Southern Ghana. *Malaria Journal*, 20(1), p. 125.
- Afriyie, S.O., Addison, T.K., Gebre, Y., Mutala, A., Antwi, K.B., Abbas, D.A., *et al.*, 2023. Accuracy of diagnosis among clinical malaria patients: comparing microscopy, RDT and a highly sensitive quantitative PCR looking at the implications for submicroscopic infections. *Malaria Journal*, 22(1), p. 76. (Diakses : 10 Juni 2025). (<https://doi.org/10.1186/s12936-023-04506-5>).
- Alemayehu, A., 2022. Biology and Epidemiology of Malaria Recurrence: Implication for Control and Elimination. (Diakses: 11 Oktober 2024). (<https://doi.org/10.5772/intechopen.108888>).
- Bailey, J.W., Williams, J., Bain, B.J., Parker-Williams, J., Chiodini, P.L., 2013. Guideline: the laboratory diagnosis of malaria. *British Journal of Haematology*, 163(5), pp. 573–580.
- Betaubun, A.M., Adiatmaja, C.O., Butarbutar, T.V., Wardhani, P., Aryati, 2023. Comparison between the Diagnostic Performances of Rapid Diagnostic Test (RDT) using Advantage Malaria Card Pf/Pv Ag, Microscopy, and Polymerase Chain Reaction (PCR) in Malaria Suspected patients at the Merauke Regional General Hospital. *Research Journal of Pharmacy and Technology*, pp. 514–518. (Diakses: 10 September 2024). (<https://doi.org/10.52711/0974-360X.2023.00087>).
- Centers for Disease Control and Prevention, 2024. Detection of Parasite Antigens. (Diakses: 7 Oktober 2024). (<https://www.cdc.gov/dpdx/diagnosticprocedures/blood/antigendetection.html#print>).
- Centers for Disease Control and Prevention, 2024. Malaria. (Diakses : 8 Oktober 2024). (<https://www.cdc.gov/dpdx/malaria/index.html>).
- Cordray, M.S. & Richards-Kortum, R.R., 2012. Emerging Nucleic Acid–Based Tests for Point-of-Care Detection of Malaria. *The American Society of Tropical Medicine and Hygiene*, 87(2), pp. 223–230. (<https://doi.org/10.4269/ajtmh.2012.11-0685>).
- Dalrymple, U., Arambepola, R., Gething, P.W., Cameron, E., 2018. How long do rapid diagnostic tests remain positive after anti-malarial treatment?. *Malaria journal*, 17(1), p. 228. (Diakses: 14 Juni 2025). (<https://doi.org/10.1186/s12936-018-2371-9>).
- Dinas Kesehatan Provinsi Gorontalo, 2024. Data surveilans malaria (SiSMAL) tahun 2024.
- Dinas Kesehatan Provinsi Gorontalo, 2025. Penularan semakin meningkat, Boalemo tetapkan status KLB malaria. (Diakses dari <https://dinkes.gorontalooprov.go.id/penularan-semakin-meningkat-boalemo-tetapkan-status-klb-malaria/>).
- Fitriany, J. & Sabiq, A., 2018. MALARIA. *AVERROUS: Jurnal Kedokteran dan Kesehatan Malikussaleh*, 4(2), p. 69. (Diakses: 10 September 2024). (<https://doi.org/10.29103/averrous.v4i2.1039>).
- Fransisca, L., Kusnanto, J.H., Satoto, T.B.T., Sebayang, B., Supriyanto, Andriyan, E., Bangs, M.J., 2015. Comparison of rapid diagnostic test Plasmotec Malaria-3, microscopy, and quantitative real-time PCR for diagnoses of *Plasmodium falciparum* and *Plasmodium vivax* infections in Mimika Regency, Papua, Indonesia. *Malaria journal*, 14, p. 103. (Diakses: 11 Juni 2025). (<https://doi.org/10.1186/s12936-015-0615-5>).



- Gazzinelli, R.T., Kalantari, P., Fitzgerald, K.A., Golenbock, D.T., 2014. Innate sensing of malaria parasites. *Nature Reviews Immunology*, 14(11), pp. 744–757. (Diakses: 8 September 2024). (<https://doi.org/10.1038/nri3742>).
- Gatton, M. L., & Cheng, Q., 2002. Evaluation of the pyrogenic threshold for Plasmodium falciparum malaria in naive individuals. *The American journal of tropical medicine and hygiene*, 66(5), 467–473. (Diakses : 17 Juli 2025). (<https://doi.org/10.4269/ajtmh.2002.66.467>).
- Glaros, A.G. & Kline, R.B., 1988. Understanding the accuracy of tests with cutting scores: the sensitivity, specificity, and predictive value model. *Journal of clinical psychology*, 44(6), pp. 1013–23. (Diakses: 21 Oktober 2024). ([https://doi.org/10.1002/1097-4679\(198811\)44:6<1013::aid-jclp2270440627>3.0.co;2-z](https://doi.org/10.1002/1097-4679(198811)44:6<1013::aid-jclp2270440627>3.0.co;2-z)).
- Grabias, B., Essuman, E., Quakyi, I.A., Kumar, S., 2019. Sensitive real-time PCR detection of Plasmodium falciparum parasites in whole blood by erythrocyte membrane protein 1 gene amplification. *Malaria Journal*, 18(1), p. 116. (Diakses: 20 Oktober 2024). (<https://doi.org/10.1186/s12936-019-2743-9>).
- Grüner N., Stambouli O., Ross R.S., 2015. Dried blood spots--preparing and processing for use in immunoassays and in molecular techniques. *Journal of Visualized Experiments*, 13(97). (Diakses : 15 Januari 2025). (<https://doi.org/10.3791/52619>).
- Hajian-Tilaki, K., 2014. Sample size estimation in diagnostic test studies of biomedical informatics. *Journal of Biomedical Informatics* , 48, p. 193-204. (Diakses : 20 November 2024). (<https://doi.org/10.1016/j.jbi.2014.02.013>)
- Hakim, L., 2011. Malaria : Epidemiologi dan Diagnosis. *Aspirator*, 3(2), pp. 107–116.
- Harijanto, P., 2014. Malaria. *Buku Ajar Ilmu Penyakit Dalam*, Ed. 6. Jakarta: Interna Publishing, pp. 595–610.
- Heutmekers, M., Gillet, P., Cnops, L., Bottieau, E., Esbroeck, M.V., Maltha, J., Jacobs, J., 2012. Evaluation of the malaria rapid diagnostic test SDFK90: detection of both PfHRP2 and Pf-pLDH. *Malaria Journal*, 11(1), p. 359. (Diakses: 11 Oktober 2024). (<https://doi.org/10.1186/1475-2875-11-359>).
- Hopkins, H., 2024. Laboratory Tools for Diagnosis of Malaria. (Diakses : 11 Oktober 2024). (https://www.uptodate.com/contents/laboratory-tools-for-diagnosis-of-malaria?search=malaria%20diagnosis&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1).
- Jarra, W., & Snounou, G., 1998. Only viable parasites are detected by PCR following clearance of rodent malarial infections by drug treatment or immune responses. *Infection and immunity*, 66(8), 3783–3787. (Diakses : 18 Juli 2025). (<https://doi.org/10.1128/IAI.66.8.3783-3787.1998>).
- Kavanaugh, M.J., Azzam, S.E., Rockabrand, D.M., 2021. Malaria Rapid Diagnostic Tests: Literary Review and Recommendation for a Quality Assurance, Quality Control Algorithm. *Diagnostics*, 11(5), p. 768.
- Kamaliddin, C., Burke-Gaffney, J., Ashraf, S., Castaneda-Mogollon, D., Adamu, A., Tefa, B.M., et al., 2024. A Countrywide Survey of *hrp2/3* Deletions and *kelch13* Mutations Co-occurrence in Ethiopia. *The Journal of Infectious Diseases* [Preprint].
- Kementerian Kesehatan Republik Indonesia, 2017. Pedoman Teknis Pemeriksaan Parasit Malaria. Jakarta: *Kementerian Kesehatan RI*.
- Kementerian Kesehatan Republik Indonesia, 2022. Peraturan Menteri Kesehatan RI No 22 Tahun 2022 Tentang Penanggulangan Malaria. Jakarta : *Kementerian Kesehatan Republik Indonesia*.
- Kementerian Kesehatan Republik Indonesia, 2024. Kasus Malaria di Indonesia. (Diakses: 10 September 2024). (<https://malaria.kemkes.go.id/case>).

- Koepfli, C., Colborn, K.L., Kiniboro, B., Lin, E., Speed, T.P., Siba, P.M., *et al.*, 2013. A high force of *Plasmodium vivax* blood-stage infection drives the rapid acquisition of immunity in Papua New Guinean children. *PLOS Neglected Tropical Disease*, 7(9).
- Kozycki, C.T., Umulisa, N., Rulisa, S., Mwikarago, E.I., Musabyimana, J.P., Habimana, J.P., *et al.*, 2017. False-negative malaria rapid diagnostic tests in Rwanda: impact of *Plasmodium falciparum* isolates lacking *hrp2* and declining malaria transmission. *Malaria Journal*, 16(1), p. 123. (Diakses: 10 Juni 2025). (<https://doi.org/10.1186/s12936-017-1768-1>).
- Kyabayinze, D.J., Tibenderana, J.K., Odong, G.W., Rwakimari, J.B., Counihan, H., 2008. Operational accuracy and comparative persistent antigenicity of HRP2 rapid diagnostic tests for *Plasmodium falciparum* malaria in a hyperendemic region of Uganda. *Malaria Journal*, 7(1), p. 221.
- Kyabayinze, D.J., Zongo, I., Cunningham, J., Gatton, M., Angutoko, P., Ategeka, J., *et al.*, 2016. HRP2 and pLDH-Based Rapid Diagnostic Tests, Expert Microscopy, and PCR for Detection of Malaria Infection during Pregnancy and at Delivery in Areas of Varied Transmission: A Prospective Cohort Study in Burkina Faso and Uganda. *PLOS ONE*, 11(7), p. e0156954.
- Landis, J.R., & Koch, G.G., 1977. The measurement of observer agreement for categorical data. *Biometrics*, 33(1), 159-174.
- Luxemburger, C., Ricci, F., Nosten, F., Raimond, D., Bathet, S., White, N.J., 1997. The epidemiology of severe malaria in an area of low transmission in Thailand. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 91 (3), 256–62. (Diakses: 17 Juli 2025) ([https://doi.org/10.1016/s0035-9203\(97\)90066-3](https://doi.org/10.1016/s0035-9203(97)90066-3)).
- Madamet, M., Fonta, I., Mosnier, J., Benoit, N., Amalvict, R., Briolant, S., 2024. Comparison of SD Biotest Malaria Ag Pf/Pan and Acro Malaria P.f./P.v./Pan with Microscopy and Real Time PCR for the Diagnosis of Human *Plasmodium* Species. *Diagnostics (Basel, Switzerland)*, 14(7). (Diakses: 11 Juni 2025) (<https://doi.org/10.3390/diagnostics14070721>).
- Mukabane, K., Kitungulu, N., Ogutu, P., Cheruiyot, J., Tavasi, N., Mulama, D., 2022. Bed Net Use and Malaria Treatment-seeking Behavior in Artisanal Gold Mining and Sugarcane Growing Areas of Western Kenya Highlands. *Scientific African*, 16.
- Madkhali, A.M., Ghzwani, A.H., Al-Mekhlafi, H.M., 2022. Comparison of Rapid Diagnostic Test, Microscopy, and Polymerase Chain Reaction for the Detection of *Plasmodium falciparum* Malaria in a Low-Transmission Area, Jazan Region, Southwestern Saudi Arabia. *Diagnostics*, 12(6), p. 1485.
- Mahajan, P.B., A, N., Bazroy, J., Sinha, A., Kapil, U., Putry, A., 2018. Choice of point of Care diagnostic device in anemia prevalence surveys: policy-level Implications in monitoring progress and guiding further action. *Indian Journal of Community Health*, 30(1 (Supp)), pp. 80–85.
- Martiáñez-Vendrell, X., Jiménez, A., Vásquez, A., Campillo, A., Incardona, S., González, R., Gamboa, D., Torres, K., Oyibo, W., Faye, B. and Macete, E., 2020. Quantification of malaria antigens PfHRP2 and pLDH by quantitative suspension array technology in whole blood, dried blood spot and plasma. *Malaria journal*, 19, pp.1-11.
- Martiáñez-Vendrell, X., Skjefte, M., Sikka, R., Gupta, H., 2022. Factors Affecting the Performance of HRP2-Based Malaria Rapid Diagnostic Tests. *Tropical Medicine and Infectious Disease*, 7(10), p. 265.
- Mogeni, P., Williams, T., Omedo, I., Kimani, D., Ngoi, J.M., Mwacharo, J., *et al.*, 2017. Detecting Malaria Hotspots: A Comparison of Rapid Diagnostic Test, Microscopy, and

- Polymerase Chain Reaction. *The Journal of Infectious Diseases*, 216(9), pp. 1091–1098. (Diakses: 11 Juni 2025) (<https://doi.org/10.1093/infdis/jix321>).
- Molina-de la Fuente, I., Pastor, A., Herrador, Z., Benito, A., Berzosa, P., 2021. Impact of *Plasmodium falciparum* p_{fh}rp2 and p_{fh}rp3 gene deletions on malaria control worldwide: a systematic review and meta-analysis. *Malaria Journal*, 20(1), p. 276.
- Moody, A., 2002. Rapid Diagnostic Tests for Malaria Parasites. *Clinical Microbiology Reviews*, 15(1), pp. 66–78. (Diakses: 10 September 2024). (<https://doi.org/10.1128/CMR.15.1.66-78.2002>).
- Mouatcho, J.C. & Goldring, J.P.D., 2013. Malaria rapid diagnostic tests: challenges and prospects. *Journal of Medical Microbiology*, 62(10), pp. 1491–1505.
- Ngasala, B. & Bushukatale, S., 2019. Evaluation of malaria microscopy diagnostic performance at private health facilities in Tanzania. *Malaria Journal*, 18(1), p. 375.
- Pemerintah Kabupaten Boalemo, 2025. Surat Keputusan Bupati Boalemo Nomor 005/105/IV/2025 tentang Penetapan Status Kejadian Luar Biasa Malaria di Kabupaten Boalemo.
- Plucinski, M.M., Herman, C., Jones, S., Dimbu, R., Fortes, F., Ljolje, D., *et al.*, 2019. Screening for *Pfhrp2/3* -Deleted *Plasmodium falciparum*, Non- *falciparum*, and Low-Density Malaria Infections by a Multiplex Antigen Assay. *The Journal of Infectious Diseases*, 219(3), pp. 437–447.
- Popovici, J., Friedrich, L. R., Kim, S., Bin, S., Run, V., Lek, D., Cannon, M. V., Menard, D., & Serre, D., 2018. Genomic Analyses Reveal the Common Occurrence and Complexity of *Plasmodium vivax* Relapses in Cambodia. *mBio*, 9(1), e01888-17. (Diakses: 18 Juli 2025). (<https://doi.org/10.1128/mBio.01888-17>).
- Puspitasari, A.M., Sutanto, E., Syauqi, K., Amalia, R., Nisa, F.A., Trianty, L., *et al.*, 2025. Cryptic absence and genetic variation of *Plasmodium falciparum* PfHRP2 and PfHRP3 from isolates in Papua, Indonesia. *Scientific Reports*, 15(1), p. 19511. (Diakses: 12 Juni 2025) (<https://doi.org/10.1038/s41598-025-02834-x>).
- Qodiany, L., 2024. Buletin Provinsi Kewaspadaan Dini dan Respons. *SKDR Gorontalo*. Gorontalo: Dinas Kesehatan Provinsi Gorontalo.
- Rawal, D. 2020. An overview of natural history of the human malaria. *International Journal of Mosquito Research*, 7(2), pp. 08–10.
- Shahzad, S., Afzal, M., Sikandar, S., Afzal, I., 2020. Polymerase Chain Reaction. *Genetic Engineering - A Glimpse of Techniques and Applications*. IntechOpen. (Diakses: 21 November 2024). (<https://doi.org/10.5772/intechopen.81924>).
- Shehzadi, S. & Sahar, S., 2014. Molecular Detection of Malaria in South Punjab with Higher Proportion of Mixed Infections Introduction Govt degree college for women Salamatpura Lahore. *Iranian Journal of Parasitology*. (Diakses : 11 Oktober 2024). (<https://www.researchgate.net/publication/261288631>).
- Shreffler J. & Huecker M.R., 2023. Diagnostic Testing Accuracy: Sensitivity, Specificity, Predictive Values and Likelihood Ratios. Statpearls Publihing. (Diakses: 21 Oktober 2024). (<https://www.ncbi.nlm.nih.gov/books/NBK557491/>).
- Singh, B., Bobogare, A., Cox-Sing, J., Abdullah, M.S., Rahman, H.A., 1999. A genus- and species-specific nested polymerase chain reaction malaria detection assay for epidemiologic studies. *The American journal of tropical medicine and hygiene*, 60(4), pp. 687–692. (Diakses: 11 Oktober 2024). (<https://doi.org/10.4269/ajtmh.1999.60.687>).
- Singh, A., Singh, M.P., Bhandari, S., Rajvanshi, H., Nisar, S., Telasey, V., *et al.*, 2022. Significance of nested PCR testing for the detection of low-density malaria infection

- amongst febrile patients from the Malaria Elimination Demonstration Project in Mandla, Madhya Pradesh, India. *Malaria Journal*, 21(1), p. 341.
- Snounou, G., Viriyakosol, S., Zhu, X.P., Jarra, W., Pinheiro, L., Rosario, V.E.D., 1993. High sensitivity of detection of human malaria parasites by the use of nested polymerase chain reaction. *Molecular and Biochemical Parasitology*, 61(2), pp. 315–320.
- Snounou, G. & Singh, B., 2002. Nested PCR Analysis of Plasmodium Parasites. *Malaria Methods and Protocols*. New Jersey: Humana Press, pp. 189–204. (Diakses: 20 Oktober 2024). (<https://doi.org/10.1385/1-59259-271-6:189>).
- Tangpukdee, N., Duangdee, C., Wilairatana, P., Krudsood, S., 2009. Malaria Diagnosis: A Brief Review. *The Korean Journal of Parasitology*, 47(2), p. 93. (Diakses: 11 September 2024). (<https://doi.org/10.3347/kjp.2009.47.2.93>).
- Thermo Scientific™, 2016. Phusion Blood Direct PCR Master Mix. *ThermoFisher Scientific*. (<https://www.thermofisher.com/order/catalog/product/F175S>).
- Vafa Homann, M., Emami, S. N., Yman, V., Stenström, C., Sondén, K., Ramström, H., Karlsson, M., Asghar, M., Färnert, A., 2017. Detection of Malaria Parasites After Treatment in Travelers: A 12-months Longitudinal Study and Statistical Modelling Analysis. *EBioMedicine*, 25, 66–72. (Diakses: 17 Juli 2025). (<https://doi.org/10.1016/j.ebiom.2017.10.003>).
- Venkatesan, P., 2024. The 2023 WHO World malaria report. *The Lancet Microbe*, 5(3), p. e214.
- Wanja, E.W., Kuya, N., Moranga, C., Hickman, M., Johnson, J.D., Moseti, C., *et al.*, 2016. Field evaluation of diagnostic performance of malaria rapid diagnostic tests in western Kenya. *Malaria Journal*, 15(1), p. 456. (Diakses: 10 Juni 2025). (<https://doi.org/10.1186/s12936-016-1508-y>).
- Wardhani, P., Butarbutar, T.P., Adiatmaja, C.O., Betaubun, A.M., Hamidah, N., Aryati, 2020. Performance Comparison of Two Malaria Rapid Diagnostic Test with Real Time Polymerase Chain Reaction and Gold Standard of Microscopy Detection Method. *Infectious Disease Reports*, 12(11), p. 8731.
- White, N., 2009. Malaria. *Manson's Tropical Disease Ed. 22*, London: Saunders Elsevier, pp. 1201–1300.
- Winadira, A., 2025. Kinerja Diagnostik Rapid Diagnostic Test (RDT) Malaria Baru Dibandingkan dengan RDT Malaria Komersial dan Mikroskopis pada Populasi Kabupaten Boalemo dengan Demam. *Tesis*.
- World Health Organisation, 2000. New Perspectives Malaria Diagnosis : Report of a Joint WHO/USAID Informal Consultation. Geneva: World Health Organization. (Diakses: 11 Oktober 2024). (https://iris.who.int/bitstream/handle/10665/66321/WHO_CDS_RBM_2000.14.pdf?sequence=1&isAllowed=y)
- World Health Organisation, 2003. Malaria Rapid Diagnosis: Making It Work. Manila: World Health Organization.
- World Health Organisation, 2016. Basic Malaria Microscopy Part I. Learner's guide. Geneva: World Health Organization.
- World Health Organisation, 2018. Malaria rapid diagnostic test performance: results of WHO product testing of malaria RDTs: round 8 (2016–2018). Geneva: World Health Organization
- World Health Organisation, 2018. Methods Manual For Product Testing of Malaria Rapid Diagnostic Test. Geneva: World Health Organization.
- World Health Organisation, 2023. World Malaria Report 2022. Geneva: World Health Organization.



Performa Diagnostik dan Akurasi RDT Pf/Pv Malaria Dibandingkan dengan PCR Pada Populasi di Boalemo dengan Demam

Siti Rakhmatia Paramita, Th.Kum, Prof. dr. E. Elsa Herdiana Murhandarwati, M.Kes., Ph.D ; dr. E. Henny Herningtya

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

World Health Organisation, 2024. How malaria RDTs Work. (Diakses: 11 Oktober 2024).

([https://www.who.int/teams/global-malaria-programme/case-management/diagnosis/rapid-diagnostic-tests/how-malaria-rdts-work#:~:text=With%20malaria%20RDTs%2C%20the%20dye,line\)%20in%20the%20results%20window](https://www.who.int/teams/global-malaria-programme/case-management/diagnosis/rapid-diagnostic-tests/how-malaria-rdts-work#:~:text=With%20malaria%20RDTs%2C%20the%20dye,line)%20in%20the%20results%20window))

Wu, L., van den Hoogen, L.L., Slater, H., Walker, P.G.T., Ghani, A.C., Drakeley, C.J., *et al*, 2015. Comparison of diagnostics for the detection of asymptomatic Plasmodium falciparum infections to inform control and elimination strategies. *Nature*, 528(7580), pp. S86–S93.

Yimam, Y., Moheballi, M., Afshar, A.M.J, 2022. Comparison of diagnostic performance between conventional and ultrasensitive rapid diagnostic tests for diagnosis of malaria: A systematic review and meta-analysis. *PLOS ONE*, 17(2), p. e0263770.

Zeibig, E., 2013. *Clinical Parasitology*. Ed. 2. China: Elsevier.

Zimmerman, P.A. & Howes, R.E., 2015. Malaria diagnosis for malaria elimination. *Current opinion in infectious diseases*, 28(5), pp. 446–54. (Diakses: 12 Juni 2025). (<https://doi.org/10.1097/QCO.000000000000191>).