

DAFTAR PUSTAKA

- Agüera-Ortiz, L., Claver-Martín, M.D., Franco-Fernández, M.D., López-Álvarez, J., Martín-Carrasco, M., Ramos-García, M.I., Sánchez-Pérez, M. 2020. Depression in the Elderly. Consensus Statement of the Spanish Psychogeriatric Association. *Front psychiatry*, 11: 380.
- Alvis, B.D., Hughes, C.G. 2015. Physiology Considerations in Geriatric Patients. *Anesthesiol Clin*, 33(3): 447–456.
- Arabska, J., Łucka, A., Magierski, R., Sobów, T., Wysokiński, A. 2018. Neutrophil-lymphocyte ratio is increased in elderly patients with first episode depression, but not in recurrent depression. *Psychiatry Res*, 263: 35–40.
- Avasthi, A., Grover, S. 2018. Clinical Practice Guidelines for Management of Depression in Elderly. *Indian J Psychiatry*, 60(Suppl 3): S341–S362.
- Aydin Sunbul, E., Sunbul, M., Yanartas, O., Cengiz, F., Bozbay, M., Sari, I., Gulec, H. 2016. Increased Neutrophil/Lymphocyte Ratio in Patients with Depression is Correlated with the Severity of Depression and Cardiovascular Risk Factors. *Psychiatry Investig*, 13(1): 121–126.
- Buonacera, A., Stancanelli, B., Colaci, M., Malatino, L. 2022. Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases. *Int J Mol Sci*, 23(7).
- Chávez-Castillo, M., Núñez, V., Nava, M., Ortega, Á., Rojas, M., Bermúdez, V., Rojas-Quintero, J. 2019. Depression as a Neuroendocrine Disorder: Emerging Neuropsychopharmacological Approaches beyond Monoamines. *Adv Pharmacol Sci*, 2019: 7943481.
- Chmielewski, P.P., Strzelec, B., Mozdziak, P., Kempisty, B. 2025. Neutrophil-to-Lymphocyte Ratio as a Prognostic Biomarker for Long-Term Survival in Older Adults at a Mental Health Care Center: A Historical Cohort Analysis. *J Clin Med*, 14(7): 1–14.
- Conway, J., Certo, M., Lord, J.M., Mauro, C., Duggal, N.A. 2022. Understanding the role of host metabolites in the induction of immune senescence: Future strategies for keeping the ageing population healthy. *Br J Pharmacol*, 179(9): 1808–1824.
- da Costa, J.P., Vitorino, R., Silva, G.M., Vogel, C., Duarte, A.C., Rocha-Santos, T. 2016. A synopsis on aging-Theories, mechanisms and future prospects. *Ageing Res Rev*, 29: 90–112.
- Demircan, F., Gözel, N., Kılınç, F., Ulu, R., Atmaca, M. 2016. The Impact of Red Blood Cell Distribution Width and Neutrophil/Lymphocyte Ratio on the Diagnosis of Major Depressive Disorder. *Neurol Ther*, 5(1): 27–33.
- Dunn, E.C., Brown, R.C., Dai, Y., Rosand, J., Nugent, N.R., Amstadter, A.B.,

- Smoller, J.W. 2015. Genetic determinants of depression: recent findings and future directions. *Harv Rev Psychiatry*, 23(1): 1–18.
- Elgindi, M., Sapudom, J., Ibrahim, I.H., Al-Sayegh, M., Chen, W., Garcia-Sabaté, A., Teo, J.C.M. 2021. May the force be with you (Or not): The immune system under microgravity. *Cells*, 10(8).
- Felger, J.C. 2019. Role of Inflammation in Depression and Treatment Implications. *Handb Exp Pharmacol*, 250: 255–286.
- Fernández-Ballesteros, R., Sánchez-Izquierdo, M. 2021. Health, Psycho-Social Factors, and Ageism in Older Adults in Spain during the COVID-19 Pandemic. *Healthc (Basel, Switzerland)*, 9(3).
- Fiske, A., Wetherell, J.L., Gatz, M. 2009. Depression in older adults. *Annu Rev Clin Psychol*, 5: 363–389.
- Gani, R.K., Mahajudin, M.S., Budi Kristianto. 2022. Cultural Influence on Clinical Features of Depression. *J Psikiatri Surabaya*, 11(2): 71–80.
- Global Burden of Diseases. 2018. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet (London, England)*, 392(10159): 1789–1858.
- Gökçekuyu, B.M., Akın, S., Özer, F.F., Soysal, T., Durmuş, N.Ş., Zararsız, G.E. 2021. Relationship Between Neutrophil-lymphocyte Ratio and Malnutrition in Older Adults. *Eur J Geriatr Gerontol*, 3(3): 143–148.
- Handajani, Y.S., Schröder-Butterfill, E., Hogervorst, E., Turana, Y., Hengky, A. 2022. Depression among Older Adults in Indonesia: Prevalence, Role of Chronic Conditions and Other Associated Factors. *Clin Pract Epidemiol Ment Heal*, 18(1): 1–10.
- Hawari, D. 2011. *Manajemen Stres, Cemas, dan Depresi*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Hussain, M., Babar, M.Z.M., Akhtar, L., Hussain, M.S. 2017. Neutrophil lymphocyte ratio (NLR): A well assessment tool of glycemic control in Type-2 diabetic patients. *Pakistan J Med Sci*, 33(6): 1366–1370.
- Jhuang, Y.H., Kao, T.W., Peng, T.C., Chen, W.L., Li, Y.W., Chang, P.K., Wu, L.W. 2019. Neutrophil to lymphocyte ratio as predictor for incident hypertension: a 9-year cohort study in Taiwan. *Hypertens Res*, 42(8): 1209–1214. <http://dx.doi.org/10.1038/s41440-019-0245-3>.
- Kementerian Kesehatan Republik Indonesia. 2018. *Laporan Nasional Riskesdas 2018*. Jakarta.
- Kessler, R.C., Birnbaum, H., Bromet, E., Hwang, I., Sampson, N., Shahly, V. 2010. Age differences in major depression: results from the National Comorbidity

- Survey Replication (NCS-R). *Psychol Med*, 40(2): 225–237.
- Kinoshita, H., Takekawa, D., Kudo, T., Sawada, K., Mikami, T., Hirota, K. 2022. Higher neutrophil–lymphocyte ratio is associated with depressive symptoms in Japanese general male population. *Sci Rep*, 12(1): 9268.
- Kohler, O., Krogh, J., Mors, O., Benros, M.E. 2016. Inflammation in Depression and the Potential for Anti-Inflammatory Treatment. *Curr Neuroparmacol*, 14(7): 732–742.
- Kok, R.M., Reynolds, C.F. 3rd. 2017. Management of Depression in Older Adults: A Review. *JAMA*, 317(20): 2114–2122.
- Krishnamoorthy, Y., Rajaa, S., Rehman, T. 2020. *Diagnostic accuracy of various forms of geriatric depression scale for screening of depression among older adults: Systematic review and meta-analysis*. Elsevier Ireland Ltd.
- Kusnadi, D., Liwang, M.N.I., Katu, S., Mubin, A.H., Halim, R. 2018. Correlation between the neutrophil-lymphocyte count ratio and bacterial infection in patient with human immunodeficiency virus. *IOP Conf Ser Earth Environ Sci*, 125(1).
- Li, J., Chen, Q., Luo, X., Hong, J., Pan, K., Lin, X., Liu, X., Zhou, L., Wang, H., Xu, Y., Li, H., Duan, C. 2015. Neutrophil-to-Lymphocyte Ratio Positively Correlates to Age in Healthy Population. *J Clin Lab Anal*, 29(6): 437–443.
- Liang, M., Du, B., Zhang, H., Lu, X., Chen, C., Fan, C., Bi, X. 2020. NLR Is Associated With Geriatric Depression in Chinese Women: A Community-Based Cross-Sectional Study in Eastern China. *Front Psychol*, 10(January): 1–6.
- Lim, G.Y., Tam, W.W., Lu, Y., Ho, C.S., Zhang, M.W., Ho, R.C. 2018. Prevalence of Depression in the Community from 30 Countries between 1994 and 2014. *Sci Rep*, 8(1): 2861.
- Linton, P.J., Dorshkind, K. 2004. Age-related changes in lymphocyte development and function. *Nat Immunol*, 5(2): 133–139.
- Maramis, M.M. 2017. Depresi pada lanjut usia. *J Widya Med*, 2(1): 39–50. <http://journal.wima.ac.id/index.php/JWM/article/view/1650>.
- Maulana, T.R., Dalimunthe, A.R., Lubis, W.H. 2025. The Correlation Between Geriatric Depression Scale and Mini Nutritional Assessment in Geriatric Patients. , 12(January): 312–321.
- Mercan, R., Bitik, B., Tufan, A., Bozbulut, U.B., Atas, N., Ozturk, M.A., Haznedaroglu, S., Goker, B. 2016. The Association Between Neutrophil/Lymphocyte Ratio and Disease Activity in Rheumatoid Arthritis and Ankylosing Spondylitis. *J Clin Lab Anal*, 30(5): 597–601.
- Murman, D.L. 2015. The Impact of Age on Cognition. *Semin Hear*, 36(3): 111–121.

- Ni, J., Wang, H., Li, Y., Shu, Y., Liu, Y. 2019. Neutrophil to lymphocyte ratio (NLR) as a prognostic marker for in-hospital mortality of patients with sepsis: A secondary analysis based on a single-center, retrospective, cohort study. *Medicine (Baltimore)*, 98(46): e18029.
- O'Connor, E., Whitlock, E., Gaynes, B., Beil, T. 2009. Screening for Depression in Adults and Older Adults in Primary Care. *Agency Healthc Res Qual US*, (75): 167.
- Ozdin, S., Ozdin, S.B. 2020. Does late and early onset depression differ in terms of inflammation? *Dusunen Adam - J Psychiatry Neurol Sci*, 33(4): 334–339.
- Paliogiannis, P., Fois, A.G., Sotgia, S., Mangoni, A.A., Zinellu, E., Pirina, P., Negri, S., Carru, C., Zinellu, A. 2018. Neutrophil to lymphocyte ratio and clinical outcomes in copd: Recent evidence and future perspectives. *Eur Respir Rev*, 27(147).
- Pantzaris, N.-D., Platanaki, C., Pierrako, C., Karamouzou, V., Velissaris, D. 2018. Neutrophil-to-lymphocyte Ratio Relation to Sepsis Severity Scores and Inflammatory Biomarkers in Patients with Community-acquired Pneumonia: A Case Series. *J Transl Intern Med*, 6(1): 43–46.
- Sarejloo, S., Dehesh, M., Fathi, M., Khanzadeh, M., Lucke-Wold, B., Ghaedi, A., Khanzadeh, S. 2023. Meta-analysis of differences in neutrophil to lymphocyte ratio between hypertensive and non-hypertensive individuals. *BMC Cardiovasc Disord*, 23(1): 1–16. <https://doi.org/10.1186/s12872-023-03304-w>.
- Singh, S., Bajorek, B. 2014. Defining 'elderly' in clinical practice guidelines for pharmacotherapy. *Pharm Pract (Granada)*, 12(4): 489.
- Solana, R., Pawelec, G., Tarazona, R. 2006. Aging and Innate Immunity. *Immunity*, 24(5): 491–494.
- Song, M., Graubard, B.I., Rabkin, C.S., Engels, E.A. 2021. Neutrophil-to-lymphocyte ratio and mortality in the United States general population. *Sci Rep*, 11(1): 464.
- Stephenson, S.S., Kravchenko, G., Korycka-Błoch, R., Kostka, T., Sołtysik, B.K. 2024. How Immunonutritional Markers Are Associated with Age, Sex, Body Mass Index and the Most Common Chronic Diseases in the Hospitalized Geriatric Population—A Cross Sectional Study. *Nutrients*, 16(15).
- Su, Z., Ni, P., Zhou, C., Wang, J. 2016. Myeloid-Derived Suppressor Cells in Cancers and Inflammatory Diseases: Angel or Demon? *Scand J Immunol*, 84(5): 255–261.
- Uduagbamen, P.K., Oyelese, A.T., AdebolaYusuf, A.O., Thompson, M.U., Alalade, B.A.A., Ehioghare, O. 2022. Neutrophil Lymphocyte Ratio as an Inflammatory Marker in Chronic Kidney Disease: Determinants and Correlates. *Open J Nephrol*, 12(01): 23–35.

- Uthamalingam, S., Patvardhan, E.A., Subramanian, S., Ahmed, W., Martin, W., Daley, M., Capodilupo, R. 2011. Utility of the neutrophil to lymphocyte ratio in predicting long-term outcomes in acute decompensated heart failure. *Am J Cardiol*, 107(3): 433–438.
- Valiathan, R., Ashman, M., Asthana, D. 2016. Effects of Ageing on the Immune System: Infants to Elderly. *Scand J Immunol*, 83(4): 255–266.
- Velázquez-Alva, M.C., Irigoyen-Camacho, M.E., Cabrer-Rosales, M.F., Lazarevich, I., Arrieta-Cruz, I., Gutiérrez-Juárez, R., Zepeda-Zepeda, M.A. 2020. Prevalence of malnutrition and depression in older adults living in nursing homes in Mexico City. *Nutrients*, 12(8): 1–12.
- Weng, N. ping. 2006. Aging of the Immune System: How Much Can the Adaptive Immune System Adapt? *Immunity*, 24(5): 495–499.
- Zahorec, R. 2021. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. *Bratisl Med J*, 122(7): 474–488.
- Zhang, X.C., Lyu, Y.B., Zhou, J.H., Chen, C., Li, C.C., Cai, J.F., Cao, Z.J., Zhao, F., Liu, Y.C., Gu, H., Lu, F., Shi, X.M. 2021. Association of neutrophil-to-lymphocyte ratio with depressive symptoms among older adults aged 65 years and above in 9 longevity areas of China. <https://doi.org/103760/cma.j.cn112150-20200812-01112>.