UNIVERSITAS
GADJAH MADA
**Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan
dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba**
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullah, N., Abdul Murad, N. A., Attia, J., Oldmeadow, C., Mohd Haniff, E. A., Syafruddin, S.E., Abd Jalal, N., et al. (2015). Characterizing the genetic risk for Type 2 diabetes in a Malaysian multi-ethnic cohort. *Diabet Med.*, *32*(10), 1377–1384. https://doi.org/10.1111/dme.12735

Abdullah, N., Attia, J., Oldmeadow, C., Scott, R. J., & Holliday, E. G. (2014). The architecture ofrisk for type 2 diabetes: Understanding asia in the context of global findings. *Int J Endocrinol.*, *2014*(March). https://doi.org/10.1155/2014/593982

Adeva-Andany, M. M., Rañal-Muíño, E., Vila-Altesor, M., Fernández-Fernández, C., Funcasta- Calderón, R., & Castro-Quintela, E. (2019). Dietary habits contribute to define the risk of type 2 diabetes in humans. *Clin Nutr ESPEN*, *34*, 8–17. https://doi.org/10.1016/j.clnesp.2019.08.002

Ahmmed, M. S., Shuvo, S. D., Paul, D. K., Karim, M. R., Kamruzzaman, M., Mahmud, N., Ferdaus, M. J., & Elahi, M. T. (2021). Prevalence of dyslipidemia and associated risk factors among newly diagnosed Type-2 Diabetes Mellitus (T2DM) patients in Kushtia, Bangladesh. *PLOS global public health*, *1*(12), e0000003. https://doi.org/10.1371/journal.pgph.0000003

Alam, S., Hasan, M. K., Neaz, S., Hussain, N., Hossain, M. F., & Rahman, T. (2021). Diabetes Mellitus: Insights from Epidemiology, Biochemistry, Risk Factors, Diagnosis, Complicationsand Comprehensive Management. *Diabetology*, *2*(2), 36–50.https://doi.org/10.3390/diabetology2020004

Allibert, C. (2008). Austronesian Migration and the Establishment of the Malagasy Civilization : Contrasted Readings in Linguistics , Archaeology , Genetics and Cultural Anthropology. 7–16. https://doi.org/10.1177/0392192108090734

Alsulami, S., Aji, A. S., Ariyasra, U., Sari, S. R., Tasrif, N., Yani, F. F., Lovegrove, J. A., et al. (2020). Interaction between the genetic risk score and dietary protein intake on cardiometabolic traits in Southeast Asian. *Genes Nutr*, *15*(1). https://doi.org/10.1186/s12263-020-00678-w

American Association of Diabetes. (2021). ADA standards of diabetes care 2021. In *Diabetes Care* (Vol. 44, pp. S21–S226).

An, D. B., Ann, S., Seok, S., Kang, Y., & Lee, S. (2023). *Hepatic Cdkal1 deletion regulates HDL catabolism and promotes reverse cholesterol transport. Atherosclerosis, 375 (2022), 21–29. https://doi.org/10.1016/j.atherosclerosis.2023.05.012*

Anderson, C., Milne, G. L., Park, Y. M., Sandler, D. P., & Nichols, H. B. (2018). *Dietary Glycemic Index and Glycemic Load Are Positively Associated with Oxidative Stress among Premenopausal Women. The Journal of Nutrition, 148(1), 125–130. https://doi.org/10.1093/jn/nxx022*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Aris-Brosou, S. (2019). *Direct Evidence of an Increasing Mutational Load in Humans. Mol. Biol. Evol., 36(12), 2823–2829. https://doi.org/10.1093/molbev/msz192*

Arroyo, M. N., Green, J. A., Cnop, M., & Igoillo-Esteve, M. (2021). Trna biology in the pathogenesis of diabetes: Role of genetic and environmental factors. *Int J Mol Sci*, *22*(2), 1–27. https://doi.org/10.3390/ijms22020496

Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology: Theory and Practice*, *8*(1), 19–32. https://doi.org/10.1080/1364557032000119616

Ashcroft, F. M., & Rorsman, P. (2012). Diabetes mellitus and the β cell: The last ten years. *Cell*, *148*(6), 1160–1171. https://doi.org/10.1016/j.cell.2012.02.010

Badan Pusat Statistik Provinsi NTT. (2019). Ringkasan pola konsumsi penduduk provinsi Nusa Tenggara Timur Maret 2019. Kupang: Badan Pusat Statistik NTT

Badan Pusat Statistik Kabupaten Sumba Barat. (2024). *Kabupaten Sumba Barat dalam angka 2024*. BPS Kabupaten Sumba Barat. https://sumbabaratkab.bps.go.id

Badan Pusat Statistik Kabupaten Sumba Barat Daya. (2024). Kabupaten Sumba Barat Daya dalam angka 2024. BPS Kabupaten Sumba Barat Daya. https://sumbabaratdayakab.bps.go.id

Badan Pusat Statistik Kabupaten Sumba Tengah (2024). *Kabupaten Sumba Tengah dalam angka 2024*. BPS Kabupaten Sumba tengah. https://sumbatengahkab.bps.go.id

Badan Pusat Statistik Kota Tomohon. (2024). *Kota Tomohon dalam angka 2024* (Vol. 17). BPS Kota Tomohon. https://tomohonkota.bps.go.id

Balder, H. F., Virtanen, M., Brants, H. A. M., Krogh, V., Dixon, L. B., Tan, F., et al. (2003). Common and Country-Specific Dietary Patterns in Four European Cohort Studies. *J Nutr*, *133*(12), 4246–4251. https://doi.org/10.1093/jn/133.12.4246

Basu, D., & Bornfeldt, K. E. (2020). Hypertriglyceridemia and atherosclerosis: Using human research to guide mechanistic studies in animal models. *Frontiers in Endocrinology*, *11*, Article 504. https://doi.org/10.3389/fendo.2020.00504

Beckett, E. L., Jones, P. R., Veysey, M., & Lucock, M. (2017). Nutrigenetics—Personalized Nutrition in the Genetic Age. *Explor Res Hypothesis Med*, *2*(4), 1–8. https://doi.org/10.14218/erhm.2017.00027

Béghin, L., Dauchet, L., De Vriendt, T., Cuenca-García, M., Manios, Y., Toti, E., et al. (2014). Influence of parental socio-economic status on diet quality of European adolescents: Resultsfrom the HELENA study. *Br J Nutr*, *111*(7), 1303–1312. https://doi.org/10.1017/S0007114513003796

Belfiore, A., Malaguarnera, R., Vella, V., Lawrence, M. C., Sciacca, L., Frasca, F., Morrione, A.,& Vigneri, R. (2017). Insulin receptor isoforms in physiology and disease: An updated view. *Endocr Rev*, *38*(5), 379–431.

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1210/er.2017-00073

Bellwood, P. (2004). The origins and dispersals of agricultural communities in Southeast Asia. In I. Glover & P. Bellwood (Eds.), *Southeast Asia: From Prehistory to History* (pp. 21–40). London, UK: Routledge Curzon. DOI/URL: http://hdl.handle.net/1885/77599

Bellwood, P. (1976). *Archaeological research in Minahasa and the Talaud Islands, Northeastern Indonesia*. *Asian Perspectives*, *19*(2), 240–288. University of Hawai'i Press. Retrieved from http://hdl.handle.net/10125/19177

Bergholdt, H. K. M., Nordestgaard, B. G., & Ellervik, C. (2015). Milk intake is not associated withlow risk of diabetes or overweight-obesity: A Mendelian randomization study in 97,811 Danish individuals. *Am J Clin Nutr*, *102*(2), 487496. https://doi.org/10.3945/ajcn.114.105049

Bijelic, R., Balaban, J., Milicevic, S., & Sipka, S. U. (2020). The Association of Obesity and Microvascular Complications with Glycemic Control in Patients with Type 2 Diabetes Mellitus. *Med Arch (Sarajevo, Bosnia and Herzegovina)*, *74*(1), 14–18. https://doi.org/10.5455/medarh.2020.74.14-18

Black S. A. (2002). Diabetes, diversity, and disparity: what do we do with the evidence?. *Americanjournal of public health*, *92*(4), 543–548. https://doi.org/10.2105/ajph.92.4.543

Blüher, M., Malhotra, A., & Bader, G. (2022). Beta-cell function in treatment-na ve patients with type 2 diabetes mellitu.pdf. *Diabetes, Obesity and Metabolism*, *25*, 1403–1407. https://doi.org/https://doi.org/10.1111/dom.14969

Bonsembiante, L., Targher, G., & Maffeis, C. (2021). *Type 2 Diabetes and Dietary Carbohydrate Intake of Adolescents and Young Adults : What Is the Impact of Different Choices ?* 1–18.

Botto, L. D., & Khoury, M. J. (2001). Commentary: Facing the challenge of gene–environment interaction: The two-by-four table and beyond. *American Journal of Epidemiology*, *153*(10), 1016–1020. https://doi.org/10.1093/aje/153.10.1016

Boucher, J., Kleinridders, A., & Kahn, C. R. (2014). Insulin receptor signaling in normal. *Cold Spring Harbor Perspectives in Biology*, *6*(1), a009191. https://doi.org/10.1101/cshperspect.a009191

Brookes, A. J. (1999). The essence of SNPs. *Gene*, *234*(2), 177–186. https://doi.org/10.1016/S0378-1119(99)00219-X

Bull, F. C., Maslin, T. S., & Armstrong, T. (2009). Global physical activity questionnaire (GPAQ):nine country reliability and validity study. *Journal of physical activity & health*, *6*(6), 790– 804. https://doi.org/10.1123/jpah.6.6.790

Burton, P. R., Clayton, D. G., Cardon, L. R., Craddock, N., Deloukas, P., Duncanson, A., Kwiatkowski, D. P., et al. (2007). Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature*, *447*(7145), 661–678.

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1038/nature05911

Butler AE, Janson J, Bonner-Weir S, Ritzel R, Rizza RA, B. P. (2003). Beta-Cell Deficit and Increased Beta-Cell Apoptosis in Humans With Type 2 Diabetes. *Diabetes*, *52*(1), 102–110. https://doi.org/10.1103/PhysRev.102.1295

Camhi, S. M., Bray, G. A., Bouchard, C., Greenway, F. L., Johnson, W. D., Newton, R. L., et al. (2011). The relationship of waist circumference and BMI to visceral, subcutaneous, and totalbody fat: sex and race differences. *Obesity*, *19*(2), 402–408. https://doi.org/10.1038/oby.2010.248.

Carlström, M., & Larsson, S. C. (2018). Coffee consumption and reduced risk of developing type 2 diabetes: A systematic review with meta-analysis. *Nutr Rev*, *76*(6), 395–417. https://doi.org/10.1093/nutrit/nuy014

Cauchi, S., Proença, C., Choquet, H., Gaget, S., De Graeve, F., Marre, M., et al. (2008). Analysisof novel risk loci for type 2 diabetes in a general French population: The D.E.S.I.R. study. *J Mol Med*, *86*(3), 341–348. https://doi.org/10.1007/s00109-007-0295-x

Cavagnolli, G., Pimentel, A. L., Freitas, P. A. C., Gross, J. L., & Camargo, J. L. (2017). Effect ofethnicity on HbA1c levels in individuals without diabetes: Systematic review and meta- analysis. *PLoS ONE*, *12*(2), 1–14. https://doi.org/10.1371/journal.pone.0171315

Cerf, M. E. (2013). *Beta cell dysfunction and insulin resistance*. *4*(March), 1–12. https://doi.org/10.3389/fendo.2013.00037

Chen, Z., Pereira, M. A., Seielstad, M., Koh, W. P., Tai, E. S., Teo, Y. Y., et al. (2014). Joint effects of known type 2 diabetes susceptibility loci in genome-wide association study of Singapore Chinese: The Singapore Chinese health study. *PLoS ONE*, *9*(2). https://doi.org/10.1371/journal.pone.0087762

Cheon, E. J., Cha, D. H., Cho, S. K., Noh, H., Park, S., Kang, S., Gee, H. Y., & Lee, S. (2018). Novel association between CDKAL1 and cholesterol ef fl ux capacity: Replication after GWAS-based discovery. *Atherosclerosis*, *273*, 21–27. https://doi.org/10.1016/j.atherosclerosis.2018.04.011

Ching, Y. P., Pang, A. S. H., Lam, W. H., Qi, R. Z., & Wang, J. H. (2002). Identification of a neuronal Cdk5 activator-binding protein as Cdk5 inhibitor. *J Biol Chem*, *277*(18), 15237– 15240. https://doi.org/10.1074/jbc.C200032200

Chistiakov, D. A., Potapov, V. ., Smetanina, S. ., Bel'chikoca, L. ., Suplotova, L. ., & Nosikov, V.(2011). *The carriage of risk variants of CDKAL1 impairs beta-cell function in both diabetic and non-diabetic patients and reduces response to non-sulfonylurea and sulfonylurea agonists of the pancreatic KATP channel*. 227–235. https://doi.org/10.1007/s00592-011-0299-4

Chiu, S.L., Cline, H.T. (2010). Insulin receptor signaling in the development of neuronal structureand function. *Neural Dev* 5**,** 7 . https://doi.org/10.1186/1749-8104-5-7

Choi, W. J., Jin, H. S., Kim, S. S., & Shin, D. (2020). Dietary protein and fat intake affects diabetesrisk with cdkal1 genetic variants in korean adults. *Int J Mol*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sci, *21*(16), 1–14. https://doi.org/10.3390/ijms21165607

Christensen, A. A., & Gannon, M. (2019). The Beta Cell in Type 2 Diabetes. *Curr Diab Rep*, *19*(9). https://doi.org/10.1007/s11892-019-1196-4

Cleland et al. (2014). Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. *BMC Public Health.* 14,1-11.

Clemente-Suarez, Vincente Javier, Beltran-Velasco, A. I., Redondo-flprez, L., Martin-Rodriguez, A., & Tornero-aguilera, J. F. (2023). *Global Impacts of Western Diet and Its Effects on Metabolism and Health : A Narrative Review*.

Colosia, A. D., Palencia, R., & Khan, S. (2013). Prevalence of hypertension and obesity in patientswith type 2 diabetes mellitus in observational studies: A systematic literature review. *Diabetes, Metab Syndr Obes: Targets and Therapy*, *6*(October 2015), 327–338. https://doi.org/10.2147/DMSO.S51325

Cox, M. P., Hudjashov, G., Sim, A., Savina, O., Karafet, T. M., Sudoyo, H., & Lansing, J. S. (2016). Small Traditional Human Communities Sustain Genomic Diversity over Microgeographic Scales despite Linguistic Isolation. *Mol. Biol. Evol.*, *33*(9), 2273–2284. https://doi.org/10.1093/molbev/msw099

Clemente-Suárez, V. J., Beltrán-Velasco, A. I., Redondo-Flórez, L., Martín-Rodríguez, A., & Tornero-Aguilera, J. F. (2023). Global impacts of Western diet and its effects on metabolism and health: A narrative review. *Nutrients*, *15*(12), 2749. https://doi.org/10.3390/nu15122749

Corbett, S., Courtiol, A., Lummaa, V., Moorad, J., & Stearns, S. (2018). The transition to modernity and chronic disease : mismatch and natural selection. *Nature Reviews Genetics*, *19*(July), 419–430. https://doi.org/10.1038/s41576-018-0012-3

Cordell, H. J. (2001). *Sample size requirements to control for stochastic variation in magnitude and location of allele-sharing linkage statistics in affected sibling pairs*. 491–502.

Corella, D., Asensio, E. M., Coltell, O., Sorlí, J. V., Estruch, R., Martínez-González, M. Á., Salas-Salvadó, J., et al. (2016). CLOCK gene variation is associated with incidence of type-2 diabetes and cardiovascular diseases in type-2 diabetic subjects: Dietary modulation in the PREDIMED randomized trial. *Cardiovas Diabetol*, *15*(1), 1–13. https://doi.org/10.1186/s12933-015-0327-8

Corella, D., Carrasco, P., Sorlí, J. V., Estruch, R., Rico-Sanz, J., Martínez-González, M. Á., et al.(2013). Mediterranean diet reduces the adverse effect of the TCF7L2-rs7903146 polymorphism on cardiovascular risk factors and stroke incidence: A randomized controlledtrial in a high-cardiovascular-risk population. *Diabetes Care*, *36*(11), 3803–3811. https://doi.org/10.2337/dc13-0955

Cornelis, M. C., Qi, L., Kraft, P., & Hu, F. B. (2009). TCF7L2, dietary carbohydrate, and risk of type 2 diabetes in US women. *Am J Clin Nutr*,

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

89(4), 1256–1262. https://doi.org/10.3945/ajcn.2008.27058

Creatore, Maria Isabella, Moineddin, R., Booth, G., Manuel, D. H., DesMeules, M., McDermott, S., & Glazier, R. H. (2010). Age- and sex-related prevalence of diabetes mellitus among immigrants to Ontario, Canada. *Cmaj*, *182*(8), 781–789. https://doi.org/10.1503/cmaj.091551

Dabelea, D., Hanson, R. L., Bennett, P. H., Roumain, J., Knowler, W. C., & Pettitt, D. J. (1998). Increasing prevalence of type II diabetes in American Indian children. *Diabetologia*, *41*(8), 904–910. https://doi.org/10.1007/s001250051006

Danaei, G., Finucane, M. M., Lu, Y., Singh, G. M., Cowan, M. J., Paciorek, C. J., et al. (2011). National, regional, and global trends in fasting plasma glucose and diabetes prevalence since1980: Systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 2·7 million participants. *The Lancet*, *378*(9785), 31–40. https://doi.org/10.1016/S0140-6736(11)60679-X

Darwish, R., Abdel-Hamid, E., Gohar, N., Soliman, A., & Naguib, M. (2020). Single nucleotide polymorphisms in CDKAL1 gene are not associated with risk of type 2 diabetes mellitus in a group of Egyptian population. *Biomedical and Pharmacology Journal*, *13*(2), 529–535. https://doi.org/10.13005/bpj/1914

Deforest, N., & Majithia, A. R. (2022). Genetics of Type 2 Diabetes : Implications from Large - Scale Studies. *Current Diabetes Reports*, 227–235. https://doi.org/10.1007/s11892-022-01462-3

Dehwah, M. A. S., Wang, M., & Huang, Q. Y. (2010). CDKAL1 and type 2 diabetes: A global meta-analysis. *Genet Mol Res*, *9*(2), 1109–1120. https://doi.org/10.4238/vol9-2gmr802

Deurenberg-Yap, M., Chew, S. K., Lin, V. F. P., Tan, B. Y., Van Staveren, W. A., & Deurenberg, P. (2001). Relationships between indices of obesity and its comorbidities in multi-ethnic Singapore. *Int J Obes*, *25*(10), 1554–1562. https://doi.org/10.1038/sj.ijo.0801739

Eckel, R. H., Kahn, S. E., Ferrannini, E., Goldfine, A. B., Nathan, D. M., Schwartz, M. W., Smith,R. J., & Smith, S. R. (2011). Obesity and type 2 diabetes: What Can be unified and what needs to be individualized? *Diabetes Care*, *34*(6), 1424–1430. https://doi.org/10.2337/dc11-0447

Eckhardt, B. J., Holzman, R. S., Kwan, C. K., Baghdadi, J., & Aberg, J. A. (2012). Glycated hemoglobin A 1c as screening for diabetes mellitus in HIV-infected individuals. *AIDS PatientCare STDS*, *26*(4), 197–201. https://doi.org/10.1089/apc.2011.0379

Erber, E., Hopping, B. N., Grandinetti, A., Park, S. Y., Kolonel, L. N., & Maskarinec, G. (2010). Dietary patterns and risk for diabetes: The multiethnic cohort. *Diabetes Care*, *33*(3), 532– 538. https://doi.org/10.2337/dc09-1621

Ericson, U., Rukh, G., Stojkovic, I., Sonestedt, E., Gullberg, B., Wirfält, E., Wallström, P., & Orho-Melander, M. (2013). Sex-specific interactions between the IRS1 polymorphism and intakes of carbohydrates and fat on

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

incident type 2 diabetes. *Am J Clin Nutr*, *97*(1), 208–216. https://doi.org/10.3945/ajcn.112.046474

Ericson, U., Hindy, G., Drake, I., Schulz, C. A., Brunkwall, L., Hellstrand, S., Almgren, P., & Orho-Melander, M. (2018). Dietary and genetic risk scores and incidence of type 2 diabetes. *Genes and Nutrition*, *13*(1), 1–14. https://doi.org/10.1186/s12263-018-0599-1

Estadella, D., Claudia, M., Oller, P., Oyama, L. M., Ribeiro, E. B., Dâmaso, A. R., & Piano, A. De. (2013). Lipotoxicity : Effects of Dietary Saturated and Transfatty Acids. 2013. https://doi.org/10.1155/2013/137579

Fahriani, I., & Sari, V. S. (2023). Burial System In Karangkelang Island, Talaud Regency, North Sulawesi. *Kalpataru*, *32*(2), 149–162. https://doi.org/https://doi.org/10.55981/kpt.2023.748

Fang, M., Hu, Z. F., & Feng, L. J. (2020). Association between dietary pattern and the risk of type2 diabetes mellitus in Zhejiang Province, China: A case-control study. Asia Pac J Clin Nutr,29(4), 821–826. https://doi.org/10.6133/apjcn.202012_29(4).0018

Fardet, A. (2010). New hypotheses for the health-protective mechanisms of whole-grain cereals: What is beyond fibre? *Nutr Res Rev*, *23*(1), 65–134. https://doi.org/10.1017/S0954422410000041

Fawwad, A., Rashid, K., & Basil, A. (2017). G e n e t ics o f T y p e 2 D iab e t e s M e l l i t u s - As ia n P er s p e c t i v e (A R e v i e w). *Metab, Endocrinol, 2035*, 52–59. https://doi.org/10.4274/tjem.2017-56531

Fisher, E., Boeing, H., Fritsche, A., Doering, F., Joost, H. G., & Schulze, M. B. (2009). Whole- grain consumption and transcription factor-7-like 2 (TCF7L2) rs7903146: Gene-diet interaction in modulating type 2 diabetes risk. *Br J Nutr*, *101*(4), 478–481 https;//doi.org/10.1017/S0007114508020369

Food and Agriculture Organization of the United Nations. (2010). *Fats and fatty acids in human nutrition: Report of an expert consultation* (FAO Food and Nutrition Paper No. 91). Rome: FAO.

Forouzanfar, M. H., Afshin, A., Alexander, L. T., Biryukov, S., Brauer, M., Cercy, K., Charlson, F. J., Cohen, A. J., et al. (2016). Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*,*388*(10053), 1659–1724. https://doi.org/10.1016/S0140-6736(16)31679-8

Franks, P. W., Pearson, E., & Florez, J. C. (2013). Gene-environment and gene-treatment interactions in type 2 diabetes: Progress, pitfalls, and prospects. *Diabetes Care*, *36*(5), 1413–1421. https://doi.org/10.2337/dc12-2211

Fu, Z., R. Gilbert, E., & Liu, D. (2012). Regulation of Insulin Synthesis and Secretion and Pancreatic Beta-Cell Dysfunction in Diabetes. *Curr Diabetes Rev*, *9*(1), 25–53. https://doi.org/10.2174/15733998130104

Garrashy, A. A. M., Idris, O. F., Salimeen, M., & Eltirafi, I. (2021). Assessment

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

of C-reactive protein, lipid profile and body mass index in Type 2 diabetes mellitus in Sudanese patients. *Archives of Internal Medicine Research*, *4*, 125–133. https://doi.org/10.26502/aimr.0063

Garcia-Bailo, B., El-Sohemy, A., Haddad, P. S., Arora, P., Benzaied, F., Karmali, M., & Badawi, A. (2011). Vitamins D, C, and E in the prevention of type 2 diabetes mellitus: Modulation ofinflammation and oxidative stress. *Biologics: Targets and Therapy*, *5*, 7–19. https://doi.org/10.2147/BTT.S14417

Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of type 2 diabetes mellitus. *International Journal of Molecular Sciences*, *21*(17), 1–34. https://doi.org/10.3390/ijms21176275

GBD 2017 DALYs and HALE Collaborators (2018). Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet (London, England)*, *392*(10159), 1859–1922. https://doi.org/10.1016/S0140-6736(18)32335-3

Geng, T., & Huang, T. (2020). Gene-environment interactions and type 2 diabetes. *Asia Pacific journal of clinical nutrition*, *29*(2), 220–226. https://doi.org/10.6133/apjcn.202007_29(2).0002

Ghosh, C., Das, N., Saha, S., Kundu, T., Sircar, D., & Roy, P. (2022). Involvement of Cdkal1 in the etiology of type 2 diabetes mellitus and microvascular diabetic complications : a review. *Journal of Diabetes & Metabolic Disorders*, 991–1001. https://doi.org/10.1007/s40200-021-00953-6

Grarup, N., Rose, C. S., Andersson, E. A., Andersen, G., Nielsen, A. L., Clausen, J. O., Rasmussen, S. S., Jørgensen, T., Sandbæk, A., Lauritzen, T., Schmitz, O., Hansen, T., & Pedersen, O. (2007). Studies of Association of Variants Near the HHEX, CDKN2A/B, and IGF2BP2 Genes With Type 2 Diabetes and Impaired Insulin Release in 10,705 Danish Subjects Validation and Extension of Genome-Wide Association Studies. *Diabetes*, *56*(December), 3105–3111. https://doi.org/10.2337/db07-0856.N.G.

Groenewoud, M. J., Dekker, J. M., & Fritsche, A. (2008). *Variants of CDKAL1 and IGF2BP2 affect first-phase insulin secretion during hyperglycaemic clamps*. 1659–1663. https://doi.org/10.1007/s00125-008-1083-z

Guariguata, L., Whiting, D. R., Hambleton, I., Beagley, J., Linnenkamp, U., & Shaw, J. E. (2014).Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes Res ClinPract 103*(2), 137–149. https://doi.org/10.1016/j.diabres.2013.11.002

Guasch-Ferré, M., Becerra-Tomás, N., Ruiz-Canela, M., Corella, D., Schröder, H., Estruch, R., Ros, E., Arós, F., et al. (2017). Total and subtypes of dietary fat intake and risk of type 2 diabetes mellitus in the Prevención con Dieta Mediterránea (PREDIMED) study. *The American Journal of Clinical*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Nutrition, *105*(3), 723–735. https://doi.org/10.3945/ajcn.116.142034 PubMedSpringer Medicine

Halban, P. A. (1994). Proinsulin processing in the regulated and the constitutive secretory pathway. *Diabetologia*, *37* (2 Supplement). https://doi.org/10.1007/BF00400828

Halban, Philippe A., Polonsky, K. S., Bowden, D. W., Hawkins, M. A., Ling, C., Mather, K. J., et al. (2014). β-Cell failure in type 2 diabetes: Postulated mechanisms and prospects for prevention and treatment. *Diabetes Care*, *37*(6), 1751–1758. https://doi.org/10.2337/dc14- 0396

Hamilton, M. T., Hamilton, D. G., & Zderic, T. W. (2014). Sedentary behavior as a mediator of type 2 diabetes. *Med Sport Sci*, *60*(225), 11–26. https://doi.org/10.1159/000357332

Han, J. C., Rutledge, M. S., Kozlosky, M., Salatia, C. G., Gustafson, J. K., Keil, M. F., Fleisch, A. F., Roberts, M. D., Ning, C., & Yanovski, J. A. (2008). Insulin Resistance, Hyperinsulinemia, and Energy Intake in Overweight Children. *The Journal of Pediatrics*, *152*, 612–617. https://doi.org/https://doi.org/10.1016/j.jpeds.2007.12.036

Han, X., Luo, Y., Ren, Q., Zhang, X., Wang, F., Sun, X., Zhou, X., & Ji, L. (2010). Implication ofgenetic variants near SLC30A8, HHEX, CDKAL1, CDKN2A/B, IGF2BP2, FTO, TCF2, KCNQ1, and WFS1 in Type 2 Diabetes in a Chinese population. *BMC Med Genet*, *11*(1), 10–15. https://doi.org/10.1186/1471-2350-11-81

Hein, R., Beckmann, L., & Ã, J. C. (2008). *Sample Size Requirements for Indirect Association Studies of Gene – environment Interactions (G Â E)*. *245*, 235–245. https://doi.org/10.1002/gepi.20298

Hill, C., Soares, P., Mormina, M., Macaulay, V., Clarke, D., Blumbach, P. B., Vizuete-Forster, M.,et al. (2007). A mitochondrial stratigraphy for Island Southeast Asia. *Am J Hum Genet*, *80*(1),29–43. https://doi.org/10.1086/510412

Hindy, G., Sonestedt, E., Ericson, U., Jing, X. J., Zhou, Y., Hansson, O., Renström, E., Wirfält, E., & Orho-Melander, M. (2012). Role of TCF7L2 risk variant and dietary fibre intake on incident type 2 diabetes. *Diabetologia*, *55*(10), 2646–2654. https://doi.org/10.1007/s00125- 012-2634-x

Ho, F. K., Gray, S. R., Welsh, P., Gill, J. M. R., Sattar, N., Pell, J. P., & Morales, C. C. (2022). Ethnic differences in cardiovascular risk : examining differential exposure and susceptibility to risk factors. *BMC Medicine*, 1–10. https://doi.org/10.1186/s12916-022-02337-w

Houston, D. K., Nicklas, B. J., Ding, J., Harris, T. B., Tylavsky, F. A., Newman, A. B., ... & Kritchevsky, S. B. (2008). Dietary protein intake is associated with lean mass change in older, community-dwelling adults: The Health, Aging, and Body Composition (Health ABC) Study. *The American Journal of Clinical Nutrition*, *87*(1), 150–155. https://doi.org/10.1093/ajcn/87.1.150

Houttu, V., Grefhorst, A., Cohn, D. M., Levels, J. H. M., Lennep, J. R. Van,

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Stroes, E. S. G., Groen, A. K., & Tromp, T. R. (2023). Severe Dyslipidemia Mimicking Familial Hypercholesterolemia Induced by High-Fat, Low-Carbohydrate Diets: A Critical Review. *Nutrients*, *15*(4), 962. https://doi.org/https://doi.org/10.3390/nu15040962

Huang, C. Y., Huang, H. L., Yang, K. C., Lee, L. T., Yang, W. S., Huang, K. C., & Tseng, F. Y. (2015). *Serum Triglyceride Levels Independently Contribute to the Estimation of Visceral Fat Amount Among Nondiabetic*. *94*(23), 1–7. https://doi.org/10.1097/MD.0000000000000965

Huang, Y., Chen, Z., Chen, B., Li, J., Yuan, X., Li, J., Wang, W., Dai, T., Chen, H., Wang, Y., Wang, R., Wang, P., Guo, J., Dong, Q., Liu, C., Wei, Q., Cao, D., & Liu, L. (2023). Dietary sugar consumption and health: umbrella review. *BMJ (Clinical research ed.)*, *381*, e071609. https://doi.org/10.1136/bmj-2022-071609

Hu, F. B. (2011). Globalization of diabetes: The role of diet, lifestyle, and genes. *Diabetes Care*, *34*(6), 1249–1257. https://doi.org/10.2337/dc11-0442

Hu, F. B., Li, T. Y., Colditz, G. A., Willett, W. C., & Manson, J. A. E. (2003). Television Watchingand Other Sedentary Behaviors in Relation to Risk of Obesity and Type 2 Diabetes Mellitusin Women. *JAMA*, *289*(14), 1785–1791. https://doi.org/10.1001/jama.289.14.1785

Hulsegge, G., Spijkerman, A. M. W., Schouw, Y. T. Van Der, Bakker, S. J. L., Gansevoort, R. T., Smit, H. A., & Verschuren, W. M. M. (2017). *Trajectories of metabolic risk factors and biochemical markers prior to the onset of type 2 diabetes : the population-based longitudinal Doetinchem study*. *November 2016*, 1–8. https://doi.org/10.1038/nutd.2017.23

Hudjashov, G., Karafet, T. M., Lawson, D. J., Downey, S., Savina, O., Sudoyo, H., Lansing, J. S.,et al. (2017). Complex Patterns of Admixture across the Indonesian Archipelago. *Mol Biol Evol*, *34*(10), 2439–2452. https://doi.org/10.1093/molbev/msx196

Huxley, R., Lee, C. M. Y., Barzi, F., Timmermeister, L., Czernichow, S., Perkovic, V., Grobbee, D. E., Batty, D., & Woodward, M. (2009). Coffee, decaffeinated coffee, and tea consumptionin relation to incident type 2 diabetes mellitus: A systematic review with meta-analysis. *ArchIntern Med*, *169*(22), 2053–2063. https://doi.org/10.1001/archinternmed.2009.439

Imamura, F., O'Connor, L., Ye, Z., Mursu, J., Hayashino, Y., Bhupathiraju, S. N., & Forouhi, N.G. (2015). Consumption of sugar sweetened beverages, artificially sweetened beverages, andfruit juice and incidence of type 2 diabetes: Systematic review, meta-analysis, and estimation of population attributable fraction. *BMJ (Online)*, *351*, 1–12. https://doi.org/10.1136/bmj.h3576

Inaishi, J., & Saisho, Y. (2020). Beta-cell mass in obesity and type 2 diabetes, and its relation to pancreas fat: A mini-review. *Nutrients*, *12*(12), 1–16. https://doi.org/10.3390/nu12123846

Inaishi, J., Saisho, Y., Sato, S., Kou, K., Murakami, R., Watanabe, Y., Kitago, M., Kitagawa, Y., Yamada, T., & Itoh, H. (2016). Effects of obesity and

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

diabetes on α-and β-cell mass in surgically resected human pancreas. *J Clin Endocrinol Metab*, *101*(7), 2863–2873. https://doi.org/10.1210/jc.2016-1374

Ismail, L., Materwala, H., & Al Kaabi, J. (2021). Association of risk factors with type 2 diabetes:A systematic review. *Comput Struct Biotechnol J*, *19*, 1759–1785. https://doi.org/10.1016/j.csbj.2021.03.003

International Diabetes Federation. (2019). *IDF Diabetes Atlas* (7th ed.). International Diabetes Federation. https://diabetesatlas.org

Izaola-jáuregui, O., Primo-martín, D., López, J. J., & Luis-román, D. A. De. (2021). Endocrinología , Diabetes y Nutrición The risk variant of CDKAL1 (rs7756992)) impairs fasting glucose levels and insulin resistance improvements after a partial meal-replacement hypocaloric diet ☪. 68. https://doi.org/10.1016/j.endien.2020.08.017

James, B., Adrienne, L., & Peter, W. F. (2000). Parental transmission of type 2 diabetes: The Framingham Offspring Study. *Diabetes*, *49*(12), 2201–2207. https://doi.org/10.2337/diabetes.49.12.2201

Jannasch, F., Kröger, J., & Schulze, M. B. (2017). Dietary patterns and Type 2 diabetes: A systematic literature review and meta- analysis of prospective studies. *J Nutr*, *147*(6), 1174–1182. https://doi.org/10.3945/jn.116.242552

Jensen, M. D. (2008). Role of Body Fat Distribution adn the Metabolic Complications of Obesity. *J Clin Endocrinol Metab*, *93*(November), 57–63. https://doi.org/10.1210/jc.2008-1585

Jing, Y., Han, G., Hu, Y., Bi, Y., Li, L., & Zhu, D. (2009). Tea consumption and risk of type 2 diabetes: A meta-analysis of cohort studies. *J Gen Intern Med*, *24*(5), 557–562. https://doi.org/10.1007/s11606-009-0929-5

Joseph, G.H. (2017). Analisis pola konsumsi pangan di propinsi Sulawesi Utara. Jurnal Ilmiah Sains (17):2, 178-188

Jung, U. J., & Choi, M. S. (2014). Obesity and its metabolic complications: The role of adipokinesand the relationship between obesity, inflammation, insulin resistance, dyslipidemia and nonalcoholic fatty liver disease. Int J Mol Sci (Vol. 15, Issue 4, pp. 6184–6223). https://doi.org/10.3390/ijms15046184

Jung, S. H., Ha, K. H., & Kim, D. J. (2016). Visceral Fat Mass Has Stronger Associations with Diabetes and Prediabetes than Other Anthropometric Obesity Indicators among Korean Adults. *Yonsei Med J*, *57*(3), 674–680. https://doi.org/http://dx.doi.org/10.3349/ymj.2016.57.3.674

Jyothi, K. U., & Reddy, B. M. (2015). Gene – gene and gene – environment interactions in the etiology of type 2 diabetes mellitus in the population of Hyderabad , India Gene – gene and gene – environment interactions in the etiology of type 2 diabetes mellitus in the population of Hyderabad ,. November. https://doi.org/10.1016/j.mgene.2015.05.001

Kalyani, R. R., Corriere, M., & Ferrucci, L. (2014). Age-related and disease-related muscle loss: the effect of diabetes, obesity, and other diseases. *Lancet Diabetes Endocrinol.*, *2*(10), 819–829. https://doi.org/10.1016/S2213-

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

8587(14)70034-8.

Kandou, G.D. (2009). Kebiasaan makan makanan etnik minahasa di provinsi Sulawesi Utara. *Jurnal Kesmas Andalas*, 3(2), 53-57. https://doi.org/10.24893/jkma.v3i2.59

Kane, J. P., Pullinger, C. R., Goldfine, I. D., & Malloy, M. J. (2021). Dyslipidemia and diabetes mellitus: Role of lipoprotein species and interrelated pathways of lipid metabolism in diabetes mellitus. *Current opinion in pharmacology*, *61*, 21–27. https://doi.org/10.1016/j.coph.2021.08.013

Kaneto, H. (2015). Pathophysiology of type 2 diabetes mellitus. *Nihon Rinsho. Japanese Journalof Clinical Medicine*, *73*(12), 2003–2007. https://doi.org/10.1093/med/9780199235292.003.1336

Kang, J., Guan, R. C., Zhao, Y., & Chen, Y. (2020). Obesity-related loci in TMEM18, CDKAL1 and FAIM2 are associated with obesity and type 2 diabetes in Chinese Han patients. *BMC medical genetics*, *21*(1), 65. https://doi.org/10.1186/s12881-020-00999-y

Kanoni, S., Nettleton, J. A., Hivert, M. F., Ye, Z., Van Rooij, F. J. A., Shungin, D., Sonestedt, E.,Ngwa, J. S., et al. (2011). Total zinc intake may modify the glucose-raising effect of a zinc transporter (SLC30A8) variant: A 14-cohort meta-analysis. *Diabetes*, *60*(9), 2407–2416. https://doi.org/10.2337/db11-0176

Karafet, T. M., Hallmark, B., Cox, M. P., Sudoyo, H., Downey, S., Lansing, J. S., & Hammer, M.F. (2010). Major east-west division underlies y chromosome stratification across Indonesia. *Mol Biol Evol*, *27*(8), 1833–1844. https://doi.org/10.1093/molbev/msq063

Kashyap, S., & Defronzo, R. A. (2007). The insulin resistance syndrome : physiological considerations. *Diabetes & Vascular Disease Research*, *4*(1), 13–19. https://doi.org/https://doi.org/10.3132/dvdr.2007.001

Katzmarzyk, P. T., Bray, G. A., Greenway, F. L., Johnson, W. D., Newton, R. L., Ravussin, E., Ryan, D. H., et al. (2010). Racial differences in abdominal depot-specific adiposity in white and African American adults. *Am J Clin Nutr*, *91*(1), 7–15. https://doi.org/10.3945/ajcn.2009.28136

Kautzky-Willer, A., Harreiter, J., & Pacini, G. (2016). Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Mellitus. *Endocrine reviews*, *37*(3), 278–316. https://doi.org/10.1210/er.2015-1137

Kemenkes RI. (2007). Riset Kesehatan Dasar, RISKESDAS. Jakarta: Balitbang Kemenkes RI

Kemenkes RI. (2013). Riset Kesehatan Dasar, RISKESDAS. Jakarta: Balitbang Kemenkes RI

Kemenkes RI. (2019). Riset Kesehatan Dasar, RISKESDAS. Jakarta: Balitbang Kemenkes RI Kementerian Kesehatan RI. (2013). Riskesdas dalam Angka Provinsi Nusa Tenggara Timur. Jakarta: Balitbang Kemenkes RI

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementerian Kesehatan RI. (2013). Riskesdas dalam Angka Provinsi Sulawesi Utara. Jakarta: Balitbang Kemenkes RI

Kementerian Kesehatan Republik Indonesia. (2017). *Pedoman dan standar etik penelitian dan pengembangan kesehatan nasional*. Komite Etik Penelitian dan Pengembangan Kesehatan Nasional (KEPPKN)

Kido, Y., Nakae, J., & Accili, D. (2001). Clinical review 125: The insulin receptor and its cellulartargets. *J Clin Endocrinol Metab*, *86*(3), 972–979. https://doi.org/10.1210/jc.86.3.972

Kim, A. N., Cho, H. J., Youn, J., Jin, T., Kang, M., Sung, J., & Lee, J. E. (2020). Coffee consumption, genetic polymorphisms, and the risk of type 2 diabetes mellitus: A pooled analysis of four prospective cohort studies. *Int J Environ Res Public Health*, *17*(15), 1–18. https://doi.org/10.3390/ijerph17155379

Kim, C., Bullard, K. M. K., Herman, W. H., & Beckles, G. L. (2010). Association between iron deficiency and A1C levels among adults without diabetes in the National Health And Nutrition Examination Survey, 1999-2006. *Diabetes Care*, *33*(4), 780–785. https://doi.org/10.2337/dc09-0836

Kim, Y., Keogh, J. B., & Clifton, P. M. (2016). Consumption of red and processed meat and refined grains for 4weeks decreases insulin sensitivity in insulin-resistant adults: A randomized crossover study. *Metabolism Clinical and Experimental*, *68*, 173–183. https://doi.org/10.1016/j.metabol.2016.12.011

Kirchhoff, K., Machicao, F., Haupt, A., & Schäfer, S. A. (2008). *Polymorphisms in the TCF7L2 , CDKAL1 and SLC30A8 genes are associated with impaired proinsulin conversion*. 597–601. https://doi.org/10.1007/s00125-008-0926-y

Kleden, D. (2017). Belis dan Harga Seorang Perempuan Sumba (Perkawinan Adat Suku Wewewa, Sumba Barat Daya, NTT). *Jurnal Studi Budaya Nusantara*, *1*(1), 23–34.

Kodama, S., Fujihara, K., Ishiguro, H., Horikawa, C., Ohara, N., Yachi, Y., Tanaka, S., et al. (2018). Quantitative Relationship Between Cumulative Risk Alleles Based on Genome-WideAssociation Studies and Type 2 Diabetes Mellitus: A Systematic Review and Meta-analysis.*J Epidemiol*, *28*(1), 3–18. https://doi.org/10.2188/jea.JE20160151

Kolb, H., Martin, S., & Kempf, K. (2021). Coffee and Lower Risk of Type 2 Diabetes: Arguments for a Causal Relationship. *Nutrients*, *13*(4), 1144. https://doi.org/10.3390/nu13041144

Kooner, J. S., Saleheen, D., Sim, X., Sehmi, J., Zhang, W., Frossard, P., Been, L. F., et al (2011).Genome-wide association study in individuals of South Asian ancestry identifies six new type2 diabetes susceptibility loci. *Nat Genet*, *43*(10), 984–989. https://doi.org/10.1038/ng.921

Kompas.com (2015, 23 November). Jejak pembauran Melanesia dan Austronesia. Diakses pada 6 Oktober 2020 dari https://sains.kompas.com

Laksono, P.M., Anantasari, E., Nandiswara O.A. (2019). Reproduksi moda (pertukaran) pangan: menyemai daulat hidup di Sumba Barat (Daya). *Jurnal Masyarakat dan Budaya*, 21 (3), 341-353.

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.14203/jmb.v21i3.747%20

Lamri, A., Abi Khalil, C., Jaziri, R., Velho, G., Lantieri, O., Vol, S., Froguel, P., Balkau, B., Marre,M., & Fumeron, F. (2012). Dietary fat intake and polymorphisms at the PPARG locus modulate BMI and type 2 diabetes risk in the D.E.S.I.R. prospective study. *Int J Obes*, *36*(2),218–224. https://doi.org/10.1038/ijo.2011.91

Lansing, J. S., Cox, M. P., Downey, S. S., Gabler, B. M., Hallmark, B., Karafet, T. M., et al. (2007).Coevolution of languages and genes on the island of Sumba, eastern Indonesia. *Proceedingsof the National Academy of Sciences of the United States of America*, *104*(41), 16022–16026. https://doi.org/10.1073/pnas.0704451104

Layman, D. K., Evans, E. M., Erickson, D., Seyler, J., Weber, J., Bagshaw, D., Griel, A., Psota, T., & Kris-etherton, P. (2009). A Moderate-Protein Diet Produces Sustained Weight Loss and Long-Term Changes in Body Composition and Blood Lipids in. *Journal of Nutrition*, *139*(3), 514–521. https://doi.org/10.3945/jn.108.099440

Lea, A. J., Clark, A. G., Dahl, A. W., Devinsky, O., Garcia, R., Golden, C. D., Kamau, J., Kraft, T. S., Lim, Y. A. L., Perry, G. H., Martins, D. J., & Mogoi, D. (2023). *Applying an evolutionary mismatch framework to understand disease susceptibility*. 1–19. https://doi.org/10.1371/journal.pbio.3002311

Lee, H. A., Park, H., & Hong, Y. S. (2022). *Sex Differences in the Effects of CDKAL1 Variants on Glycemic Control in Diabetic Patients : Findings from the Korean Genome and Epidemiology Study*. 879–889.

Lee, J. K., Kim, K., Ahn, Y., Yang, M., & Lee, J. E. (2015). Habitual coffee intake, genetic polymorphisms, and type 2 diabetes. *Eur J Endocrinol 172*(5), 595–601. https://doi.org/10.1530/EJE-14-0805

Lee, Y. H., Kang, E. S., Kim, S. H., Han, S. J., Kim, C. H., Kim, H. J., Ahn, C. W., et al. (2008). Association between polymorphisms in SLC30A8, HHEX, CDKN2A/B, IGF2BP2, FTO, WFS1, CDKAL1, KCNQ1 and type 2 diabetes in the Korean population. *J Hum Genet*, *53*(11–12), 991–998. https://doi.org/10.1007/s10038-008-0341-8

Leja, D., & Manolio, T. (2011). Genetic basis of type 1 diabetes, type 2 diabetes, obesity, and theircomplications. *Advances and Emerging Opportunities in Diabetes Research: A Strategic Planning Report of the DMICC*, 44–67. http://www.niddk.nih.gov/about-niddk/strategic- plans-reports/Documents/2011-02_Advances and Emerging Opportunities in Diabetes Research_A Strategic Planning Report of the Diabetes Mellitus Inte/DSP2011_03_GeneticBasis_508.pdf

Ley, S. H., Hamdy, O., Mohan, V., & Hu, F. B. (2014). Prevention and management of type 2 diabetes: Dietary components and nutritional strategies. *The Lancet*, *383*(9933), 1999–2007. https://doi.org/10.1016/S0140-6736(14)60613-9

Li, S. X. (2017). *The interplay between genes and dietary factors in the aetiology of Type 2 diabetes mellitus* [Doctoral dissertation, University of

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cambridge]. University of Cambridge Repository. https://www.repository.cam.ac.uk/handle/1810/275094

Li, S., Xiao, J., Ji, L., Weng, J., Jia, W., Lu, J., Guo, X., Liu, J., Shan, Z., Zhu, D., Chen, L., Zhao, Z., Ji, Q., Ge, J., Li, Q., Lin, L., Yang, Z., He, J., Yang, W., … Hospital, F. P. (2014). BMI and waist circumference are associated with impaired glucose metabolism and type 2 diabetes in normal weight Chinese adults. *J Diabetes Complications*, *28*(4), 470–476. https://doi.org/10.1016/j.jdiacomp.2014.03.015.

Li, Y. Y., Wang, L. S., Lu, X. Z., Yang, Z. J., Wang, X. M., Zhou, C. W., Xu, J., Qian, Y., & Chen, A. L. (2013). CDKAL1 gene rs7756992 A/G polymorphism and type 2 diabetes mellitus: Ameta-analysis of 62,567 subjects. *Sci Rep*, *3*, 1–8. https://doi.org/10.1038/srep03131

Lin, C. Y., Li, J. B., Wu, F., Wang, J. J., An, H. H., Qiu, H. N., Xia, L. F., & Li, Y. S. (2023). Comparison of lipid accumulation product and visceral adiposity index with traditional obesity indices in early - onset type 2 diabetes prediction : a cross - sectional study. *Diabetology & Metabolic Syndrome*, *15*(111), 1–12. https://doi.org/10.1186/s13098-023-01056-3

Lipoeto, N. I., Geok Lin, K., & Angeles-Agdeppa, I. (2013). Food consumption patterns and nutrition transition in South-East Asia. *Public Health Nutr*, *16*(9), 1637–1643. https://doi.org/10.1017/S1368980012004569

Lipson, M., Loh, P., Patterson, N., Moorjani, P., Ko, Y., Stoneking, M., Berger, B., & Reich, D. (2014). Reconstructing Austronesian population history in Island Southeast Asia. Nature Communications, 5, 1–7. https://doi.org/10.1038/ncomms5689

Liu, S., Manson, J. E., Stamfer, M. J., Hu, F. B., Giovannucci, E., Colditz, G. A., Hennekens, C. H., & Willett, W. C. (2000). A prospective study of whole-grain intake and risk of type 2 diabetes mellitus in US women. *Am J Public Health*, *90*(9), 1409–1415. https://doi.org/10.2105/AJPH.90.9.1409

Liu, X., Liang, J., Geng, H., Xu, W., Teng, F., & Yang, M. (2020). Association of the CDKAL1 polymorphism rs10946398 with type 2 diabetes mellitus in adults: A meta-analysis. *Medicine*, *99*(30), e21383. https://doi.org/10.1097/MD.0000000000021383

Luthfiya, L., Pibriyanti, K., Nabawiyah, H., Fathimah, F., Ummah, S. K., & Luthfiya, L. (2024). Faktor-Faktor yang Berpengaruh terhadap Lingkar Perut pada Remaja Putri Factors Affecting Abdominal Circumference in Adolescent Girls. *Amerta Nutrition*, *8*(1), 74–81. https://doi.org/10.20473/amnt.v8i1.2024.74-81

Ma, Q., Liu, H., Xiang, G., Shan, W., & Xing, W. (2016). Association between glycated hemoglobin A1c levels with age and gender in Chinese adults with no prior diagnosis of diabetes mellitus. *Biomed Rep*, *4*(6), 737–740. https://doi.org/10.3892/br.2016.643

Ma, R. C. W., & Chan, J. C. N. (2013). Type 2 diabetes in East Asians: Similarities and differenceswith populations in Europe and the United States. *Ann N Y Acad Sci*, *1281*(1), 64–91. https://doi.org/10.1111/nyas.12098

Mahajan, A., Wessel, J., Willems, S. M., Zhao, W., Robertson, N. R., Chu, A. Y.,

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Gan, W., Kitajima, H., Taliun, D., Rayner, N. W., Guo, X., Lu, Y., Li, M., Jensen, R. A., Hu, Y., Huo, S., Lohman, K. K., Zhang, W., Cook, J. P., Prins, B. P., … McCarthy, M. I. (2018). Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. *Nature genetics*, *50*(4), 559–571. https://doi.org/10.1038/s41588-018-0084-1

Maliszewska, K., Adamska-patruno, E., Goscik, J., Lipinska, D., Citko, A., Krahel, A., Miniewska, K., Fiedorczuk, J., Moroz, M., Gorska, M., & Kretowski, A. (2019). *The Role of Muscle Decline in Type 2 Diabetes Development : A 5-Year Prospective Observational*.

Martín-Campos, J. M. (2021). Genetic Determinants of Plasma Low-Density Lipoprotein Cholesterol Levels: Monogenicity, Polygenicity, and "Missing" Heritability. *Biomedicines*, *9*(11), 1728. https://doi.org/10.3390/biomedicines9111728

McCarthy, M. I., & Hattersley, A. T. (2008). Learning from molecular genetics: novel insights arising from the definition of genes for monogenic and type 2 diabetes. *Diabetes*, *57*(11), 2889–2898. https://doi.org/10.2337/db08-0343

Medici, F., Hawa, M., Ianari, A., Pyke, D. A., & Leslie, R. D. G. (1999). Concordance rate for type II diabetes mellitus in monozygotic twins: Actuarial analysis. *Diabetologia*, *42*(2), 146–150. https://doi.org/10.1007/s001250051132

Meilani, J., Kandou, G. D., Ottay, R. I., & Kaunang, W. P. J. (2014). *Gambaran kebiasaan makan makanan beresiko penyakit jantung koroner pada etnis Minahasa di Kecamatan Tomohon Utara Kelurahan Kakaskasen 1*. Jurnal Kedokteran Komunitas dan Tropik, 2(2).

Merino, J., Leong, A., Liu, C., Porneala, B., Walford, G. A., & Grotthuss, M. Von. (2018). Metabolomics insights into early type 2 diabetes pathogenesis and detection in individuals with normal fasting glucose. *Diabetologia*, *61*, 1315–1324. https://doi.org/https://doi.org/10.1007/s00125-018-4599-x

Mihardja, L., Soetrisno, U., & Soegondo, S. (2014). Prevalence and clinical profile of diabetes mellitus in productive aged urban Indonesians. *J Diabetes Investig*, *5*(5), 507–512. https://doi.org/10.1111/jdi.12177

Miyaki, K., Oo, T., Song, Y., Lwin, H., Tomita, Y., Hoshino, H., Suzuki, N., & Muramatsu, M. (2010). Association of a cyclin-dependent kinase 5 regulatory subunit-associated protein 1- like 1 (CDKAL1) polymorphism with elevated hemoglobin Alc levels and the prevalence ofmetabolic syndrome in Japanese men: Interaction with dietary energy intake. *Am J Epidemiol*,*172*(9), 985–991. https://doi.org/10.1093/aje/kwq281

Montonen, J., Järvinen, R., Heliövaara, M., Reunanen, A., Aromaa, A., & Knekt, P. (2005). Foodconsumption and the incidence of type II diabetes mellitus. *EurJ Clinic Nutr*, *59*(3), 441–448.https://doi.org/10.1038/sj.ejcn.1602094

Montonen, J., Knekt, P., Järvinen, R., & Reunanen, A. (2004). Dietary Antioxidant Intake and Risk of Type 2 Diabetes. *Diabetes Care*, *27*(2), 362–366. https://doi.org/10.2337/diacare.27.2.362

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Murea, M., Ma, L., & Freedman, B. I. (2012). Genetic and environmental factors associated withtype 2 diabetes and diabetic vascular complications. *Rev Diabet Stud*, *9*(1), 6–22. https://doi.org/10.1900/RDS.2012.9.6

Nainggolan, O., Leli, I., & Julinati, P. (2018). Kebugaran jasmani menurut instrument GPAQ dibandingkan dengan V02max pada Wanita umur 25 sampai 54 tahun. *Buletin Penelitian Sistem Kesehatan*, 21(4), 271-280

Nair, K. S., Bigelow, M. L., Asmann, Y. W., Chow, L. S., Coenen-Schimke, J. M., Klaus, K. A., Guo, Z. K., Sreekumar, R., & Irving, B. A. (2008). Asian indians have enhanced skeletal muscle mitochondrial capacity to produce ATP in association with severe insulin resistance.*Diabetes*, *57*(5), 1166–1175. https://doi.org/10.2337/db07-1556

Nakanishi, N., Suzuki, K., & Tatara, K. (2003). Alcohol consumption and risk for development of impaired fasting glucose or type 2 diabetes in middle-aged Japanese men. *Diabetes care*, *26*(1), 48–54. https://doi.org/10.2337/diacare.26.1.48

Naser, F.H., Fadheel, H.K., Hussain M.K., et al. (2021). Association of CDKAL1 gene polymorphisms with type 2 diabetes mellitus in a sample of Iraqi population. Gene Reports, 25. https://doi.org/10.1016/j.genrep.2021.101371

Natri, H. M., Bobowik, K. S., Kusuma, P., Darusallam, C. C., Jacobs, G. S., Hudjashov, G., Stephen Lansing, J., Sudoyo, H., et al. (2020). Genome-wide DNA methylation and gene expression patterns reflect genetic ancestry and environmental differences across the Indonesian archipelago. PloS *Genetics*, 16(5), 1-21 https://doi.org/10.1371/journal.pgen.1008749

Neel, J. V. (1962). *Diabetes Mellitus : A " Thrifty " Genotype Rendered Detrimental by " Progress "? 1949*, 353–362.

Nettleton, J. A., McKeown, N. M., Kanoni, S., Lemaitre, R. N., Hivert, M. F., Ngwa, J., Van Rooij, F. J. A., et al. (2010). Interactions of dietary whole-grain intake with fasting glucose- and insulin-related genetic loci in individuals of European descent: A meta-analysis of 14 cohortstudies. *Diabetes Care*, *33*(12), 2684–2691. https://doi.org/10.2337/dc10-1150

Neuenschwander, M., Ballon, A., Weber, K. S., Norat, T., Aune, D., Schwingshackl, L., &Schlesinger, S. (2019). Role of diet in type 2 diabetes incidence: Umbrella review of meta-analyses of prospective observational studies. *The BMJ*, *366*. https://doi.org/10.1136/bmj.l2368

Nfor, O. N., Wu, M. F., Lee, C. Te, Wang, L., Liu, W. H., Tantoh, D. M., Hsu, S. Y., Lee, K. J., Ho, C. C., Debnath, T., Lung, C. C., & Liaw, Y. P. (2018). Body mass index modulates the association between CDKAL1 rs10946398 variant and type 2 diabetes among Taiwanese women. *Scientific Reports*, *8*(1), 1–8. https://doi.org/10.1038/s41598-018-31415-4

Nishida, Y., Iyadomi, M., Higaki, Y., & Tanaka, H. (2011). Influence of Physical Activity Intensity and Aerobic Fitness on the Anthropometric Index and Serum Uric Acid Concentration in People with Obesity. *Internal Medicine*, *50*, 2121–2128. https://doi.org/10.2169/internalmedicine.50.5506

Ho, C. C., et al. (2018). Body mass index modulates the association between

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

CDKAL1 rs10946398 variant and type 2 diabetes among Taiwanese women. *Sci Rep*, *8*(1), 1–8. https://doi.org/10.1038/s41598-018-31415-4

Ng, M. C. Y., Park, K. S., Oh, B., Tam, C. H. T., Cho, Y. M., Shin, H. D., et al. (2008). Implicationof genetic variants near TCF7L2, SLC30A8, HHEX, CDKAL1, CDKN2A/B, IGF2BP2, and FTO in type 2 diabetes and obesity in 6,719 Asians. *Diabetes*, *57*(8), 2226–2233. https://doi.org/10.2337/db07-1583

Okada, Y., Kubo, M., Ohmiya, H., Takahashi, A., Kumasaka, N., Hosono, N., Maeda, S., Wen, W., Dorajoo, R., Go, M. J., Zheng, W., Kato, N., Wu, J. Y., Lu, Q., GIANT consortium, Tsunoda, T., Yamamoto, K., Nakamura, Y., Kamatani, N., & Tanaka, T. (2012). Common variants at CDKAL1 and KLF9 are associated with body mass index in east Asian populations. *Nature genetics*, *44*(3), 302–306. https://doi.org/10.1038/ng.1086

Okamura, T., Yanobu-Takanashi, R., Takeuchi, F., Isono, M., Akiyama, K., Shimizu, Y., et al. (2012). Deletion of CDKAL1 Affects High-Fat Diet-Induced Fat Accumulation and Glucose-Stimulated Insulin Secretion in Mice, Indicating Relevance to Diabetes. *PLoS ONE*, *7*(11). https://doi.org/10.1371/journal.pone.0049055

Ortega-Azorín, C., Sorlí, J. V., Asensio, E. M., Coltell, O., Martínez-González, M. T., Salas- Salvadó, J., Covas, M. I., et al. (2012). Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low. *Cardiovasc Diabetol* (Vol. 11). https://doi.org/10.1186/1475-2840-11-137

Paniagua, J. A., Paniagua, J. A., & Resistance, I. (2016). *Nutrition , insulin resistance and dysfunctional adipose tissue determine the different components of metabolic syndrome*. *7*(19), 483–514. https://doi.org/10.4239/wjd.v7.i19.483

Papamichou, D., Panagiotakos, D. B., & Itsiopoulos, C. (2019). Dietary patterns and management of type 2 diabetes: A systematic review of randomised clinical trials, *Metab Cardiovasc Dis*,*29*(6), 531–543. https://doi.org/10.1016/j.numecd.2019.02.004

Parhofer K. G. (2015). Interaction between Glucose and Lipid Metabolism: More than Diabetic Dyslipidemia. *Diabetes & metabolism journal*, *39*(5), 353–362.https://doi.org/10.4093/dmj.2015.39.5.353

Pascoe, L., Tura, A., Patel, S. K., Ibrahim, I. M., Ferrannini, E., Zeggini, E., Weedon, M. N., Mari, A., Hattersley, A. T., Mccarthy, M. I., Frayling, T. M., Walker, M., Consortium, R., & Diabetes, U. K. T. (2007). *Common Variants of the Novel Type 2 Diabetes Genes CDKAL1 and HHEX/IDE Are Associated With Decreased Pancreatic ″-Cell Function*. *56*(December), 3101–3104. https://doi.org/10.2337/db07-0634.Additional

Pecioska, S., Zillikens, M. C., Henneman, P., Snijders, P. J., Oostra, B. A., Cornelia, M., Duijn, V., & Aulchenko, Y. S. (2010). *Association between*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Type 2 Diabetes Loci and Measures of Fatness. *5*(1), 1–5. https://doi.org/10.1371/journal.pone.0008541

Pepa, D.G., Vetrani, C., Vitale, M., & Riccardi, G. (2018). Wholegrain intake and risk of type 2 diabetes: Evidence from epidemiological and intervention studies. *Nutrients*, *10*(9). https://doi.org/10.3390/nu10091288

PERKENI. (2019). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2019. *Perkumpulan Endokrinologi Indonesia*, 1–117.

Pérez, M.R., & Medina-Gómez, G. (2011). Obesity, adipogenesis and insulin resistance. *Endocrinol Nutr (English Edition)*, *58*(7), 360–369.https://doi.org/10.1016/j.endoen.2011.05.004

Petersen, M. C., & Shulman, G. I. (2018). Mechanisms of insulin action and insulin resistance. *Physiol Rev*, *98*(4), 2133–2223. https://doi.org/10.1152/physrev.00063.2017

Pham, T. M., Carpenter, J. R., Morris, T. P., Sharma, M., & Petersen, I. (2019). Ethnic differencesin the prevalence of type 2 diabetes diagnoses in the uk: Cross-sectional analysis of the healthimprovement network primary care database. *Clin Epidemiol*, *11*, 1081–1088. https://doi.org/10.2147/CLEP.S227621

Picón, M. J., Murri, M., Muñoz, A., Fernández-García, J. C., Gomez-Huelgas, R., & Tinahones,F. J. (2012). Hemoglobin A 1c versus oral glucose tolerance test in postpartum diabetes screening. *Diabetes Care*, *35*(8), 1648–1653. https://doi.org/10.2337/dc11-2111

Plengvidhya, N., Chanprasert, C., Chongjaroen, N., Yenchitsomanus, P. thai, Homsanit, M., & Tangjittipokin, W. (2018). *Impact of KCNQ1, CDKN2A/2B, CDKAL1, HHEX, MTNR1B,SLC30A8, TCF7L2, and UBE2E2 on risk of developing type 2 diabetes in Thai population. BMC Med Genet, 19(1), 1–9. https://doi.org/10.1186/s12881-018-0614-9*

Popkin, B. M. (2006). Global nutrition dynamics: The world is shifting rapidly toward a diet linkedwith noncommunicable diseases. *Am J Clin Nutr*, *84*(2), 289–298. https://doi.org/10.1093/ajcn/84.2.289

Popkin, B. M., Adair, L. S., & Ng, S. W. (2013). Now and Then: The Global Nutrition Transition: The Pandemic of Obesity in Developing Countries. 70(1), 3–21. https://doi.org/10.1111/j.1753-4887.2011.00456.x.

Pravednikova, A. E., Shevchenko, S. Y., Kerchev, V. V., Skhirtladze, M. R., Larina, S. N., Kachaev, Z. M., Egorov, A. D., & Shidlovskii, Y. V. (2020). Association of uncoupling protein (Ucp) gene polymorphisms with cardiometabolic diseases. *Mol Med*, *26*(1). https://doi.org/10.1186/s10020-020-00180-4

Qi, Q., X, W., G, S., & T, W. (2015). Genetic Determinants of Type 2 Diabetes in Asians. *International Journal of Diabetology & Vascular Disease Research*, *March 2015*, 1–9. https://doi.org/10.19070/2328-353x-si01001

Qi, L., Cornelis, M. C., Zhang, C., Van Dam, R. M., & Hu, F. B. (2009). Genetic predisposition, Western dietary pattern, and the risk of type 2 diabetes in

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

men. *Am J Clin Nutr*, *89*(5), 1453–1458. https://doi.org/10.3945/ajcn.2008.27249

Qi, Q., & Hu, F. B. (2012). Genetics of type 2 diabetes in European populations. *J Diabetes*, *4*(3),203–212. https://doi.org/10.1111/j.1753-0407.2012.00224.x

Racette, S. B., Evans, E. M., Weiss, E. P., Hagberg, J. M., & Holloszy, J. O. (2006). Abdominal adiposity is a stronger predictor of insulin resistance than fitness among 50-95 year olds. *Diabetes care*, *29*(3), 673–678. https://doi.org/10.2337/diacare.29.03.06.dc05-1605

Rajendiran, D., Packirisamy, S., & Gunasekaran, K. (2018). A review on role of antioxidants in diabetes. *Asian J Pharm Clin Res*, *11*(2), 48–53. https://doi.org/10.22159/ajpcr.2018.v11i2.23241

Rahmawati, N. T., Hastuti, J., & Suryanti, R. A. (2023). *Anthropometric characteristics of four groups of indigenous people of Wallacea in East Indonesia*. *86*(2), 51–63.

Ramachandran, A. (2012). Trends in prevalence of diabetes in Asian countries. *World J Diabetes*,*3*(6), 110. https://doi.org/10.4239/wjd.v3.i6.110

Ramachandran, A., Wan Ma, R. C., & Snehalatha, C. (2010). Diabetes in Asia. *The Lancet*, *375*(9712), 408–418. https://doi.org/10.1016/S0140-6736(09)60937-5

Ranasinghe, P., Pigera, S., Galappatthy, P., Katulanda, P., & Constantine, G. R. (2015). Zinc and diabetes mellitus: Understanding molecular mechanisms and clinical implications. *DARU, J Pharm Sci*, *23*(1), 1–13. https://doi.org/10.1186/s40199-015-0127-4

Rhee, E. (2015). Diabetes in Asians. *Endocrinology and Metabolism (Seoul)*, *30*(3), 263–269. https://doi.org/10.3803/EnM.2015.30.3.263

Richter, E. A., & Hargreaves, M. (2013). Exercise, GLUT4, and skeletal muscle glucose uptake. *Physiol Rev*, *93*(3), 993–1017. https://doi.org/10.1152/physrev.00038.2012

Riste, L., Khan, F., & Cruickshank, K. (2001). High Prevalence of Type 2 Diabetes in All Ethnic Groups, Including Europeans, in a British Inner City. *Diabetes Care*, *24*(8), 1377–1383. http://care.diabetesjournals.org/content/24/8/1377.

Rong, R., Hanson, R. L., Ortiz, D., Wiedrich, C., Kobes, S., Knowler, W. C., Bogardus, C., & Baier, L. J. (2009). Association analysis of variation in/near FTO, CDKAL1, SLC30A8, HHEX, EXT2, IGF2BP2, LOC387761, and CDKN2B with type 2 diabetes and related quantitative traits in Pima Indians. *Diabetes*, *58*(2), 478–488. https://doi.org/10.2337/db08-0877

Ryoo, H., Woo, J., Kim, Y., & Lee, C. (2011). Heterogeneity of genetic associations of CDKAL1and HHEX with susceptibility of type 2 diabetes mellitus by gender. *Eur J Hum Genet*, *19*(6),672–675. https://doi.org/10.1038/ejhg.2011.6

Sahrani, W. A., Astuti, I., & Sadewa, A. H. (2016). Polymorphism of transcription factor 7-like 2 gene and HOMA-β level of individuals with and without type 2 diabetes mellitus family history. *Indonesian Journal of*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Biotechnology, *21*(1), 1–10. https://doi.org/10.22146/ijbiotech.9312

Sakai, K., Imamura, M., Tanaka, Y., Iwata, M., Hirose, H., Kaku, K., Maegawa, H., et al. (2013).Replication Study for the Association of 9 East Asian GWAS-Derived Loci with Susceptibility to Type 2 Diabetes in a Japanese Population. *PLoS ONE*, *8*(9), 4–10. https://doi.org/10.1371/journal.pone.0076317

Salas-Salvadó, J., Becerra-Tomás, N., Papandreou, C., & Bulló, M. (2019). Dietary Patterns Emphasizing the Consumption of Plant Foods in the Management of Type 2 Diabetes: A Narrative Review. *Adv Nutr*, *10*, S320–S331. https://doi.org/10.1093/advances/nmy102

Samuel, V. T., & Shulman, G. I. (2016). The pathogenesis of insulin resistance: Integrating signaling pathways and substrate flux. *J Clin Investigat*, *126*(1), 12–22. https://doi.org/10.1172/JCI77812

Sanghera, D. K., & Blackett, P. R. (2012). Type 2 Diabetes Genetics: Beyond GWAS. *Journal of diabetes & metabolism*, *3*(198), 6948. https://doi.org/10.4172/2155-6156.1000198

Santos, M. C. F., Anderson, C. P., Neschen, S., Zumbrennen-Bullough, K. B., Romney, S. J., Kahle-Stephan, M., Rathkolb, B., Gailus-Durner, V., et al. (2020). Irp2 regulates insulin production through iron-mediated Cdkal1-catalyzed tRNA modification. *Nature Communications*, *11*(1), 1–16. https://doi.org/10.1038/s41467-019-14004-5

Schulze, M. B., Manson, J. E., Willett, W. C., & Hu, F. B. (2003). Processed meat intake and incidence of Type 2 diabetes in younger and middle-aged women. *Diabetologia*, *46*(11), 1465–1473. https://doi.org/10.1007/s00125-003-1220-7

Scott, L. J., Mohlke, K. L., Bonnycastle, L. L., Willer, C. J., Li, Y., Duren, W. L., Erdos, M. R., Stringham, H. M., Chines, P. S., Jackson, A. U., et al. (2007). A genome-wide association study of type 2 diabetes in finns detects multiple susceptibility variants. *Science*, *316*(5829),1341–1345. https://doi.org/10.1126/science.1142382

Seidelmann, S. B., Claggett, B., Cheng, S., Henglin, M., Shah, A., Steffen, L. M., Folsom, A. R., Rimm, E. B., Willett, W. C., & Solomon, S. D. (2018). Dietary carbohydrate intake and mortality: a prospective cohort study and meta-analysis. *The Lancet. Public health*, *3*(9), e419–e428. https://doi.org/10.1016/S2468-2667(18)30135-X

Shahid, A., Saeed, S., Rana, S., & Mahmood, S. (2012). Family history of diabetes and parental consanguinity: Important risk for impaired fasting glucose in South East Asians. *West Indian Med J*, *61*(3). https://doi.org/10.7727/wimj.2011.072

Shi, Z., Zhang, C., Zhou, M., Zhen, S., & Taylor, A. W. (2013). Exposure to the Chinese famine in early life and the risk of anaemia in adulthood. *BMC Public Health*, *13*(1). https://doi.org/10.1186/1471-2458-13-904

Shu, L., Shen, X. M., Li, C., Zhang, X. Y., & Zheng, P. F. (2017). Dietary patterns are associated with type 2 diabetes mellitus among middle-Aged adults in Zhejiang Province, China. *Nutr J*, *16*(1), 1–10.

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1186/s12937-017-0303-0

Sim, X., Ong, R. T. H., Suo, C., Tay, W. T., Liu, J., Ng, D. P. K., Boehnke, M., et al. (2011). Transferability of type 2 diabetes implicated loci in multi-ethnic cohorts from Southeast Asia. *PLoS Genetics*, *7*(4). https://doi.org/10.1371/journal.pgen.1001363

Smedley, A., & Smedley, B. D. (2005). Race as biology is fiction, racism as a social problem is real : Anthropological and historical perspectives on the social construction of race. *Am Psychol*, *60*(1), 16–26. https://doi.org/10.1037/0003-066X.60.1.16

Smith, A. D., Crippa, A., Woodcock, J., & Brage, S. (2016). Physical activity and incident type 2diabetes mellitus: a systematic review and dose–response meta-analysis of prospective cohortstudies. *Diabetologia*, *59*(12), 2527–2545. https://doi.org/10.1007/s00125-016-4079-0

Snieder, H., Sawtell, P. A., Ross, L., Walker, J., Spector, T. D., & Leslie, R. D. G. (2001). HbA 1c Levels Are Genetically Determined Even in. *Diabetes*, *50*(December), 2858–2863. https://doi.org/10.2337/diabetes.50.12.2858

Snijder, M. B., Dekker, J. M., Visser, M., Bouter, L. M., Stehouwer, C. D. A., Kostense, P. J., & Yudkin, J. S. (2003). Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes : the Hoorn Study 1 – 3. *The American Journal of Clinical Nutrition*, *77*(5), 1192–1197. https://doi.org/10.1093/ajcn/77.5.1192

Soares, P., Trejaut, J. A., Loo, J. H., Hill, C., Mormina, M., Lee, C. L., Chen, Y. M., et al. (2008). Climate change and postglacial human dispersals in Southeast Asia. *Mol Biol Evol*, *25*(6), 1209–1218. https://doi.org/10.1093/molbev/msn068

Sonestedt, E., Lyssenko, V., Ericson, U., Gullberg, B., Wirfält, E., Groop, L., & Orho-Melander, M. (2012). Genetic variation in the glucose-dependent insulinotropic polypeptide receptor modifies the association between carbohydrate and fat intake and risk of type 2 diabetes in the Malmo diet and Cancer cohort. *J Clin Endocrinol Metab*, *97*(5), 810–818. https://doi.org/10.1210/jc.2011-2444

Sripichai, O., & Fucharoen, S. (2007). Genetic polymorphisms and implications for human diseases. *J Med Assoc Thai*, *90*(2), 394–398.

Stančáková, A., Pihlajamäki, J., Kuusisto, J., Stefan, N., Fritsche, A., Häring, H., Andreozzi, F., etal. (2008). Single-nucleotide polymorphism rs7754840 of CDKAL1 is associated withimpaired insulin secretion in nondiabetic offspring of type 2 diabetic subjects and in a large sample of men with normal glucose tolerance. *J Clinl Endocrinol Metab*, *93*(5), 1924–1930. https://doi.org/10.1210/jc.2007-2218

Steinthorsdottir, V., Thorleifsson, G., Reynisdottir, I., Benediktsson, R., Jonsdottir, T., Walters, G. B., Styrkarsdottir, U., at al. (2007). A variant in CDKAL1 influences insulin response andrisk of type 2 diabetes. *Nat Genet*, *39*(6), 770–775. https://doi.org/10.1038/ng2043

Strelitz, J., Ahern, A. L., Long, G. H., Hare, M. J. L., Irving, G., Boothby, C. E., Wareham, N. J., & Griffin, S. J. (2019). *Moderate weight change following*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

diabetes diagnosis and 10 year incidence of cardiovascular disease and mortality. 1391–1402.

Sun, X. F., Xiao, X. H., Zhang, Z. X., Liu, Y., Xu, T., Zhu, X. L., Zhang, Y., Wu, X. P., et al. (2015). Positive association between type 2 diabetes risk alleles near CDKAL1 and reduced birthweight in Chinese han individuals. *Chin Med J*, *128*(14), 1873–1878. https://doi.org/10.4103/0366-6999.160489

Sun, X., Yu, W., & Hu, C. (2014). Genetics of type 2 diabetes: Insights into the pathogenesis andits clinical application. *BioMed Res Int*, *2014*. https://doi.org/10.1155/2014/926713

Sunil, B., & Ashraf, A. P. (2020). Dyslipidemia in pediatric type 2 diabetes mellitus. *Current Diabetes Reports*, *20*(10), 53. https://doi.org/10.1007/s11892-020-01336-6

Tabák, A. G., Jokela, M., Akbaraly, T. N., Brunner, E. J., Kivimäki, M., & Witte, D. R. (2009). Trajectories of glycaemia , insulin sensitivity , and insulin secretion before diagnosis of type 2 diabetes : an analysis from the Whitehall II study. *The Lancet*, *373*, 2215–2221. https://doi.org/10.1016/S0140-6736(09)60619-X

Tan, J., Ng, D. P. K., Nurbaya, S., ... Tai, E.-S. (2009). Polymorphisms identified through genome-wide association studies and their associations with type 2 diabetes in Chinese, Malays, and Asian-Indians in Singapore. *Endocrine Reviews*, *30*(7), 926–926. https://doi.org/10.1210/edrv.30.7.9999

Tan, N. C., Sankari, U., Ng, C. E., Ling, Y., & Koh, E. (2022). Longitudinal study on the progression of muscle status among community - dwelling ambulatory older multiethnic Asians with type 2 diabetes mellitus. *BMC Geriatrics*, 1–11. https://doi.org/10.1186/s12877-022-03098-0

Tay, J., Luscombe-Marsh, N. D., Thompson, C. H., Noakes, M., Buckley, J. D., Wittert, G. A., Yancy, W. S., Jr., & Brinkworth, G. D. (2014). A very low-carbohydrate, low-saturated fat diet for Type 2 diabetes management: A randomized trial. *Diabetes Care*, *37*(11), 2909–2918. https://doi.org/10.2337/dc14-0845

Tefu, M. O., & Karwur, F. F. (2017). Pitarah Manusia Nusa Tenggara Timur Berdasarkan CeriteraKromosom Y. *Scientiae Educatia*, *6*(2), 143. https://doi.org/10.24235/sc.educatia.v6i2.1622

Tian, Y., Xu, J., Huang, T., Cui, J., Zhang, W., Song, W., Chen, H., et al. (2019). A Novel Polymorphism (rs35612982) in CDKAL1 Is a Risk Factor of Type 2 Diabetes: A Case- Control Study. *Kidney and Blood Press Res*, *44*(6), 1313–1326. https://doi.org/10.1159/000503175

Tian, S., Xu, Q., Jiang, R., Han, T., Sun, C., & Na, L. (2017). Dietary Protein Consumption and the Risk of Type 2 Diabetes: A Systematic Review and Meta-Analysis of Cohort Studies. *Nutrients*, *9*(9), 982. https://doi.org/10.3390/nu9090982

Triandhini, R. L. N. K. R., Sadewa, A. H., & Helmyati, S. (2025). Exploring genes related to impaired insulin secretion and the interaction with diet in

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

type 2 diabetes mellitus: A scoping review of observational studies. *Obesity Medicine, 55*, Article 100611. https://doi.org/10.1016/j.obmed.2025.100611

Tsai, F. J., Yang, C. F., Chen, C. C., Chuang, L. M., Lu, C. H., Chang, C. T., Wang, T. Y., et al (2010). A genome-wide association study identifies susceptibility variants for type 2 diabetesin Han Chinese. *PLoS Genetics*, *6*(2). https://doi.org/10.1371/journal.pgen.1000847

Tuerxunyiming, M., Mohemaiti, P., Wufuer, H., & Tuheti, A. (2015). Association of rs7754840 G/C polymorphisms in CDKAL1 with type 2 diabetes: A meta-analysis of 70141 subjects. *Int J Clin Exp Med*, *8*(10), 17392–17405.

Tumonggor, M. K., Karafet, T. M., Downey, S., Lansing, J. S., Norquest, P., Sudoyo, H., Hammer, M. F., & Cox, M. P. (2014). Isolation, contact and social behavior shaped genetic diversity in West Timor. *Journal of human genetics*, *59*(9), 494–503. https://doi.org/10.1038/jhg.2014.62

Tumonggor, M. K., Karafet, T. M., Hallmark, B., Lansing, J. S., Sudoyo, H., Hammer, M. F., & Cox, M. P. (2013). The Indonesian archipelago : an ancient genetic highway linking Asia and the Pacific. Journal of Human Genetics, 58(3), 165–173. https://doi.org/10.1038/jhg.2012.154

Ubeda, M., Rukstalis, J. M., & Habener, J. F. (2006). Inhibition of cyclin-dependent kinase 5 activity protects pancreatic beta cells from glucotoxicity. *J Biol Chem*, *281*(39), 28858– 28864. https://doi.org/10.1074/jbc.M604690200

Unoki, H., Takahashi, A., Kawaguchi, T., Hara, K., Horikoshi, M., Andersen, G., Ng, D. P. K., Holmkvist, J., et al. (2008). SNPs in KCNQ1 are associated with susceptibility to type 2 diabetes in East Asian and European populations. *Nat Gene*, *40*(9), 1098–1102. https://doi.org/10.1038/ng.208

US Department of Health and Human Services. (2020). National Diabetes Statistics Report, 2020. *National Diabetes Statistics Report*, 2.

Valdez, R., Yoon, P. W., Liu, T., & Khoury, M. J. (2007). Family history and prevalence of diabetes in the U.S. population: The 6-year results from the National Health and Nutrition Examination Survey (1999-2004). *Diabetes Care*, *30*(10), 2517–2522. https://doi.org/10.2337/dc07-0720

Van Dam, R. M., Willett, W. C., Rimm, E. B., Stampfer, M. J., & Hu, F. B. (2002). Dietary fat and meat intake in relation to risk of type 2 diabetes in men. *Diabetes Care*, *25*(3), 417–424. https://doi.org/10.2337/diacare.25.3.417

Van Nielen, M., Feskens, Edith, J, M., Mensink, M., Sluijs, I., Molina, E., Amiano, P., Beulens, J. W. J., & Boeing, H. (2014). Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe : The EPIC-InterAct Case-Cohort Study. 37(July), 1854–1862. https://doi.org/10.2337/dc13-2627

Van Tilburg, J., Van Haeften, T. W., Pearson, P., & Wijmenga, C. (2001). Defining the genetic contribution of type 2 diabetes mellitus. *J Med Gene*, *38*(9), 569–578. https://doi.org/10.1136/jmg.38.9.569

Villegas, R., Goodloe, R. J., McClellan, B. E., Boston, J., & Crawford, D. C. (2014). Gene-carbohydrate and gene-fiber interactions and type 2 diabetes in

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

diverse populations from the National Health and Nutrition Examination Surveys (NHANES) as part of the Epidemiologic Architecture for Genes Linked to Environment (EAGLE) study. *BMC Genetics*, *15*(1), 1–8. https://doi.org/10.1186/1471-2156-15-69

Villegas, R., Shu, X. O., Yang, G., Matthews, C. E., Li, H., Cai, H., Gao, Y.-T., & Zheng, W. (2009). Energy balance and type 2 diabetes: A report from the Shanghai Women's Health Study. *Nutrition, Metabolism & Cardiovascular Diseases*, *19*(3), 190–197. https://doi.org/10.1016/j.numecd.2008.06.003

Wake, A. D. (2021). Alcohol consumption and the incidence of type 2 diabetic mellitus: "issue that requires more attention." *Int J Endocrinol Metab*, *8*(6), 143–147. https://doi.org/10.15406/emij.2021.08.00298

Wang, Y., Mi, J., Shan, X. Y., Wang, Q. J., & Ge, K. Y. (2007). Is China facing an obesity epidemicand the consequences? The trends in obesity and chronic disease in China. *Int J Obes*, *31*(1),177–188. https://doi.org/10.1038/sj.ijo.0803354

Wang, J., Luben, R., Khaw, K.-T., Bingham, S., Wareham, N. J., & Forouhi, N. G. (2008). *Dietary Energy Density Predicts the Risk of Incident Type 2 Diabetes The European Prospective Investigation of Cancer (EPIC) - Norfolk Study*. *31*(11). https://doi.org/10.2337/dc08-1085.

Wang, S., Ma, W., Yuan, Z., Wang, S. M., Yi, X., Jia, H., & Xue, F. (2016). Association between obesity indices and type 2 diabetes mellitus among middle-aged and elderly people in Jinan, China: A cross-sectional study. *BMJ Open*, *6*(11), 1–9. https://doi.org/10.1136/bmjopen-2016-012742

Wei, F. Y., Suzuki, T., Watanabe, S., Kimura, S., Kaitsuka, T., Fujimura, A., Matsui, H., Atta, M.,Michiue, H., Fontecave, M., Yamagata, K., Suzuki, T., & Tomizawa, K. (2011). Deficit of tRNALys modification by Cdkal1 causes the development of type 2 diabetes in mice. *J ClinInvestig*, *121*(9), 3598–3608. https://doi.org/10.1172/JCI58056

Wei, F. Y., & Tomizawa, K. (2011). Functional loss of Cdkal1, a novel tRNA modification enzyme, causes the development of type 2 diabetes. *Endocr J*, *58*(10), 819–825. https://doi.org/10.1507/endocrj.EJ11-0099

Wiardani, N. K., Hadi, H., & Huriyati, E. (2007). Pola makan dan obesitas sebagai faktor risiko diabetes mellitus tipe 2 di Rumah Sakit Sanglah Denpasar. *Jurnal Gizi Klinik Indonesia*, *4*(1), 1–10. https://doi.org/10.22146/ijcn.17456

Willett, W., Manson, J., & Liu, S. (2002). Glycemic index, glycemic load, and risk of type 2 diabetes1,2,3. *The American Journal of Clinical Nutrition*, *76*(1), 274S-280S. https://doi.org/10.1093/ajcn/76.1.274S

Wirström, T., Hilding, A., Gu, H. F., Östenson, C. G., & Björklund, A. (2013). Consumption of whole grain reduces risk of deteriorating glucose tolerance, including progression to prediabetes. *Am J Clin Nutr*, *97*(1), 179–187. https://doi.org/10.3945/ajcn.112.045583

World Health Organization. Regional Office for the Western Pacific. (2000). *Obesity Task Force).International Association for the Study of Obesity. The*

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Asia – Pacific perspective: redefiningobesity and its treatment.

World Health Organization. (2014). *Global Physical Activity Questionnaire (GPAQ) analysis guide*

World Health Organization. (2016). *Global report on diabetes*. https://apps.who.int/iris/handle/10665/204871

World Health Organization. (2019). Classification of diabetes mellitus. *Clin Lab Med* (Vol. 21, Issue 1). https://doi.org/10.5005/jp/books/12855_84

Wu, Y., Ding, Y., Tanaka, Y., & Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *Int J Med Sci*, *11*(11), 1185–1200. https://doi.org/10.7150/ijms.10001

Wysham, C., & Shubrook, J. (2020). Beta-cell failure in type 2 diabetes: mechanisms, markers, and clinical implications. *Postgraduate Medicine*, *132*(8), 676–686. https://doi.org/10.1080/00325481.2020.1771047

Xie, P., Wei, F. Y., Hirata, S., Kaitsuka, T., Suzuki, T., Suzuki, T., & Tomizawa, K. (2013). Quantitative PCR measurement of tRNA 2-Methylthio modification for assessing type 2 diabetes risk. *Clin Chem*, *59*(11), 1604–1612. https://doi.org/10.1373/clinchem.2013.210401

Xu, H., Luo, J., Huang, J., & Wen, Q. (2018). Flavonoids intake and risk of type 2 diabetes mellitus: A meta-analysis of prospective cohort studies. *Medicine (United States)*, *97*(19), 1–7. https://doi.org/10.1097/MD.0000000000010686

Xu, N., Zhang, T., Han, W., Yin, L., Ma, N., Shi, X., & Sun, J. (2021). *Association of CDKAL1 RS10946398 Gene Polymorphism with Susceptibility to Diabetes Mellitus Type 2 : A Meta-Analysis*. *2021*. https://doi.org/10.1155/2021/1254968

Xu, S., Qiao, N., Huang, J., Sun, C., Cui, Y., Liang, J., Lu, Q., & Wang, T. (2016). Gender Differences in Dietary Patterns and Their Association with the Prevalence of Metabolic Syndrome among Chinese : A Cross-Sectional Study. 1–17. https://doi.org/10.3390/nu8040180

Yabe, D., Seino, Y., Fukushima, M., & Seino, S. (2015). *β Cell Dysfunction Versus Insulin Resistance in the Pathogenesis of Type 2 Diabetes in East Asians*. https://doi.org/10.1007/s11892-015-0602-9

Yajnik, C. S. (2009). Nutrient-mediated teratogenesis and fuel-mediated teratogenesis: Two pathways of intrauterine programming of diabetes. *Int J Gynecol Obstet*, *104*(SUPPL.), S27–S31. https://doi.org/10.1016/j.ijgo.2008.11.034

Yamazaki, H., Tauchi, S., Haueise, T., Yamamoto, Y., Dohke, M., Hanawa, N., Kodama, Y., Katanuma, A., Stefan, N., Fritsche, A., & Birkenfeld, A. L. (2022). Fat Distribution Patterns and Future Type 2 Diabetes. 71(September), 1937–1945.

Yang, J. J., Yu, D., Wen, W., Saito, E., Rahman, S., Shu, X. O., Chen, Y., et al. (2019). Associationof Diabetes with All-Cause and Cause-Specific Mortality in Asia: A Pooled Analysis of MoreThan 1 Million Participants. *JAMA Network Open*, *2*(4). https://doi.org/10.1001/jamanetworkopen.2019.2696

UNIVERSITAS GADJAH MADA
Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, J., Mao, Q. X., Xu, H. X., Ma, X., & Zeng, C. Y. (2014). Tea consumption and risk of type 2 diabetes mellitus: A systematic review and meta-analysis update. *BMJ Open*, *4*(7). https://doi.org/10.1136/bmjopen-2014-005632

Yasuda, K., Miyake, K., Horikawa, Y., Hara, K., Osawa, H., Furuta, H., Hirota, Y., et al. (2008). Variants in KCNQ1 are associated with susceptibility to type 2 diabetes mellitus. *Nat Genet*,*40*(9), 1092–1097. https://doi.org/10.1038/ng.207

Yazdi, K. V., Rezaei, M., Shadmani, F., & Ghorbani, A. (2020). SLC30A8, CDKAL1, TCF7L2, KCNQ1 and IGF2BP2 are associated with Type 2 diabetes mellitus in Iranian patients. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, *13*, 3497–3506. https://doi.org/10.2147/DMSO.S276924

Yun, K. J., Han, K., Kim, M. K., Park, Y. M., Baek, K. H., Song, K. H., & Kwon, H. S. (2016). Insulin Resistance Distribution and Cut-Off Value in Koreans from the 2008-2010 Korean National Health and Nutrition Examination Survey. *PloS one*, *11*(4), e0154593. https://doi.org/10.1371/journal.pone.0154593

Zeevi, D., Korem, T., Zmora, N., Halpern, Z., Elinav, E., Segal, E., Zeevi, D., Korem, T., Zmora, N., Israeli, D., Rothschild, D., & Weinberger, A. (2015). *Personalized Nutrition by Prediction of Glycemic Article Personalized Nutrition by Prediction of Glycemic Responses*. 1079–1094. https://doi.org/10.1016/j.cell.2015.11.001

Zeggini, E., Weedon, M. N., Lindgren, C. M., Timothy, M., Elliott, K. S., Lango, H., Timpson, N.J., et al. (2007). Multiple type 2 diabetes susceptibility genes following genome- wide association scan in UK samples. *Science*, *316*(5829), 1336–1341. https://doi.org/10.1126/science.1142364.Multiple

Zeng, C. P., Chen, Y. C., Lin, X., Greenbaum, J., Chen, Y. P., Peng, C., Wang, X. F., et al. (2017).Increased identification of novel variants in type 2 diabetes, birth weight and their pleiotropicloci. *J Diabetes*, *9*(10), 898–907. https://doi.org/10.1111/1753-0407.12510

Zeng, H., Guo, M., Zhou, T., Tan, L., Chong, C. N., Zhang, T., Dong, X., et al. (2018). An isogenichuman ESC platform for functional evaluation of genome-wide association study identified diabetes genes and drug discovery. *Cell Stem Cell*, *19*(3), 326–340. https://doi.org/10.1016/j.stem.2016.07.002.

Zeqollari, A., Spahiu, K., Vyshka, G., & Çakërri, L. (2014). Lipid Profile in Diabetes Mellitus Type 2 Patients in Albania and the Correlation with BMI, Hypertension , and Hepatosteatosis. J Family Med Community Health 1(4): 1018

Zheng, J. S., Arnett, D. K., Parnell, L. D., Smith, C. E., Li, D., Borecki, I. B., Tucker, K. L., Ordovás, J. M., & Lai, C. Q. (2013). Modulation by dietary fat and carbohydrate of IRS1 association with type 2 diabetes traits in two populations of different ancestries. *Diabetes Care*, *36*(9), 2621–2627. https://doi.org/10.2337/dc12-2607

Zheng, J. S., Huang, T., Li, K., Chen, Y., Xie, H., Xu, D., Sun, J., & Li, D.

UNIVERSITAS
GADJAH MADA
**Polimorfisme Gen Cyclin-dependent kinase 5 Regulatory Associated Protein 1-like (CDKAL1), Pola Makan
dan Risiko Diabetes Melitus Tipe 2 pada Etnis Minahasa dan Sumba**
RAMBU LAWU NEDI KRISTANTI RETNO TRIANDHINI, dr. Ahmad Hamim Sadewa., Ph.D ; Dr. Siti Helmyati, DCN,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

(2015). Modulation ofthe Association between the PEPD Variant and the Risk of Type 2 Diabetes by n-3 Fatty Acids in Chinese Hans. *J Nutrigenet Nutrigenomics*, *8*(1), 36–43. https://doi.org/10.1159/000381348

Zhou, Z., Sun, B., Huang, S., Jia, W., & Yu, D. (2019). The tRNA-associated dysregulation in diabetes mellitus. *Metabolism: Clinical and Experimental*, *94*, 9–17. https://doi.org/10.1016/j.metabol.2019.01.017