

DAFTAR PUSTAKA

- Aditiawati, P., Dungani, R., Fikri, R. M., & Hartati, S. (2019). Optimization of cellulose nanofiber production from oil palm empty fruit bunch using *Trichoderma* sp. with the solid state fermentation method. *BioResources*, *14*(2), 3688–3700. <https://doi.org/10.15376/biores.14.2.3688-3700>
- Aini, A. F. N., Hasojuwono, B. A., & Suhendra, L. (2021). Karakteristik Komposit Bioplastik Maizena dan Glukomanan pada Perlakuan Jenis dan Konsentrasi Bahan Pengisi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, *9*(4), 456–468.
- Akhtar, J., Teo, C. L., Lai, L. W., Hassan, N., Idris, A., & Aziz, R. A. (2015). Factors affecting delignification of oil palm empty fruit bunch by microwave-assisted dilute acid/alkali pretreatment. *BioResources*, *10*(1), 588–596. <https://doi.org/10.15376/biores.10.1.588-596>
- Ali, S., & Rusman, A. (2017). Kuat Tekan Material Dari Bahan Komposit Diperkuat Serat Tandan Kosong Kelapa Sawit (TKKS). *Jurnal Mekanova*, *3*(5), 128–136.
- Alves, J. S., Dos Reis, K. C., Menezes, E. G. T., Pereira, F. V., & Pereira, J. (2015). Effect of cellulose nanocrystals and gelatin in corn starch plasticized films. *Carbohydrate Polymers*, *115*, 215–222. <https://doi.org/10.1016/j.carbpol.2014.08.057>
- An, X., Wen, Y., Cheng, D., Zhu, X., & Ni, Y. (2016). Preparation of cellulose nanocrystals through a sequential process of cellulase pretreatment and acid hydrolysis. *Cellulose*. <https://doi.org/10.1007/s10570-016-0964-4>
- Anderson, S. R., Esposito, D., Gillette, W., Zhu, J. Y., Baxa, U., & McNeil, S. E. (2014). Enzymatic preparation of nanocrystalline and microcrystalline cellulose. *Tappi Journal*, *13*(5), 35–42. <https://doi.org/10.32964/tj13.5.35>
- Arbaain, E. N. N., Bahrin, E. K., Ibrahim, M. F., Ando, Y., & Abd-Aziz, S. (2019). Biological Pretreatment of Oil Palm Empty Fruit Washing and Nutrient Addition. *Processes*, *7*(402), 1–8. <https://doi.org/doi:10.3390/pr7070402>
- Arham, R., Mulyati, M. T., Metusalach, M., & Salengke, S. (2016). Physical and mechanical properties of agar based edible film with glycerol plasticizer. *International Food Research Journal* *23*(4):, *23*(4), 1669–1675.
- Arun, R., Shruthy, R., Preetha, R., & Sreejit, V. (2022). Biodegradable nano composite reinforced with cellulose nano fiber from coconut industry waste for replacing synthetic plastic food packaging. *Chemosphere*, *291*(P1), 132786. <https://doi.org/10.1016/j.chemosphere.2021.132786>
- Asfarizal, Kasim, A., Gunawarman, & Santosa. (2019). Efek Tekanan dan Temperatur

pada Pembuatan Papan Partikel Berbahan Tandan Kosong Kelapa Sawit dan Kulit Pinus The Effect of Pressure and Temperature on The Particle Board Manufacture from Palm Oil Empty Bunches and Pine Bark. *Jurnal Teknik Mesin ITP*, 9(1), 2–4.

Asmoro, N. W., Afriyanti, & Ismawati. (2018). Ekstraksi Selulosa Batang Tanaman Jaung (*Zea Mays*) Metode Basa. *Jurnal Ilmiah Teknosains*, 4(1), 1–5.

Atef, M., Rezaei, M., & Behrooz, R. (2014). Preparation and characterization agar-based nanocomposite film reinforced by nanocrystalline cellulose. *International Journal of Biological Macromolecules*, 70, 537–544. <https://doi.org/10.1016/j.ijbiomac.2014.07.013>

Atif, M., Mohd, A., Jalil, R., & Kalil, M. S. (2016). Production of Cellulase from *Pycnoporus sanguineus*. *Indian Journal of Science and Technology*, 9(June), 1–7. <https://doi.org/10.17485/ijst/2016/v9i21/95230>

Auclair, N., Kaboorani, A., Riedl, B., Landry, V., Hosseinaei, O., & Wang, S. (2018). Influence of modified cellulose nanocrystals (CNC) on performance of bionanocomposite coatings. *Progress in Organic Coatings*, 123(June 2017), 27–34. <https://doi.org/10.1016/j.porgcoat.2018.05.027>

Azrina, Z. A. Z., Beg, M. D. H., Rosli, M. Y., Ramli, R., Junadi, N., & Alam, A. K. M. M. (2017). Spherical nanocrystalline cellulose (NCC) from oil palm empty fruit bunch pulp via ultrasound assisted hydrolysis. *Carbohydrate Polymers*, 8617(17). <https://doi.org/10.1016/j.carbpol.2017.01.035>

Baker, P. W., Charlton, A., & Hale, M. D. C. (2015). Bioresource Technology Increased delignification by white rot fungi after pressure refining *Miscanthus*. *BIORESOURCE TECHNOLOGY*, 189, 81–86. <https://doi.org/10.1016/j.biortech.2015.03.056>

Barlianti, V., Dahnum, D., Hendarsyah, H., & Abimanyu, H. (2015). Effect of Alkaline Pretreatment on Properties of Lignocellulosic Oil Palm Waste. *Procedia Chemistry*, 16, 195–201. <https://doi.org/10.1016/j.proche.2015.12.036>

Beltramino, F., Roncero, B. M., Vidal, T., & Torres, A. L. (2015). Increasing yield of nanocrystalline cellulose preparation process by a cellulase pretreatment. *Bioresource Technology*, 192, 1–32.

Benini, K. C. C. de C., Voorwald, H. J. C., Cioffi, M. O. H., Rezende, M. C., & Arantes, V. (2018). Preparation of nanocellulose from *Imperata brasiliensis* grass using Taguchi method. *Carbohydrate Polymers*, 192(February), 337–346. <https://doi.org/10.1016/j.carbpol.2018.03.055>

Berto, G. L., & Arantes, V. (2019). *International Journal of Biological Macromolecules Kinetic changes in cellulose properties during de fi brillation*

- into micro fi brillated cellulose and cellulose nano fi brils by ultra-re fi ning. 127, 637–648. <https://doi.org/10.1016/j.ijbiomac.2019.01.169>*
- Bica, C. I. D., & Nachtigall, M. B. (2017). Cellulose nanocrystals from acacia bark–Influence of solvent extraction. *International Journal of Biological Macromolecules*. <https://doi.org/10.1016/j.ijbiomac.2017.03.076>
- Bilbao-Sainz, C., Bras, J., Williams, T., Sénechal, T., & Orts, W. (2011). HPMC reinforced with different cellulose nano-particles. *Carbohydrate Polymers*, *86*(4), 1549–1557. <https://doi.org/10.1016/j.carbpol.2011.06.060>
- Biswas, A., Ahmed, T., Rana, M. R., Hoque, M. M., Ahmed, M. F., Sharma, M., Sridhar, K., Ara, R., & Stephen Inbaraj, B. (2023). Fabrication and Characterization of ZnO Nanoparticles-Based Biocomposite Films Prepared Using Carboxymethyl Cellulose, Taro Mucilage, and Black Cumin Seed Oil for Evaluation of Antioxidant and Antimicrobial Activities. *Agronomy*, *13*(1). <https://doi.org/10.3390/agronomy13010147>
- Bondeson, D., Mathew, A., & Oksman, K. (2006). Optimization of the isolation of nanocrystals from microcrystalline cellulose by acid hydrolysis. *Cellulose*, *13*(2), 171–180. <https://doi.org/10.1007/s10570-006-9061-4>
- Boujemaoui, A., Mongkhontreerat, S., Malmström, E., & Carlmark, A. (2015). Preparation and characterization of functionalized cellulose nanocrystals. *Carbohydrate Polymers*, *115*, 457–464. <https://doi.org/10.1016/j.carbpol.2014.08.110>
- Bourtoom, T. (2008). Review Article Edible films and coatings : characteristics and properties. *International Food Research Journal*, *15*(3), 237–248.
- Brahim, M., Kantar, S. El, Boussetta, N., Grimi, N., Brosse, N., & Vorobiev, E. (2016). Biomass and Bioenergy Deligni fi cation of rapeseed straw using innovative chemo-physical pretreatments. *Biomass and Bioenergy*, *95*, 92–98. <https://doi.org/10.1016/j.biombioe.2016.09.019>
- Cao, Y., Zavattieri, P., Youngblood, J., Moon, R., & Weiss, J. (2016). The relationship between cellulose nanocrystal dispersion and strength. *Construction and Building Materials*, *119*, 71–79. <https://doi.org/10.1016/j.conbuildmat.2016.03.077>
- Cazón, P., Morales-Sanchez, E., Velazquez, G., & Vázquez, M. (2022). Measurement of the Water Vapor Permeability of Chitosan Films: A Laboratory Experiment on Food Packaging Materials. *Journal of Chemical Education*, *99*(6), 2403–2408. <https://doi.org/10.1021/acs.jchemed.2c00449>
- Chen, H. (2014). Biotechnology of lignocellulose: Theory and practice. In *Biotechnology of Lignocellulose: Theory and Practice*. <https://doi.org/10.1007/978-94-007-6898-7>

- Chen, Q. J., Zhou, L. L., Zou, J. Q., & Gao, X. (2019). The preparation and characterization of nanocomposite film reinforced by modified cellulose nanocrystals. *International Journal of Biological Macromolecules*, *132*, 1155–1162. <https://doi.org/10.1016/j.ijbiomac.2019.04.063>
- Collazo-Bigliardi, S., Ortega-Toro, R., & Chiralt Boix, A. (2018). Isolation and Characterisation of Microcrystalline Cellulose and Cellulose Nanocrystals from Coffee Husk and Comparative Study with Rice Husk. *Carbohydrate Polymers*, *191*, 205–215. <https://doi.org/10.1016/j.carbpol.2018.03.022>
- de Amorim dos Santos, A., Ferreira e Silva, M. J., Silva, L. E., Mendonça, M. C., Damásio, R. A. P., & Tonoli, G. H. D. (2023). The use of enzymatic pre-treatment to facilitate and reduce the energy consumption of unbleached cellulose micro/nanofibrils production from Eucalyptus spp. and Pinus spp. kraft pulps. *European Journal of Wood and Wood Products*. <https://doi.org/10.1007/s00107-023-01925-8>
- Elazzouzi-Hafraoui, S., Nishiyama, Y., Putaux, J. L., Heux, L., Dubreuil, F., & Rochas, C. (2008). The shape and size distribution of crystalline nanoparticles prepared by acid hydrolysis of native cellulose. *Biomacromolecules*, *9*(1), 57–65. <https://doi.org/10.1021/bm700769p>
- Engstrom, A., EK, M., & Henriksson, G. (2006). Improved Accessibility and Reactivity of Dissolving Pulp for the Viscose Process: Pretreatment with Monocomponent Endoglucanase Improved Accessibility and Reactivity of Dissolving Pulp for the Viscose Process: Pretreatment with Monocomponent Endoglucanase. *Biomacromolecules*, *7*(July). <https://doi.org/10.1021/bm0509725>
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, *17*, 977–985. <https://doi.org/10.1007/s10570-010-9436-4>
- Fatriasari, W., Syafii, W., Wistara, N. J., & Syamsu, K. (2014). The Characteristic Changes of Betung Bamboo (*Dendrocalamus asper*) Pretreated by Fungal Pretreatment. *Int. Journal of Renewable Energy Development*, *3*(July), 133–143. <https://doi.org/10.14710/ijred.3.2.133-143>
- Filson, P. B., Dawson-Andoh, B. E., & Schwegler-Berry, D. (2009). Enzymatic-mediated production of cellulose nanocrystals from recycled pulp. *Green Chemistry*, *11*(11), 1808–1814. <https://doi.org/10.1039/b915746h>
- Gaol, M. R. L. L., Sitorus, R., S, Y., Surya, I., & Manurung, R. (2013). Pembuatan Selulosa Asetat dari α -Selulosa Tandan Kosong Kelapa Sawit. *Jurnal Teknik Kimia USU*, *2*(3), 33–39.
- GAPKI. (2024). *Kinerja Industri Sawit Indonesia 2019*. http://gapki.id/KINERJA_INDUSTRI_SAWIT_INDONESIA_2019.pdf

- George, J., & Sabapathi, S. (2015). Cellulose nanocrystals : synthesis , functional properties , and applications. *Nanotechnology, Science and Applications*, 8, 45–54.
- Gominho, J., Costa, R., Lourenço, A., Neiva, D. M., & Pereira, H. (2019). The effect of different pre-treatments to improve delignification of eucalypt stumps in a biorefinery context. *BIORESOURCE TECHNOLOGY*, 6(February), 89–95. <https://doi.org/10.1016/j.biteb.2019.02.004>
- Gong, J., Mo, L., & Li, J. (2018). A comparative study on the preparation and characterization of cellulose nanocrystals with various polymorphs. *Carbohydrate Polymers*, 195(April), 18–28. <https://doi.org/10.1016/j.carbpol.2018.04.039>
- Goshadrou, A., Karimi, K., & Taherzadeh, M. J. (2011). Bioethanol production from sweet sorghum bagasse by *Mucor hiemalis*. *Industrial Crops & Products*, 34(1), 1219–1225. <https://doi.org/10.1016/j.indcrop.2011.04.018>
- Grishkewich, N., Mohammed, N., Tang, J., & Tam, K. C. (2017). Recent advances in the application of cellulose nanocrystals. *Current Opinion in Colloid and Interface Science*, 29, 32–45. <https://doi.org/10.1016/j.cocis.2017.01.005>
- Gupta, A., & Turner, S. R. (2017). Cellulose. *Encyclopedia of Applied Plant Sciences*, 1, 185–190. <https://doi.org/10.1016/B978-0-12-394807-6.00115-5>
- Habibi, Y., Lucia, L. A., & Rojas, O. J. (2010a). Cellulose Nanocrystals : Chemistry , Self-Assembly , and Applications. *Chemical Reviews*, 110(6), 3479–3500.
- Habibi, Y., Lucia, L. A., & Rojas, O. J. (2010b). Cellulose nanocrystals: Chemistry, self-assembly, and applications. *Chemical Reviews*, 110(6), 3479–3500. <https://doi.org/10.1021/cr900339w>
- Harun, S., & Geok, S. K. (2016). Effect of Sodium Hydroxide Pretreatment on Rice Straw Composition. *Indian Journal of Science and Technology*, 9(21). <https://doi.org/10.17485/ijst/2016/v9i21/95245>
- Haryanti, A., Norsamsi, Sholiha, P. S. F., & Putri, N. P. (2014). Studi Pemanfaatan Limbah Padat Kelapa Sawit. *Jurnal Konversi*, 3(2), 20–26. <https://www.researchgate.net/publication/315486354%0ASTUDI>
- Hastati, D. Y., Hambali, E., Syamsu, K., & Warsiki, E. (2019). Preparation and Characterization of Nanocelluloses from Oil Palm Empty Fruit Bunch Cellulose. *Journal of the Japan Institute of Energy*, 98(8), 194–201. <https://doi.org/10.3775/jie.98.194>
- Hastuti, N., Kanomata, K., & Kitaoka, T. (2018). Hydrochloric Acid Hydrolysis of Pulps from Oil Palm Empty Fruit Bunches to Produce Cellulose Nanocrystals. *Journal of Polymers and the Environment*, 0(0), 0.

<https://doi.org/10.1007/s10924-018-1248-x>

Herawati, H. (2019). Production Technology and Utilization of Nano Cellulose. *Journal of Physics: Conference Series*, 1295(1). <https://doi.org/10.1088/1742-6596/1295/1/012051>

Hidayat, M., Aqilah, N. A., & Winata, A. (2022). *Pretreatment of Oil Palm Empty Fruit Bunch using Caustic Soda Solution for Lignin Isolation*. 25(6), 1025–1030.

Israel, A. U., Obot, I. B., & Umoren, S. A. (2008). Production of Cellulosic Polymers from Agricultural Wastes. *E-Journal of Chemistry*, 5(1), 81–85.

Isroi, I., & Cifriadi, A. (2017). *Bioplastic production from cellulose of oil palm empty fruit bunch*. June. <https://doi.org/10.1088/1755-1315/65/1/012011>

Isroi, Ishola, M. M., Millati, R., Syamsiah, S., Cahyanto, M. N., Niklasson, C., & Taherzadeh, M. J. (2012). Structural changes of oil palm empty fruit bunch (OPEFB) after fungal and phosphoric acid pretreatment. *Molecules*, 17(12), 14995–15012. <https://doi.org/10.3390/molecules171214995>

Jaya, J. D., Nuryati, N., & Ramadhani, R. (2015). Optimasi Produksi Pupuk Kompos Tandan Kosong Kelapa Sawit (Tkks) Dan Aplikasinya Pada Tanaman. *Jurnal Teknologi Agro-Industri*, 1(1), 01. <https://doi.org/10.34128/jtai.v1i1.24>

Jiménez, A., Requena, R., Vargas, M., Atarés, L., & Chiralt, A. (2018). Food Hydrocolloids as Matrices for Edible Packaging Applications. In *Role of Materials Science in Food Bioengineering*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-811448-3/00008-5>

Johar, N., Ahmad, I., & Dufresne, A. (2012). Extraction, preparation and characterization of cellulose fibres and nanocrystals from rice husk. *Industrial Crops and Products*, 37(1), 93–99. <https://doi.org/10.1016/j.indcrop.2011.12.016>

Jose, D., Kitiborwornkul, N., & Sriariyanun, M. (2022). A Review on Chemical Pretreatment Methods of Lignocellulosic Biomass: Recent Advances and Progress Diana. *Applied Science and Engineering Progress*, 15(4), 1–17.

Kargarzadeh, H., & Ahmad, I. (2012). Effects of hydrolysis conditions on the morphology, crystallinity, and thermal stability of cellulose nanocrystals extracted from kenaf bast fibers. *Cellulose*, 19, 855–866. <https://doi.org/10.1007/s10570-012-9684-6>

Karim, Z., Afrin, S., Husain, Q., Danish, R., An, X., Wen, Y., Cheng, D., Zhu, X., Blanca, M., & Antonio, L. (2017). Necessity of enzymatic hydrolysis for production and functionalization of nanocelluloses. *Critical Reviews in Biotechnology*, 37(3), 355–370. <https://doi.org/10.3109/07388551.2016.1163322>

Karimi, K., Shafiei, M., & Kumar, R. (2014). Progress in Physical and Chemical

Pretreatment of Lignocellulosic Biomass. In *Biofuel Technologies: Recent Developments* (pp. 1–534). <https://doi.org/10.1007/978-3-642-34519-7>

Khan, A., Khan, R. A., Salmieri, S., Le Tien, C., Riedl, B., Bouchard, J., Chauve, G., Tan, V., Kamal, M. R., & Lacroix, M. (2012). Mechanical and barrier properties of nanocrystalline cellulose reinforced chitosan based nanocomposite films. *Carbohydrate Polymers*, *90*(4), 1601–1608. <https://doi.org/10.1016/j.carbpol.2012.07.037>

Korolovych, V. F., Cherpak, V., Ng, A., Shaikh, N. R., Grant, A., Xiong, R., Bunning, T. J., & Tsukruk, V. V. (2018). Cellulose nanocrystals with different morphologies and chiral properties. *Polymer*. <https://doi.org/10.1016/j.polymer.2018.04.064>

Kumar, A., Singh Negi, Y., Choudhary, V., & Kant Bhardwaj, N. (2020). Characterization of Cellulose Nanocrystals Produced by Acid-Hydrolysis from Sugarcane Bagasse as Agro-Waste. *Journal of Materials Physics and Chemistry*, *2*(1), 1–8. <https://doi.org/10.12691/jmpc-2-1-1>

Kumari, P., Seth, R., Meena, A., & Sharma, D. (2023). Enzymatic synthesis of cellulose nanocrystals from lemongrass and its application in improving anti-cancer drug release, uptake and efficacy. *Industrial Crops and Products*, *192*(August 2022), 115933. <https://doi.org/10.1016/j.indcrop.2022.115933>

Lam, N. T., Chollakup, R., Smittipong, W., Nimchua, T., & Sukyai, P. (2017). Characterization of Cellulose Nanocrystals Extracted from Sugarcane Bagasse for Potential Biomedical Materials. *Sugar Tech*, *19*(5), 539–552. <https://doi.org/10.1007/s12355-016-0507-1>

Lamaming, J., Hashim, R., Leh, C. P., & Sulaiman, O. (2017). Properties of cellulose nanocrystals from oil palm trunk isolated by total chlorine free method. *Carbohydrate Polymers*, *156*, 409–416. <https://doi.org/10.1016/j.carbpol.2016.09.053>

Lamaming, J., Hashim, R., Leh, C. P., Sulaiman, O., & Lamaming, S. Z. (2019). Bio-nanocomposite Films Reinforced with Various Types of Cellulose Nanocrystals Isolated from Oil Palm Biomass Waste. *Waste and Biomass Valorization*, *0123456789*. <https://doi.org/10.1007/s12649-019-00892-7>

Lamaming, J., Hashim, R., Sulaiman, O., Leh, C. P., Sugimoto, T., & Nordin, N. A. (2015). Cellulose nanocrystals isolated from oil palm trunk. *Carbohydrate Polymers*, *127*, 202–208. <https://doi.org/10.1016/j.carbpol.2015.03.043>

Lee, K. M., & Ng, K. N. (2019). Effect of ultrasonication in organosolv pretreatment for enhancement of fermentable sugars recovery from palm oil empty fruit bunches. *Progress in Energy and Environment*, *11*(June), 15–23.

- Lee, H. V, Hamid, S. B. A., & Zain, S. K. (2014). Conversion of Lignocellulosic Biomass to Nanocellulose : Structure and Chemical Process. *The Scientific World Journal*, 2014.
- Ling, Z., Zhang, X., Yang, G., Takabe, K., & Xu, F. (2018). Nanocrystals of cellulose allomorphs have different adsorption of cellulase and subsequent degradation. *Industrial Crops and Products*, 112(December 2017), 541–549. <https://doi.org/10.1016/j.indcrop.2017.12.052>
- Liu, C., Li, B., Du, H., Lv, D., Zhang, Y., Yu, G., Mu, X., & Peng, H. (2016). Properties of nanocellulose isolated from corncob residue using sulfuric acid, formic acid, oxidative and mechanical methods. *Carbohydrate Polymers*, 151. <https://doi.org/10.1016/j.carbpol.2016.06.025>
- Longe, L., Garnier, G., & Saito, K. (2016). Lignin Biodegradation with Fungi , Bacteria and Enzymes for Producing Chemicals and Increasing Process Efficiency. In *Lignin, Biofuels & Biorefineries* (pp. 147–179). Springer Science+Business Media Singapore. <https://doi.org/10.1007/978-981-10-1965-4>
- Loow, Y. L., Wu, T. Y., Jahim, J. M., Mohammad, A. W., & Teoh, W. H. (2016). Typical conversion of lignocellulosic biomass into reducing sugars using dilute acid hydrolysis and alkaline pretreatment. *Cellulose*, 23(3), 1491–1520. <https://doi.org/10.1007/s10570-016-0936-8>
- Marakana, P. G., Dey, A., & Saini, B. (2021). Isolation of nanocellulose from lignocellulosic biomass: Synthesis, characterization, modification, and potential applications. *Journal of Environmental Chemical Engineering*, 9(6), 106606. <https://doi.org/10.1016/j.jece.2021.106606>
- Marett, J., Aning, A., & Foster, E. J. (2017). The isolation of cellulose nanocrystals from pistachio shells via acid hydrolysis. *Industrial Crops and Products*, 109(September), 869–874. <https://doi.org/10.1016/j.indcrop.2017.09.039>
- Marques, M. F. V, Lunz, J. N., Aguiar, V. O., Grafova, I., Kemell, M., & Visentin, F. (2015). Thermal and Mechanical Properties of Sustainable Composites Reinforced with Natural Fibers. *Journal of Polymers and the Environment*, 251–260. <https://doi.org/10.1007/s10924-014-0687-2>
- Maryana, R., Jatmiko, T. H., Prasetyo, D. J., Rizal, W. A., Suwanto, A., Praharasti, A. S., Indrianingsih, A. W., Anwar, M., & Rizaluddin, A. T. (2019). Evaluation of high purity cellulose production from pretreated various agricultural biomass wastes. *IOP Conference Series: Earth and Environmental Science*, 251(1). <https://doi.org/10.1088/1755-1315/251/1/012001>
- Melikoğlu, A. Y., Bilek, S. E., & Cesur, S. (2019). Optimum alkaline treatment parameters for the extraction of cellulose and production of cellulose nanocrystals from apple pomace. *Carbohydrate Polymers*, 215(April), 330–337.

<https://doi.org/10.1016/j.carbpol.2019.03.103>

- Millati, R., Wikandari, R., Ariyanto, T., Putri, R. U., & Taherzadeh, M. J. (2020). Pretreatment technologies for anaerobic digestion of lignocelluloses and toxic feedstocks. *Bioresource Technology*, *October 2019*, 122998. <https://doi.org/10.1016/j.biortech.2020.122998>
- Mondal, S. (2018). Review on Nanocellulose Polymer Nanocomposites. *Polymer - Plastics Technology and Engineering*, *57*(13), 1377–1391. <https://doi.org/10.1080/03602559.2017.1381253>
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J. (2011). Cellulose nanomaterials review: Structure, properties and nanocomposites. In *Chemical Society Reviews* (Vol. 40, Issue 7). <https://doi.org/10.1039/c0cs00108b>
- Morais, J. P. S., Rosa, M. D. F., De Souza Filho, M. D. S. M., Nascimento, L. D., Do Nascimento, D. M., & Cassales, A. R. (2013). Extraction and characterization of nanocellulose structures from raw cotton linter. *Carbohydrate Polymers*, *91*(1), 229–235. <https://doi.org/10.1016/j.carbpol.2012.08.010>
- Mosier, N., Wyman, C., Dale, B., Elander, R., Lee, Y. Y., Holtzapple, M., & Ladisch, M. (2005). *Features of promising technologies for pretreatment of lignocellulosic biomass*. *96*, 673–686. <https://doi.org/10.1016/j.biortech.2004.06.025>
- Mourtzinis, S., Cantrell, K. B., Arriaga, F. J., Balkcom, K. S., Novak, J. M., Frederick, J. R., & Karlen, D. L. (2014). Distribution of Structural Carbohydrates in Corn Plants Across the Southeastern USA. *Bioenerg. Res.*, 551–558. <https://doi.org/10.1007/s12155-014-9429-5>
- Muller, J., González-Martínez, C., & Chiralt, A. (2017). Combination Of Poly(lactic) acid and starch for biodegradable food packaging. *Materials*, *10*(8). <https://doi.org/10.3390/ma10080952>
- Muryanto, M., Sudiyani, Y., & Abimanyu, H. (2016). Optimasi Proses Perlakuan Awal NaOH Tandan Kosong Kelapa Sawit untuk menjadi Bioetanol. *Jurnal Kimia Terapan Indonesia*, *18*(01), 27–35. <https://doi.org/10.14203/jkti.v18i01.37>
- Muryanto, Triwahyuni, E., Abimayu, H., Cahyono, A., Cahyono, E. T., & Sudiyani, Y. (2015). Alkaline Delignification of Oil Palm Empty Fruit Bunch Using Black Liquor from Pretreatment. *Procedia Chemistry*, *16*, 99–105. <https://doi.org/10.1016/j.proche.2015.12.032>
- Mussatto, S. I., & Teixeira, J. A. (2010). Lignocellulose as Raw Material in Fermentation Processes. *Technology and Education Topic*, 897–907.
- Nasruddin. (2012). Delingifikasi Tandan Kosong Kelapa Sawit Dilanjutkan Dengan Hidrolisis Bertahap Untuk Menghasilkan Glukosa. *Jurnal Dinamika Penelitian Industri*, *23*(1), 1–11.

- Ng, H. M., Sin, L. T., Tee, T. T., Bee, S. T., Hui, D., Low, C. Y., & Rahmat, A. R. (2015). Extraction of cellulose nanocrystals from plant sources for application as reinforcing agent in polymers. *Composites Part B: Engineering*, 75, 176–200. <https://doi.org/10.1016/j.compositesb.2015.01.008>
- Ngadi, N., & Lani, N. S. (2014). Extraction and Characterization of Cellulose from Empty Fruit Bunch (EFB) Fiber. *Jurnal Teknologi*, 5, 35–39. <http://www.jurnalteknologi.utm.my/index.php/jurnalteknologi/article/view/3028/2234>
- Nithikarnjanatharn, J., & Samsalee, N. (2022). Effect of cassava pulp on Physical, Mechanical, and biodegradable properties of Poly(Butylene-Succinate)-Based biocomposites. *Alexandria Engineering Journal*, 61(12), 10171–10181. <https://doi.org/10.1016/j.aej.2022.03.052>
- Novo, L. P., Bras, J., García, A., Belgacem, N., & Aprigio, A. (2016). A study of the production of cellulose nanocrystals through subcritical water hydrolysis. *Industrial Crops & Products*, 1–8. <https://doi.org/10.1016/j.indcrop.2016.01.012>
- Osorio, F. A., Molina, P., Matiacevich, S., Enrione, J., & Skurtys, O. (2011). Characteristics of hydroxy propyl methyl cellulose (HPMC) based edible film developed for blueberry coatings. *Italian Oral Surgery*, 1, 287–293. <https://doi.org/10.1016/j.profoo.2011.09.045>
- Oun, A. A., & Rhim, J. (2016). Isolation of cellulose nanocrystals from grain straws and their use for the preparation of carboxymethyl cellulose-based nanocomposite films. *Carbohydrate Polymers*. <https://doi.org/10.1016/j.carbpol.2016.05.020>
- Parreidt, T. S., Müller, K., & Schmid, M. (2018). Alginate-Based Edible Films and Coatings for Food Packaging Applications. *Foods*, 1–38. <https://doi.org/10.3390/foods7100170>
- Peng, B. L., Dhar, N., Liu, H. L., & Tam, K. C. (2011). Chemistry and Applications of Nanocrystalline Cellulose and its Derivatives : a Nanotechnology Perspective. *THE CANADIAN JOURNAL OF CHEMICAL ENGINEERING*, 9999, 1–16. <https://doi.org/10.1002/cjce.20554>
- Penjumras, P., Abdul, R. B., Talib, R. A., & Abdan, K. (2014). Extraction and Characterization of Cellulose from Durian Rind. *Italian Oral Surgery*, 2, 237–243. <https://doi.org/10.1016/j.aaspro.2014.11.034>
- Pereira, B., & Arantes, V. (2020). Production of cellulose nanocrystals integrated into a biochemical sugar platform process via enzymatic hydrolysis at high solid loading. *Industrial Crops and Products*, 152(December 2019), 112377. <https://doi.org/10.1016/j.indcrop.2020.112377>
- Phanthong, P., Reubroycharoen, P., Hao, X., Xu, G., Abudula, A., & Guan, G. (2018).

- Nanocellulose: Extraction and Application. *Carbon Resources Conversion*, 1(1), 32–43. <https://doi.org/10.1016/j.crcon.2018.05.004>
- Poulose, A., Parameswaranpillai, J., George, J. J., Gopi, J. A., Krishnasamy, S., Dominic C. D, M., Hameed, N., Salim, N. V., Radoor, S., & Sienkiewicz, N. (2022). Nanocellulose: A Fundamental Material for Science and Technology Applications. *Molecules*, 27(22), 1–27. <https://doi.org/10.3390/molecules27228032>
- Prasanna, N. S., & Mitra, J. (2020). Isolation and characterization of cellulose nanocrystals from Cucumis sativus peels. *Carbohydrate Polymers*, 247, 116706. <https://doi.org/10.1016/j.carbpol.2020.116706>
- Quintana, E., Valls, C., Vidal, T., & Roncero, M. B. (2015). Comparative evaluation of the action of two different endoglucanases. Part I: On a fully bleached, commercial acid sulfite dissolving pulp. *Cellulose*, 22(3), 2067–2079. <https://doi.org/10.1007/s10570-015-0623-1>
- Rachtanapun, P., Luangkamin, S., Tanprasert, K., & Suriyatem, R. (2012). Carboxymethyl Cellulose Film from Durian Rind. *Food Science and Technology*, 48(1), 52–58. <https://doi.org/10.1016/j.lwt.2012.02.029>
- Rahmayetty, Wardhono, E. Y., Alfirano, & Kanani, N. (2021). The Effect of Cellulose Nanocrystalline Blending to the Mechanical Properties of Composite Edible Film (PLA/CNC). *Joint Proceedings of the 2nd and the 3rd International Conference on Food Security Innovation (ICFSI 2018-2019)*, 9, 100–107. <https://doi.org/10.2991/absr.k.210304.018>
- Reis, O., Zanela, J., Yamashita, F., Victoria, M., & Grossmann, E. (2014). Microcrystalline Cellulose as Reinforcement in Thermoplastic Starch / Poly (butylene adipate- co -terephthalate) Films. *J Polym Environ*, 545–552. <https://doi.org/10.1007/s10924-014-0674-7>
- Rejak, A., Wójtowicz, A., Oniszczyk, T., Niemczuk, D., & Nowacka, M. (2014). Evaluation of Water Vapor Permeability of Biodegradable Starch-Based Films. *Teka. Commission of Motorization and Energetics in Agriculture*, 14(3), 89–94.
- Ridlo, A., Sedjati, S., Supriyantini, E., & Putri, O. K. (2022). *Karakteristik Bioplastik Komposit CMC- Gliserol-Alginat dari*. 25(2), 257–265.
- Ristianingsih, Y., Ulfa, A., & Syafitri, R. (2015). Karakteristik Briket Bioarang Berbahan Baku Tandan. *Jurnal Konversi*, 4(2), 16–21. <https://doi.org/10.20527/k.v4i2.266>
- Rocha, G. J. M., Martín, C., Vinícius, F. N., Gómez, E. O., & Gonçalves, A. R. (2012). Bioresource Technology Mass balance of pilot-scale pretreatment of sugarcane bagasse by steam explosion followed by alkaline delignification. *Bioresource*

Technology, 111, 447–452. <https://doi.org/10.1016/j.biortech.2012.02.005>

- Rodsamran, P., & Sothornvit, R. (2015). Renewable cellulose source: Isolation and characterisation of cellulose from rice stubble residues. *International Journal of Food Science and Technology*, 50(9), 1953–1959. <https://doi.org/10.1111/ijfs.12862>
- Roslan, R., & Tukiran, N. A. (2022). Review on the characterization of starch biocomposite films in packaging application. *Food Research*, 6(4), 1–15. [https://doi.org/10.26656/fr.2017.6\(4\).364](https://doi.org/10.26656/fr.2017.6(4).364)
- Rupaedah, B., Purwoko, D., Saffarida, A., Tajuddin, T., Wahid, A., Sugianto, M., Suja'i, I., & Suyono, A. (2019). Screening and Identification of Lignolytic Microbes in the Natural Decomposition of Oil Palm Empty Fruit Bunch. *Jurnal Bioteknologi Dan Biosains Indonesia*, 6(No 1 Juni 2019).
- Sarkar, N., Ghosh, S. K., Bannerjee, S., & Aikat, K. (2012). Bioethanol Production from Agricultural Wastes: An Overview. *Renewable Energy*, 37(1), 19–27. <https://doi.org/10.1016/j.renene.2011.06.045>
- Septevani, A., Burhani, D., & Sudiarmanto, S. (2018). Pengaruh Proses Pemutihan Multi Tahap Serat Selulosa Dari Limbah Tandan Kosong Kelapa Sawit. *Jurnal Kimia Dan Kemasan*, 40(2), 71–78. <https://doi.org/10.24817/jkk.v40i2.3508>
- Seta, F. T., An, X., Liu, L., Zhang, H., Yang, J., Zhang, W., Nie, S., Yao, S., Cao, H., Xu, Q., Bu, Y., & Liu, H. (2020). Preparation and characterization of high yield cellulose nanocrystals (CNC) derived from ball mill pretreatment and maleic acid hydrolysis. *Carbohydrate Polymers*, 234(December 2019), 115942. <https://doi.org/10.1016/j.carbpol.2020.115942>
- Shojaearani, J., Bajwa, D., & Shirzadifar, A. (2019). A review on cellulose nanocrystals as promising biocompounds for the synthesis of nanocomposite hydrogels. *Carbohydrate Polymers*, 216(April), 247–259. <https://doi.org/10.1016/j.carbpol.2019.04.033>
- Sihombing, A., Yulianti, N. L., & Gunadnya, I. B. P. (2024). Alwin Sihombing , Ni Luh Yulianti *, dan Ida Bagus Putu Gunadnya. *Jurnal Beta*, 12.
- Singh, R., Shukla, A., Tiwari, S., & Srivastava, M. (2014). A review on delignification of lignocellulosic biomass for enhancement of ethanol production potential. *Renewable and Sustainable Energy Reviews*, 32, 713–728. <https://doi.org/10.1016/j.rser.2014.01.051>
- Siró, I., & Plackett, D. (2010). Microfibrillated cellulose and new nanocomposite materials: A review. In *Cellulose*. <https://doi.org/10.1007/s10570-010-9405-y>
- Sobral P J a, Menegalli F C, Hubinger M D, & Roques M a. (2001). Mechanical, water vapor barrier and thermal properties of gelatin based edible films. *Food*

Hydrocolloids, 15(4–6), 423–432.

- Solihat, N. N., Sari, F. P., Risanto, L., Anita, S. H., Fitria, Fatriasari, W., & Hermiati, E. (2017). Disruption of oil palm empty fruit bunches by microwave-assisted oxalic acid pretreatment. *Journal of Mathematical and Fundamental Sciences*, 49(3), 244–257. <https://doi.org/10.5614/j.math.fund.sci.2017.49.3.3>
- Song, K., Zhu, X., Zhu, W., & Li, X. (2019). Preparation and characterization of cellulose nanocrystal extracted from *Calotropis procera* biomass. *Bioresources and Bioprocessing*, 6(1). <https://doi.org/10.1186/s40643-019-0279-z>
- Song, Z., Yang, G., Liu, X., Yan, Z., Yuan, Y., & Liao, Y. (2014). Comparison of seven chemical pretreatments of corn straw for improving methane yield by anaerobic digestion. *PLoS ONE*, 9(4), 1–8. <https://doi.org/10.1371/journal.pone.0093801>
- Sposina, R., Teixeira, S., Sant, A., & Jang, J. (2015). Combining biomass wet disk milling and endoglucanase / β -glucosidase hydrolysis for the production of cellulose nanocrystals Combining biomass wet disk milling and endoglucanase / \square -glucosidase hydrolysis for the production of cellulose nanocrystals. *Carbohydrate Polymers*, 128(April), 75–81. <https://doi.org/10.1016/j.carbpol.2015.03.087>
- Squinca, P., Bilatto, S., Badino, A. C., & Farinas, C. S. (2020). *Nanocellulose production in future biorefineries : an integrated approach using tailor-made enzymes Nanocellulose production in future biorefineries : an integrated approach using tailor-made enzymes Program of Chemical Engineering , Federal University of*. <https://doi.org/10.1021/acssuschemeng.9b06790>
- Sun, R. C., Tomkinson, J., Ma, P. L., & Liang, S. F. (2000). Comparative study of hemicelluloses from rice straw by alkali and hydrogen peroxide treatments. *Carbohydrate Polymers*, 42(2000), 111–122.
- Suryanegara, L., Nakagaito, A. N., & Yano, H. (2009). The effect of crystallization of PLA on the thermal and mechanical properties of microfibrillated cellulose-reinforced PLA composites. *Composites Science and Technology*, 69(7–8), 1187–1192. <https://doi.org/10.1016/j.compscitech.2009.02.022>
- Susilawati, & Supijatno. (2015). Waste Management of Palm Oil (*Elaeis guineensis* Jacq.) in Oil Palm Plantation, Riau. *Buletin Agrohorti*, 3(2), 203–212.
- Sutini, S., Widiastuty, Y. R., & Ramadhani, A. N. (2020). Review: Hidrolisis Lignoselulosa dari Agricultural Waste Sebagai Optimasi Produksi Fermentable Sugar. *Equilibrium Journal of Chemical Engineering*, 3(2), 59. <https://doi.org/10.20961/equilibrium.v3i2.42788>
- Taherzadeh, M. J., & Karimi, K. (2008). Pretreatment of Lignocellulosic Wastes to

- Improve Ethanol and Biogas Production: A Review. In *International Journal of Molecular Sciences* (Vol. 9, Issue 9). <https://doi.org/10.3390/ijms9091621>
- Tan, L., Yu, Y., Li, X., Zhao, J., Qu, Y., Choo, Y. M., & Loh, S. K. (2013). Pretreatment of empty fruit bunch from oil palm for fuel ethanol production and proposed biorefinery process. *Bioresource Technology*, *135*, 275–282. <https://doi.org/10.1016/j.biortech.2012.10.134>
- Tang, J., Sisler, J., Grishkewich, N., & Tam, K. C. (2017). Functionalization of Cellulose Nanocrystals for Advanced Applications. *Journal of Colloid And Interface Science*. <https://doi.org/10.1016/j.jcis.2017.01.077>
- Tang, Y., Shen, X., Zhang, J., & Guo, D. (2015). Extraction of cellulose nano-crystals from old corrugated container fiber using phosphoric acid and enzymatic hydrolysis followed by sonication. *Carbohydrate Polymers*, *125*, 360–366. <https://doi.org/10.1016/j.carbpol.2015.02.063>
- Thakur, M., Sharma, A., Ahlawat, V., Bhattacharya, M., & Goswami, S. (2020). Process optimization for the production of cellulose nanocrystals from rice straw derived α -cellulose. *Materials Science for Energy Technologies*, *3*, 328–334. <https://doi.org/10.1016/j.mset.2019.12.005>
- Thambiraj, S., & Shankaran, D. R. (2017). Preparation and physicochemical characterization of cellulose nanocrystals from industrial waste cotton. *Applied Surface Science*, *412*, 405–416. <https://doi.org/10.1016/j.apsusc.2017.03.272>
- Valadares, L. F. (2014). Biobased Fibers and Materials in Brazil. *Chemical and Biological Technologies in Agriculture*, 1–6. <https://doi.org/10.1186/s40538-014-0016-y>
- Veeramachineni, A. K., Sathasivam, T., & Muniyandy, S. (2016). Optimizing Extraction of Cellulose and Synthesizing Pharmaceutical Grade Carboxymethyl Sago Cellulose from Malaysian Sago Pulp. *Applied Sciences*, *6*(170). <https://doi.org/10.3390/app6060170>
- Wang, X., Zeng, J., Gao, W., Chen, K., Wang, B., & Xu, J. (2019a). Endoglucanase recycling for disintegrating cellulosic fibers to fibrils. *Carbohydrate Polymers*, *223*(July), 115052. <https://doi.org/10.1016/j.carbpol.2019.115052>
- Wang, X., Zeng, J., Gao, W., Chen, K., Wang, B., & Xu, J. (2019b). Endoglucanase recycling for disintegrating cellulosic fibers to fibrils. *Carbohydrate Polymers*, *223*(July), 115052. <https://doi.org/10.1016/j.carbpol.2019.115052>
- Wang, Z., Yao, Z., Zhou, J., & Zhang, Y. (2016). Reuse of waste cotton cloth for the extraction of cellulose nanocrystals. *Carbohydrate Polymers*. <https://doi.org/10.1016/j.carbpol.2016.10.044>
- Wang, Z., Yao, Z., Zhou, J., & Zhang, Y. (2017). Reuse of waste cotton cloth for the

extraction of cellulose nanocrystals. *Carbohydrate Polymers*, 157, 945–952.

- Wulandari, W. T., Rochliadi, A., & Arcana, I. M. (2016). Nanocellulose prepared by acid hydrolysis of isolated cellulose from sugarcane bagasse. *IOP Conference Series: Materials Science and Engineering*, 107(1). <https://doi.org/10.1088/1757-899X/107/1/012045>
- Xiao, B., Sun, X. F., & Sun, R. (2001). Chemical , structural , and thermal characterizations of alkali-soluble lignins and hemicelluloses , and cellulose from maize stems , rye straw , and rice straw. *Polymer Degradation and Stability*, 74, 307–319.
- Xu, Z., & Huang, F. (2014). Pretreatment methods for bioethanol production. *Applied Biochemistry and Biotechnology*, 174(1), 43–62. <https://doi.org/10.1007/s12010-014-1015-y>
- Yang, T., Guo, Y., Gao, N., Li, X., & Zhao, J. (2020). Modification of a cellulase system by engineering *Penicillium oxalicum* to produce cellulose nanocrystal. *Carbohydrate Polymers*, 234(September 2019), 115862. <https://doi.org/10.1016/j.carbpol.2020.115862>
- Yao, Y., Ding, D., Shao, H., Peng, Q., & Huang, Y. (2017). *Antibacterial Activity and Physical Properties of Fish Gelatin-Chitosan Edible Films Supplemented with D-Limonene*. 2017.
- Zhang, H., Chen, Y., Wang, S., Ma, L., Yu, Y., Dai, H., & Zhang, Y. (2020). Extraction and comparison of cellulose nanocrystals from lemon (*Citrus limon*) seeds using sulfuric acid hydrolysis and oxidation methods. *Carbohydrate Polymers*, 238(2), 1–10. <https://doi.org/10.1016/j.carbpol.2020.116180>
- Zulnazri, Z., Dewi, R., Sulhatun, S., & Nasrun, N. (2019). Kinetics study the decomposition of the cellulose into cellulose nanocrystals by hydrothermal with hydrochloric acid catalyst. *International Journal of Plant Biology*, 10(1). <https://doi.org/10.4081/pb.2019.7440>