

## DAFTAR PUSTAKA

- Abdellah, I.M., 2025, Molecular engineering and electrolyte optimization strategies for enhanced performance of Ru(ii) polypyridyl-sensitized DSSCs, *RSC Adv.*, 13(15), 9763–9786.
- Abdelrazek, E.M., Abdelghany, A.M., Tarabiah, A.E., and Zidan, H.M., 2019, AC conductivity and dielectric characteristics of PVA/PVP nanocomposite filled with MWCNTs, *J. Mater. Sci. Mater. Electron.*, 16(30), 15521–15533.
- Ariyanti, D., Mills, L., Dong, J., Yao, Y., and Gao, W., 2017, NaBH<sub>4</sub> modified TiO<sub>2</sub>: defect site enhancement related to its photocatalytic activity, *Mater. Chem. Phys.*, 199, 571–576.
- Aziz, S.B., Karim, W.O., and Ghareeb, H.O., 2020, The deficiency of chitosan:AgNO<sub>3</sub> polymer electrolyte incorporated with titanium dioxide filler for device fabrication and membrane separation technology, *J. Mater. Res. Technol.*, 3(9), 4692–4705.
- Badreldin, A., Abdel-Wahab, A., and Balbuena, P.B., 2020, Local surface modulation activates metal oxide electrocatalyst for hydrogen evolution: synthesis, characterization, and DFT study of novel black ZnO, *ACS Appl. Energy Mater.*, 3, 10590–10599.
- Baek, M., Kim, D., and Yong, K., 2017, Simple but effective way to enhance photoelectrochemical solar-water-splitting performance of ZnO nanorod arrays: charge-trapping Zn(OH)<sub>2</sub> annihilation and oxygen vacancy generation by vacuum annealing, *ACS Appl. Mater. Interfaces*, 3(9), 2317–2325.
- Bandeira, M., Giovanela, M., Roesch-Ely, M., Devine, D.M., and da Silva Crespo, J., 2020, Green synthesis of zinc oxide nanoparticles: a review of the synthesis methodology and mechanism of formation, *Sustain. Chem. Pharm.*, 15, 100223.
- Basnet, P., Inakhunbi Chanu, T., Samanta, D., and Chatterjee, S., 2018, A review on bio-synthesized zinc oxide nanoparticles using plant extracts as reductants and stabilizing agents, *J. Photochem. Photobiol. B*, 183, 201–221.
- Bhattacharya, R., Chakraborty, A., Samanta, A., Bhattacharya, D., Nag, M., Lahiri, D., Chakraborty, S., Chandra, S., and Pandit, S., 2025, Antibiofilm activity of green-synthesised ZnO quantum dots by *Tinospora cordifolia* against modeled biofilm forming organisms, *The Microbe*, 8, 100427.
- Buraidah, M.H., Teo, L.P., and Arof, A.K., 2019, Determining the potential of 55 wt.% chitosan-45 wt.% NH<sub>4</sub>I biopolymer electrolyte for application in dye-sensitized solar cells, *Mol. Cryst. Liq. Cryst.*, 1(695), 1–9.
- Chalkias, D.A., Verykokkos, N.E., Kollia, E., Petala, A., Kostopoulos, V., and Papanicolaou, G.C., 2021, High-efficiency quasi-solid-state dye-sensitized solar cells using a polymer blend electrolyte with “polymer-in-salt” conduction characteristics, *Solar Energy*, 222, 35–47.

- Chen, X., Liu, L., Yu, P.Y., and Mao, S.S., 2011, Increasing solar absorption for photocatalysis with black hydrogenated titanium dioxide nanocrystals, *Science*, 331, 746–750.
- Cherif, S., Rezzaz-Yazid, H., Hemidouche, S., Farsi, A., Mostefaoui, S., Belmedani, M., Djelal, H., and Sadaoui, Z., 2024, Comparative study on the photocatalytic efficiency of ZnO nanoparticles synthesized via chemical and eco-friendly coprecipitation methods, *Ceram. Int.*, 4(51), 4737-4749.
- Curcio, A.L., de Godoy, M.P.F., and De Giovanni Rodrigues, A., 2024, Raman spectroscopy as a method for structural characterization of ZnO-based systems at the nanoscale, *Appl. Nanosci.*, 14, 269–275.
- Dang, V.Q. and Teets, T.S., 2024, Visible-light photohydrogenation of ketones, aldehydes, and imines using a strongly reducing photosensitizer, *Organometallics*, 43, 1698–1705.
- Devynck, F., Alkauskas, A., Broqvist, P., and Pasquarello, A., 2011, Charge transition levels of carbon-, oxygen-, and hydrogen-related defects at the SiC/SiO<sub>2</sub> interface through hybrid functionals, *Phys. Rev. B*, 84, 235320.
- Erhart, P. and Albe, K., 2006, Diffusion of zinc vacancies and interstitials in zinc oxide, *Appl. Phys. Lett.*, 201918(88), 1-3.
- Fichtl, M.B., Schumann, J., Kasatkin, I., Jacobsen, N., Behrens, M., Schlögl, R., Muhler, M., and Hinrichsen, O., 2014, Counting of oxygen defects versus metal surface sites in methanol synthesis catalysts by different probe molecules, *Angew. Chem. Int. Ed.*, 53, 7043–7047.
- Fu, Y., Wang, Z., You, S., Zhang, R., and Wang, X., 2023, Extraordinary photooxidation properties of ZnO nanosheets with surface oxygen vacancies of low density, *Appl. Surf. Sci.*, 638, 158005.
- Garnett, E.C., Ehrler, B., Polman, A., and Alarcon-Llado, E., 2021, Photonics for photovoltaics: advances and opportunities, *ACS Photonics.*, 8, 61–70.
- Guo, H.L., Zhu, Q., Wu, X.L., Jiang, Y.F., Xie, X., and Xu, A.W., 2015, Oxygen deficient ZnO<sub>1-x</sub> nanosheets with high visible light photocatalytic activity, *Nanoscale*, 7, 7216–7223.
- Gupta, M., Tomar, R.S., Kaushik, S., Mishra, R.K., and Sharma, D., 2018, Effective antimicrobial activity of green ZnO nano particles of *Catharanthus roseus*, *Front. Microbiol.*, 2030(9), 1-13.
- Gurylev, V. and Perng, T.P., 2021, Defect engineering of ZnO: Review on oxygen and zinc vacancies, *J. Eur. Ceram. Soc.*, 41, 4977–4996.
- Gurylev, V., Su, C.Y., and Perng, T.P., 2017, Hydrogenated ZnO nanorods with defect-induced visible light-responsive photoelectrochemical performance, *Appl. Surf. Sci.*, 411, 279–284.
- Hameed, S.T., Qahtan, T.F., Abdelghany, A.M., and Oraby, A.H., 2025, Temperature-dependent dielectric properties of carboxymethyl cellulose-polyethylene oxide films doped with zinc oxide and copper oxide for energy storage, *J. Polym. Res.*, 157(32), 1-13.

- Hanna Rosli, N.A., Loh, K.S., Wong, W.Y., Mohamad Yunus, R., Khoon Lee, T., Ahmad, A., and Chong, S.T., 2020, Review of chitosan-based polymers as proton exchange membranes and roles of chitosan-supported ionic liquids, *Int. J. Mol. Sci.*, 623(21),1-52.
- Hatmanto, A.D., Puspitaningrum, I., Tefa, Y.N.C., Santosa, S.J., and Kartini, I., 2025, Toward eco-friendly dye-sensitized solar cells: developing chitosan-based electrolytes with conducting polymers and ionic liquids, *International J. Renew. Energy Develop.*, 14, 727–739.
- Hughes, W.L. and Wang, Z.L., 2004, Formation of piezoelectric single-crystal nanorings and nanobows, *J. Am. Chem. Soc.*, 126, 6703–6709.
- Iswarya, S., Dharshini, A., Scholastica Mary Vithiya, B., and Augustine Arul Prasad, T., 2025, Evolving smart homes to exploring space, dye-sensitized solar cells (DSSC) as a sustainable energy model for the future world—A review, *Next Energy*, 8, 100328.
- Jiang, Z., Liu, B., Yu, L., Tong, Y., Yan, M., Zhang, R., Han, W., Hao, Y., Shangguan, L., Zhang, S., and Li, W., 2023, Research progresses in preparation methods and applications of zinc oxide nanoparticles, *J. Alloys Compd.*, 956, 170316.
- Joët, T., Laffargue, A., Descroix, F., Doulebeau, S., Bertrand, B., Kochko, A. de, and Dussert, S., 2010, Influence of environmental factors, wet processing and their interactions on the biochemical composition of green Arabica coffee beans, *Food Chem.*, 118, 693–701.
- Kanackillam, S.S., Krishnan, B., Sepulveda Guzman, S., Amilcar Aguilar Martinez, J., Avellaneda Avellaneda, D., and Shaji, S., 2021, Defects rich nanostructured black zinc oxide formed by nanosecond pulsed laser irradiation in liquid, *Appl. Surf. Sci.*, 567, 150858.
- Kato, K., Uemura, Y., Asakura, K., and Yamakata, A., 2022, Role of oxygen vacancy in the photocarrier dynamics of WO<sub>3</sub> photocatalysts: the case of recombination centers, *J. Phys. Chem. C*, 126, 9257–9263.
- Kaur, P., Kriti, Kaur, S., Arora, D., Rahul, Kandasami, A., and Singh, D.P., 2019, Correlation among lattice strain, defect formation and luminescence properties of transition metal doped ZnO nano-crystals prepared via low temperature technique, *Mater. Res. Express*, 115920(6), 1-10.
- Kavitha, M.K., Jinesh, K.B., Philip, R., Gopinath, P., and John, H., 2014, Defect engineering in ZnO nanocones for visible photoconductivity and nonlinear absorption, *Phys. Chem. Chem. Phys.*, 16, 25093–25100.
- Khan, T.F., Muhyuddin, M., Irum, S., Ali, M.A., Husain, S.W., and Basit, M.A., 2025, Comparing the antioxidant and hemolytic activity of wet-chemically synthesized ZnO, ZnS, and ZnO/ZnS nanocomposite, *Inorg. Chem. Commun.*, 113902.
- Kim, Y.E., Chae, Y., Moon, J., Lee, J.Y., Baek, U.C., and Park, J.T., 2021, Tailored ZnO nanostructure based quasi-solid-state electrolyte and mesoporous carbon

- electrocatalyst for solar energy conversion, *ECS J. Solid State Sci. Technol.*, 10, 085005.
- Kumar, S., Manikandan, V.S., Palai, A.K., Mohanty, S., and Nayak, S.K., 2019, Fe<sub>2</sub>O<sub>3</sub> as an efficient filler in PVDF-HFP based polymeric electrolyte for dye sensitized solar cell application, *Solid State Ion*, 332, 10–15.
- Lee, K.M., Lai, C.W., Ngai, K.S., and Juan, J.C., 2016, Recent developments of zinc oxide based photocatalyst in water treatment technology: a review, *Water Res.*, 88, 428–448.
- León-Flores, J., Melo-Uscanga, E., Pérez-Mazariego, J.L., Marquina, M., Reyes-Damián, C., Escamilla, R., Gómez, R., and Arenas-Alatorre, J., 2024, Black ZnO nanoparticles synthesized by a green chemistry process, *Nano Express*, 15009(5),1-13.
- Masud, N. and Kim, H.K., 2023, Redox shuttle-based electrolytes for dye-sensitized solar cells: comprehensive guidance, recent progress, and future perspective, *ACS Omega*, 8, 6139–6163.
- Matinise, N., Fuku, X.G., Kaviyarasu, K., Mayedwa, N., and Maaza, M., 2017, ZnO nanoparticles via *Moringa oleifera* green synthesis: physical properties & mechanism of formation, *Appl. Surf. Sci.*, 406, 339–347.
- Mullen, W., Nemzer, B., Stalmach, A., Ali, S., and Combet, E., 2013, Polyphenolic and hydroxycinnamate contents of whole coffee fruits from China, India, and Mexico, *J. Agric. Food Chem.*, 61, 5298–5309.
- Nava, O.J., Soto-Robles, C.A., Gómez-Gutiérrez, C.M., Vilchis-Nestor, A.R., Castro-Beltrán, A., Olivás, A., and Luque, P.A., 2017, Fruit peel extract mediated green synthesis of zinc oxide nanoparticles, *J. Mol. Struct.*, 1147, 1–6.
- Nemzer, B., Abshiru, N., and Al-Taher, F., 2021, Identification of phytochemical compounds in coffea arabica whole coffee cherries and their extracts by LC-MS/MS, *J. Agric. Food Chem.*, 69, 3430–3438.
- Osman, Z., Ibrahim, Z.A., and Arof, A.K., 2001, Conductivity enhancement due to ion dissociation in plasticized chitosan-based polymer electrolytes, *Carbohydr. Polym.*, 44, 167–173.
- Prabavathy, N., Shalini, S., Balasundaraprabhu, R., Velauthapillai, D., Prasanna, S., and Muthukumarasamy, N., 2017, Enhancement in the photostability of natural dyes for dye-sensitized solar cell (DSSC) applications: a review, *Int. J. Energy Res.*, 41, 1372–1396.
- Pullanjiot, N. and Swaminathan, S., 2019, Enhanced electrochemical properties of metal oxide interspersed polymer gel electrolyte for QSDSSC application, *Solar Energy*, 186, 37–45.
- Rahman, A., Tan, A.L., Harunsani, M.H., Ahmad, N., Hojamberdiev, M., and Khan, M.M., 2021, Visible light induced antibacterial and antioxidant studies of ZnO and Cu-doped ZnO fabricated using aqueous leaf extract of *Ziziphys mauritiana* Lam, *J. Environ. Chem Eng.*, 9, 105481.

- Rahman, M.Y.A., Roza, L., Umar, A.A., and Salleh, M.M., 2015, Effect of boric acid composition on the properties of ZnO thin film nanotubes and the performance of dye-sensitized solar cell (DSSC), *J. Alloys Compd.*, 648, 86–91.
- Roy, B.K., Tahmid, I., and Rashid, T.U., 2021, Chitosan-based materials for supercapacitor applications: A review, *J. Mater. Chem. A Mater.*, 9, 17592–17642.
- Sadiq, M., Khan, M.A., Raza, M.M.H., Zulfequar, M., and Ali, J., 2024, Improved performance of biopolymer composite electrolyte based cellulose acetate/zinc oxide filler for supercapacitors, *Energy Environ.*, 35, 2888–2910.
- Saidi, N.M., Farhana, N.K., Ramesh, S., and Ramesh, K., 2021, Influence of different concentrations of 4-tert-butyl-pyridine in a gel polymer electrolyte towards improved performance of Dye-Sensitized Solar Cells (DSSC), *Solar Energy*, 216, 111–119.
- Saidi, N.M., Omar, F.S., Numan, A., Apperley, D.C., Algaradah, M.M., Kasi, R., Avestro, A.J., and Subramaniam, R.T., 2019, Enhancing the efficiency of a dye-sensitized solar cell based on a metal oxide nanocomposite gel polymer electrolyte, *ACS Appl. Mater. Interfaces*, 11, 30185–30196.
- Sampathkumar, L., Christopher Selvin, P., Selvasekarapandian, S., Perumal, P., Chitra, R., and Muthukrishnan, M., 2019, Synthesis and characterization of biopolymer electrolyte based on tamarind seed polysaccharide, lithium perchlorate and ethylene carbonate for electrochemical applications, *Ionics*, 25, 1067–1082.
- Shakeel Ahmad, M., Pandey, A.K., and Abd Rahim, N., 2017, Advancements in the development of TiO<sub>2</sub> photoanodes and its fabrication methods for dye sensitized solar cell (DSSC) applications, *Renew. Sustain. Energy Rev.*, 77, 89–108.
- Shivhare, M., Singh, S., Omer, R., and Mathur, J., 2025, Effect of green synthesized ZnO nanoparticles for growth promotion in *Pennisetum glaucum* (L.) R. Br. validated through physio-biochemical and molecular analysis, *Biocatal. Agric. Biotechnol.*, 65, 103562.
- Solikah, S., Hidayat, A., Suyanta, and Hatmanto, A.D., 2024, Crystalline phase dependence of the electrochemical properties of chitosan/polyaniline/TiO<sub>2</sub>-KI/I<sub>2</sub> quasi solid polymer electrolyte, *Mater. Sci. Eng. B*, 307, 117531.
- Souissi, H., Jabri, S., Souissi, A., Amiri, G., Gemeiner, P., Lusson, A., Galtier, P., Dkhil, B., Sallet, V., Oueslati, M., and Meftah, A., 2018, Activation of B1 silent Raman modes and its potential origin as source for phonon-assisted replicas in photoluminescence response in N-doped ZnO nanowires, *J. Appl. Phys.*, 123,.
- Su, X.-F., Chen, J.-B., He, R.-M., Li, Y., Wang, J., and Wang, C.-W., 2017, The preparation of oxygen-deficient ZnO nanorod arrays and their enhanced field emission, *Mater. Sci. Semicond. Process*, 67, 55–61.

- Supin, K.K., Parvathy Namboothiri, P.N., and Vasundhara, M., 2023, Enhanced photocatalytic activity in ZnO nanoparticles developed using novel *Lepidagathis ananthapuramensis* leaf extract, *RSC Adv.*, 13, 1497–1515.
- Sutradhar, P. and Saha, M., 2016, Green synthesis of zinc oxide nanoparticles using tomato (*Lycopersicon esculentum*) extract and its photovoltaic application, *J. Exp. Nanosci.*, 11, 314–327.
- Venkatesan, S., Chen, Y.Y., Chien, C.Y., Tsai, M.H., Teng, H., and Lee, Y.L., 2021, Quasi-solid-state composite electrolytes with Al<sub>2</sub>O<sub>3</sub> and ZnO nanofillers for dye-sensitized solar cells, *Electrochim. Acta*, 380, 137588.
- Wang, G., Yang, Y., Han, D., and Li, Y., 2017, Oxygen defective metal oxides for energy conversion and storage, *Nano Today*, 13, 23–39.
- Wang, J., Chen, R., Xiang, L., and Komarneni, S., 2018, Synthesis, properties and applications of ZnO nanomaterials with oxygen vacancies: a review, *Ceram. Int.*, 44, 7357–7377.
- Wang, W., Strohbeen, P.J., Lee, D., Zhou, C., Kawasaki, J.K., Choi, K.S., Liu, M., and Galli, G., 2020, The role of surface oxygen vacancies in BiVO<sub>4</sub>, *Chem. Mater.*, 32, 2899–2909.
- Wang, X.L., Huang, J.F., Liu, J.M., and Tsiakaras, P., 2025, Recent advances in metal-free photosensitizers for dye-sensitized photoelectrochemical cells, *Coord. Chem. Rev.*, 522, 216143.
- Wu, J., Lan, Z., Lin, J., Huang, M., Huang, Y., Fan, L., and Luo, G., 2015, Electrolytes in dye-sensitized solar cells, *Chem. Rev.*, 115, 2136–2173.
- Xu, Y., Li, J., and Li, W., 2022, Evolution in electrochemical performance of the solid blend polymer electrolyte (PEO/PVDF) with the content of ZnO nanofiller, *Colloids Surf. A Physicochem. Eng. Asp.*, 632, 127773.
- Yahya, W.Z.N., Meng, W.T., Khatani, M., Samsudin, A.E., and Mohamed, N.M., 2017, Bio-based chitosan/PVdF-HFP polymer-blend for quasi-solid state electrolyte dye-sensitized solar cells, *E-Polymers*, 17, 355–361.
- Yang, Y., Gao, J., Yi, P., Cui, J., and Guo, X., 2015, The influence of Co<sub>3</sub>O<sub>4</sub> concentration on quasi-solid-state dye-sensitized solar cells with polymer electrolyte, *Solid State Ion*, 279, 1–5.
- Yun, S., Freitas, J.N., Nogueira, A.F., Wang, Y., Ahmad, S., and Wang, Z.S., 2016, Dye-sensitized solar cells employing polymers, *Prog. Polym. Sci.*, 59, 1–40.
- Zebardastan, N., Khanmirzaei, M.H., Ramesh, S., and Ramesh, K., 2017, Performance enhancement of poly (vinylidene fluoride-co-hexafluoro propylene)/polyethylene oxide-based nanocomposite polymer electrolyte with ZnO nanofiller for dye-sensitized solar cell, *Org. Electron.*, 49, 292–299.
- Zhang, C., Geng, X., Liao, H., Li, C.J., and Debliquy, M., 2017, Room-temperature nitrogen-dioxide sensors based on ZnO<sub>1-x</sub> coatings deposited by solution precursor plasma spray, *Sens. Actuators. B Chem.*, 242, 102–111.

- Zhang, N., Shan, C.X., Tan, H.Q., Zhao, Q., Wang, S.P., Sun, Z.C., Xia, Y. De, and Shen, D.Z., 2016, Black-colored ZnO nanowires with enhanced photocatalytic hydrogen evolution, *Nanotechnology*, 27.
- Zhao, X., Hu, J., Yao, X., Chen, S., and Chen, Z., 2018, Clarifying the roles of oxygen vacancy in W-doped BiVO<sub>4</sub> for solar water splitting, *ACS Appl. Energ. Mater.*, 1, 3410–3419.
- Zhu, Q., Xie, C., Li, H., Yang, C., Zhang, S., and Zeng, D., 2014, Selectively enhanced UV and NIR photoluminescence from a degenerate ZnO nanorod array film, *J. Mater. Chem. C Mater.*, 2, 4566–4580.
- Zulkifli, A.M., Said, N.I.A.M., Aziz, S.B., Hisham, S., Shah, S., Bakar, A.A., Abidin, Z.H.Z., Tajuddin, H.A., Sulaiman, L., Brza, M.A., Hadi, J.M., and Al-Zangana, S., 2020, Electrochemical characteristics of phthaloyl chitosan-based gel polymer electrolyte for dye sensitized solar cell application, *Int. J. Electrochem. Sci.*, 15, 7434–7447.