

DAFTAR PUSTAKA

- A. S., & Kumar, N. (2018). Evaluation of sex specific RAPD and SCAR markers linked to papaya (*Carica papaya* L.). *Biocatalysis and Agricultural Biotechnology*. <https://doi.org/10.1016/j.bcab.2018.08.004>
- Abideen, Z., Hanif, M., Munir, N., & Nielsen, B. L. (2019). Anatomical adaptations in plants under environmental stress: A review. *Acta Ecologica Sinica*, 39(4), 321–328.
- Adam, J. H., & Hamid, N. S. (2006). *Kajian Ekologi Nepenthes di Sarawak, Malaysia*. Sarawak Biodiversity Centre.
- Agrawal, A. A., Hastings, A. P., Johnson, M. T. J., Maron, J. L., & Salminen, J. P. (2007). Insect herbivores drive real-time ecological and evolutionary change in plant populations. *Science*, 318(5858), 113–116.
- Akhmalia, N. (1999). Studi morfologi dan anatomi beberapa jenis kantong semar (*Nepenthes*) di daerah Bogor. Skripsi, Fakultas Biologi, Universitas Nasional, Jakarta.
- Akhriadi, P., Tamin, R., & Thomas, A. (2008). *Nepenthes* of Sumatra: Checklist and notes. *Reinwardtia*, 12(5), 407–419.
- Barainkovi, N., Belokurova, L., Barainkov, V., & Polivanova, O. (2020). Sexual differentiation of plants: Classification and practical implications. *Botanical Journal*, 105(1), 31–44.
- Barrett, S.C.H., & Hough, J. (2013). Sexual dimorphism in flowering plants. *Journal of Experimental Botany*, 64(1), 67–82.
- Bauer, U., Di Giusto, B., Skepper, J., Grafe, T. U., & Rowe, N. P. (2015). Form follows function: Morphological diversification and alternative trapping strategies in carnivorous *Nepenthes* pitcher plants. *Journal of Evolutionary Biology*, 28(4), 1005–1022.
- Bhau, B. S. (2009). Genetic diversity analysis in *Nepenthes khasiana* Hook. f. using RAPD and ISSR markers. *Genetic Resources and Crop Evolution*, 56(8), 909–916. *Blumea*, 58(1), 105–113.
- Chaveerach, A., Tanee, T., Sudmoon, R., & Pongsattaporn, S. (2006). Genetic diversity of *Nepenthes mirabilis* in Thailand using ISSR markers. *Biochemical Systematics and Ecology*, 34(6), 549–555.
- Cheek, M., & Jebb, M. (2001). A skeletal revision of *Nepenthes* (Nepenthaceae). *Blumea: Journal of Plant Taxonomy and Plant Geography*, 46(1), 1–10.
- Cheek, M., & Jebb, M. (2001). Nepenthaceae. In *Flora Malesiana* (Vol. 15, pp. 1–157). The National Herbarium of the Netherlands.
- Cheek, M., & Jebb, M. (2013). Typification and redelimitation of *Nepenthes maxima*.
- Chen, X., Wang, Y., Zhao, L., et al. (2024). Morphological differentiation and sexual dimorphism in dioecious carnivorous plants. *Plant Biology*, 26(2), 145–157.
- Chen, Y., Lim, R., Tan, L. Y., & Wong, S. (2024). Morphological adaptations of *Nepenthes* pitchers in relation to habitat moisture levels. *Ecology and Evolution*, 14(2), e10823.
- Clark, J. (2001). *Nepenthes in Cultivation*. McDonald & Woodward Publishing Co.
- Clarke, C. (1997). *Nepenthes of Borneo*. Natural History Publications, Borneo.
- Collard, B.C.Y., & Mackill, D.J. (2009). Start codon targeted (SCoT) polymorphism: A simple, novel DNA marker technique for generating gene-targeted markers in plants. *Plant Molecular Biology Reporter*, 27(1), 86–93.
- Dasumiati. (2014). Karakterisasi Gen SEPALLATA pada Tanaman Salak (*Salacca zalacca*) sebagai Kandidat Penanda Molekuler Penentu Jenis Kelamin. *Jurnal Biologi Indonesia*, 10(2), 157–165.
- Dawson, T. E., & Geber, M. A. (1999). Sexual dimorphism in physiology and morphology. In M. A. Geber, T. E. Dawson, & L. F. Delph (Eds.), *Gender and Sexual Dimorphism in Flowering Plants* (pp. 175–215). Springer
- Dawson, T.E., & Ehleringer, J.R. (1993). Gender-specific physiology, carbon isotope discrimination, and habitat distribution in *Baccharis* species. *Ecology*, 74(5),

1515–1529.

- Dellaporta, S. L., & Urrea, J. A. (1993). Sexual determination in flowering plants.
- Devi, Y., Singh, P. K., & Sharma, G. J. (2012). Karyotype analysis and genetic variability in *Nepenthes khasiana* Hook. f.: An endemic and endangered insectivorous plant of India. *Cytologia*, 77(4), 519–524.
- Devi, Y., Singh, P. K., & Sharma, G. J. (2014). ISSR marker-assisted assessment of genetic fidelity among micropropagated *Nepenthes khasiana* Hook. f. *Applied Biochemistry and Biotechnology*, 172(1), 407–418.
- Dwiati, M., Aziiza, Z., & Susanto, A. H. (2021). Sex identification in *Nepenthes adriani* from Baturraden Botanical Garden: Genetic analysis using RAPD markers. *Biogenesis: Jurnal Ilmiah Biologi*, 9(1), 11–17. <https://doi.org/10.24252/bio.v9i1.15750>
- Dwiati, R. P., Wahyuni, S., & Setiawan, E. (2021). Identification of gender in *Nepenthes adriani* based on RAPD markers and morphological traits. *Journal of Tropical Biodiversity and Biotechnology*, 6(1), 77–84.
- Esau, K. (1977). *Anatomy of seed plants* (2nd ed.). New York: John Wiley & Sons. Fakultas Biologi, Universitas Nasional.
- Gaume, L., Gorb, E., Gorb, S., Labat, J.J., & Rowe, N. (2002). How do plant pitcher structures influence prey capture? *Functional Ecology*, 16(6), 934–943.
- Guo, W., Wang, S., & Zhang, S. (2010). Sex determination and sex chromosomes in plants. *Frontiers of Biology*, 5(1), 1–8.
- Hadi, M. (2001). Identifikasi jenis kelamin tanaman salak melalui analisis morfologi dan anatomi vegetatif. *Jurnal Biologi Indonesia*, 3(1), 55–64.
- Hadi, S. (2001). Identifikasi jenis kelamin salak (*Salacca edulis* Reinw.) berdasarkan karakter morfologi dan anatomi. *Buletin Plasma Nutfah*, 7(2), 35–41.
- Heubl, G., & Wistuba, A. (1997). Cytotaxonomic studies in Nepenthaceae. *Plant Systematics and Evolution*, 204(1–2), 133–151. *International Journal of Developmental Biology*, 49(5–6), 633–643.
- Iqbal, M., & Susandarini, R. (2015). Identification and diversity analysis of *Nepenthes gymnamphora* using morphological and molecular markers. *Journal of Tropical Biodiversity and Biotechnology*, 1(2), 17–26.
- Jebb, M. H. P. (1991). An account of *Nepenthes* in New Guinea. *Science in New Guinea*, 17(2), 7–54.
- Lam, K. C., & Hugh, J. (2020). Floral morphology and sexual dimorphism in Bornean *Nepenthes* species. *Botanical Journal of the Linnean Society*, 193(2), 212–226.
- Lam, M. L., & Hugh, R. T. (2020). Flower-based sexual dimorphism in selected *Cell*, 16(Suppl), S107–S117.
- Lauffenburger, J., & Walker, C. E. (2000). *The Carnivorous Plants*. Timber Press.
- Lim, R., Wong, S. Y., Tan, L. Y., & Chen, Y. (2023). Sex-specific morphological and ecological adaptations in *Nepenthes* species. *Plant Ecology & Evolution*, 156(4), 563–578.
- Liu, Y., Huang, L., & Zheng, X. (2020). Development of SCAR markers for gender identification in *Actinidia chinensis*. *Molecular Biology Reports*, 47(2), 1635–1641.
- Lukmanasari, P., Purwantoro, A., Murti, R. H., & Zulkifli. (2020). Similarity level of unidentified species based on the qualitative characters. *Ilmu Pertanian (Agricultural Science)*, 5(3), 140–149. <https://doi.org/10.22146/ipas.55728>
- Luo, H., Lee, J. Y., Hu, Q., Nelson-Vasilchik, K., Eitas, T. K., Lickwar, C., Kausch, A. P., Chandlee, J. M., & Hodges, T. K. (2006). RTS, a rice anther-specific gene is required for male fertility and its promoter sequence directs tissue-specific gene expression in different plant species. *Plant Molecular Biology*, 62(3), 397–408. <https://doi.org/10.1007/s11103-006-9031-0>
- Mansur, M. (2001). *Flora Nepenthes di Kalimantan*. Universitas Tanjungpura Press.
- Mansur, M. (2006). *Kantong Semar di Kalimantan: Keanekaragaman dan Potensi*.

- Mansur, M. (2013). Keanekaragaman jenis *Nepenthes* di Indonesia dan konservasinya. *Prosiding Seminar Nasional Biodiversitas Indonesia*, 2(2), 72–83.
- McPherson, S., & Robinson, A. (2012). *Field Guide to the Pitcher Plants of Sumatra and Java*. Redfern Natural History Productions Ltd.
- Meriko, M., & Abizar, R. (2017). Morphological diversity and stomatal characteristics in several *Nepenthes* species from Sumatra. *Indonesian Journal of Plant Biology*, 3(2), 37–43.
- Mintah, F. D. (2018). Sex determination in nutmeg seedlings using SCAR primers. *Journal of Horticulture and Plant Research*, 3, 40–47. <https://doi.org/10.18052/www.scipress.com/JHPR.3.40>
- Mitiku, T., & Tujuba, C. (2022). Sex determination in plants and its contribution to genetic variability. *EAS Journal of Biotechnology and Genetics*, 4(4), 73–79.
- Modi, A., Suthar, K., Thakkar, P., Mankad, M. C., Kumari, S., Narayanan, S., Singh, Mokkamul, P., Pripdeevech, P., & Pichaidee, K. (2007). Identification of male *Nepenthes* species using RAPD markers. *Biochemical Systematics and Ecology*, 35(11), 753–758.
- Mursid, A., Novrita, N., Siregar, I. Z., & Suwandi, S. (2022). Anatomical characterization and identification of *Nepenthes* species in Sumatra. *Indonesian Journal of Tropical Agriculture*, 7(1), 43–56.
- Nabila, S., Ardi, W., & Sinaga, R. (2022). Analysis of stomatal density in several *Nepenthes* species. *Journal of Tropical Biodiversity and Biotechnology*, 7(2), 123–134.
- Nepenthes* species in West Kalimantan. *Biodiversitas*, 19(1), 89–95.
- Nepenthes* species. *Botanical Review*, 86(3), 305–320.
- Nepenthes* species. *Carnivorous Plant Newsletter*, 36(4), 89–102.
- Obeso, J.R. (2002). The costs of reproduction in plants. *New Phytologist*, 155(3), 321–348.
- Osunkoya, O. O., Daehler, C. C., Muller, H., & Dharjwa, M. (2007). Life-history traits of invasive and native species of *Nepenthes* in Southeast Asia. *Biological Invasions*, 9(6), 1–14.
- Otto, C., Pomp, W., Breuer, M., & Wricke, G. (2002). Application of DNA markers for sex determination in asparagus (*Asparagus officinalis* L.). *Euphytica*, 124(3), 401–411. <https://doi.org/10.1023/A:1015774709148>
- Pandey, A., Singh, P., & Singh, S. (2022). Molecular markers associated with sex identification in *Trichosanthes dioica*. *Genetics and Molecular Research*, 21(1), 1–12.
- Parasnis, A. S., Gupta, V. S., & Ranjekar, P. K. (2000). Molecular markers for female sex in papaya (*Carica papaya*) using RAPD and SCAR techniques. *Plant Breeding*, 119(4), 362–365.
- Parjanto, E. (2006). Early gender identification in *Salacca zalacca* using RAPD markers. *Indonesian Journal of Agricultural Science*, 7(1), 45–51.
- Patel, M., Suthar, B., & Patel, P. (2021). Sex identification in *Momordica dioica* using RAPD and ISSR markers. *Plant Molecular Biology Reporter*, 39(2), 329–337.
- Penebar Swadaya. *Plant Cell*, 5(10), 1241–1251.
- Purwanto, Y. (2007). *Nepenthes sebagai Tanaman Hias dan Pengendali Hama*.
- Puspitaningtyas, D. M., & Wawangningrum, H. (2007). Kajian morfologi *Nepenthes* spp. di wilayah Gunung Gede Pangrango. *Jurnal Biologi Indonesia*, 3(2), 67–73.
- Rembold, K., Thomas, D. C., & Clarke, C. (2021). Floral and vegetative sexual dimorphism in *Nepenthes* pitcher plants. *Biotropica*, 53(1), 12–22.
- Retuerto, R., Fernández-Lema, B., Rodríguez-Gutián, M. A., & Obeso, J. R. (2000). Gender, light and water effects on photosynthetic activity in the dioecious tree *Ilex aquifolium*. *Functional Ecology*, 14(5), 701–710.

- Robles, P., & Pelaz, S. (2005). Flower and fruit development in *Arabidopsis thaliana*.
- Ruzin, S. E. (1999). *Plant Microtechnique and Microscopy*. Oxford University Press.
- Saputri, D. (2009). Studi morfologi beberapa spesies *Nepenthes* di Bogor. Skripsi, Sarmah, P., & Sarma, R. N. (2011). Identification of a DNA marker linked to sex determination in *Calamus tenuis* Roxb., an economically important rattan species in northeast India. *Molecular Breeding*, 27, 115–118.
- Scharmann, M., Wong, K. M., & Clarke, C. (2019). Dysfunctional Tapetum1: A male-specific marker in *Nepenthes*. *Plant Molecular Biology Reporter*, 37(1), 155–165.
- Selviana, S., Noviyanti, D., & Wiranegara, I. (2018). Morphometric study of Setiawan, E., Dwiati, R. P., & Wahyuni, S. (2022). Anatomical differences between male and female *Nepenthes mirabilis*. *Plant Science Journal*, 18(3), 112–120.
- Susanti, R., Utami, A., & Hidayati, N. (2023). Anatomical characteristics for early sex identification in *Salacca zalacca*. *Indonesian Journal of Plant Sciences*, 11(2), 91–102.
- Taiz, L., & Zeiger, E. (2010). *Plant Physiology* (5th ed.). Sinauer Associates.
- Tanurdzic, M., & Jo, S. (2004). Gender-specific gene expression in plants. *Plant Terauchi, R., & Kahl, G. (1999). Mapping of the *Dioscorea tokoro* sex-determining region and development of sex-linked markers. *Molecular Genetics and Genomics*, 261(2), 317–323. Universitas Tanjungpura Press.*
- Varkonyi-Gasic, E., Wang, T., Cooney, J., Jeon, S., Voogd, C., Douglas, M. J., Pilkington, S. M., Akagi, T., & Allan, A. C. (2021). Shy Girl (*SyG1*), a kiwifruit suppressor of feminization, restricts gynoecium development via regulation of cytokinin metabolism and signalling. *New Phytologist*, 230, 1461–1475. <https://doi.org/10.1111/nph.17234>
- Victoriano, L. (2021). Hidden treasures: New *Nepenthes* species in Sumatra. *Plant Journal of Asia*, 5(3), 217–223.
- Wathi, S. (2010). Karyotype analysis in *Nepenthes reinwardtiana* and *Nepenthes tobaica*. *Cytogenetics Research*, 12(1), 33–39.
- Wistuba, A., Nerz, J., & Zimmermann, E. (2007). Morphological variation of Witarto, A. B. (2006). *Studi adaptasi morfologi kantong semar (Nepenthes spp.) di Indonesia*. Laporan Penelitian, LIPI Bogor.
- Xu, X., Peng, G., Wu, C., & Korpelainen, H. (2008). Sex-specific responses of *Populus cathayana* to drought and elevated temperatures. *Plant, Cell & Environment*, 31(6), 850–860.
- Yuliani, R., Pramono, Y., & Wahyuni, S. (2021). Morphological study of male and female *Nepenthes* species from Sumatra. *Biodiversitas*, 22(12), 4900–4910.
- Yuliani, R., Wahyuni, S., & Pramono, Y. (2022). Anatomical and morphological markers for sex identification in *Nepenthes* from Sumatra. *Tropical Plant Biology*, 15(1), 29–41.
- Zhang, C., Zhao, G., & Li, X. (2014). Sexual differences in gas exchange, chlorophyll fluorescence, and leaf traits in *Salix myrsinifolia* under drought stress. *Trees*, 28(5), 1235–1246.
- Zulfahmi, M. (2013). Penanda molekuler untuk identifikasi tanaman. *Buletin Plasma Nutfah*, 19(1), 1–10.