

References

- Abdullah, M. F., Heidari, P., Rahim, A., Ahmed, I., & Poczai, P. (2021). Pseudogenization of the chloroplast threonine (*trnT-GGU*) gene in the sunflower family (Asteraceae). *Scientific Reports*, *11*(1), 21122. <https://doi.org/10.1038/s41598-021-00510-4>
- Abdulbaki, A. S., Alsamadany, H., Alzahrani, Y., & Olayinka, B. U. (2022). Rubisco and abiotic stresses in plants: Current assessment. *Turkish Journal of Botany*, *46*(6), Article 2. <https://doi.org/10.55730/1300-008X.2730>
- Ai, A., Subandiyah, S., & Soffan, A. (2019, September 12–13). Presentasi BioMIC UGM.
- Ainsworth, E. A., & Ort, D. R. (2010). How do we improve crop production in a warming world? *Plant Physiology*, *154*(2), 526–530. <https://doi.org/10.1104/pp.110.161349>
- Amar, M. H. (2020). *ycf1-ndhF* genes, the most promising plastid genomic barcode, sheds light on phylogeny at low taxonomic levels in *Prunus persica*. *Journal of Genetic Engineering and Biotechnology*, *18*(1), 42.
- Amaral, J., Lobo, A. K. M., & Carmo-Silva, E. (2024). Regulation of Rubisco activity in crops. *New Phytologist*, *241*, 35-51. <https://doi.org/10.1111/nph.19369>
- Anonymous. (2008). Asian citrus psyllid & Huanglongbing reported in Louisiana. *USDA-APHIS-PPQ (06/13/2008)*. *Citrus Clonal Protection Program (CCPP) – Citrus News*. Retrieved from <http://ccpp.ucr.edu/>
- Anonymous. (2009). Huanglongbing, citrus – Puerto Rico: 1st report. *ProMED-mail*. Retrieved from <http://www.promedmail.org>
- Apel, K., & Hirt, H. (2004). Reactive oxygen species: Metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology*, *55*(1), 373–399. <https://doi.org/10.1146/annurev.arplant.55.031903.141701>
- Astuti, I. P., & Rugayah. (2016). A new species of *Murraya* from Cyclops Mountain, Papua, Indonesia. *Reinwardtia*, *15*(2), 111–114.
- Aubert, B. (1987). *Trioza erytrae* Del Guercio and *Diaphorina citri* Kuwayama (Homoptera: Psylloidea), the two vectors of citrus greening disease: Biological aspects and possible control strategies. *Fruits*, *42*, 149-162.
- Aubert, B. (1990). Prospects for citriculture in Southeast Asia by the year 2000. *FAO Plant Protection Bulletin*, *38*, 151–173.
- Aubert, B. (1993). Citrus greening disease, a serious limiting factor for citriculture in Asia and Africa. In *Proceedings of the 4th Congress of the International Society of Nurserymen* (pp. 134–142).
- Backer, C. A., & Bakhuizen van den Brink, R. C. (1965). *Flora of Java* (Vol. II). N.V.P. Noordhoff-Groningen-The Netherlands.
- Badan Pusat Statistik. (2024). *Distribusi perdagangan komoditas jeruk Indonesia 2024* (Vol. 1). Jakarta: Badan Pusat Statistik.
- Badotti, F., Oliveira, F. D., Garcia, C. F., Vaz, A., Fonseca, P., & Nahum, L. A. et al. (2017). Effectiveness of ITS and sub-regions as DNA barcode markers for the identification of basidiomycota (fungi). *BMC Microbiology*, *17*(42). <https://doi.org/10.1186/s12866-017-0958-x>

- Baxter, A., Mittler, R., & Suzuki, N. (2014). ROS as key players in plant stress signalling. *Journal of Experimental Botany*, 65(5), 1229–1240. <https://doi.org/10.1093/jxb/ert375>
- Beattie, G. A. C., & Barkley, P. (2009). *Huanglongbing and its vectors: A pest-specific contingency plan for the citrus and nursery and garden industries* (Version 2). Horticulture Australia Ltd.
- Belas, R., Manos, J., & Suvanasuthi, R. (2004). *Proteus mirabilis* ZapA metalloprotease degrades a broad spectrum of substrates, including antimicrobial peptides. *Infection and Immunity*, 72(9), 5159–5167. <https://doi.org/10.1128/IAI.72.9.5159-5167.2004>
- Beloti, V. H., Santos, F., Alves, G. R., Bento, J. M. S., & Yamamoto, P. T. (2017). Curry leaf smells better than citrus to females of *Diaphorina citri* (Hemiptera: Liviidae). *Arthropod-Plant Interactions*, 5, 709–716.
- Berman, J. J. (2016). *Data simplification: Taming information with open source tools*. Elsevier.
- Bettini, P. P., Cosi, E., Bindi, D., & Buiatti, M. (2008). Reactive oxygen species metabolism in plants: Production, detoxification, and signaling in the stress response. *Plant Science Journal*.
- Bhagabati, K. N. (1993). Survey of greening disease of mandarin orange in the northeastern states of India. In P. Moreno, J. V. da Graca, & L. W. Timmer (Eds.), *Proceedings of the 12th Conference of the International Organization of Citrus Virologists* (pp. 441–442). Riverside, CA: IOCV.
- Bhattacharjee, S. (2019). ROS and oxidative stress: Origin and implication. In *Reactive Oxygen Species in Plant Biology* (pp. 1–31). Springer.
- Bilgin, D. D., Zavala, J. A., Zhu, J., Clough, S. J., Ort, D. R., & DeLucia, E. H. (2010). Biotic stress globally downregulates photosynthesis genes. *Plant, Cell & Environment*, 33(10), 1597–1613. <https://doi.org/10.1111/j.1365-3040.2010.02167.x>
- Botstein, D., White, R. L., Skolnick, M., & Davis, R. W. (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American Journal of Human Genetics*, 32(3), 314–331. PMID: 6247908; PMCID: PMC1686077.
- Bové, J. M. (2006). Huanglongbing: A destructive, newly-emerging, century-old disease of citrus. *Journal of Plant Pathology*, 88(1), 7–37.
- Bruna, R. E., Molino, M. V., Lazzaro, M., Mariscotti, J. F., & Garcia Vescovi, E. (2018). Cpx R-dependent thermoregulation of *Serratia marcescens* Prt A metalloprotease expression and its contribution to bacterial biofilm formation. *Journal of Bacteriology*, 200, e00006–e00018. <https://doi.org/10.1128/JB.00006-18>
- Campbell, C. L., & Madden, L. V. (1990). *Introduction to plant disease epidemiology*. John Wiley & Sons.
- Canales, E., Coll, Y., Hernandez, I., Portieles, R., Garcia, M. R., Lopez, Y., ... Borrás-Hidalgo, O. (2016). *Candidatus Liberibacter asiaticus*, causal agent of citrus Huanglongbing, is reduced by treatment with brassinosteroids. *PLoS ONE*, 11(4), e0153523. <https://doi.org/10.1371/journal.pone.0153523>

- Cao, H., Bowling, S. A., Gordon, A. S., & Dong, X. (1994). Characterization of an *Arabidopsis* mutant that is nonresponsive to inducers of systemic acquired resistance. *The Plant Cell*, 6(11), 1583–1592.
- Carmo-Silva, E., Scales, J. C., Madgwick, P. J., & Parry, M. A. J. (2015). Optimizing Rubisco and its regulation for greater resource use efficiency. *Plant, Cell & Environment*, 38(9), 1817–1832. <https://doi.org/10.1111/pce.12425>
- Castro, M. S., & Fontes, W. (2005). Plant defense and antimicrobial peptides. *Protein and Peptide Letters*, 12(1), 11–16.
- CBOL Plant Working Group. (2009). A DNA barcode for land plants. *Proceedings of the National Academy of Sciences of the United States of America*, 106(31), 12794–12797. <https://doi.org/10.1073/pnas.0905845106>
- Chaouch, S., Queval, G., & Noctor, G. (2011). AtRbohF is a crucial modulator of defence-associated metabolism and a key actor in the interplay between intracellular oxidative stress and pathogenesis responses in *Arabidopsis*. *The Plant Journal*, 69(4), 613–627. <https://doi.org/10.1111/j.1365-313x.2011.04816.x>
- Chapman, J. M., Muhlemann, J. K., Gayomba, S. R., & Muday, G. K. (2019). RBOH-dependent ROS synthesis and ROS scavenging by plant specialized metabolites to modulate plant development and stress responses. *Chemical Research in Toxicology*. <https://doi.org/10.1021/acs.chemrestox.9b0002>
- Chen, H., Shao, J., Zhang, H., Jiang, M., Huang, L., Zhang, Z., ... Wang, H. (2018). Sequencing and analysis of *Strobilanthes cusia* (Nees) Kuntze chloroplast genome revealed the rare simultaneous contraction and expansion of the inverted repeat region in angiosperms. *Frontiers in Plant Science*, 9, 324. <https://doi.org/10.3389/fpls.2018.00324>
- Chiang, K.-S., Liu, H., & Bock, C. (2017). A discussion on disease severity index values. Part I: Warning on inherent errors and suggestions to maximise accuracy. *Annals of Applied Biology*, 171, 139–154.
- Cifuentes-Arenas, J. C., Beattie, G. A. C., Pena, L., & Lopes, S. A. (2019). *Murraya paniculata* and *Swinglea glutinosa* as short-term transient hosts of *Candidatus Liberibacter asiaticus* and implications for spread of Huanglongbing. *Phytopathology*, 109(12), 2067–2073. <https://doi.org/10.1094/PHYTO-06-19-0216-R>
- Cong, Q., Kinch, L. N., Kim, B. H., & Grishin, N. V. (2012). Predictive sequence analysis of the *Candidatus Liberibacter asiaticus* proteome. *PLoS ONE*, 7(7), e41071. <https://doi.org/10.1371/journal.pone.0041071>
- CSMU Taiwan iGEM Team. (2019). *Protein dialysis*. Retrieved from https://static.igem.org/mediawiki/2019/4/47/T--CSMU_Taiwan--proteindialysis.pdf
- da Graça, J. V. (1991). Citrus greening disease. *Annual Review of Phytopathology*, 29(1), 109–136. <https://doi.org/10.1146/annurev.py.29.090191.000545>
- Dahler, G. S., Barras, F., & Keen, N. T. (1990). Cloning of genes encoding extracellular metalloproteases from *Erwinia chrysanthemi* EC16. *Journal of Bacteriology*, 172(10), 5803–5815.

- Dai, K., Ikeshiri, T., Matsuura, T., Kimura, S., Hamagami, A., Fujiwara, Y., Kobashigawa, Y., & Miyakuni, S. (2005). Investigation of host range of *Candidatus Liberibacter asiaticum*—Is *Murraya paniculata* a host plant of *Candidatus L. asiaticum*? *Research Bulletin of Plant Protection Service (Japan)*, 41, 53–57.
- Dalalthakur, S., Singh, P., Singh, S., Sasmal, A., Deb, T., Karmakar, S., Dasgupta, T., Sarkar, S., Sarkar, S., Ghosh, B., & Ghosh, S. (2023). Role of pathogenesis-related (PR) proteins in plant microbes defence mechanism. *Journal of Survey in Fisheries Sciences*, 10(1S), 6344–6352.
- Dala-Paula, B. M., Plotto, A., Bai, J., Manthey, J. A., Baldwin, E. A., Ferrarezi, R. S., & Gloria, M. B. A. (2019). Effect of Huanglongbing or greening disease on orange juice quality: A review. *Frontiers in Plant Science*, 9, 1976.
- Damsteegt, V. D., Postnikova, E. N., Stone, A. L., Kuhlmann, M., & Wilson, C. (2010). *Murraya paniculata* and related species as potential hosts and inoculum reservoirs of ‘*Candidatus Liberibacter asiaticus*’, causal agent of huanglongbing. *Plant Disease*, 94, 528–533.
- Das, K., & Roychoudhury, A. (2014). Reactive oxygen species (ROS) and response of antioxidants as ROS-scavengers during environmental stress in plants. *Frontiers in Environmental Science*, 2. <https://doi.org/10.3389/fenvs.2014.00053>
- Deng, X., Zhou, G., Li, H., Chen, J., & Civerolo, E. L. (2007). Nested-PCR detection and sequence confirmation of ‘*Candidatus Liberibacter asiaticus*’ from *Murraya paniculata* in Guangdong, China. *Plant Disease*, 91(8), 1051. <https://doi.org/10.1094/PDIS-91-8-1051C>
- Denisov, G., Walenz, B., Halpern, A. L., Miller, J., Axelrod, N., Levy, S., & Sutton, G. (2008). Consensus generation and variant detection by Celera Assembler. *Bioinformatics*, 24(9), 1035–1040. <https://doi.org/10.1093/bioinformatics/btn074>
- Dewi, R., Giyanto, G., & Dadang, D. (2022). Kombinasi biopestisida dan varietas tahan dalam pengendalian penyakit blas. *Jurnal Penelitian Pertanian Tanaman Pangan*, 6, 97–106. <https://doi.org/10.21082/jpntp.v6n2.2022.p97-106>
- Drummond, A. J., & Rambaut, A. (2007). BEAST: Bayesian evolutionary analysis by sampling trees. *BMC Evolutionary Biology*, 7, 214.
- Drzewiecka, K., Borowiak, K., Bandurska, H., & Golinski, P. (2012). Salicylic acid—A potential biomarker of *Nicotiana tabacum* Bel-W3 cell death developed as a response to ground-level ozone under ambient conditions. *Acta Biologica Hungarica*, 63, 231–249. <https://doi.org/10.1556/ABiol.63.2012.2.6>
- Duan, Y., Zhou, L., Hall, D. G., Li, W., Doddapaneni, H., Lin, H., ... & Gottwald, T. (2009). Complete genome sequence of citrus Huanglongbing bacterium, *Candidatus Liberibacter asiaticus*, obtained through metagenomics. *Molecular Plant–Microbe Interactions*, 22(8), 1011–1020.
- Dunwell, J. M., Khuri, S., & Gane, P. J. (2000). Microbial relatives of the seed storage proteins of higher plants: Conservation of structure and

- diversification of function during evolution of the cupin superfamily. *Microbiology and Molecular Biology Reviews*, 64, 153–179.
- Durrant, W. E., & Dong, X. (2004). Systemic acquired resistance. *Annual Review of Phytopathology*, 42, 185–209. <https://doi.org/10.1146/annurev.phyto.42.040803.140421>
- Dutt, M., Barthe, G., Irely, M., & Grosser, J. (2015). Transgenic citrus expressing an *Arabidopsis NPR1* gene exhibit enhanced resistance against Huanglongbing (HLB; *Citrus Greening*). *PLoS ONE*, 10(9), e0137134.
- Edwards, S. T., & Lindley, J. (1820). *The botanical register: Consisting of coloured figures of exotic plants, cultivated in British gardens; with their history and mode of treatment* (Vol. V). London: James Ridgeway.
- Ellinger, D., & Voigt, C. A. (2014). Callose biosynthesis in *Arabidopsis* with a focus on pathogen response: What we have learned within the last decade. *Annals of Botany*, 114(6), 1349–1358. <https://doi.org/10.1093/aob/mcu120>
- Fan, W., Wu, Y., Yang, J., Shahzad, K., & Li, Z. (2018). Comparative chloroplast genomics of *Dipsacales* species: Insights into sequence variation, adaptive evolution, and phylogenetic relationships. *Frontiers in Plant Science*, 9, 689. <https://doi.org/10.3389/fpls.2018.00689>
- Farvardin, A., González-Hernández, A. I., Llorens, E., García-Agustín, P., Scalschi, L., & Vicedo, B. (2020). The apoplast: A key player in plant survival. *Antioxidants*, 9(7), 604. <https://doi.org/10.3390/antiox9070604>
- Farvardin, A., González-Hernández, A. I., Llorens, E., García-Agustín, P., Scalschi, L., & Vicedo, B. (2020). The apoplast: A key player in plant survival. *Antioxidants (Basel)*, 9(7), 604. <https://doi.org/10.3390/antiox9070604>
- Foyer, C. H., & Noctor, G. (2005). Redox homeostasis and antioxidant signaling: A metabolic interface between stress perception and physiological responses. *The Plant Cell*, 17(7), 1866–1875.
- Francis, M. I., Redondo, A., Burns, J. K., & Graham, J. H. (2009). Soil application of imidacloprid and related SAR-inducing compounds produces effective and persistent control of citrus canker. *European Journal of Plant Pathology*, 124(2), 283–292. <https://doi.org/10.1007/s10658-008-9404-6>
- French, J. V., Kahlke, C. J., & da Graça, J. V. (2001). First record of the Asian citrus psylla, *Diaphorina citri* Kuwayama (Homoptera: Psyllidae), in Texas. *Subtropical Plant Science*, 53, 14–15.
- Fujikawa, T. and Iwanami, T. 2012. Sensitive and robust detection of citrus greening (huanglongbing) bacterium ‘*Candidatus Liberibacter asiaticus*’ by DNA amplification with new 16S rDNA-specific primers. *Molecular and Cellular Probes* 26:194-197.
- Fujiwara, K., Iwanami, T., & Fujikawa, T. (2018). Alterations of *Candidatus Liberibacter asiaticus*-associated microbiota decrease survival of *Ca. L. asiaticus* in in vitro assays. *Frontiers in Microbiology*, 9, 1–12.
- Galimberti, A., De Mattia, F., Losa, A., Bruni, I., Federici, S., Casiraghi, M., ... & Labra, M. (2012). DNA barcoding as a new tool for food traceability. *Food Research International*, 50(1), 55–63. <https://doi.org/10.1016/j.foodres.2012.09.036>

- Galtier, N., & Daubin, V. (2008). Dealing with incongruence in phylogenomic analyses. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1512), 4023–4029.
- Gao, J., Tao, T., Arthurs, S. P., Hussain, M., Ye, F., & Mao, R. (2023). Saliva-mediated contrasting effects of two citrus aphid species on Asian citrus psyllid feeding behavior and plant jasmonic acid pathway. *Insects*, 14(8), 672. <https://doi.org/10.3390/insects14080672>
- Garcia, L., Molina, M. C., Padgett-Pagliai, K. A., Torres, P. S., Bruna, R. E., García Véscovi, E., González, C. F., Gadea, J., & Marano, M. R. (2022). A serralysin-like protein of *Candidatus Liberibacter asiaticus* modulates components of the bacterial extracellular matrix. *Frontiers in Microbiology*, 13, 1006962. <https://doi.org/10.3389/fmicb.2022.1006962>
- Garg, N., & Manchanda, G. (2009). ROS generation in plants: Boon or bane? *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 143(1), 81–96. <https://doi.org/10.1080/11263500802633626>
- Garnier, M., & Bové, J. M. (1993). Citrus greening disease and the greening bacterium. In P. Moreno, J. V. da Graça, & L. W. Timmer (Eds.), *Proceedings of the Twelfth Conference of the International Organization of Citrus Virologists* (pp. 212–219). Riverside: International Organization of Citrus Virologists, University of California.
- Garnier, M., Daniel, N., & Bové, J. M. (1984). The greening organism is a Gram-negative bacterium. In S. M. Garnsey, L. W. Timmer, & J. A. Dodds (Eds.), *Proceedings of the Ninth Conference of the International Organization of Citrus Virologists* (pp. 115–124). Riverside: University of California.
- Gernhard, T. (2008). The conditioned reconstructed process. *Journal of Theoretical Biology*, 253(4), 769–778. <https://doi.org/10.1016/j.jtbi.2008.04.005>
- Gielly, L., & Taberlet, P. (1994). The use of chloroplast DNA to resolve plant phylogenies: Noncoding versus *rbcL* sequences. *Molecular Biology and Evolution*, 11, 769–777.
- Goulding, S. E., Olmstead, R. G., Morden, C. W., & Wolfe, K. H. (1996). Ebb and flow of the chloroplast inverted repeat. *Molecular Genetics and Genomics*, 252, 195–206.
- Guo, W. W., & Deng, X. X. (1998). Somatic hybrid plantlets regeneration between *Citrus* and its wild relative, *Murraya paniculata*, via protoplast electrofusion. *Plant Cell Reports*, 18, 297–300.
- Hajibabaei, M., Singer, G. A. C., Hebert, P. D. N., & Hickey, D. A. (2007). DNA barcoding: How it complements taxonomy, molecular phylogenetics, and population genetics. *Trends in Genetics*, 23(4), 167–172. <https://doi.org/10.1016/j.tig.2007.02.001>
- Halbert, S. (2005). The discovery of Huanglongbing in Florida. In *Proceedings of the 2nd International Citrus Canker and Huanglongbing Workshop* (p. 50). Orlando, FL.
- Halbert, S. E. (1998). Entomology Section. *Triology*, 37(3), 6–7.
- Halbert, S. E., & Manjunath, K. L. (2004). Asian citrus psyllids (Sternorrhyncha: Psyllidae) and greening disease of citrus: A literature review and assessment of risk in Florida. *Florida Entomologist*, 87(3), 330–354.

- Hall, D. (2008). Effects of freezes on survival of *Diaphorina citri*. In *Proceedings of the International Research Conference on Huanglongbing* (p. 5).
- Hall, P. (2001). *BioEdit* (Version 5.0.6). Department of Microbiology, North Carolina State University.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270, 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Henderson, J. N., Hazra, S., Dunkle, A. M., & Salvucci, M. E. (2013). Biophysical characterization of higher plant Rubisco activase. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, 1834(1), 87–97. <https://doi.org/10.1016/j.bbapap.2012.09.006>
- Himawan, A., Sumardiyono, Y. B., Somowiyarjo, S., Trisyono, Y. A., & Beattie, A. (2011). Deteksi menggunakan PCR (*Polymerase Chain Reaction*) *Candidatus Liberibacter asiaticus*, penyebab Huanglongbing pada jeruk siem dengan beberapa tipe gejala pada daun. *Jurnal Perlindungan Tanaman Tropis*, 10(3), 178–183.
- Hoot, S. B., Culham, A., & Crane, P. R. (1995). The utility of *atpB* gene sequences in resolving phylogenetic relationships: Comparison with *rbcL* and 18S ribosomal DNA sequences in the Lardizabalaceae. *Annals of the Missouri Botanical Garden*, 82(2), 194–207.
- Horváth, E. M., Peter, S. O., Joët, T., Rumeau, D., Cournac, L., Horváth, G. V., Kavanagh, T. A., Schäfer, C., Peltier, G., & Medgyesy, P. (2000). Targeted inactivation of the plastid *ndhB* gene in tobacco results in an enhanced sensitivity of photosynthesis to moderate stomatal closure. *Plant Physiology*, 123(4), 1337–1350. <https://doi.org/10.1104/pp.123.4.1337>
- Hou, J., Ye, X., Feng, W., Zhang, Q., Han, Y., Liu, Y., Li, Y., & Wei, Y. (2022). Distance correlation application to gene co-expression network analysis. *BMC Bioinformatics*, 23(1), 81. <https://doi.org/10.1186/s12859-022-04609-x>
- Hu, J., Jiang, J., & Wang, N. (2018). Control of citrus Huanglongbing via trunk injection of plant defense activators and antibiotics. *Phytopathology*, 108(2), 186–195.
- Hu, X., Bidney, D. L., Yalpani, N., Duvick, J. P., Crasta, O., Folkerts, O., & Lu, G. (2003). Overexpression of a gene encoding hydrogen peroxide-generating oxalate oxidase evokes defense responses in sunflower. *Plant Physiology*, 133(1), 170–181. <https://doi.org/10.1104/pp.103.024026>
- Hu, X., Zhang, A., Zhang, J., & Jiang, M. (2006). Abscisic acid is a key inducer of hydrogen peroxide production in leaves of maize plants exposed to water stress. *Plant and Cell Physiology*, 47(11), 1484–1495.
- Hua, Z., & Yuan, Y. (2023). *Murraya paniculata* chloroplast, complete genome. Retrieved January 3, 2025, from https://www.ncbi.nlm.nih.gov/nuccore/NC_052700
- Huang, C. C. (1997). *Flora Reipublicae Popularis Sinicae*. Tomus 43(2).
- Huang, S., Ge, X., Cano, A., Salazar, B. G. M., & Deng, Y. (2020). Comparative analysis of chloroplast genomes for five *Dicliptera* species (*Acanthaceae*):

- Molecular structure, phylogenetic relationships, and adaptive evolution. *PeerJ*, 8, e8450. <https://doi.org/10.7717/peerj.8450>
- Hung, T. H., Wu, M. L., & Su, H. J. (2000). Identification of alternative hosts of the fastidious bacterium causing citrus greening disease. *Journal of Phytopathology*, 148(6), 321–326.
- Husain, M. A., & Nath, L. D. (1927). The citrus psylla (*Diaphorina citri*, Kuw.) [Psyllidae: Homoptera]. *Memoirs of the Department of Agriculture in India, Series 10*(5), 1–27.
- Huxley-Jones, E., Shaw, J. L., Fletcher, C., Parnell, J., & Watts, P. C. (2012). Use of DNA barcoding to reveal species composition of convenience seafood. *Conservation Biology*, 26(2), 367–371. <https://doi.org/10.1111/j.1523-1739.2011.01813.x>
- Ikeda, K., & Ashihara, W. (2008). Preference of adult Asian citrus psyllid, *Diaphorina citri* (Homoptera: Psyllidae) for *Murraya paniculata* and *Citrus unshiu*. *Japanese Journal of Applied Entomology and Zoology*, 52(1), 27–30. <https://doi.org/10.1303/jjaez.2008.27>
- Jagoueix, S., Bové, J. M., & Garnier, M. (1994). The phloem-limited bacterium of greening disease of citrus is a member of the α -subdivision of Proteobacteria. *International Journal of Systematic Bacteriology*, 44(3), 379–386.
- Jagoueix, S., Bové, J. M., & Garnier, M. (1997). Comparison of the 16S/23S ribosomal intergenic regions of “*Candidatus Liberobacter asiaticum*” and “*Candidatus Liberobacter africanum*,” the two species associated with citrus Huanglongbing (greening) disease. *International Journal of Systematic Bacteriology*, 47(2), 224–227.
- Jansen, R. K., & Ruhlman, T. A. (2012). Plastid genomes of seed plants. In *Advances in Photosynthesis and Respiration* (Vol. 35, pp. 103–126). Springer.
- Jansen, R. K., Raubeson, L. A., Boore, J. L., de Pamphilis, C. W., Chumley, T. W., Haberle, R. C., et al. (2005). Methods for obtaining and analyzing whole chloroplast genome sequences. *Methods in Enzymology*, 395, 348–384. [https://doi.org/10.1016/s0076-6879\(05\)95020-9](https://doi.org/10.1016/s0076-6879(05)95020-9)
- Johnson, L. A., & Soltis, D. E. (1994). *matK* DNA sequences and phylogenetic reconstruction in *Saxifragaceae* s. str. *Systematic Botany*, 19(1), 143–156.
- Joly, S., Starr, J. R., Lewis, W. H., & Bruneau, A. (2006). Polyploid and hybrid evolution in roses east of the Rocky Mountains. *American Journal of Botany*, 93(3), 412–425.
- Joshi, V., Joshi, N., Vyas, A., & Jadhav, S. K. (2021). Pathogenesis-related proteins: Role in plant defense. In *Biocontrol agents and secondary metabolites: Applications and immunization for plant growth and protection* (pp. 573–590). Elsevier. <https://doi.org/10.1016/B978-0-12-822919-4.00025-9>
- Karuppanapandian, T., Moon, J.-C., Kim, C., Manoharan, K., & Kim, W. (2011). Reactive oxygen species in plants: Their generation, signal transduction, and scavenging mechanisms. *Australian Journal of Crop Science*, 5, 709–725.

- Kashyap, K., & Banu, S. (2019). Characterizing ethylene pathway genes during the development, ripening, and postharvest response in *Citrus reticulata* Blanco fruit pulp. *Turkish Journal of Botany*, 43(4).
- Katoh, H., Miyata, S., Inoue, H., & Iwanami, T. (2014). Unique features of a Japanese “*Candidatus Liberibacter asiaticus*” strain revealed by whole genome sequencing. *PLoS One*, 9(9). <https://doi.org/10.1371/journal.pone.0106883>
- Khan, M. I., Fatma, M., Per, T. S., Anjum, N. A., & Khan, N. A. (2015). Salicylic acid-induced abiotic stress tolerance and underlying mechanisms in plants. *Frontiers in Plant Science*, 6, 462. <https://doi.org/10.3389/fpls.2015.00462>
- Kida, Y., Inoue, H., Shimizu, T., & Kuwano, K. (2007). *Serratia marcescens* serralysin induces inflammatory responses through protease-activated receptor 2. *Infection and Immunity*, 75(1), 164–174. <https://doi.org/10.1128/IAI.01239-06>
- Kim, J. S., Sagaram, U. S., Burns, J. K., Li, J. L., & Wang, N. (2009). Response of sweet orange (*Citrus sinensis*) to “*Candidatus Liberibacter asiaticus*” infection: Microscopy and microarray analyses. *Phytopathology*, 99, 50–57.
- Kim, K. J., & Jansen, R. K. (1995). *ndhF* sequence evolution and the major clades in the sunflower family. *Proceedings of the National Academy of Sciences of the United States of America*, 92(22), 10379–10383. <https://doi.org/10.1073/pnas.92.22.10379>
- Kim, K. J., & Lee, H. L. (2004). Complete chloroplast genome sequences from Korean ginseng (*Panax schinseng* Nees) and comparative analysis of sequence evolution among 17 vascular plants. *DNA Research*, 11, 247–261. <https://doi.org/10.1093/dnares/11.4.247>
- Koizumi, M., Prommintra, M., & Ohtsu, Y. (1996). *Wood apple, Limonia acidissima*: A new host for the *huanglongbing* (greening) vector, *Diaphorina citri*. In J. V. da Graca, P. Moreno, & R. K. Yokomi (Eds.), *Proceedings of the Thirteenth Conference of the International Organization of Citrus Virologists* (pp. 271–275). IOCV.
- Kool, A., De Boer, H. J., Krüger, A., Rydberg, A., Abbad, A., Björkörk, L., et al. (2012). Molecular identification of commercialized medicinal plants in southern Morocco. *PLoS One*, 7, e39459. <https://doi.org/10.1371/journal.pone.0039459>
- Kress, W. J., & Erickson, D. L. (2007). A two-locus global DNA barcode for land plants: The coding *rbcL* gene complements the non-coding *trnH-psbA* spacer region. *PLoS One*, 2, e508. <https://doi.org/10.1371/journal.pone.0000508>
- Kwak, J. M., Mori, I. C., Pei, Z. M., Leonhardt, N., Torres, M. A., Dangl, J. L., et al. (2003). NADPH oxidase *AtrbohD* and *AtrbohF* genes function in ROS-dependent ABA signaling in *Arabidopsis*. *EMBO Journal*, 22(11), 2623–2633.
- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227(5259), 680–685. <https://doi.org/10.1038/227680a0>

- Lee, D. J., Lee, J., Jang, H. A., Ferrandon, D., & Lee, B. L. (2017). An antimicrobial protein of the *Riptortus pedestris* salivary gland was cleaved by a virulence factor of *Serratia marcescens*. *Developmental & Comparative Immunology*, 67, 427–433. <https://doi.org/10.1016/j.dci.2016.08.009>
- León, J., Lawton, M. A., & Raskin, I. (1995). Hydrogen peroxide stimulates salicylic acid biosynthesis in tobacco. *Plant Physiology*, 108(4), 1673–1678. <https://doi.org/10.1104/pp.108.4.1673>
- Leong, S. S., Leong, S. C. T., & Beattie, G. A. C. (2022). Integrated pest management strategies for Asian citrus psyllid *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae) and Huanglongbing in citrus for Sarawak, East Malaysia, Borneo. *Insects*, 13, 960.
- Les, D. H., Garvin, D. K., & Wimpee, C. F. (1993). Phylogenetic studies in the monocot subclass *Alismatidae*: Evidence for a reappraisal of the aquatic order *Najadales*. *Molecular Phylogenetics and Evolution*, 2(4), 304–314.
- Lestiyani A, Joko T, Holford P, Beattie GAC, Donovan N, Mo J, et al. Natural infection of *Murraya paniculata* and *Murraya sumatrana* with *Candidatus Liberibacter asiaticus* in Java. *Plant Dis*. 2024;108(9):2760–70. <https://doi.org/10.1094/PDIS-12-23-2593-RE>.
- Li, C., Zhao, Y., Xu, Z., Yang, G., Peng, J., & Peng, X. (2020). Initial characterization of the chloroplast genome of *Vicia sepium*, an important wild resource plant, and related inferences about its evolution. *Frontiers in Genetics*, 11, 73. <https://doi.org/10.3389/fgene.2020.00073>
- Li, D., Zhu, G., Xu, Y., Ye, Y., & Liu, J. (2020). Complete chloroplast genomes of three medicinal *Alpinia* species: Genome organization, comparative analyses, and phylogenetic relationships in family *Zingiberaceae*. *Plants*, 9(2), 286. <https://doi.org/10.3390/plants9020286>
- Li, J., Pang, Z., Trivedi, P., Zhou, X., Ying, X., Jia, H., & Wang, N. (2017). *Candidatus Liberibacter asiaticus* encodes a functional salicylic acid (SA) hydroxylase that degrades SA to suppress plant defenses. *Molecular Plant-Microbe Interactions*, 30(8), 620–630. <https://doi.org/10.1094/mpmi-12-16-0257-r>
- Li, M., & Kim, C. (2022). Chloroplast ROS and stress signaling. *Plant Communications*, 3(1), 100264. <https://doi.org/10.1016/j.xplc.2021.100264>
- Li, T., & Ke, C. (2002). Detection of the bearing rate of *Liberobacter asiaticum* in the citrus psylla and its host plant *Murraya paniculata* by nested PCR. *Acta Phytophylacica Sinica*, 29(1), 31–35.
- Liao, L., Cao, S. Y., Rong, Y., & Wang, Z. H. (2016). Effects of grafting on key photosynthetic enzymes and gene expression in the citrus cultivar Huangguogan. *Genetics and Molecular Research*, 15(1), Article gmr.15017690. <https://doi.org/10.4238/gmr.15017690>
- Librado, P., & Rozas, J. (2009). DnaSP v5: A software for comprehensive analysis of DNA polymorphism data. *Bioinformatics*, 25(11), 1451–1452. <https://doi.org/10.1093/bioinformatics/btp187>
- Lin, H., Han, C. S., Liu, B., Lou, B., Bai, X., Deng, C., Civerolo, E. L., & Gupta, G. (2013). Complete genome sequence of a Chinese strain of *Candidatus*

- Liberibacter asiaticus*. *Genome Announcements*, 1(2). <https://doi.org/10.1128/genomeA.00184-13>
- Liu, H., Zhao, Y., Zhou, J., Ma, Q., Wang, X., & Hua, Z. (2020). Complete chloroplast genome sequence of *Murraya paniculata* (Rutaceae): A widely used folk medicinal herb. *Mitochondrial DNA Part B: Resources*, 5(3), 3678–3679. <https://doi.org/10.1080/23802359.2020.1829518>
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2(-\Delta\Delta C(T))$ method. *Methods*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>
- Long, Q., Xie, Y., He, Y., Li, Q., Zou, X., & Chen, S. (2019). Abscisic acid promotes jasmonic acid accumulation and plays a key role in citrus canker development. *Frontiers in Plant Science*, 10, 1634.
- Lopes, S. A., Frare, G. F., Camargo, L. E. A., Wulff, N. A., Teixeira, D. C., Bassanezi, R. B., Beattie, G. A. C., & Ayres, A. J. (2010). Liberibacters associated with orange jasmine in Brazil: Incidence in urban areas and relatedness to citrus liberibacters. *Plant Pathology*, 59, 1044–1053.
- Lopes, S. A., Martins, E. C., & Frare, G. F. (2005). Detecção de *Candidatus Liberibacter americanus* em *Murraya paniculata*. *Summa Phytopathologica*, 31(1), 48–49.
- Ma, Q., Li, S., Bi, C., Hao, Z., Sun, C., & Ye, N. (2017). Complete chloroplast genome sequence of a major economic species, *Ziziphus jujuba* (Rhamnaceae). *Current Genetics*, 63(1), 117–129. <https://doi.org/10.1007/s00294-016-0612-4>
- Ma, W., Pang, Z., Huang, X., Xu, J., Pandey, S. S., Li, J., Achor, D. S., Vasconcelos, F. N. C., Hendrich, C., Huang, Y., Wang, W., Lee, D., Stanton, D., & Wang, N. (2022). Citrus Huanglongbing is a pathogen-triggered immune disease that can be mitigated with antioxidants and gibberellin. *Nature Communications*, 13, 529. <https://doi.org/10.1038/s41467-022-28189-9>
- Mader, M., Pakull, B., Blanc-Jolivet, C., Paulini-Drewes, M., Bouda, Z., Degen, B., et al. (2018). Complete chloroplast genome sequences of four Meliaceae species and comparative analyses. *International Journal of Molecular Sciences*, 19(3), 701. <https://doi.org/10.3390/ijms19030701>
- Maeda, H., & Morihara, K. (1995). Serralysin and related bacterial proteinases. *Methods in Enzymology*, 248, 395–413. [https://doi.org/10.1016/0076-6879\(95\)48026-X](https://doi.org/10.1016/0076-6879(95)48026-X)
- Mafra, V., Martins, P. K., Francisco, C. S., Ribeiro-Alves, M., Freitas-Astua, J., & Machado, M. A. (2013). *Candidatus Liberibacter americanus* induces significant reprogramming of the transcriptome of the susceptible citrus genotype. *BMC Genomics*, 14, 247. <https://doi.org/10.1186/1471-2164-14-247>
- Mallet, J. (2005). Hybridization as an invasion of the genome. *Trends in Ecology & Evolution*, 20(5), 229–237. <https://doi.org/10.1016/j.tree.2005.02.010>
- Martinelli, F., Uratsu, S. L., Albrecht, U., Reagan, R. L., Phu, M. L., et al. (2012). Transcriptome profiling of citrus fruit response to Huanglongbing disease. *PLoS ONE*, 7(5), e38039. <https://doi.org/10.1371/journal.pone.0038039>

- Masaoka, Y., Pustika, A., Subandiyah, S., Okada, A., Hanundin, E., Purwanto, B., Okuda, M., et al. (2011). Lower concentrations of microelements in leaves of citrus infected with *Candidatus Liberibacter asiaticus*. *Japan Agricultural Research Quarterly*, 45(3), 269–275.
- Matos, L., Hilf, M. E., & Camejo, J. (2009). First report of *Candidatus Liberibacter asiaticus* associated with citrus Huanglongbing in the Dominican Republic. *Plant Disease*, 93(6), 668. <https://doi.org/10.1094/PDIS-93-6-0668A>
- Meng, X., Xian, Y., Xiang, L., Zhang, D., Shi, Y., Wu, M., et al. (2018). Complete chloroplast genomes from *Sanguisorba*: Identity and variation among four species. *Molecules*, 23(9), 2137. <https://doi.org/10.3390/molecules23092137>
- Millen, R. S., Olmstead, R. G., Adams, K. L., Palmer, J. D., Lao, N. T., Heggie, L., Kavanagh, T. A., Hibberd, J. M., Gray, J. C., Morden, C. W., Calie, P. J., Jermini, L. S., & Wolfe, K. H. (2001). Many parallel losses of *infA* from chloroplast DNA during angiosperm evolution with multiple independent transfers to the nucleus. *The Plant Cell*, 13(3), 645–658. <https://doi.org/10.1105/tpc.13.3.645>
- Mittler, R. (2002). Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science*, 7(9), 405–410. [https://doi.org/10.1016/S1360-1385\(02\)02312-9](https://doi.org/10.1016/S1360-1385(02)02312-9)
- Mittler, R., Zandalinas, S. I., & Fichman, Y. (2022). Reactive oxygen species signalling in plant stress responses. *Nature Reviews Molecular Cell Biology*, 23, 663–679. <https://doi.org/10.1038/s41580-022-00499-2>
- Miyakawa, T. (1980). Experimentally-induced symptoms and host range of citrus likubin (greening disease). *Annals of the Phytopathological Society of Japan*, 46(2), 224–230.
- Miyakawa, T., & Yuan, Z. X. (1990). Citrus host range of greening disease. In B. Aubert, S. Tontyaporn, & D. Buangsuwon (Eds.), *Proceedings of the 4th International Asia Pacific Conference on Citrus Rehabilitation* (pp. 118–121). FAO-UNDP.
- Morales, J., Kadota, Y., Zipfel, C., Molina, A., & Torres, M. A. (2016). The Arabidopsis NADPH oxidases RbohD and RbohF display differential expression patterns and contributions during plant immunity. *Journal of Experimental Botany*, 67, 1663–1676. <https://doi.org/10.1093/jxb/erv558>
- Moss, C. B., Grogan, K., Farnsworth, D., & Vanbruggen, A. (2014). The economic cost of Huanglongbing (*Citrus Greening*) to Florida's orange industry: Estimates of producer and consumer surplus. *University of Florida, Food and Resource Economics Department, Working Paper*. <http://ricardo.ifas.ufl.edu/papers/GreeningGMM09-11-14.pdf>
- Mou, F. J., Peng, Y., Li, Y. G., & Hu, X. (2021). Taxonomic revision of *Murraya* J. Koenig (Rutaceae) based on the molecular phylogeny and morphological characters. *Taiwania*, 66, 387–397. <https://doi.org/10.6165/tai.2021.66.387>
- Munemasa, S., Hirao, Y., Tanami, K., Mimata, Y., Nakamura, Y., & Murata, Y. (2019). Ethylene inhibits methyl jasmonate-induced stomatal closure by modulating guard cell slow-type anion channel activity via the OPEN

- STOMATA 1/SnRK2.6 kinase-independent pathway in *Arabidopsis*. *Plant & Cell Physiology*, 60(10), 2263–2271. <https://doi.org/10.1093/pcp/pcz121>
- Nariani, T. K. (1982). Integrated approach to control citrus greening disease in India. *Proceedings of the International Society of Citriculture*, 1, 471–472.
- Nazar, R., Khan, M. I., Iqbal, N., Masood, A., & Khan, N. A. (2014). Involvement of ethylene in reversal of salt-inhibited photosynthesis by sulfur in mustard. *Physiologia Plantarum*, 152(2), 331–344. <https://doi.org/10.1111/ppl.12173>
- Nazar, R., Umar, S., & Khan, N. A. (2015). Exogenous salicylic acid improves photosynthesis and growth through increase in ascorbate-glutathione metabolism and S assimilation in mustard under salt stress. *Plant Signaling & Behavior*, 10(e1003751). <https://doi.org/10.1111/j.1365-3040.2009.02041.x>
- Nei, M., & Roychoudhury, A. K. (1975). Sampling variances of heterozygosity and genetic distance. *Genetics*, 80(1), 223–226. <https://doi.org/10.1093/genetics/80.1.223>
- Neubig, K. M., Whitten, W. M., Carlsward, B. S., Blanco, M. A., Endara, L., Williams, N. H., & Moore, M. (2008). Phylogenetic utility of *ycf1* in orchids: A plastid gene more variable than *matK*. *Faculty Research & Creative Activity*, 257.
- Nguyen, C. H., Beattie, G. A. C., Haigh, A. M., Astuti, I. P., Mabberley, D. J., Weston, P. H., et al. (2019). Molecular differentiation of the *Murraya paniculata* complex (Rutaceae: Aurantioideae: Aurantieae). *BMC Evolutionary Biology*, 19, 236. <https://doi.org/10.1186/s12862-019-1555-4>
- Nobori, T., Velásquez, A. C., Wu, J., Kvitko, B. H., Kremer, J. M., Wang, Y., et al. (2018). Transcriptome landscape of a bacterial pathogen under plant immunity. *Proceedings of the National Academy of Sciences of the United States of America*, 115(13), E3055–E3064.
- Ohyama, K., Fukuzawa, H., Kohchi, T., Shirai, H., Sano, T., Sano, S., et al. (1986). Chloroplast gene organization deduced from complete sequence of liverwort *Marchantia polymorpha* chloroplast DNA. *Nature*, 322, 572–574. <https://doi.org/10.1038/322572a0>
- Oxelman, B., Liden, M., & Berglund, D. (1997). Chloroplast *rps16* intron phylogeny of the tribe *Sileneae* (Caryophyllaceae). *Plant Systematics and Evolution*, 206(1–4), 393–410.
- Palma, F., López-Gómez, M., Tejera, N. A., & Lluch, C. (2013). Salicylic acid improves the salinity tolerance of *Medicago sativa* in symbiosis with *Sinorhizobium meliloti* by preventing nitrogen fixation inhibition. *Plant Science*, 208, 75–82. <https://doi.org/10.1016/j.plantsci.2013.03.015>
- Palmer, J. D. (1987). Chloroplast DNA evolution and biosystematic uses of chloroplast DNA variation. *The American Naturalist*, 130(S1), S6–S29.
- Palmer, J. D., Jansen, R. K., Michaels, H. J., Chase, M. W., & Manhart, J. R. (1988). Chloroplast DNA variation and plant phylogeny. *Annals of the Missouri Botanical Garden*, 75, 1180–1206.
- Patel, M., Siegel, A. J., & Berry, J. O. (2006). Untranslated regions of *FbRbcSI* mRNA mediate bundle sheath cell-specific gene expression in leaves of a

- C4 plant. *Journal of Biological Chemistry*, 281(33), 25485–25491.
<https://doi.org/10.1074/jbc.M604162200>
- Patt, J. M., & Sétamou, M. (2010). Responses of the Asian citrus psyllid to volatiles emitted by the flushing shoots of its rutaceous host plants. *Environmental Entomology*, 39(2), 618–624.
<https://doi.org/10.1603/en09216>
- Pel, M. J., van Dijken, A. J., Bardoel, B. W., Seidl, M. F., van der Ent, S., van Strijp, J. A., & Pieterse, C. M. J. (2014). *Pseudomonas syringae* evades host immunity by degrading flagellin monomers with alkaline protease AprA. *Molecular Plant-Microbe Interactions*, 27(7), 603–610.
<https://doi.org/10.1094/MPMI-02-14-0032-R>
- Pieterse, C. M. J., Van der Does, D., Zamioudis, C., Leon-Reyes, A., & Van Wees, S. C. M. (2012). Hormonal modulation of plant immunity. *Annual Review of Cell and Developmental Biology*, 28, 489–521.
<https://doi.org/10.1146/annurev-cellbio-092910-154055>
- Pitino, M., Armstrong, C. M., Cano, L. M., & Duan, Y. (2016). Transient expression of *Candidatus Liberibacter asiaticus* effector induces cell death in *Nicotiana benthamiana*. *Frontiers in Plant Science*, 7, 982.
<https://doi.org/10.3389/fpls.2016.00982>
- Portis, A. R. Jr. (2003). Rubisco activase – Rubisco’s catalytic chaperone. *Photosynthesis Research*, 75, 11–27.
<https://doi.org/10.1023/A:1022466211611>
- Prasad, S., Xu, J., Zhang, Y., & Wang, N. (2016). SEC-translocon dependent extracytoplasmic proteins of *Candidatus Liberibacter asiaticus*. *Frontiers in Microbiology*, 7, 1989. <https://doi.org/10.3389/fmicb.2016.01989>
- Pustika, A. B., Subandiyah, S., Holford, P., Beattie, G. A. C., Iwanami, T., & Masaoka, Y. (2008). Interactions between plant nutrition and symptom expression in mandarin trees infected with the disease huanglongbing. *Australian Plant Disease Notes*, 3, 112–115.
<https://doi.org/10.1071/DN08056>
- Qiu, Z., Guo, J., Zhu, A., Zhang, L., & Zhang, M. (2014). Exogenous jasmonic acid can enhance tolerance of wheat seedlings to salt stress. *Ecotoxicology and Environmental Safety*, 104, 202–208.
<https://doi.org/10.1016/j.ecoenv.2014.03.014>
- Rao, A. C. S., Somayajulu, D., & Banka, H. (2012). Modified correlation-based technique in microarray data analysis for searching differentially expressed genes. *Proceedings of the 2012 1st International Conference on Recent Advances in Information Technology (RAIT)*.
<https://doi.org/10.1109/rait.2012.6194615>
- Rao, M. V., Paliyath, G., Ormrod, D. P., Murr, D. P., & Watkins, C. B. (1997). Influence of salicylic acid on H₂O₂ production, oxidative stress, and H₂O₂-metabolizing enzymes: Salicylic acid-mediated oxidative damage requires H₂O₂. *Plant Physiology*, 115(1), 137–149.
<https://doi.org/10.1104/pp.115.1.137>
- Rathi, S., McFeeters, H., McFeeters, R. L., & Davis, M. R. (2012). Purification and Phytotoxic Analysis of *Botrytis cinerea* Virulence Factors: New Avenues

- for Crop Protection. *Agriculture*, 2(3), 154–164. doi:10.3390/agriculture2030154
- Raubeson, L. A., Peery, R., Chumley, T. W., Dziubek, C., Fourcade, H. M., Boore, J. L., & Jansen, R. K. (2007). Comparative chloroplast genomics: Analyses including new sequences from the angiosperms *Nuphar advena* and *Ranunculus macranthus*. *BMC Genomics*, 8, 174. <https://doi.org/10.1186/1471-2164-8-174>
- Rauscher, M., Adam, A., Wirtz, S., Guggenheim, R., Mendgen, K., & Deising, H. (1999). PR-1 protein inhibits the differentiation of rust infection hyphae in leaves of acquired resistant broad bean. *The Plant Journal*, 19(6), 625–633. <https://doi.org/10.1046/j.1365-313x.1999.00557.x>
- Raven, J. A. (2013). Rubisco: Still the most abundant protein on Earth? *New Phytologist*, 198(1), 1–3. <https://doi.org/10.1111/nph.12197>
- Raven, P. (1980). Hybridization and the nature of species in higher plants. *Canadian Botanical Association Bulletin*, 13, 3–10.
- Ravindran, A., Saenkham, P., Levy, J., Tamborindeguy, C., Lin, H., Gross, D. C., & Pierson, E. (2018). Characterization of the serralysin-like gene of *Candidatus Liberibacter solanacearum* associated with potato zebra chip disease. *Phytopathology*, 108(3), 327–335. <https://doi.org/10.1094/PHYTO-07-17-0255-R>
- Reinking, O. A. (1919). Diseases of economic plants in southern China. *Philippine Agriculture*, 8, 109–135.
- Reynaud, B., Turpin, P., Molinari, F. M., Grondin, M., Chiroleu, F., Fereres, A., & Delatte, H. (2022). The African citrus psyllid *Trioza erytreae*: An efficient vector of *Candidatus Liberibacter asiaticus*. *Frontiers in Plant Science*, 13, 1089762. <https://doi.org/10.3389/fpls.2022.1089762>
- Roxburgh, W. (1832). *Flora Indica: Descriptions of Indian Plants* (Vol. II). W. Thacker and Co.
- Sakamoto, M., Munemura, I., Tomita, R., & Kobayashi, K. (2008). Involvement of hydrogen peroxide in leaf abscission signaling, revealed by analysis with an in vitro abscission system in *Capsicum* plants. *The Plant Journal*, 56(1), 13–27. <https://doi.org/10.1111/j.1365-313X.2008.03577.x>
- Samuel, R., Ehrendorfer, F., Chase, M. W., & Greger, H. (2001). Phylogenetic analyses of Aurantioideae (Rutaceae) based on non-coding plastid DNA sequences and phytochemical features. *Plant Biology*, 3(1), 77–87. <https://doi.org/10.1055/s-2001-11851>
- Schwarz, E. N., Ruhlman, T. A., Sabir, J. S. M., Hajrah, N. H., Alharbi, N. S., Almalki, A. L., et al. (2015). Plastid genome sequences of legumes reveal parallel inversions and multiple losses of *rps16* in papilionoids. *Journal of Systematics and Evolution*, 53(5), 458–468. <https://doi.org/10.1111/jse.12179>
- Scordino, M., & Sabatino, L. (2014). Characterization of polyphenolic profile of citrus fruit by HPLC/PDA/ESI/MS-MS. In R. R. Watson (Ed.), *Polyphenols in plants* (pp. 187–199). Academic Press.
- Shan, L., He, P., Li, J., Heese, A., Peck, S. C., Nürnberger, T., et al. (2008). Bacterial effectors target the common signaling partner BAK1 to disrupt

- multiple MAMP receptor-signaling complexes and impede plant immunity. *Cell Host & Microbe*, 4(1), 17–27. <https://doi.org/10.1016/j.chom.2008.05.017>
- Sharma, B. D., Hore, D. K., & Gupta, S. G. (2004). Genetic resources of *Citrus* of northeastern India and their potential use. *Genetic Resources and Crop Evolution*, 51, 411–418. <https://doi.org/10.1023/B:GRES.0000023454.76009.54>
- Shaw, J., Lickey, E. B., Beck, J. T., Farmer, S. B., Liu, W., Miller, J., Siripun, K. C., Winder, C. T., Schilling, E. E., & Small, R. L. (2005). The tortoise and the hare II: Relative utility of 21 non-coding chloroplast DNA sequences for phylogenetic analysis. *American Journal of Botany*, 92(1), 142–166. <https://doi.org/10.3732/ajb.92.1.142>
- Shinozaki, K., Ohme, M., Tanaka, M., Wakasugi, T., Hayashida, N., Matsubayashi, T., et al. (1986). The complete nucleotide sequence of the tobacco chloroplast genome: Its gene organization and expression. *Plant Molecular Biology Reporter*, 5, 2043–2049. <https://doi.org/10.1002/j.1460-2075.1986.tb04464.x>
- Shivakumar, V. S., Appelhans, M. S., Johnson, G., Carlsen, M., & Zimmer, E. A. (2017). Analysis of whole chloroplast genomes from the genera of the Clauseneae, the curry tribe (Rutaceae, *Citrus* family). *Molecular Phylogenetics and Evolution*, 117, 135–140. <https://doi.org/10.1016/j.ympev.2016.12.015>
- Slatko, B. E., Gardner, A. F., & Ausubel, F. M. (2018). Overview of next-generation sequencing technologies. *Current Protocols in Molecular Biology*, 122(1), e59. <https://doi.org/10.1002/cpmb.59>
- Song, Z., Zhao, L., Ma, W., Peng, Z., Shi, J., Pan, F., Gao, Y., Sui, X., Rengel, Z., Chen, Q., & Wang, B. (2023). Ethylene inhibits ABA-induced stomatal closure via regulating *NtMYB184*-mediated flavonol biosynthesis in tobacco. *Journal of Experimental Botany*, 74(21), 6735–6748. <https://doi.org/10.1093/jxb/erad308>
- Sonoike, K. (1996). Degradation of *psaB* gene product, the reaction center subunit of photosystem I, is caused during photoinhibition of photosystem I: Possible involvement of active oxygen species. *Plant Science*, 115(2), 157–164. [https://doi.org/10.1016/0168-9452\(96\)04341-5](https://doi.org/10.1016/0168-9452(96)04341-5)
- Souri, Z., Karimi, N., Farooq, M. A., & Sandalio, L. M. (2020). Nitric oxide improves tolerance to arsenic stress in *Isatis cappadocica* Desv. shoots by enhancing antioxidant defenses. *Chemosphere*, 239, 124523. <https://doi.org/10.1016/j.chemosphere.2019.124523>
- Stancu, M. M. (2016). Highly solvent tolerance in *Serratia marcescens* IBBPo15. *Brazilian Archives of Biology and Technology*, 59, e16150231. <https://doi.org/10.1590/1678-4324-2016150231>
- Sugio, A., Maclean, A. M., Kingdom, H. N., Grieve, V. M., Manimekalai, R., & Hogenhout, S. A. (2011). Diverse targets of phytoplasma effectors: From plant development to defense against insects. *Annual Review of Phytopathology*, 49, 175–195. <https://doi.org/10.1146/annurev-phyto-072910-095323>

- Suharti, W., Bahtiar, J., & Kharisun, K. (2021). Pengaruh ragam sumber silika terhadap pertumbuhan dan ketahanan tanaman padi terinfeksi *Rhizoctonia solani*. *Jurnal Pertanian Terpadu*, 9(1), 26-39. <https://doi.org/10.36084/jpt.v9i1.297>
- Supriyanto, A., Dwiastuti, M. E., Triwiratno, A., Endarto, O., & Suhariyono. (2010). *Pengelolaan terpadu kebun jeruk sehat, strategi pengendalian penyakit CVPD*. Kementerian Pertanian.
- Suzuki, N., Koussevitzky, S., Mittler, R., & Miller, G. (2012). ROS and redox signalling in the response of plants to abiotic stress. *Plant, Cell and Environment*, 35, 259–270.
- Swingle, W. T., & Reece, R. C. (1967). The botany of *Citrus* and its wild relatives. In W. Reuther, H. J. Webber, & L. D. Batchelor (Eds.), *The Citrus Industry, Volume I, History, World Distribution, Botany, and Varieties* (pp. 190–430). Berkeley: Division of Agricultural Sciences, University of California.
- Taberlet, P., Gielly, L., Pautou, G., & Bouvet, J. (1991). Universal primers for amplification of three non-coding regions of chloroplast DNA. *Plant Molecular Biology*, 17(5), 1105–1109.
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular evolutionary genetics analysis version 11. *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/molbev/msab120>
- Teixeira, D. C., Danet, J. L., Eveillard, S., & 8 other authors. (2005). *Citrus huanglongbing* in São Paulo State, Brazil: PCR detection of the ‘*Candidatus Liberibacter*’ species associated with the disease. *Molecular and Cellular Probes*, 19(3–4), 173–179.
- Teshima, N., Tsugawa, M., Tateishi, A., Tokumaru, M., Matsubara, R., Kimachi, T., Ju-ichi, M., Ito, C., & Furukawa, H. (2004). Two new bicoumarins from the leaves of *Murraya exotica*. *Heterocycles*, 63, 2837–2843.
- Teixeira, D. C., Ayres, J., Kitajima, E. W., Danet, L., Jagoueix-Eveillard, S., Saillard, C., & Bové, J. M. (2005). First report of a Huanglongbing-like disease of citrus in São Paulo State, Brazil, and association of a new *Liberibacter* species, *Candidatus Liberibacter americanus*, with the disease. *Plant Disease*, 89, 107.
- Thevenet, D., Pastor, V., Baccelli, I., Balmer, A., Vallat, A., Neier, R., & Mauch-Mani, B. (2016). The priming molecule β -aminobutyric acid is naturally present in plants and is induced by stress. *New Phytologist*, 213(2), 552–559. <https://doi.org/10.1111/nph.14298>
- Thompson, J. D., Higgins, D. G., & Gibson, T. J. (1994). CLUSTAL W: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties, and weight matrix choice. *Nucleic Acids Research*, 22(22), 4673–4680. <https://doi.org/10.1093/nar/22.22.4673>
- Tian, S., Lu, L., Labavitch, J. M., Webb, S. M., Yang, X., Brown, P. H., & He, Z. (2014). Spatial imaging of Zn and other elements in Huanglongbing-affected grapefruit by synchrotron-based micro X-ray fluorescence investigation. *Journal of Experimental Botany*, 65, 953-964.

- Tillich, M., Lehwark, P., Pellizzer, T., Ulbricht-Jones, E. S., Fischer, A., Bock, R., & Greiner, S. (2017). GeSeq – Versatile and accurate annotation of organelle genomes. *Nucleic Acids Research*, *45*, W6–W11.
- Tirtawidjaja, S. (1964). *Citrus vein-phloem degeneration virus penyebab dari citrus chlorosis di Djawa* (Disertasi Doktor, Fakultas Pertanian, Institut Pertanian Bogor).
- Tomimura, K., Miyata, S., Furuya, N., Kubota, K., Okuda, M., Subandiyah, S., Hung, T. H., Su, H. J., & Iwanami, T. (2009). Evaluation of genetic diversity among '*Candidatus Liberibacter asiaticus*' isolates collected in Southeast Asia. *Phytopathology*, *99*(10), 1062–1069.
- Tomkins, M., Kliot, A., Marée, A. F. M., & Hogenhout, S. A. (2018). A multilayered mechanistic modelling approach to understand how effector genes extend beyond phytoplasma to modulate plant hosts, insect vectors, and the environment.
- Torres, M. A., & Dangl, J. L. (2005). Functions of the respiratory burst oxidase in biotic interactions, abiotic stress, and development. *Current Opinion in Plant Biology*, *8*, 397–403.
- Torres, M. A., Jones, J. D. G., & Dangl, J. L. (2006). Reactive oxygen species signaling in response to pathogens. *Plant Physiology*, *141*(2), 373–378. <https://doi.org/10.1104/pp.106.079467>
- Van der Auwera, G. A., Carneiro, M. O., Hartl, C., Poplin, R., Del Angel, G., Levy-Moonshine, A., et al. (2013). From FastQ data to high confidence variant calls: The Genome Analysis Toolkit best practices pipeline. *Current Protocols in Bioinformatics*, *11*(1110), 11.10.1–11.10.33.
- Van Loon, L. C., Geraats, B. P. J., & Linthorst, H. J. M. (2006). Ethylene as a modulator of disease resistance in plants. *Trends in Plant Science*, *11*, 184–191. <https://doi.org/10.1016/j.tplants.2006.02.005>
- Vandeputte, D., Kathagen, G., D'Hoe, K., Vieira-Silva, S., Valles-Colomer, M., Sabino, J., Wang, J., Tito, R. Y., De Commer, L., Darzi, Y., et al. (2017). Quantitative microbiome profiling links gut community variation to microbial load. *Nature*, *551*, 507–511. <https://doi.org/10.1038/nature24460>.
- Velasco-Ramírez, A. P., Torres-Morán, M. I., Molina-Moret, S., Sánchez-González, J. J., & Santacruz-Ruvalcaba, F. (2014). Efficiency of RAPD, ISSR, AFLP, and ISTR markers for the detection of polymorphisms and genetic relationships in camote de cerro (*Dioscorea* spp.). *Electronic Journal of Biotechnology*, *17*(2), 65–71. <https://doi.org/10.1016/j.ejbt.2014.01.002>
- Verma, V., Ravindran, P., & Kumar, P. P. (2016). Plant hormone-mediated regulation of stress responses. *BMC Plant Biology*, *16*, 1. <https://doi.org/10.1186/s12870-016-0771-y>
- Vlot, A. C., Dempsey, D. A., & Klessig, D. F. (2009). Salicylic acid, a multifaceted hormone to combat disease. *Annual Review of Phytopathology*, *47*, 177–206. <https://doi.org/10.1146/annurev.phyto.050908.135202>
- Vu, M. H., Kyung, H. T., Bahk, S., Jo, Y., Kumar, R., Dhineshkumar, T., Iswanto, A. B. B., Chung, W. S., Shelake, R. M., & Kim, J.-Y. (2023). ROS-mediated plasmodesmal regulation requires a network of an *Arabidopsis*

- receptor-like kinase, calmodulin-like proteins, and callose synthases. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.1107224>
- Waite, D. W., Liefing, L., Delmiglio, C., Chernyavtseva, A., Ha, H. J., & Thompson, J. R. (2022). Development and validation of a bioinformatic workflow for the rapid detection of viruses in biosecurity. *Viruses*, 14(10).
- Walter, A. J., Duan, Y., & Hall, D. G. (2012). Titers of *Candidatus Liberibacter asiaticus* in *Murraya paniculata* and *Murraya*-reared *Diaphorina citri* are much lower than in citrus and citrus-reared psyllids. *HortScience*, 47(10), 1449–1452.
- Wan, M. H., Wu, B., Ren, W., & He, B. (2010). Screening, characterization, and cloning of a solvent-tolerant protease from *Serratia marcescens* MH6. *Journal of Microbiology and Biotechnology*, 20, 881–888.
- Wang, H. Q., Sun, L. P., Wang, L. X., Fang, X. W., Li, Z. Q., Zhang, F. F., Hu, X., Qi, C., & He, J. M. (2020). Ethylene mediates salicylic-acid-induced stomatal closure by controlling reactive oxygen species and nitric oxide production in *Arabidopsis*. *Plant Science*, 294, 110464.
- Wang, L., Wuyun, T., Du, H., Wang, D., & Cao, D. (2016). Complete chloroplast genome sequences of *Eucommia ulmoides*: Genome structure and evolution. *Tree Genetics & Genomes*, 12, 12. <https://doi.org/10.1007/s11295-016-0970-6>
- Wang, R., Cheng, C., Chang, C., Wu, C., Su, T., & Chaw, S. (2008). Dynamics and evolution of the inverted repeat-large single copy junctions in the chloroplast genomes of monocots. *BMC Evolutionary Biology*, 8, 36. <https://doi.org/10.1186/1471-2148-8-36>
- Wang, Y., Pruitt, R. N., Nürnberger, T., & Wang, Y. (2022). Evasion of plant immunity by microbial pathogens. *Nature Reviews Microbiology*, 20, 449–464. <https://doi.org/10.1038/s41579-022-00710-3>
- Wasternack, C., & Song, S. (2017). Jasmonates: Biosynthesis, metabolism, and signaling by proteins activating and repressing transcription. *Journal of Experimental Botany*, 68(6), 1303–1321. <https://doi.org/10.1093/jxb/erw443>
- Wendel, J. F., & Doyle, J. (1998). Phylogenetic incongruence: Window into genome history and molecular evolution. In Soltis, D. E., Soltis, P. S., & Doyle, J. J. (Eds.), *Molecular systematics of plants* (pp. 265–296). Boston, MA: Kluwer Academic Publishers.
- White, T. J., Bruns, T., Lee, S., & Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In Innis, M. A., Gelfand, D. H., Sninsky, J. J., & White, T. J. (Eds.), *PCR protocols: A guide to methods and applications* (pp. 315–322). Academic Press.
- Woodson, J. D. (2022). Control of chloroplast degradation and cell death in response to stress. *Trends in Biochemical Sciences*, 47(10), 851–864. <https://doi.org/10.1016/j.tibs.2022.03.010>
- Wu, F., Deng, X., Liang, G., Huang, J., Cen, Y., & Chen, J. (2015). Whole-genome sequence of *Candidatus Proffittella armatura* from *Diaphorina citri* in Guangdong, China. *Genome Announcements*, 3(6). <https://doi.org/10.1128/genomeA.01395-15>

- Wu, H., Wu, X., Li, Z., Duan, L., & Zhang, M. (2012). Physiological evaluation of drought stress tolerance and recovery in cauliflower (*Brassica oleracea* L.) seedlings treated with methyl jasmonate and coronatine. *Journal of Plant Growth Regulation*, *31*, 113–123. <https://doi.org/10.1007/s00344-011-9224-x>
- Yan, Q., Sreedharan, A., Wei, S., Wang, J., Pelz-Stelinski, K., Folimonova, S., & Wang, N. (2013). Global gene expression changes in *Candidatus Liberibacter asiaticus* during the transmission in distinct hosts between plant and insect. *Molecular Plant Pathology*, *14*(4), 391–404. <https://doi.org/10.1111/mpp.12015>
- Yan, Z., Wang, S., Ma, D., Liu, B., Lin, H., & Li, S. (2019). Meteorological factors affecting pan evaporation in the Haihe River Basin and China. *Water*, *11*, 317. <https://doi.org/10.3390/w11020317>
- Yang, M., Zhang, X., Liu, G., Yin, Y., Chen, K., Yun, Q., et al. (2010). The complete chloroplast genome sequence of date palm (*Phoenix dactylifera* L.). *PLoS One*, *5*, e12762. <https://doi.org/10.1371/journal.pone.0012762>
- Yang, Y., Huang, M., Beattie, G. A. C., Xia, Y., Ouyang, G., & Xiong, J. (2006). Distribution, biology, ecology and control of the psyllid *Diaphorina citri* Kuwayama, a major pest of citrus: A status report for China. *International Journal of Pest Management*, *52*, 343–352. <https://doi.org/10.1080/09670870600872919>
- Yasuda, K., Kawamura, F., & Oishi, T. (2005). Location and preference of adult Asian citrus psyllid, *Diaphorina citri* (Homoptera: Psyllidae) on Chinese box orange jasmine, *Murraya exotica* L., and flat lemon, *Citrus depressa*. *Japanese Journal of Applied Entomology and Zoology*, *49*(3), 146–149. <https://doi.org/10.1303/jjaez.2005.146>
- Yiallourous, I., Grosse Berckhoff, E., & Stöcker, W. (2000). The roles of Glu93 and Tyr149 in astacin-like zinc peptidases. *FEBS Letters*, *484*, 224–228. [https://doi.org/10.1016/S0014-5793\(00\)02142-8](https://doi.org/10.1016/S0014-5793(00)02142-8)
- Yoon, S. H., Ha, S.-M., Lim, J., Kwon, S., Chun, J., & others. (2017). A large-scale evaluation of algorithms to calculate average nucleotide identity. *Antonie van Leeuwenhoek*, *110*, 1281–1286. <https://doi.org/10.1007/s10482-017-0844-4>
- Yu, X., Lund, S. P., Scott, R. A., Greenwald, J. W., Records, A. H., Nettleton, D., et al. (2013). Transcriptional responses of *Pseudomonas syringae* to growth in epiphytic versus apoplastic leaf sites. *Proceedings of the National Academy of Sciences of the United States of America*, *110*(5), E425–E434. <https://doi.org/10.1073/pnas.1219864110>
- Yule, G. U. (1925). A mathematical theory of evolution, based on the conclusions of Dr. J. C. Willis, F. R. S. *Philosophical Transactions of the Royal Society of London. Series B*, *213*(402–410), 21–87. <https://royalsocietypublishing.org/doi/pdf/10.1098/rstb.1925.0002>
- Zhang, D. X., Hartley, T. G., & Mabblerley, D. J. (2008). Rutaceae. In Wu, Z. Y., Raven, P. H., & Hong, D. Y. (Eds.), *Flora of China, Vol. 11 (Oxalidaceae through Aceraceae)* (pp. 51–98). Beijing: Science Press; St. Louis: Missouri Botanical Garden Press.

- Zhang, Y., Fan, W., Kinkema, M., Li, X., & Dong, X. (1999). Interaction of NPR1 with basic leucine zipper protein transcription factors that bind sequences required for salicylic acid induction of the PR-1 gene. *Proceedings of the National Academy of Sciences*, 96(11), 6523–6528. <https://doi.org/10.1073/pnas.96.11.6523>
- Zhang, Y., Zhang, Y., Sun, Q., Lu, S., Chai, L., Ye, J., & Deng, X. (2021). Citrus transcription factor CsHB5 regulates abscisic acid biosynthetic genes and promotes senescence. *The Plant Journal*, 108(1), 151–168. <https://doi.org/10.1111/tpj.15494>
- Zhao, H., Sun, R., Albrecht, U., Padmanabhan, C., Wang, A., Coffey, M. D., et al. (2013). Small RNA profiling reveals phosphorus deficiency as a contributing factor in symptom expression for citrus huanglongbing disease. *Molecular Plant*, 6, 301–310. <https://doi.org/10.1093/mp/sst012>
- Zhao, P., Luo, J., & Zhuang, W. (2011). DNA barcoding of the fungal genus *Neonectria* and the discovery of two new species. *Science China Life Sciences*, 54, 664–674. <https://doi.org/10.1007/s11427-011-4184-8>
- Zheng, Y., Li, J., Zheng, M., Li, Y., Deng, X., & Zheng, Z. (2024). Whole genome sequences of 135 *Candidatus Liberibacter asiaticus* strains from China. *Scientific Data*, 11, 1018. <https://doi.org/10.1038/s41597-024-03855-3>
- Zhong, Y., Cheng, C. Z., Jiang, N. H., Jiang, B., Zhang, Y. Y., Wu, B., et al. (2015). Comparative transcriptome and iTRAQ proteome analyses of citrus root responses to *Candidatus Liberibacter asiaticus* infection. *PLoS One*, 10, e0126973. <https://doi.org/10.1371/journal.pone.0126973>
- Zhou, L. J., Gabriel, D. W., Duan, Y. P., Halbert, S. E., & Dixon, W. N. (2007). First report of dodder transmission of huanglongbing from naturally infected *Murraya paniculata* to citrus. *Plant Disease*, 91, 227. <https://doi.org/10.1094/PDIS-91-2-0227C>
- Zhou, L., Powell, C. A., Hoffman, M. T., Li, W., Fan, G., Liu, B., Lin, H., & Duan, Y. (2011). Diversity and plasticity of the intracellular plant pathogen and insect symbiont *Candidatus Liberibacter asiaticus* as revealed by hypervariable prophage genes with intragenic tandem repeats. *Applied and Environmental Microbiology*, 77(18), 6663–6673. <https://doi.org/10.1128/AEM.05119-11>
- Zhu, Y., Su, H., Liu, X. X., et al. (2024). Identification of NADPH oxidase genes crucial for rice multiple disease resistance and yield traits. *Rice*, 17, 1. <https://doi.org/10.1186/s12284-023-00678-5>
- Zuckermandl, E., & Pauling, L. (1965). Evolutionary divergence and convergence in proteins. In V. Bryson & H. J. Vogel (Eds.), *Evolving genes and proteins* (pp. 97–166). Academic Press. https://bip.weizmann.ac.il/education/course/evogen/Clocks/Zuckermandl_1965.pdf