

REFERENCES

- Ahmed, R., Liu, G., Yousaf, B., Abbas, Q., Ullah, H., & Ali, M. U. (2020). Recent advances in carbon-based renewable adsorbent for selective carbon dioxide capture and separation-A review. *Journal of Cleaner Production*, 242, 118409. <https://doi.org/10.1016/j.jclepro.2019.118409>
- Aliyev, E., Filiz, V., Khan, M. M., Lee, Y. J., Abetz, C., & Abetz, V. (2019). Structural Characterization of Graphene Oxide: Surface Functional Groups and Fractionated Oxidative Debris. *Nanomaterials*, 9(8), 1180. <https://doi.org/10.3390/nano9081180>
- Amato, F., Ferrari, I., Motta, A., Zanoni, R., Dalchiele, E. A., & Marrani, A. G. (2023). Assessing the evolution of oxygenated functional groups on the graphene oxide surface upon mild thermal annealing in water. *RSC Advances*, 13(42), 29308–29315. <https://doi.org/10.1039/D3RA05083A>
- Bunch, J. S., Verbridge, S. S., Alden, J. S., van der Zande, A. M., Parpia, J. M., Craighead, H. G., & McEuen, P. L. (2008). Impermeable Atomic Membranes from Graphene Sheets. *Nano Letters*, 8(8), 2458–2462. <https://doi.org/10.1021/nl801457b>
- Chakraborty, S., Saha, R., & Saha, S. (2023). A critical review on graphene and graphene-based derivatives from natural sources emphasizing on CO₂ adsorption potential. *Environmental Science and Pollution Research*, 31(60), 67633–67663. <https://doi.org/10.1007/s11356-023-30093-8>
- Chen, H., Guo, Y., Du, Y., Xu, X., Su, C., Zeng, Z., & Li, L. (2021). The synergistic effects of surface functional groups and pore sizes on CO₂ adsorption by GCMC and DFT simulations. *Chemical Engineering Journal*, 415, 128824. <https://doi.org/10.1016/j.cej.2021.128824>
- Chen, H., Guo, Y., Zhou, K., Wang, J., Zeng, Z., & Li, L. (2023). Mechanism exploration of surface functional groups and pore sizes on CO₂ adsorptive separation by GCMC and DFT simulations. *Separation and Purification Technology*, 318, 123993. <https://doi.org/10.1016/j.seppur.2023.123993>
- Chen, X., Qu, Z., Liu, Z., & Ren, G. (2022). Mechanism of Oxidization of Graphite to Graphene Oxide by the Hummers Method. *ACS Omega*, 7(27), 23503–23510. <https://doi.org/10.1021/acsomega.2c01963>
- Choi, Y. R., Yoon, Y.-G., Choi, K. S., Kang, J. H., Shim, Y.-S., Kim, Y. H., Chang, H. J., Lee, J.-H., Park, C. R., Kim, S. Y., & Jang, H. W. (2015). Role of oxygen functional groups in graphene oxide for reversible room-temperature NO₂ sensing. *Carbon*, 91, 178–187. <https://doi.org/10.1016/j.carbon.2015.04.082>
- Choo, S.-S., Kang, E.-S., Song, I., Lee, D., Choi, J.-W., & Kim, T.-H. (2017). Electrochemical Detection of Dopamine Using 3D Porous Graphene Oxide/Gold Nanoparticle Composites. *Sensors*, 17(4), 861. <https://doi.org/10.3390/s17040861>
- Dassanayake, A. C., & Jaroniec, M. (2017). Dual optimization of microporosity in carbon spheres for CO₂ adsorption by using pyrrole as the carbon precursor and potassium salt as the activator. *Journal of Materials Chemistry A*, 5(36), 19456–19466. <https://doi.org/10.1039/C7TA05523D>

- del Castillo, R. M., Calles, A. G., Espejel-Morales, R., & Hernández-Coronado, H. (2018). Adsorption of CO₂ on graphene surface modified with defects. *Computational Condensed Matter*, *16*, e00315. <https://doi.org/10.1016/j.cocom.2018.e00315>
- Denis, P. A., & Iribarne, F. (2013). Comparative Study of Defect Reactivity in Graphene. *The Journal of Physical Chemistry C*, *117*(37), 19048–19055. <https://doi.org/10.1021/jp4061945>
- Dimiev, A. M., & Tour, J. M. (2014). Mechanism of Graphene Oxide Formation. *ACS Nano*, *8*(3), 3060–3068. <https://doi.org/10.1021/nn500606a>
- Dubey, A., & Arora, A. (2022). Advancements in carbon capture technologies: A review. *Journal of Cleaner Production*, *373*, 133932. <https://doi.org/10.1016/j.jclepro.2022.133932>
- Dziejarski, B., Serafin, J., Andersson, K., & Krzyżyńska, R. (2023). CO₂ capture materials: a review of current trends and future challenges. *Materials Today Sustainability*, *24*, 100483. <https://doi.org/10.1016/j.mtsust.2023.100483>
- Farjadian, F., Abbaspour, S., Sadatlu, M. A. A., Mirkiani, S., Ghasemi, A., Hoseini-Ghahfarokhi, M., Mozaffari, N., Karimi, M., & Hamblin, M. R. (2020). Recent Developments in Graphene and Graphene Oxide: Properties, Synthesis, and Modifications: A Review. *ChemistrySelect*, *5*(33), 10200–10219. <https://doi.org/10.1002/slct.202002501>
- Geim, A. K., & Novoselov, K. S. (2007). The rise of graphene. *Nature Materials*, *6*(3), 183–191. <https://doi.org/10.1038/nmat1849>
- Hartree, D. R. (1928). The Wave Mechanics of an Atom with a Non-Coulomb Central Field. Part I. Theory and Methods. *Mathematical Proceedings of the Cambridge Philosophical Society*, *24*(1), 89–110. <https://doi.org/10.1017/S0305004100011919>
- He, M., Zhao, H., Yang, X., Jia, J., Liu, X., Qu, Z., Zhou, W., Sun, F., & Wang, Z. (2023). Reconsideration about the competitive adsorption of H₂O and CO₂ on carbon surfaces: The influence of oxygen functional groups. *Journal of Environmental Chemical Engineering*, *11*(6), 111288. <https://doi.org/10.1016/j.jece.2023.111288>
- Hohenberg, P., & Kohn, W. (1964). Inhomogeneous Electron Gas. *Physical Review*, *136*(3B), B864–B871. <https://doi.org/10.1103/PhysRev.136.B864>
- Huang, H., Shi, H., Das, P., Qin, J., Li, Y., Wang, X., Su, F., Wen, P., Li, S., Lu, P., Liu, F., Li, Y., Zhang, Y., Wang, Y., Wu, Z., & Cheng, H. (2020). The Chemistry and Promising Applications of Graphene and Porous Graphene Materials. *Advanced Functional Materials*, *30*(41). <https://doi.org/10.1002/adfm.201909035>
- Huo, J., Meng, J., Zheng, H., Parikh, P., & Guan, D. (2023). Achieving decent living standards in emerging economies challenges national mitigation goals for CO₂ emissions. *Nature Communications*, *14*(1), 6342. <https://doi.org/10.1038/s41467-023-42079-8>
- Hussin, F., & Aroua, M. K. (2020). Recent trends in the development of adsorption technologies for carbon dioxide capture: A brief literature and patent reviews (2014–2018). *Journal of Cleaner Production*, *253*, 119707. <https://doi.org/10.1016/j.jclepro.2019.119707>

- Jin, Y., Zheng, Y., Podkolzin, S. G., & Lee, W. (2020). Band gap of reduced graphene oxide tuned by controlling functional groups. *Journal of Materials Chemistry C*, 8(14), 4885–4894. <https://doi.org/10.1039/C9TC07063J>
- Kamran, U., & Park, S.-J. (2021). Chemically modified carbonaceous adsorbents for enhanced CO₂ capture: A review. *Journal of Cleaner Production*, 290, 125776. <https://doi.org/10.1016/j.jclepro.2020.125776>
- Kohn, W., & Sham, L. J. (1965). Self-Consistent Equations Including Exchange and Correlation Effects. *Physical Review*, 140(4A), A1133–A1138. <https://doi.org/10.1103/PhysRev.140.A1133>
- Korucu, H., Mohamed, A. I., Yartaşı, A., & Uğur, M. (2023). The detailed Characterization of graphene oxide. *Chemical Papers*, 77(10), 5787–5806. <https://doi.org/10.1007/s11696-023-02897-y>
- Kwac, K., Lee, J. H., Choi, J. W., & Jung, Y. (2016). Computational Analysis of Pressure-Dependent Optimal Pore Size for CO₂ Capture with Graphitic Surfaces. *The Journal of Physical Chemistry C*, 120(7), 3978–3985. <https://doi.org/10.1021/acs.jpcc.5b12404>
- Lai, J. Y., Ngu, L. H., & Hashim, S. S. (2021). A review of CO₂ adsorbents performance for different carbon capture technology processes conditions. *Greenhouse Gases: Science and Technology*, 11(5), 1076–1117. <https://doi.org/10.1002/ghg.2112>
- Li, C., Chen, Y., Xu, Z., & Yang, X. (2023). Quantum mechanical analysis of adsorption for CH₄ and CO₂ onto graphene oxides. *Materials Chemistry and Physics*, 301, 127602. <https://doi.org/10.1016/j.matchemphys.2023.127602>
- Li, Z., Ding, C., Wang, W., Lu, B., & Gao, D. (2022). Simulation study on the adsorption characteristics of CO₂ and CH₄ by oxygen-containing functional groups on coal surface. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 44(2), 3709–3719. <https://doi.org/10.1080/15567036.2022.2069305>
- Lim, G., Lee, K. B., & Ham, H. C. (2016). Effect of N-Containing Functional Groups on CO₂ Adsorption of Carbonaceous Materials: A Density Functional Theory Approach. *The Journal of Physical Chemistry C*, 120(15), 8087–8095. <https://doi.org/10.1021/acs.jpcc.5b12090>
- Liu, Z., Wang, K., Chen, Y., Tan, T., & Nielsen, J. (2020). Third-generation biorefineries as the means to produce fuels and chemicals from CO₂. *Nature Catalysis*, 3(3), 274–288. <https://doi.org/10.1038/s41929-019-0421-5>
- Lu, Y., Xu, Y., Zhang, J., Zhang, Q., Li, L., & Tian, J. (2022). Adsorption of Carbon Dioxide Gas by Modified Graphene: A Theoretical Study. *ChemistrySelect*, 7(7). <https://doi.org/10.1002/slct.202104067>
- Luo, D., & Zhang, X. (2018). The effect of oxygen-containing functional groups on the H₂ adsorption of graphene-based nanomaterials: experiment and theory. *International Journal of Hydrogen Energy*, 43(11), 5668–5679. <https://doi.org/10.1016/j.ijhydene.2018.01.164>
- Luschkova, D., Traidl-Hoffmann, C., & Ludwig, A. (2022). Climate change and allergies. *Allergo Journal International*, 31(4), 114–120. <https://doi.org/10.1007/s40629-022-00212-x>

- Ma, X., Li, L., Zeng, Z., Chen, R., Wang, C., Zhou, K., & Li, H. (2019). Experimental and theoretical demonstration of the relative effects of O-doping and N-doping in porous carbons for CO₂ capture. *Applied Surface Science*, *481*, 1139–1147. <https://doi.org/10.1016/j.apsusc.2019.03.162>
- Madyal, R. S., & Arora, J. S. (2014). DFT studies for the evaluation of amine functionalized polystyrene adsorbents for selective adsorption of carbon dioxide. *RSC Adv.*, *4*(39), 20323–20333. <https://doi.org/10.1039/C4RA00444B>
- Maity, I., Ghosh, K., Rahaman, H., & Bhattacharyya, P. (2017). Selectivity Tuning of Graphene Oxide Based Reliable Gas Sensor Devices by Tailoring the Oxygen Functional Groups: A DFT Study Based Approach. *IEEE Transactions on Device and Materials Reliability*, *17*(4), 738–745. <https://doi.org/10.1109/TDMR.2017.2766291>
- Montzka, S. A., Dlugokencky, E. J., & Butler, J. H. (2011). Non-CO₂ greenhouse gases and climate change. *Nature*, *476*(7358), 43–50. <https://doi.org/10.1038/nature10322>
- Nakada, K., & Ishii, A. (2011). DFT Calculation for Adatom Adsorption on Graphene. In *Graphene Simulation*. InTech. <https://doi.org/10.5772/20477>
- Ngo, H. M., Pal, U., Kang, Y. S., & Ok, K. M. (2023). DFT-Based Study for the Enhancement of CO₂ Adsorption on Metal-Doped Nitrogen-Enriched Polytriazines. *ACS Omega*, *8*(9), 8876–8884. <https://doi.org/10.1021/acsomega.3c00395>
- Nováček, M., Jankovský, O., Luxa, J., Sedmidubský, D., Pumera, M., Fila, V., Lhotka, M., Klímová, K., Matějková, S., & Sofer, Z. (2017). Tuning of graphene oxide composition by multiple oxidations for carbon dioxide storage and capture of toxic metals. *Journal of Materials Chemistry A*, *5*(6), 2739–2748. <https://doi.org/10.1039/C6TA03631G>
- Osouleddini, N., & Rastegar, S. F. (2019). DFT study of the CO₂ and CH₄ assisted adsorption on the surface of graphene. *Journal of Electron Spectroscopy and Related Phenomena*, *232*, 105–110. <https://doi.org/10.1016/j.elspec.2018.11.006>
- Pardakhti, M., Jafari, T., Tobin, Z., Dutta, B., Moharreri, E., Shemshaki, N. S., Suib, S., & Srivastava, R. (2019). Trends in Solid Adsorbent Materials Development for CO₂ Capture. *ACS Applied Materials & Interfaces*, *11*(38), 34533–34559. <https://doi.org/10.1021/acsmi.9b08487>
- Park, S., Lee, H.-M., Lee, Y.-S., An, S., Yang, J., & Kim, J. (2023). Density Functional Theory Studies of the Influence of Pore Diameter and Nitrogen-Containing Functional Groups on CO₂ Capture in Nanoporous Graphene. *ACS Applied Nano Materials*, *6*(21), 19611–19621. <https://doi.org/10.1021/acsanm.3c02943>
- Presser, V., McDonough, J., Yeon, S.-H., & Gogotsi, Y. (2011). Effect of pore size on carbon dioxide sorption by carbide derived carbon. *Energy & Environmental Science*, *4*(8), 3059. <https://doi.org/10.1039/c1ee01176f>
- Qu, Y., Ding, J., Chen, H., & Peng, J. (2021). Effect of noble metal atoms on adsorption and electronic properties of graphene toward toxic gas. *Computational and Theoretical Chemistry*, *1196*, 113115. <https://doi.org/10.1016/j.comptc.2020.113115>
- Ruhaimi, A. H., Hitam, C. N. C., Aziz, M. A. A., Hamid, N. H. A., Setiabudi, H. D., & Teh, L. P. (2022). The role of surface and structural functionalisation on graphene

- adsorbent nanomaterial for CO₂ adsorption application: Recent progress and future prospects. *Renewable and Sustainable Energy Reviews*, 167, 112840. <https://doi.org/10.1016/j.rser.2022.112840>
- Shamim, S. U. D., Roy, D., Alam, S., Piya, A. A., Rahman, M. S., Hossain, Md. K., & Ahmed, F. (2022). Doubly doped graphene as gas sensing materials for oxygen-containing gas molecules: A first-principles investigation. *Applied Surface Science*, 596, 153603. <https://doi.org/10.1016/j.apsusc.2022.153603>
- Shokuhi Rad, A., & Pouralijan Foukolaei, V. (2015). Density functional study of Al-doped graphene nanostructure towards adsorption of CO, CO₂ and H₂O. *Synthetic Metals*, 210, 171–178. <https://doi.org/10.1016/j.synthmet.2015.09.026>
- Suhaimin, N. S., Hanifah, M. F. R., Azhar, M., Jaafar, J., Aziz, M., Ismail, A. F., Othman, M. H. D., Rahman, M. A., Aziz, F., Yusof, N., & Mohamud, R. (2022). The evolution of oxygen-functional groups of graphene oxide as a function of oxidation degree. *Materials Chemistry and Physics*, 278, 125629. <https://doi.org/10.1016/j.matchemphys.2021.125629>
- Suhaimin, N. S., Hanifah, M. F. R., Jusin, J. wani, Jaafar, J., Aziz, M., Ismail, A. F., Othman, M. H. D., Abd Rahman, M., Aziz, F., Yusof, N., & Mohamud, R. (2021). Tuning the oxygen functional groups in graphene oxide nanosheets by optimizing the oxidation time. *Physica E: Low-Dimensional Systems and Nanostructures*, 131, 114727. <https://doi.org/10.1016/j.physe.2021.114727>
- Sumida, K., Rogow, D. L., Mason, J. A., McDonald, T. M., Bloch, E. D., Herm, Z. R., Bae, T.-H., & Long, J. R. (2012). Carbon Dioxide Capture in Metal–Organic Frameworks. *Chemical Reviews*, 112(2), 724–781. <https://doi.org/10.1021/cr2003272>
- Talyzin, A. V., Mercier, G., Klechikov, A., Hedenström, M., Johnels, D., Wei, D., Cotton, D., Opitz, A., & Moons, E. (2017). Brodie vs Hummers graphite oxides for preparation of multi-layered materials. *Carbon*, 115, 430–440. <https://doi.org/10.1016/j.carbon.2016.12.097>
- Tang, S., & Cao, Z. (2011). Adsorption of nitrogen oxides on graphene and graphene oxides: Insights from density functional calculations. *The Journal of Chemical Physics*, 134(4). <https://doi.org/10.1063/1.3541249>
- Tit, N., Said, K., Mahmoud, N. M., Kouser, S., & Yamani, Z. H. (2017). Ab-initio investigation of adsorption of CO and CO₂ molecules on graphene: Role of intrinsic defects on gas sensing. *Applied Surface Science*, 394, 219–230. <https://doi.org/10.1016/j.apsusc.2016.10.052>
- Wang, C., Fang, Y., Duan, H., Liang, G., Li, W., Chen, D., & Long, M. (2021). DFT study of CO₂ adsorption properties on pristine, vacancy and doped graphenes. *Solid State Communications*, 337, 114436. <https://doi.org/10.1016/j.ssc.2021.114436>
- Wang, C., Wang, Z., Zhang, S., Zhang, J., & Li, K. (2023). Ab Initio Investigation of the Adsorption of CO₂ Molecules on Defect Sites of Graphene Surfaces: Role of Local Vacancy Structures. *Materials*, 16(3), 981. <https://doi.org/10.3390/ma16030981>
- Wang, X., & Song, C. (2020). Carbon Capture From Flue Gas and the Atmosphere: A Perspective. *Frontiers in Energy Research*, 8. <https://doi.org/10.3389/fenrg.2020.560849>

- Wang, Y., Wang, H., Zhang, N., Wang, D., Wang, R., Peng, W., Zhang, J., Liu, J., & Zhang, J. (2023). CO₂ Capture and Separation by Mono-Vacancy Doped Graphene in Electric Field: A DFT study. *ChemistrySelect*, 8(13). <https://doi.org/10.1002/slct.202203408>
- Wang, Y., Yang, Q., Li, J., Yang, J., & Zhong, C. (2016). Exploration of nanoporous graphene membranes for the separation of N₂ from CO₂: a multi-scale computational study. *Physical Chemistry Chemical Physics*, 18(12), 8352–8358. <https://doi.org/10.1039/C5CP06569K>
- Wehling, T. O., Novoselov, K. S., Morozov, S. V., Vdovin, E. E., Katsnelson, M. I., Geim, A. K., & Lichtenstein, A. I. (2008). Molecular Doping of Graphene. *Nano Letters*, 8(1), 173–177. <https://doi.org/10.1021/nl072364w>
- Wood, B. C., Bhide, S. Y., Dutta, D., Kandagal, V. S., Pathak, A. D., Punnathanam, S. N., Ayappa, K. G., & Narasimhan, S. (2012). Methane and carbon dioxide adsorption on edge-functionalized graphene: A comparative DFT study. *The Journal of Chemical Physics*, 137(5). <https://doi.org/10.1063/1.4736568>
- Xing, W., Liu, C., Zhou, Z., Zhang, L., Zhou, J., Zhuo, S., Yan, Z., Gao, H., Wang, G., & Qiao, S. Z. (2012). Superior CO₂ uptake of N-doped activated carbon through hydrogen-bonding interaction. *Energy & Environmental Science*, 5(6), 7323. <https://doi.org/10.1039/c2ee21653a>
- Yu, W., Sisi, L., Haiyan, Y., & Jie, L. (2020). Progress in the functional modification of graphene/graphene oxide: a review. *RSC Advances*, 10(26), 15328–15345. <https://doi.org/10.1039/D0RA01068E>
- Zhang, S., Liang, Z., Li, K., Zhang, J., & Ren, S. (2022). A density functional theory study on the adsorption reaction mechanism of double CO₂ on the surface of graphene defects. *Journal of Molecular Modeling*, 28(5), 118. <https://doi.org/10.1007/s00894-022-05105-y>
- Zhu, B., Zhang, L., Xu, D., Cheng, B., & Yu, J. (2017). Adsorption investigation of CO₂ on g-C₃N₄ surface by DFT calculation. *Journal of CO₂ Utilization*, 21, 327–335. <https://doi.org/10.1016/j.jcou.2017.07.021>