

DAFTAR PUSTAKA

- An, D., Pan, Z., Zhao, Q., Liu, W., & Liu, J. (2024). Unsupervised graph structure learning based on optimal graph topology modeling and adaptive data augmentation. *Mathematics*, 12.
- Atwood, J., & Towsley, D. (2016). Diffusion-convolutional neural networks. In *Proceedings of the 30th International Conference on Neural Information Processing Systems NIPS'16* (p. 2001–2009). Red Hook, NY, USA: Curran Associates Inc.
- Brody, S., Alon, U., & Yahav, E. (2022). How attentive are graph attention networks? In *The Tenth International Conference on Learning Representations, ICLR 2022, Virtual Event, April 25-29, 2022*. OpenReview.net.
- Chen, W. (2014). Parameterized spatial sql translation for geographic question answering. In *2014 IEEE International Conference on Semantic Computing* (pp. 23–27). IEEE.
- Chen, W., Fosler-Lussier, E., Xiao, N., Raje, S., Ramnath, R., & Sui, D. (2013). A synergistic framework for geographic question answering. In *2013 IEEE seventh international conference on semantic computing* (pp. 94–99). IEEE.
- Domènech, D. F. (2017). *Knowledge-based and data-driven approaches for geographical information access*. Ph.D. thesis Universitat Politècnica de Catalunya (UPC).
- Dozat, T., & Manning, C. D. (2017). Deep biaffine attention for neural dependency parsing. In *5th International Conference on Learning Representations, ICLR 2017, Toulon, France, April 24-26, 2017*. OpenReview.net.
- Dozat, T., & Manning, C. D. (2018). Simpler but more accurate semantic dependency parsing. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)* (pp. 484–490). Melbourne, Australia: Association for Computational Linguistics.
- Duan, Z., Xu, H., Huang, Y., Feng, J., & Wang, Y. (2023). Multivariate time series forecasting with transfer entropy graph. *Tsinghua Science and Technology*, 28, 141–149.

- Duan, Z., Xu, H., Wang, Y., Huang, Y., Ren, A., Xu, Z., Sun, Y., & Wang, W. (2022). Multivariate time-series classification with hierarchical variational graph pooling. *Neural Networks*, *154*, 481–490.
- Elseidy, M., Abdelhamid, E., Skiadopoulos, S., & Kalnis, P. (2014). GraMi: Frequent subgraph and pattern mining in a single large graph. In *Proceedings of the VLDB Endowment* (p. 517–528). VLDB Endowment volume 7.
- Fan, W., Wang, X., Wu, Y., & Xu, J. (2015). Association rules with graph patterns. In *Proceedings of the VLDB Endowment* (p. 1502–1513). VLDB Endowment volume 8.
- Feng, W., Zhang, J., Dong, Y., Han, Y., Luan, H., Xu, Q., Yang, Q., Kharlamov, E., & Tang, J. (2020). Graph random neural networks for semi-supervised learning on graphs. In *Proceedings of the 34th International Conference on Neural Information Processing Systems NIPS '20*. Red Hook, NY, USA: Curran Associates Inc.
- Feng, Y., Ding, L., & Xiao, G. (2023). GeoQAMap - geographic question answering with maps leveraging LLM and open knowledge base. In R. Beecham, J. A. Long, D. Smith, Q. Zhao, & S. Wise (Eds.), *12th International Conference on Geographic Information Science (GIScience 2023)* (pp. 28:1–28:7). Dagstuhl, Germany: Schloss Dagstuhl – Leibniz-Zentrum für Informatik volume 277 of *Leibniz International Proceedings in Informatics (LIPIcs)*.
- Fernández-González, D., & Gómez-Rodríguez, C. (2020). Transition-based semantic dependency parsing with pointer networks. In D. Jurafsky, J. Chai, N. Schluter, & J. R. Tetreault (Eds.), *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, ACL 2020, Online, July 5-10, 2020* (pp. 7035–7046). Association for Computational Linguistics.
- Fernández-González, D., & Gómez-Rodríguez, C. (2023). Dependency parsing with bottom-up hierarchical pointer networks. *Information Fusion*, *91*, 494–503.
- Ferrés, D., & Rodríguez, H. (2006). Experiments adapting an open-domain question answering system to the geographical domain using scope-based resources. In *Proceedings of the Workshop on Multilingual Question Answering MLQA '06* (p. 69–76). USA: Association for Computational Linguistics.

- Feurer, M., Klein, A., Eggenberger, K., Springenberg, J., Blum, M., & Hutter, F. (2015). Efficient and robust automated machine learning. *Advances in neural information processing systems*, 28.
- Flickinger, D. (2000). On building a more efficient grammar by exploiting types. *Natural Language Engineering*, 6, 15–28.
- Flickinger, D., Zhang, Y., & Kordoni, V. (2012a). Deepbank : a dynamically annotated treebank of the wall street journal. In *Proceedings of the Eleventh International Workshop on Treebanks and Linguistic Theories (TLT11)* (pp. 85–96). Lisbon. HU.
- Flickinger, D., Zhang, Y., & Kordoni, V. (2012b). DeepBank: A dynamically annotated treebank of the wall street journal. In *Proceedings of the 11th International Workshop on Treebanks and Linguistic Theories*, (pp. 85–96).
- Frasconi, P., Gori, M., & Sperduti, A. (1998). A general framework for adaptive processing of data structures. *IEEE Transactions on Neural Networks*, 9, 768–786.
- Gómez-Rodríguez, C., & Nivre, J. (2013). Divisible transition systems and multiplanar dependency parsing. *Computational Linguistics*, 39, 799–845.
- Hajic, J., Hajicová, E., Panevová, J., Sgall, P., Bojar, O., Cinková, S., Fucíková, E., Mikulová, M., Pajas, P., Popelka, J., Semecký, J., Sindlerová, J., Stepánek, J., Toman, J., Uresová, Z., & Zabokrtský, Z. (2012). Announcing prague czech-english dependency treebank 2.0. In N. Calzolari, K. Choukri, T. Declerck, M. U. Dogan, B. Maegaard, J. Mariani, J. Odijk, & S. Piperidis (Eds.), *Proceedings of the Eighth International Conference on Language Resources and Evaluation, LREC 2012, Istanbul, Turkey, May 23-25, 2012* (pp. 3153–3160). European Language Resources Association (ELRA).
- Hamilton, W. L., Ying, R., & Leskovec, J. (2017). Inductive representation learning on large graphs. In *Proceedings of the 31st International Conference on Neural Information Processing Systems NIPS'17* (p. 1025–1035). Red Hook, NY, USA: Curran Associates Inc.
- Hamzei, E. (2021). *Place-related question answering: From questions to relevant answers*. Ph.D. thesis Department of Infrastructure Engineering, The University of Melbourne.

- Hamzei, E., Li, H., Vasardani, M., Baldwin, T., Winter, S., & Tomko, M. (2020). Place questions and human-generated answers: A data analysis approach. In P. Kyriakidis, D. Hadjimitsis, D. Skarlatos, & A. Mansourian (Eds.), *Geospatial Technologies for Local and Regional Development: Proceedings of the 22nd AGILE Conference on Geographic Information Science* (pp. 3–19). Cham: Springer International Publishing.
- Hamzei, E., Tomko, M., & Winter, S. (2022a). Translating place-related questions to GeoSPARQL queries. In *Proceedings of the ACM Web Conference 2022 WWW '22* (p. 902–911). New York, NY, USA: Association for Computing Machinery.
- Hamzei, E., Winter, S., & Tomko, M. (2022b). Templates of generic geographic information for answering where-questions. *International Journal of Geographical Information Science*, *36*, 188–214.
- Han, J., Cheng, H., Xin, D., & Yan, X. (2007). Frequent pattern mining: current status and future directions. *Data Mining and Knowledge Discovery*, *15*, 55–86.
- Hartrumpf, S., & Leveling, J. (2009). Recursive question decomposition for answering complex geographic questions. In *Workshop of the Cross-Language Evaluation Forum for European Languages* (pp. 310–317). Springer.
- He, H., & Choi, J. D. (2020). Establishing strong baselines for the new decade: Sequence tagging, syntactic and semantic parsing with BERT. In R. Barták, & E. Bell (Eds.), *Proceedings of the Thirty-Third International Florida Artificial Intelligence Research Society Conference, Originally to be held in North Miami Beach, Florida, USA, May 17-20, 2020* (pp. 228–233). AAAI Press.
- Huan, J., Wang, W., Prins, J., & Yang, J. (2004). SPIN: mining maximal frequent subgraphs from graph databases. In *Proceedings of the Tenth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining KDD '04* (p. 581–586). New York, NY, USA: Association for Computing Machinery.
- Huang, C., Zhang, Q., Guo, D., Zhao, X., & Wang, X. (2023). Discovering association rules with graph patterns in temporal networks. *Tsinghua Science and Technology*, *28*, 344 – 359. Cited by: 9; All Open Access, Bronze Open Access.
- Huang, Z., Shen, Y., Li, X., Wei, Y., G., Zhou, L., Dai, X., & Qu, Y. (2020). Geosqa: A benchmark for scenario-based question answering in the geography domain at

high school level. *EMNLP-IJCNLP 2019 - 2019 Conference on Empirical Methods in Natural Language Processing and 9th International Joint Conference on Natural Language Processing, Proceedings of the Conference*, (pp. 5866–5871).

Huda, I., Wibowo, M. E., & Pulungan, R. (2025). Hybrid graph structure learning for improving semantic dependency parsing with robust graph neural networks. *Neurocomputing*, *646*, 130482.

Jang, G., Park, K.-C., Kim, K.-m., Jeong, Y., & Myaeng, S.-H. (2010). What aspects do people search in geo-referenced text? In *Proceedings of the 3rd International Workshop on Location and the Web* (pp. 1–4).

Ji, T., Wu, Y., & Lan, M. (2019). Graph-based dependency parsing with graph neural networks. In A. Korhonen, D. R. Traum, & L. Màrquez (Eds.), *Proceedings of the 57th Conference of the Association for Computational Linguistics, ACL 2019, Florence, Italy, July 28- August 2, 2019, Volume 1: Long Papers* (pp. 2475–2485). Association for Computational Linguistics.

Jiang, B., Zhang, Z., Lin, D., Tang, J., & Luo, B. (2019). Semi-supervised learning with graph learning-convolutional networks. In *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)* (pp. 11305–11312).

Jin, W., Ma, Y., Liu, X., Tang, X., Wang, S., & Tang, J. (2020). Graph structure learning for robust graph neural networks. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining KDD '20* (p. 66–74). New York, NY, USA: Association for Computing Machinery.

Kamath, A., & Das, R. (2018). A survey on semantic parsing. In *Automated Knowledge Base Construction (AKBC)*.

Kefalidis, S.-A., Punjani, D., Tsalapati, E., Plas, K., Pollali, M.-A., Maret, P., & Koubarakis, M. (2024). The question answering system geoqa2 and a new benchmark for its evaluation. *International Journal of Applied Earth Observation and Geoinformation*, *134*, 104203.

Khalid, M., Baber, J., Kasi, M. K., Bakhtyar, M., Devi, V., & Sheikh, N. (2020). Empirical evaluation of activation functions in deep convolution neural network for facial expression recognition. In *2020 43rd International Conference on Telecommunications and Signal Processing (TSP)* (pp. 204–207).

- Kingma, D. P., & Ba, J. (2015). Adam: A method for stochastic optimization. In Y. Bengio, & Y. LeCun (Eds.), *3rd International Conference on Learning Representations, ICLR 2015, San Diego, CA, USA, May 7-9, 2015*.
- Kipf, T. N., & Welling, M. (2017). Semi-supervised classification with graph convolutional networks. In *5th International Conference on Learning Representations, ICLR 2017, Toulon, France, April 24-26, 2017*. OpenReview.net.
- Kollar, T., Berry, D., Stuart, L., Owczarzak, K., Chung, T., Mathias, L., Kayser, M., Snow, B., & Matsoukas, S. (2018). The alexa meaning representation language. In *NAACL-HLT (3)* (pp. 177–184).
- Koo, T., & Collins, M. (2010). Efficient third-order dependency parsers. In J. Hajič, S. Carberry, & S. Clark (Eds.), *ACL 2010, Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics, July 11-16, 2010, Uppsala, Sweden* (pp. 1–11). The Association for Computer Linguistics.
- Krishnamurthy, J., Dasigi, P., & Gardner, M. (2017). Neural semantic parsing with type constraints for semi-structured tables. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing* (pp. 1516–1526).
- Lecun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86, 2278–2324.
- Li, B., Fan, Y., Gao, M., Sataer, Y., & Gao, Z. (2023). A joint-learning-based dynamic graph learning framework for structured prediction. *Electronics*, 12.
- Li, B., Fan, Y., Sataer, Y., Gao, Z., & Gui, Y. (2022). Improving semantic dependency parsing with higher-order information encoded by graph neural networks. *Applied Sciences*, 12.
- Li, H., Hamzei, E., Majic, I., Hua, H., Renz, J., Tomko, M., Vasardani, M., Winter, S., & Baldwin, T. (2021). Neural factoid geospatial question answering. *Journal of Spatial Information Science*, 23, 65–90.
- Li, R., Wang, S., Zhu, F., & Huang, J. (2018). Adaptive graph convolutional neural networks. *Proceedings of the AAAI Conference on Artificial Intelligence*, 32.
- Lindemann, M., Groschwitz, J., & Koller, A. (2019). Compositional semantic parsing across graphbanks. In *Proceedings of the 57th Annual Meeting of the Association*

- for Computational Linguistics* (pp. 4576–4585). Florence, Italy: Association for Computational Linguistics.
- Lindemann, M., Groschwitz, J., & Koller, A. (2020). Fast semantic parsing with well-typedness guarantees. In B. Webber, T. Cohn, Y. He, & Y. Liu (Eds.), *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing, EMNLP 2020, Online, November 16-20, 2020* (pp. 3929–3951). Association for Computational Linguistics.
- Lobry, S., Marcos, D., Murray, J., & Tuia, D. (2020). Rsvqa: Visual question answering for remote sensing data. *IEEE Transactions on Geoscience and Remote Sensing*, 58, 8555–8566.
- Ma, X., & Zhao, H. (2012). Fourth-order dependency parsing. In M. Kay, & C. Boitet (Eds.), *COLING 2012, 24th International Conference on Computational Linguistics, Proceedings of the Conference: Posters, 8-15 December 2012, Mumbai, India* (pp. 785–796). Indian Institute of Technology Bombay.
- Maas, A. L., Hannun, A. Y., & Ng, A. Y. (2013). Rectifier nonlinearities improve neural network acoustic models. In *Proceedings of the 30th International Conference on Machine Learning* (pp. 1–6). Atlanta, GA volume 28.
- Mai, G., Janowicz, K., Zhu, R., Cai, L., & Lao, N. (2021). Geographic question answering: challenges, uniqueness, classification, and future directions. *AGILE: GIScience Series*, 2, 1–21.
- Mai, G., Yan, B., Janowicz, K., & Zhu, R. (2019). Relaxing unanswerable geographic questions using a spatially explicit knowledge graph embedding model. In *International Conference on Geographic Information Science* (pp. 21–39). Springer.
- Marcus, M., Santorini, B., & Marcinkiewicz, M. A. (1993). Building a large annotated corpus of english: The penn treebank. *Computational Linguistics*, 19, 313–330.
- McDonald, R. T., Crammer, K., & Pereira, F. C. N. (2005). Online large-margin training of dependency parsers. In K. Knight, H. T. Ng, & K. Oflazer (Eds.), *ACL 2005, 43rd Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference, 25-30 June 2005, University of Michigan, USA* (pp. 91–98). The Association for Computer Linguistics.

- McDonald, R. T., & Pereira, F. C. N. (2006). Online learning of approximate dependency parsing algorithms. In D. McCarthy, & S. Wintner (Eds.), *EACL 2006, 11st Conference of the European Chapter of the Association for Computational Linguistics, Proceedings of the Conference, April 3-7, 2006, Trento, Italy*. The Association for Computer Linguistics.
- Mendes, A. C., & Coheur, L. (2013). When the answer comes into question in question-answering: survey and open issues. *Natural Language Engineering, 19*, 1–32.
- Merkwirth, C., & Lengauer, T. (2005). Automatic generation of complementary descriptors with molecular graph networks. *Journal of Chemical Information and Modeling, 45*, 1159–1168. PMID: 16180893.
- Micheli, A. (2009). Neural network for graphs: A contextual constructive approach. *IEEE Transactions on Neural Networks, 20*, 498–511.
- Miyao, Y. (2006). From linguistic theory to syntactic analysis: Corpus-oriented grammar development and feature forest model. *PhD thesis, University of Tokyo*, .
- Miyao, Y., & Tsujii, J. (2004). Deep linguistic analysis for the accurate identification of predicate-argument relations. In *Proceedings of the 20th International Conference on Computational Linguistics COLING '04* (p. 1392–es). USA: Association for Computational Linguistics.
- Mooney, P., Cui, W., Guan, B., & Juhász, L. (2023). Towards understanding the geospatial skills of ChatGPT: Taking a geographic information systems (GIS) exam. In S. D. Newsam, L. Yang, G. Mai, B. Martins, D. D. Lunga, & S. Gao (Eds.), *Proceedings of the 6th ACM SIGSPATIAL International Workshop on AI for Geographic Knowledge Discovery, GeoAI 2023, Hamburg, Germany, 13 November 2023* (pp. 85–94). ACM.
- Nguyen, T., Rosenberg, M., Song, X., Gao, J., Tiwary, S., Majumder, R., & Deng, L. (2016). MS MARCO: A human generated machine reading comprehension dataset. In T. R. Besold, A. Bordes, A. S. d'Avila Garcez, & G. Wayne (Eds.), *Proceedings of the Workshop on Cognitive Computation: Integrating neural and symbolic approaches 2016 co-located with the 30th Annual Conference on Neural Information Processing Systems (NIPS 2016), Barcelona, Spain, December 9, 2016*. CEUR-WS.org volume 1773 of *CEUR Workshop Proceedings*.

- Nivre, J. (2003). An efficient algorithm for projective dependency parsing. In *Proceedings of the Eighth International Conference on Parsing Technologies, IWPT 2003, Nancy, France, April 2003* (pp. 149–160).
- Oepen, S., Kuhlmann, M., Miyao, Y., Zeman, D., Cinková, S., Flickinger, D., Hajič, J., & Uresová, Z. (2015). SemEval 2015 Task 18: Broad-coverage semantic dependency parsing. In D. M. Cer, D. Jurgens, P. Nakov, & T. Zesch (Eds.), *Proceedings of the 9th International Workshop on Semantic Evaluation, SemEval@NAACL-HLT 2015, Denver, Colorado, USA, June 4-5, 2015* (pp. 915–926). The Association for Computer Linguistics.
- Pennington, J., Socher, R., & Manning, C. D. (2014). Glove: Global vectors for word representation. In A. Moschitti, B. Pang, & W. Daelemans (Eds.), *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing, EMNLP 2014, October 25-29, 2014, Doha, Qatar, A meeting of SIGDAT, a Special Interest Group of the ACL* (pp. 1532–1543). ACL.
- Pilco, D. S., & Rivera, A. R. (2019). Graph learning network: A structure learning algorithm. *CoRR*, *abs/1905.12665*.
- Platonov, O., Kuznedelev, D., Diskin, M., Babenko, A., & Prokhorenkova, L. (2023). A critical look at the evaluation of gnns under heterophily: Are we really making progress? In *The Eleventh International Conference on Learning Representations, ICLR 2023, Kigali, Rwanda, May 1-5, 2023*. OpenReview.net.
- Punjani, D., Singh, K., Both, A., Koubarakis, M., Angelidis, I., Bereta, K., Beris, T., Bilidas, D., Ioannidis, T., Karalis, N., Lange, C., Pantazi, D., Papaloukas, C., & Stamoulis, G. (2018). Template-based question answering over linked geospatial data. In *Proceedings of the 12th Workshop on Geographic Information Retrieval GIR'18*. New York, NY, USA: Association for Computing Machinery.
- Scarselli, F., Gori, M., Tsoi, A. C., Hagenbuchner, M., & Monfardini, G. (2009). The graph neural network model. *IEEE Transactions on Neural Networks*, *20*, 61–80.
- Scheider, S., Nyamsuren, E., Kruiger, H., & Xu, H. (2021). Geo-analytical question-answering with gis. *International Journal of Digital Earth*, *14*, 1–14.
- Sperduti, A., & Starita, A. (1997). Supervised neural networks for the classification of structures. *IEEE Transactions on Neural Networks*, *8*, 714–735.

- Tang, L. R., & Mooney, R. J. (2001). Using multiple clause constructors in inductive logic programming for semantic parsing. In *European Conference on Machine Learning* (pp. 466–477). Springer.
- Veličković, P., Cucurull, G., Casanova, A., Romero, A., Liò, P., & Bengio, Y. (2018). Graph attention networks. In *6th International Conference on Learning Representations, ICLR 2018, Vancouver, BC, Canada, April 30 - May 3, 2018*. OpenReview.net.
- Wahyudi, Khodra, M. L., Prihatmanto, A. S., & Machbub, C. (2018). A question answering system using graph-pattern association rules (QAGPAR) on YAGO knowledge base. In *2018 International Conference on Information Technology Systems and Innovation (ICITSI)* (pp. 536–541).
- Wahyudi, W., Khodra, M. L., Prihatmanto, A. S., & Machbub, C. (2019). Using graph pattern association rules on Yago knowledge base. *Journal of ICT Research and Applications*, *13*, 162–175.
- Wang, X., Huang, J., & Tu, K. (2019). Second-order semantic dependency parsing with end-to-end neural networks. In A. Korhonen, D. R. Traum, & L. Màrquez (Eds.), *Proceedings of the 57th Conference of the Association for Computational Linguistics, ACL 2019, Florence, Italy, July 28- August 2, 2019, Volume 1: Long Papers* (pp. 4609–4618). Association for Computational Linguistics.
- Wang, X., Jiang, Y., Bach, N., Wang, T., Huang, Z., Huang, F., & Tu, K. (2021). Automated concatenation of embeddings for structured prediction. In C. Zong, F. Xia, W. Li, & R. Navigli (Eds.), *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing, ACL/IJCNLP 2021, (Volume 1: Long Papers), Virtual Event, August 1-6, 2021* (pp. 2643–2660). Association for Computational Linguistics.
- Wang, X., Xu, Y., & Zhan, H. (2020). Extending association rules with graph patterns. *Expert Systems with Applications*, *141*, 112897.
- Wolf, T., Debut, L., Sanh, V., Chaumond, J., Delangue, C., Moi, A., Cistac, P., Rault, T., Louf, R., Funtowicz, M., Davison, J., Shleifer, S., von Platen, P., Ma, C., Jernite, Y., Plu, J., Xu, C., Le Scao, T., Gugger, S., Drame, M., Lhoest, Q., & Rush, A. (2020). Transformers: State-of-the-art natural language processing. In Q. Liu, &

- D. Schlangen (Eds.), *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations* (pp. 38–45). Online: Association for Computational Linguistics.
- Wu, L., Cui, P., Pei, J., Zhao, L., & Song, L. (2022). Graph neural networks. In *Graph Neural Networks: Foundations, Frontiers, and Applications* (pp. 27–37). Springer.
- Xu, K., Hu, W., Leskovec, J., & Jegelka, S. (2018). How powerful are graph neural networks? In *International Conference on Learning Representations*.
- Xu, K., Hu, W., Leskovec, J., & Jegelka, S. (2019). How powerful are graph neural networks? In *7th International Conference on Learning Representations, ICLR 2019, New Orleans, LA, USA, May 6-9, 2019*. OpenReview.net.
- Xue, N., Xia, F., Chiou, F.-D., & Palmer, M. (2005). The penn chinese treebank: Phrase structure annotation of a large corpus. *Natural language engineering, 11*, 207–238.
- Yan, X., & Han, J. (2002). gSpan: Graph-based substructure pattern mining. In *Proceedings of the 2002 IEEE International Conference on Data Mining ICDM '02* (p. 721). USA: IEEE Computer Society.
- Yan, X., & Han, J. (2003). CloseGraph: mining closed frequent graph patterns. In *Proceedings of the Ninth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining KDD '03* (p. 286–295). New York, NY, USA: Association for Computing Machinery.
- Yuan, J., Cao, M., Cheng, H., Yu, H., Xie, J., & Wang, C. (2022). A unified structure learning framework for graph attention networks. *Neurocomputing, 495*, 194–204.
- Yuan, Y., Jiang, Y., & Tu, K. (2019). Bidirectional transition-based dependency parsing. *Proceedings of the AAAI Conference on Artificial Intelligence, 33*, 7434–7441.
- Zelle, J. M., & Mooney, R. J. (1996). Learning to parse database queries using inductive logic programming. In *Proceedings of the national conference on artificial intelligence* (pp. 1050–1055).
- Zhao, J., Wang, X., Shi, C., Hu, B., Song, G., & Ye, Y. (2021). Heterogeneous graph structure learning for graph neural networks. *Proceedings of the AAAI Conference on Artificial Intelligence, 35*, 4697–4705.

- Zhou, J., Cui, G., Hu, S., Zhang, Z., Yang, C., Liu, Z., Wang, L., Li, C., & Sun, M. (2020). Graph neural networks: A review of methods and applications. *AI Open*, *1*, 57–81.
- Zhu, Y., Xu, W., Zhang, J., Liu, Q., Wu, S., & Wang, L. (2021). Deep graph structure learning for robust representations: A survey. *CoRR*, *abs/2103.03036*.
- Zou, X., Li, K., Chen, C., Yang, X., Wei, W., & Li, K. (2023). DGSLN: Differentiable graph structure learning neural network for robust graph representations. *Information Sciences*, *626*, 94–113.