

DAFTAR PUSTAKA

- Abdel-Sattar, M.A., Hanan, E., Usama, E.I. 2017. Pathogenicity test and anastomosis group of *Rhizoctonia solani* the causal organism of stem canker and black scurf disease of potato in Egypt. *Journal of Applied Plant Protection* 6 (1): 1-8.
- Abdelsalam, S.H.A., Ahmed, F.E., Nader, A.A., Sayed, S.A. 2024. Genetik analysis of *Rhizoctonia solani* isolats from potato stem cankers and black scurf diseases using rDNA ITS1-5.8S-ITS2 region sequencing and PCR-RFLP techniques. *Egyptian Journal of Phytopathology*, 52(1): 83-90.
- Abdlla, M.E., Tohmy, A.M., Rashid, I.A., Noha, E.A. 2017. Morphological and molecular characterization of potato black scurf disease (*Rhizoctonia solani*) in Egypt. *Journal of Plant Protection and Pathology*, 8(9): 473-478.
- Aiello, D., Guarnaccia, V., Formica, P.T., Hyakumachi, M., Polizzi, G. 2017. Occurance and characterisation of *Rhizoctonia* species causing diseases of ornamental plants in Italy. *European Journal of Plant Pathology* 148: 967-982.
- Ali, N.A.A. & Kasiamdari, R.S. 2024. Binucleate *Rhizoctonia* Sebagai Penghambat *Peronosclerospora maydis* Penyebab Penyakit Bulai pada Tanaman Jagung (*Zea mays* L.). *Jurnal Agrotek Tropika*, 12(2): 421-430.
- Arthur, G.P., Berty, H.A. 2022. Jamur Patogen Tanaman Terbawa Tanah. Media Nusa Creative (MNC) Publishing, Malang.
- Bayer. 2023. Black scurf *Rhizoctonia solani*. <<https://cropscience.bayer.co.uk/agronomy-id/diseases/potato-diseases/black-scurf>>. Diakses 15 Juli 2025.
- Betancourth, C.A., Bertha, L.C., Claudia, Q., Benjamin, S., Carlos, F., Claudia, S. 2021. Morphology and pathogenicity of *Rhizoctonia solani* Kuhn associated with potato black scurf in Narino (Colombia). *Revista Colombiana De Ciencias Hortícolas* 15 (1): 1-11.
- BPS. 2023. Produksi Kentang di Indonesia Tahun 2018-2022. <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html>. Diakses 16 Juli 2025.
- Budiarti, S.W., Rudy, L., Arif, W., Christanti, S., Achmadi, P. 2020. The cultural and morphological variability among *Rhizoctonia solani* isolats causing banded leaf and sheath blight of maize in Indonesia. *Archives of Phytopathology and Plant Protection* 53 (1-2): 17-36.
- Carling, D.E. 1996. Grouping *Rhizoctonia solani* by hyphal anastomosis reaction. In. *Rhizoctonia* species: taxonomy, molecular biology, ecology, pathology and disease control. Eds. Sneh B, Jabaji-Hare S, Neate S, Dijst G. Kluwer Academic Publishers, The Netherlands. pp. 37-47.
- Carling, D.E., Kuninaga, S. and Brainard, K.A. 2002. Hyphal anastomosis reactions, rDNA-internal transcribed spacer sequences, and virulence levels among subsets of *Rhizoctonia solani* anastomosis group-2 (AG-2) and AG-BI. *Phytopathology* 92:43±50.
- Castillo, R.F., Gallegos, G., Flores, O.A., Aguilar, G.C., Rodriguez H.R., Hernandez, C.F.D. 2020. Genetic variability of *Rhizoctonia solani* Kühn and its resistance to fungicides. *Studies in Fungi*. 5(1): 381-391.
- Chasdon, T., Aparna, D.K., Rutuja, N., Bhosale, R.K., Sachinkumar, B.K., Seweta, S. 2021. Anastomosis groups of multinucleate and binucleate *Rhizoctonia*. *Current Advances in Agricultural Sciences*, 13(2): 71-77.
- Cubeta, M. A. and Vilgalys, R. 1997. Population biology of the *Rhizoctonia solani* complex. *Phytopathology* 87: 480± 484.

- Diba, K., Mirhendi, H., Kordbacheh, P., & Rezaie, S. 2014. Development of RFLP-PCR method for the identification of medically important *Aspergillus* species using single restriction enzyme *MwoI*. *Braz J Microbiol* 45 (2): 503-7.
- Dong, W., Yanqiong, L., Chunfang, D., Xiaoguang, L., Shigeo, N., Rorebrt, L.C., Genhua, Y., & Chenyun, L. 2017. Identification of AG-V, a new anastomosis group of binucleate *Rhizoctonia* spp. from taro and ginger in Yunnan province. *European Journal of Plant Pathology*, 148: 895-906.
- El-Shafey, R.A.S., Rabab, M.E., Mona, M.S., Abdelaziz, M., Tahoona, Amero, A.E. 2019. Morphological, pathological and molecular characterization of rice sheath blight disease causal organism *Rhizoctonia solani* AG-1 IA in Egypt. *Archives of Phytopathology and Plant Protection* 52 (5-6): 507-529.
- Ephytia. 2018. *Rhizoctonia solani* (Stem canker = Black scurf). <https://ephytia.inra.fr/en/C/20899/Potato-Rhizoctonia-solani-Stem-canker-Black-scurf>. Diakses 27 September 2024.
- Erper, I., Goksel, O., Ruslan, K., Sirin, A., Elif, Y., Mehtap, A., Muharrem, T. 2021. Genetik diversity and pathogenicity of *Rhizoctonia* spp. isolats associated with red cabbage in Samsun (Turkey). *Journal of Fungi*, 7(234): 1-20.
- Esfahani, M.N. 2020. Genetik variability and virulence of some Iranian *Rhizoctonia solani* isolats associates with stem canker and black scurf of potato (*Solanum tuberosum* L.). *Journal of Plant Protection Research*, 60(1): 21-30.
- Fajarningsih, N.D. 2016. Internal transcribed spacer (ITS) as DNA barcoding to identify fungal species. *Squalen Bull. of Mar. and Fish. Postharvest and Biotech.* 11(2): 37-44.
- Forghani, D., Bazgir, E., Esfahani, M.N., & Darvishnia, M. 2021. Genomic structure of novel Iranian *Rhizoctonia solani* AG-3PT isolates on potato, *Solanum tuberosum*. *Sydowia*. 73: 217-238.
- Gafur, A. 2003. Aspek fisiologis dan biokimiawi infeksi jamur patogen tumbuhan. *Jurnal Hama dan Penyakit Tumbuhan Tropika*. 3(1): 24-30.
- Gibson, S., Kurilich, A.C. 2013. The nutritional value of potatoes and potato products in the UK diet. *Nutrition Bulletin* 38 (4): 389-399.
- Gondal, A.S., Rauf, A., Farah, N. 2019. Anastomosis groups of *Rhizoctonia solani* associated with tomato foot rot in Pothohar Region of Pakistan. *Scientific Reports* 9 (3910): 1-12.
- Gonzalez, M., Merardo, P., Jean-Pierre, M., Vicente, G., Melvin, D.B., Orlando, B. 2011. Tobacco leaf spot and root rot caused by *Rhizoctonia solani* Kuhn. *Molecular Plant Pathology* 12 (3): 209-216.
- Guillemaut, C., Edel-Hermann, V., Camporota, P., Alabouvette, C., Richard-Molard, M., Steinberg, C. 2003. Typing of anastomosis groups of *Rhizoctonia solani* by restriction analysis of ribosomal DNA. *Can. J. Microbiol.* 49: 556-568.
- Hamzah, P., Subandiyah, S., Wibowo, A., Farhanah, A. 2021. Variabilitas morfologi *Rhizoctonia solani* penyebab penyakit hawar pelepah padi di Sulawesi Selatan. *Jurnal Agrisistem* 17 (1): 40-45.
- Heflish, A.I.A. 2020. Isolation and molecular characterization of *Rhizoctonia solani* the causal agent of cotton damping-off disease. *Egyptian Academic Journal of Biological Sciences*, 12(2): 89-99.
- Hidayah, N., Wijayanti, K.S., & Asbani, N. 2011. Keefektifan kalsium polisulfida terhadap *Rhizoctonia solani* dan *Rhizoctonia bataticola* secara in vitro. *Buletin Tanaman Tembakau, Serat & Minyak Industri*. 4(1): 32–36.

- Hietala, A.M., Sen, R., & Lilja, A. 1994. Anamorphic and teleomorphic characteristics of a uninucleate *Rhizoctonia* sp. isolated from the roots of nursery grown conifer seedlings. *Mycol. Res.* 98 (9): 1044-1050.
- Hyakumachi, M., Achmadi, P., Mayumi, K., Hirokazu, F. 2005. New anastomosis groups, AG-T and AG-U, of binucleate *Rhizoctonia* spp. causing root and stem rot of cutflower and miniature roses. *Phytopathology*, 95 (7): 784-792.
- Kanetis, L., Tsimouris, D., & Christoforou, M. 2016. Characterization of *Rhizoctonia solani* associated with black scurf in Cyprus. *The American Phytopathological Society*. 100(8): 1591-1598.
- Kareem, T., Hassan, M.S. 2014. Morphology and molecular identification of *Rhizoctonia solani*. LAP LAMBERT Academic Publishing, Baghdad, Iraq.
- Kiptoo, J.J., Aqleem, A., Ayesha, M.B., Hafiz, M.U., Munsif, A.S., Muhammad, U., Muhammad, N.A., Shariq, M.A., Muhammad, A., Moman, K., Nderitu, W.P., Zarafshan, R., Naureen, A., Shehzad, I. 2021. *Rhizoctonia solani* of potato and its management. *Plant Protection* 5 (3): 157-169.
- Kotba, I., Mohammed, A., Abdellatif, B., El Hassan, A., Amina, O.T., Allal, D. 2018. Morphological, pathogenic, and molecular characterization of *Rhizoctonia solani* strains isolated from potato. *Annual Research & Review in Biology* 29 (4): 1-16.
- Kumari, K. 2015. Studies on characterization of molecular variability using RAPD markers in *Rhizoctonia solani* isolated from different geographical regions of South India. *International Journal of Applied Sciences and Biotechnology*, 3(4): 599-603.
- Kuninaga, S; Natsuaki, T; Takeuchi, T; and Yokosawa, R. 1997. Sequence variation of the rDNA ITS regions within and between anastomosis groups in *Rhizoctonia solani*. *Curr. Genet.* 32:237–243
- Latif, M.A., Sheikh, A.I.N., Mohammad, S.M., Shamima, A., Mohammad, A.I.K., Mohammad, A.A. 2022. Interaction among sheath complex of rice and ribosomal DNA analysis for the differentiation of *Rhizoctonia solani*, *R. oryzae* and *R. oryzae-sativae*. *Plant Stress* 5.
- Lehtonen, M.J. 2009. *Rhizoctonia solani* as a potato pathogen - variation of isolats in Finland and host response. University of Helsinki, Finland. 56
- Li, C., Zejian, G., Shanyue, Z., Qingyue, H., Manman, Z., Youliang, P., Tom, H., Xujun, C. 2021. Evolutionary and genomic comparisons of hybrid uninucleate and nonhybrid *Rhizoctonia* fungi. *Communications Biology* 4 (201): 1-15
- Lilja, A., Hietala, A.M., & Karjalainen, R. 1996. Identification of a uninucleate *Rhizoctonia* sp. by pathogenicity, hyphal anastomosis and RAPD analysis. *Plant Pathology* 45: 997-1006.
- Loria, R., Roseann, L., Donald, C. 1993. *Rhizoctonia* disease of potato. New York State IPM Program, Cornell University.
- Meinhardt, L.W., Wulff, N.A., Bellato, C.M., & Tsai, S.M. 2002. Genetic analyses of *Rhizoctonia solani* isolates from *Phaseolus vulgaris* grown in the Atlantic Rainforest Region of São Paulo, Brazil. *Fitopatologia Brasileira*. 27:259-267.
- Misawa, T., & Daisuke, K. 2019. First report of binucleate *Rhizoctonia* AG U causing black scurf on potato tubers in Japan. *New Disease Reports*, 38(24).
- Monazzah, M., Esfahani, M.N., & Enferadi, S.T. 2022. Genetic structure and proteomic analysis associated in potato to *Rhizoctonia solani* AG-3PT-stem canker and black scurf. *Physiological and Molecular Plant Pathology*. 122: 101905.
- Moon, Y.G., Hyun, T.S., Ki, J.P., Wan, G.K. 2022. Shoot rot of spikenard caused by *Rhizoctonia solani* AG-2-1. *Research in Plant Disease*, 28 (1): 51-53.

- Mothibeli, K., Moleboheng, L., Mpho, L., Motlatsi, E.M., Norman, M. 2023. First report of *Rhizoctonia solani* associated with black scurf of potato tubers in Lesotho. *International Journal of Phytopathology* 12 (1): 87-97.
- Mudaningrat, A., Flora, U., Farah, A.A.S., Yustinus, U.A., Ning, S. 2023. Aplikasi penanda molekuler untuk analisis keanekaragaman genetik hewan. *Biopendix*, 10(1): 11-25.
- Mughal, M.N., Sabiya, B., Nazir, A. B., Bhat, K.A. 2017. Cultural and morphological variability and identification of anastomosis group of *Rhizoctonia solani* (*Thanatephorus cucumeris*) causing sheath blight of rice in Kashmir. *Int.J.Curr.Microbiol.App.Sci* 6 (11): 3787-3794.
- Nagaraj, B.T., Gururaj, S., Pramesh, D., Naik, M.K., Patil, M.B., Yadav, M.K., Patil, N.B. 2019. Morphological, genetik and virulence diversity of *Rhizoctonia solani* isolats from different rice growing regions of Southern India. *Research Journal of Biotechnology* 14 (5): 16-23
- Niklas, A., Dorota, O. 2021. Application of the RAPD Technique to Identify Genetik Diversity in Cultivated Forms of *Capsicum annum* L. *Journal Biotechnologia* (Pozn). 102(2): 209-223.
- Ningsih, O. S., Detha, A. I., Wuri, D. A. 2023. Studi Literatur Metode Diagnosis Anisakis. *Jurnal Veteriner Nusantara*, 6(1): 91-114.
- Palanisamy, G. & Sunil, C.D. 2013. Anastomosis grouping and genetik diversity analysis of *Rhizoctonia solani* isolats causing wet root rot in chickpea. *African Journal of Biotechnology* 12 (43): 6159-6169.
- Pannecouque, J., Beneden, S.V., & Höfte, M. 2008. Characterization and pathogenicity of *Rhizoctonia* isolates associated with cauliflower in Belgium. *Plant Pathology*. 57: 737-746.
- Pegg, K. & Andrew, M. 2014. *Rhizoctonia* : a variable and versatile nursery pathogen. Nursery Production Plant Health & Biosecurity Project, DAFF Agriscience Queensland.
- Pramunadipta, S., Widiastuti, A., Wibowo, A., Suga, H., & Priyatmojo, A. 2022. Development of PCR-RFLP technique for identify several members of *Fusarium incarnatum-equiseti* Species Complex and *Fusarium fujikuroi* Species Complex. *Plant Pathol J* 38 (3): 254-260.
- Priyatmojo A, Escopalao VE, Tangonan NG, Pascual CB, Suga H, Kageyama K, Hyakumachi M. 2001. Characterization of a new subgroup of *Rhizoctonia solani* anastomosis group 1 (AG-1-ID), causal agent of a necrotic leaf spot on coffee. *Phytopathology* 91 (11): 1054–1061.
- Qu, P., Saldajeno, M.G.B., & Hyakumachi, M. 2013. Mechanism of the generation of new somatic compatibility groups within *Thanatephorus cucumeris* (*Rhizoctonia solani*). *Microbes Environ.* 28(3): 325-335.
- Salamone, A.L., Babette, G., Debra, A.I. 2018. *Clonostachys rosea*, a potential biological control agent for *Rhizoctonia solani* AG-3 causing black scurf on potato. *Biocontrol Science and Technology* 28 (9): 895-900.
- Salman, O. & Nuh, B. 2023. Determination of disease severity of *Rhizoctonia solani* Kuhn (Teleomorph: *Thanatephorus cucumeris* (Frank) Donk) isolats from bean, sugar beet and potato planting areas in Konya. *Selcuk Journal of Agricultural and Food Sciences* 37 (1): 119-132.
- Sharma, M., Gupta, S.K., & Sharma, T.R. 2005. Characterization of variability in *Rhizoctonia solani* by using morphological and molecular markers. *J. Phytopathology*. 153: 449-456.

- Singh, V., Amaradasa, B.S., Karjagi, C.G., Lakshman, D.K., Hooda, K.S., Kumar, A. 2018. Morphological and molecular variability among Indian isolates of *Rhizoctonia solani* causing banded leaf and sheath blight in maize. *Eur J Plant Pathol* 152 (1): 45–60.
- Sneh, B., Suha, J., Stephen, N., Gerda, D. 1996. *Rhizoctonia* species : taxonomy, molecular biology, ecology, pathology, and disease control. Kluwer Academic Publishers, Dordrecht.
- Soelistijono, Achmadi, P., Endang, S., Christanti, S. 2011. Karakterisasi isolat *Rhizoctonia* sp. patogenik dan *Rhizoctonia* mikoriza pada tanaman anggrek tanah *Spathoglottis plicata*. *Biota* 16 (2): 371-380.
- Soenartiningih, M. Akil, dan N.N. Andayani. 2015. Cendawan Tular Tanah (*Rhizoctonia solani*) Penyebab Busuk Pelelah Pada Tanaman Jagung Dan Sorghum Dengan Komponen Pengendaliannya. *Iptek Tanaman Pangan* 10 (2): 85-92.
- Toda, T., Mitsuro, H., Haruhisa, S., Koji, K., Akemi, T., Toshikazu, T. 1999. Differentiation of *Rhizoctonia* AG-D isolats from turfgrass into subgroups I and II based on rDNA and RAPD analyses. *European Journal of Plant Pathology* 105: 835-846.
- Vilgalys, R. and Cubeta, M. A. 1994. Molecular systematics and population biology of *Rhizoctonia*. *Annual Review of Phytopathology*. 32: 135±155.
- Wharton, P., Elisabeth, W. 2013. *Rhizoctonia* stem canker and black scurf of potato. Agricultural Experiment & UI Extension Publications, Special Collections Idaho.
- White T.J., Bruns T., Lee S., Taylor J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for Phylogenetics. In: Innis MA, Gelfand DH, Sninsky JJ, White TJ eds. *PCR protocols ± A Guide to Method and Applications*. San Diego, CA, USA: Academic Press Inc., 315-322.
- Yang, Y.G., Zhao, C., Guo, Z.J., & Wu, X.H. 2015. Characterization of a new anastomosis group (AG-W) of binucleate *Rhizoctonia*, causal agent for potato stem canker. *Plant Disease*, 99: 1757-1763.
- Yuantari, M.G.C. 2011. Dampak pestisida organoklorin terhadap kesehatan manusia dan lingkungan serta penanggulangannya. *Prosiding Seminar Nasional: Peran Kesehatan Masyarakat dalam Pencapaian MDG's di Indonesia*. 187-199.