

## DAFTAR PUSTAKA

- Acheampong, R. A., & Anokye, P. (2013). Understanding Households' Residential Location Choice in Kumasi's Peri-Urban Settlements and the Implications for Sustainable Urban Growth. *Research on Humanities and Social Sciences*.
- Anser, M. K., Alharthi, M., Aziz, B., & Wasim, S. (2020). Impact of urbanization, economic growth, and population size on residential carbon emissions in the SAARC countries. *Clean Technologies and Environmental Policy*, 22(4), 923–936. <https://doi.org/10.1007/S10098-020-01833-Y/FIGURES/3>
- Araújo de Oliveira, V. M. (2022). *Urban Morphology*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-92454-6>
- Atwal, K. S., Anderson, T., Pfoser, D., & Züfle, A. (2022). Predicting building types using OpenStreetMap. *Scientific Reports*, 12(1), 19976. <https://doi.org/10.1038/s41598-022-24263-w>
- Bentéjac, C., Csörgő, A., & Martínez-Muñoz, G. (2021). A comparative analysis of gradient boosting algorithms. *Artificial Intelligence Review*, 54(3), 1937–1967. <https://doi.org/10.1007/s10462-020-09896-5>
- Bergstra, J., Ca, J. B., & Ca, Y. B. (2012). Random Search for Hyper-Parameter Optimization. *Journal of Machine Learning Research*, 13(10), 281–305. <http://jmlr.org/papers/v13/bergstra12a.html>
- BHUMI ATR/BPN. (2024, November 26). *BHUMI ATR/BPN*. <https://bhumi.atrbpn.go.id/>. <https://bhumi.atrbpn.go.id/>
- Blana, N., & Tsoulos, L. (2022). Constraint-Based Spatial Data Management for Cartographic Representation at Different Scales. *Geographies 2022, Vol. 2, Pages 258-273*, 2(2), 258–273. <https://doi.org/10.3390/GEOGRAPHIES2020018>
- Bordogna, G., & Fugazza, C. (2022). Artificial Intelligence for Multisource Geospatial Information. *ISPRS International Journal of Geo-Information*, 12(1), 10. <https://doi.org/10.3390/ijgi12010010>

- BPS. (2020). *Hasil Sensus Penduduk (SP2020) pada September 2020 mencatat jumlah penduduk sebesar 270,20 juta jiwa. - Badan Pusat Statistik Indonesia.* <https://www.bps.go.id/id/pressrelease/2021/01/21/1854/hasil-sensus-penduduk-2020.html>
- BPS. (2024a). *Kabupaten Sleman dalam Angka 2024.*
- BPS. (2024b). *Kota Yogyakarta Dalam Angka 2024.* <https://doi.org/10.1051/e3sconf/202132507005>
- BPS. (2024c). *Laju Pertumbuhan Penduduk - Tabel Statistik - Badan Pusat Statistik Indonesia.* <https://www.bps.go.id/id/statistics-table/2/MTk3NiMy/laju-pertumbuhan-penduduk.html>
- Breiman, L. (2001). Random Forest. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Chamberlain, H. R., Darin, E., Adewole, W. A., Jochem, W. C., Lazar, A. N., & Tatem, A. J. (2024). Building footprint data for countries in Africa: To what extent are existing data products comparable? *Computers, Environment and Urban Systems*, 110, 102104. <https://doi.org/10.1016/j.compenvurbsys.2024.102104>
- Chen, B., Xu, B., & Gong, P. (2021). Mapping essential urban land use categories (EULUC) using geospatial big data: Progress, challenges, and opportunities. *Big Earth Data*, 5(3), 410–441. <https://doi.org/10.1080/20964471.2021.1939243>
- Chen, T., & Guestrin, C. (2016). XGBoost. *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 785–794. <https://doi.org/10.1145/2939672.2939785>
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data*. CRC Press. <https://doi.org/10.1201/9780429052729>

- Cruz-Bello, G. M., Galeana-Pizaña, J. M., & González-Arellano, S. (2023). Urban growth in peri-urban, rural and urban areas: Mexico City. *Buildings and Cities*, 4(1), 1–16. <https://doi.org/10.5334/BC.230>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit Andi.
- Danoedoro, P., Ananda, I. N., Kartika, C. S. D., Umela, A. F., & Indayani, A. B. (2020). Testing a detailed classification scheme for land-cover/ land-use mapping of typical Indonesian landscapes: case study of Sarolangun, Jambi and Salatiga, Central Java. *Indonesian Journal of Geography*, 52(3), 327. <https://doi.org/10.22146/ijg.50080>
- Danoedoro, P., Widayani, P., Hidayati, I. N., Kartika, C. S. D., & Alfani, F. (2024). Incorporating landscape ecological approach in machine learning classification for agricultural land-use mapping based on a single date imagery. *Geocarto International*, 39(1). <https://doi.org/10.1080/10106049.2024.2356844>
- Deng, H., Zhou, Y., Wang, L., & Zhang, C. (2021). Ensemble learning for the early prediction of neonatal jaundice with genetic features. *BMC Medical Informatics and Decision Making*, 21(1), 1–11. <https://doi.org/10.1186/S12911-021-01701-9/FIGURES/6>
- Du, Z., Zhao, X., Ye, X., Zhou, J., Zhang, F., & Liu, R. (2017). An Effective High-Performance Multiway Spatial Join Algorithm with Spark. *ISPRS International Journal of Geo-Information*, 6(4), 96. <https://doi.org/10.3390/ijgi6040096>
- Durst, N. J., Sullivan, E., & Jochem, W. C. (2024). The spatial and social correlates of neighborhood morphology: Evidence from building footprints in five U.S. metropolitan areas. *PLOS ONE*, 19(4), e0299713. <https://doi.org/10.1371/journal.pone.0299713>

- Earth Online. (2024, November 28). *About PlanetScope*.  
<https://Earth.Esa.Int/Eogateway/Missions/Planetscope>.  
<https://earth.esa.int/eogateway/missions/planetscope>
- Farmakis-Serebryakova, M., Heitzler, M., & Hurni, L. (2024). Scale- and Resolution-Adapted Shaded Relief Generation Using U-Net. *ISPRS International Journal of Geo-Information*, 13(9), 326.  
<https://doi.org/10.3390/ijgi13090326>
- Fawagreh, K., Gaber, M. M., & Elyan, E. (2014). Random forests: from early developments to recent advancements. *Systems Science & Control Engineering*, 2(1), 602–609. <https://doi.org/10.1080/21642583.2014.956265>
- Fleischmann, M. (2019). momepy: Urban Morphology Measuring Toolkit. *Journal of Open Source Software*, 4(43), 1807. <https://doi.org/10.21105/joss.01807>
- Fleischmann, M., Feliciotti, A., & Kerr, W. (2022). Evolution of Urban Patterns: Urban Morphology as an Open Reproducible Data Science. *Geographical Analysis*, 54(3), 536–558. <https://doi.org/10.1111/gean.12302>
- Fleischmann, M., Feliciotti, A., Romice, O., & Porta, S. (2020a). Morphological tessellation as a way of partitioning space: Improving consistency in urban morphology at the plot scale. *Computers, Environment and Urban Systems*, 80. <https://doi.org/10.1016/J.COMPENVURBSYS.2019.101441>
- Fleischmann, M., Feliciotti, A., Romice, O., & Porta, S. (2020b). Morphological tessellation as a way of partitioning space: Improving consistency in urban morphology at the plot scale. *Computers, Environment and Urban Systems*, 80, 101441. <https://doi.org/10.1016/j.compenvurbsys.2019.101441>
- Fleischmann, M., Feliciotti, A., Romice, O., & Porta, S. (2022). Methodological foundation of a numerical taxonomy of urban form. *Environment and Planning B: Urban Analytics and City Science*, 49(4), 1283–1299. <https://doi.org/10.1177/23998083211059835>

- Fleischmann, M., Romice, O., & Porta, S. (2021). Measuring urban form: Overcoming terminological inconsistencies for a quantitative and comprehensive morphologic analysis of cities. *Environment and Planning B: Urban Analytics and City Science*, 48(8), 2133–2150. <https://doi.org/10.1177/2399808320910444>
- Frazier, A. E., & Hemingway, B. L. (2021). A Technical Review of Planet Smallsat Data: Practical Considerations for Processing and Using PlanetScope Imagery. *Remote Sensing 2021, Vol. 13, Page 3930, 13(19)*, 3930. <https://doi.org/10.3390/RS13193930>
- Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. *Https://Doi.Org/10.1214/Aos/1013203451*, 29(5), 1189–1232. <https://doi.org/10.1214/AOS/1013203451>
- Friedman, J. H. (2002). Stochastic gradient boosting. *Computational Statistics & Data Analysis*, 38(4), 367–378. [https://doi.org/10.1016/S0167-9473\(01\)00065-2](https://doi.org/10.1016/S0167-9473(01)00065-2)
- Gao, S., Hu, Y., Li, W., & Zou, L. (2023). Special issue on geospatial artificial intelligence. *GeoInformatica*, 27(2), 133–136. <https://doi.org/10.1007/s10707-023-00493-6>
- Geeksforgeeks. (2024, July 12). *Random Forest Algorithm in Machine Learning*. Geeksforgeeks.Org. <https://www.geeksforgeeks.org/random-forest-algorithm-in-machine-learning/>
- Geeksforgeeks. (2025, April 23). *HistGradientBoostingClassifier*. Geeksforgeeks. <https://www.geeksforgeeks.org/histgradientboostingclassifier-in-sklearn/>
- Geis, C., Leichtle, T., Wurm, M., Pelizari, P. A., Standfus, I., Zhu, X. X., So, E., Siedentop, S., Esch, T., & Taubenbock, H. (2019). Large-Area Characterization of Urban Morphology—Mapping of Built-Up Height and Density Using TanDEM-X and Sentinel-2 Data. *IEEE Journal of Selected*

*Topics in Applied Earth Observations and Remote Sensing*, 12(8), 2912–2927.

<https://doi.org/10.1109/JSTARS.2019.2917755>

Gonzales, J. J. (2023). Building-Level Comparison of Microsoft and Google Open Building Footprints Datasets. *Leibniz International Proceedings in Informatics, LIPIcs*, 277. <https://doi.org/10.4230/LIPICS.GISCIENCE.2023.35/-/STATS>

Google. (2024, October 13). *Open Buildings - Google Research*. Google Research. <https://sites.research.google/gr/open-buildings/>

Haase, D., Kabisch, N., & Haase, A. (2013). Endless Urban Growth? On the Mismatch of Population, Household and Urban Land Area Growth and Its Effects on the Urban Debate. *PLOS ONE*, 8(6), e66531. <https://doi.org/10.1371/JOURNAL.PONE.0066531>

Hartmann, A., Behnisch, M., Hecht, R., & Meinel, G. (2024). Prediction of residential and non-residential building usage in Germany based on a novel nationwide reference data set. *Environment and Planning B: Urban Analytics and City Science*, 51(1), 216–233. <https://doi.org/10.1177/23998083231175680>

Hastie, T., Tibshirani, R., & Friedman, J. (2009). *The Elements of Statistical Learning*. <https://doi.org/10.1007/978-0-387-84858-7>

Ignatenko, V., Surkov, A., & Koltcov, S. (2024). Random forests with parametric entropy-based information gains for classification and regression problems. *PeerJ Computer Science*, 10, e1775. <https://doi.org/10.7717/peerj-cs.1775>

Janowicz, K., Gao, S., McKenzie, G., Hu, Y., & Bhaduri, B. (2020). GeoAI: spatially explicit artificial intelligence techniques for geographic knowledge discovery and beyond. *International Journal of Geographical Information Science*, 34(4), 625–636. <https://doi.org/10.1080/13658816.2019.1684500>

Jensen, J. R. (2014). *Remote Sensing of the Environment: An Earth Resource Perspective (2nd ed.)*. Pearson Education Limited.

- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective (4th ed.)*. Pearson Education, Inc.
- Johnson, P. A., Sieber, R., Scassa, T., Stephens, M., & Robinson, P. (2017). The Cost(s) of Geospatial Open Data. *Transactions in GIS*, 21(3), 434–445. <https://doi.org/10.1111/TGIS.12283>
- Karabiber, F. (2024, October 16). *Gini Impurity – LearnDataSci*. Learndatasci. <https://www.learndatasci.com/glossary/gini-impurity/>
- Kavzoglu, T., & Teke, A. (2022). Predictive Performances of Ensemble Machine Learning Algorithms in Landslide Susceptibility Mapping Using Random Forest, Extreme Gradient Boosting (XGBoost) and Natural Gradient Boosting (NGBoost). *Arabian Journal for Science and Engineering*, 47(6), 7367–7385. <https://doi.org/10.1007/s13369-022-06560-8>
- Klasifikasi Penutup Lahan SNI 7645-1, Pub. L. No. 7645–1 (2014).
- Li, W., & Hsu, C.-Y. (2022). GeoAI for Large-Scale Image Analysis and Machine Vision: Recent Progress of Artificial Intelligence in Geography. *ISPRS International Journal of Geo-Information*, 11(7), 385. <https://doi.org/10.3390/ijgi11070385>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation (7th ed.)*. John Wiley & Sons, Inc.
- Ma, W., Jiang, G., Li, W., & Zhou, T. (2018). How do population decline, urban sprawl and industrial transformation impact land use change in rural residential areas? A comparative regional analysis at the peri-urban interface. *Journal of Cleaner Production*, 205, 76–85. <https://doi.org/10.1016/J.JCLEPRO.2018.08.323>
- MacEachren, A. M., Robinson, A., Hopper, S., Gardner, S., Murray, R., Gahegan, M., & Hetzler, E. (2005). Visualizing Geospatial Information Uncertainty: What We Know and What We Need to Know. *Cartography and Geographic*

*Information Science*, 32(3), 139–160.  
<https://doi.org/10.1559/1523040054738936>

Mardani, M., Mardani, H., De Simone, L., Varas, S., Kita, N., & Saito, T. (2019). Integration of Machine Learning and Open Access Geospatial Data for Land Cover Mapping. *Remote Sensing*, 11(16), 1907.  
<https://doi.org/10.3390/rs11161907>

Microsoft. (2024a). *Microsoft Building Footprints*. Microsoft Planetary Computer.  
<https://planetarycomputer.microsoft.com/dataset/ms-buildings>

Microsoft. (2024b, September 28). *Microsoft Building Footprints | Planetary Computer*. <https://planetarycomputer.microsoft.com/dataset/ms-buildings>

Microsoft. (2024c, October 13). *GitHub - Microsoft Building Footprints*. Microsoft - Github. <https://github.com/microsoft/GlobalMLBuildingFootprints>

Moharram, M. A., & Sundaram, D. M. (2023). Land use and land cover classification with hyperspectral data: A comprehensive review of methods, challenges and future directions. *Neurocomputing*, 536, 90–113.  
<https://doi.org/10.1016/J.NEUCOM.2023.03.025>

Musolf, A. M., Holzinger, E. R., Malley, J. D., & Bailey-Wilson, J. E. (2022). What makes a good prediction? Feature importance and beginning to open the black box of machine learning in genetics. *Human Genetics*, 141(9), 1515–1528.  
<https://doi.org/10.1007/S00439-021-02402-Z/FIGURES/5>

Nachtigall, F., Milojevic-Dupont, N., Wagner, F., & Creutzig, F. (2023). Predicting building age from urban form at large scale. *Computers, Environment and Urban Systems*, 105, 102010.  
<https://doi.org/10.1016/j.compenvurbsys.2023.102010>

Nagi, R. (2010, December 12). *On map scale and raster resolution*. ArcGIS Blog.  
<https://www.esri.com/arcgis-blog/products/product/imagery/on-map-scale-and-raster-resolution/>

- Nikparvar, B., & Thill, J. C. (2021). Machine Learning of Spatial Data. *ISPRS International Journal of Geo-Information* 2021, Vol. 10, Page 600, 10(9), 600. <https://doi.org/10.3390/IJGI10090600>
- Nursyahbani<sup>1</sup>, R., Pigawati<sup>2</sup>, B., Jurusan, M., Wilayah, P., & Kota, D. (2015). KAJIAN KARAKTERISTIK KAWASAN PEMUKIMAN KUMUH DI KAMPUNG KOTA (Studi Kasus: Kampung Gandekan Semarang). *Teknik PWK (Perencanaan Wilayah Kota)*, 4(2), 267–281. <https://doi.org/10.14710/TPWK.2015.8463>
- OpenStreetMap. (2024, September 28). *Comparison Google services – OSM - OpenStreetMap Wiki*. [https://wiki.openstreetmap.org/wiki/Comparison\\_Google\\_services\\_%E2%80%93\\_93\\_OSM](https://wiki.openstreetmap.org/wiki/Comparison_Google_services_%E2%80%93_93_OSM)
- OSMnx. (2024, October 31). *OSMnx Documentation*. OSMnx Documentation. <https://osmnx.readthedocs.io/en/stable/>
- Pande, C. B., Srivastava, A., Moharir, K. N., Radwan, N., Mohd Sidek, L., Alshehri, F., Pal, S. C., Tolche, A. D., & Zhran, M. (2024). Characterizing land use/land cover change dynamics by an enhanced random forest machine learning model: a Google Earth Engine implementation. *Environmental Sciences Europe*, 36(1), 1–23. <https://doi.org/10.1186/S12302-024-00901-0/FIGURES/13>
- Peraturan Menteri PUPR No.12 Tahun 2020 Tentang Peran Masyarakat dalam Penyelenggaraan Perumahan dan Kawasan Permukiman, Pub. L. No. 12, Kementerian Pekerjaan Umum dan Perumahan Rakyat (PUPR) (2020).
- Phiri, D., Simwanda, M., Salekin, S., Nyirenda, V., Murayama, Y., & Ranagalage, M. (2020). Sentinel-2 Data for Land Cover/Use Mapping: A Review. *Remote Sensing*, 12(14), 2291. <https://doi.org/10.3390/rs12142291>
- Pierdicca, R., & Paolanti, M. (2022). GeoAI: a review of artificial intelligence approaches for the interpretation of complex geomatics data. *Geoscientific*

*Instrumentation, Methods and Data Systems*, 11(1), 195–218.  
<https://doi.org/10.5194/gi-11-195-2022>

Piraei, R., Afzali, S. H., & Niazkar, M. (2023). Assessment of XGBoost to Estimate Total Sediment Loads in Rivers. *Water Resources Management*, 37(13), 5289–5306. <https://doi.org/10.1007/s11269-023-03606-w>

Planet Labs. (2024a, November 28). *PlanetScope Constellations*. <https://www.planet.com/our-constellations/>

Planet Labs. (2024b, November 28). *Understanding PlanetScope Instruments*. <https://developers.planet.com/docs/apis/data/sensors/>

Pratama, B. A. S., Danoedoro, P., & Arjasakusuma, S. (2024). Exploring optimal integration schemes for Sentinel-1 SAR and Sentinel-2 multispectral data in land cover mapping across different atmospheric conditions. *Remote Sensing Applications: Society and Environment*, 34, 101185. <https://doi.org/10.1016/j.rsase.2024.101185>

Quarati, A., De Martino, M., & Rosim, S. (2021). Geospatial Open Data Usage and Metadata Quality. *ISPRS International Journal of Geo-Information*, 10(1), 30. <https://doi.org/10.3390/ijgi10010030>

Rengasamy, D., Mase, J. M., Kumar, A., Rothwell, B., Torres, M. T., Alexander, M. R., Winkler, D. A., & Figueredo, G. P. (2022). Feature importance in machine learning models: A fuzzy information fusion approach. *Neurocomputing*, 511, 163–174. <https://doi.org/10.1016/J.NEUCOM.2022.09.053>

Sahana, M., Ravetz, J., Patel, P. P., Dadashpoor, H., & Follmann, A. (2023). Where Is the Peri-Urban? A Systematic Review of Peri-Urban Research and Approaches for Its Identification and Demarcation Worldwide. *Remote*

*Sensing* 2023, Vol. 15, Page 1316, 15(5), 1316.  
<https://doi.org/10.3390/RS15051316>

Sahin, E. K. (2020). Assessing the predictive capability of ensemble tree methods for landslide susceptibility mapping using XGBoost, gradient boosting machine, and random forest. *SN Applied Sciences*, 2(7), 1308.  
<https://doi.org/10.1007/s42452-020-3060-1>

Scikit-Learn. (2024a, January 22). *Cross-Validation*. [https://Scikit-Learn.Org/Stable/Modules/Cross\\_validation.Html](https://Scikit-Learn.Org/Stable/Modules/Cross_validation.Html).  
[https://scikit-learn.org/stable/modules/cross\\_validation.html](https://scikit-learn.org/stable/modules/cross_validation.html)

Scikit-Learn. (2024b, October 13). *Random Forest Classifier*. Scikit-Learn.  
<https://scikit-learn.org/1.5/modules/generated/sklearn.ensemble.RandomForestClassifier.html#sklearn.ensemble.RandomForestClassifier>

Scikit-Learn. (2024c, October 16). *Decision Trees - Scikit-Learn*. Scikit-Learn.  
<https://scikit-learn.org/stable/modules/tree.html>

Scikit-Learn. (2024d, October 17). *Gradient Boosting Classifier*. Scikit-Learn.  
<https://scikit-learn.org/stable/modules/generated/sklearn.ensemble.GradientBoostingClassifier.html>

Scikit-Learn. (2024e, December 18). *Hyperparameter Tuning*. Scikit-Learn.  
[https://scikit-learn.org/stable/modules/grid\\_search.html](https://scikit-learn.org/stable/modules/grid_search.html)

Scikit-Learn. (2024f, December 18). *RandomizedSearchCV*. Scikit-Learn.  
[https://scikit-learn.org/stable/modules/generated/sklearn.model\\_selection.RandomizedSearchCV.html](https://scikit-learn.org/stable/modules/generated/sklearn.model_selection.RandomizedSearchCV.html)

Scikit-Learn. (2024g, December 18). *Split Train and Test*. Scikit-Learn.  
[https://scikit-learn.org/stable/modules/generated/sklearn.model\\_selection.train\\_test\\_split.html](https://scikit-learn.org/stable/modules/generated/sklearn.model_selection.train_test_split.html)

[learn.org/stable/modules/generated/sklearn.model\\_selection.train\\_test\\_split.html](https://learn.org/stable/modules/generated/sklearn.model_selection.train_test_split.html)

Scikit-Learn. (2025, April 23). *HistGradientBoostingClassifier*. Scikit-Learn. <https://scikit-learn.org/stable/modules/generated/sklearn.ensemble.HistGradientBoostingClassifier.html>

Scipy. (2025, April 11). *Interquartile Range*. Scipy's Documentation. <https://docs.scipy.org/doc/scipy/reference/generated/scipy.stats.iqr.html>

Shao, Z., Ahmad, M. N., & Javed, A. (2024). Comparison of Random Forest and XGBoost Classifiers Using Integrated Optical and SAR Features for Mapping Urban Impervious Surface. *Remote Sensing*, 16(4), 665. <https://doi.org/10.3390/rs16040665>

Sirko, W., Kashubin, S., Ritter, M., Annkah, A., Salah, Y., Bouchareb, E., Dauphin, Y., Keysers, D., Neumann, M., Cisse, M., & Quinn, J. (2021). *Continental-Scale Building Detection from High Resolution Satellite Imagery*. <https://arxiv.org/abs/2107.12283v2>

Song, Y., Kalacska, M., Gašparović, M., Yao, J., & Najibi, N. (2023). Advances in geocomputation and geospatial artificial intelligence (GeoAI) for mapping. *International Journal of Applied Earth Observation and Geoinformation*, 120, 103300. <https://doi.org/10.1016/j.jag.2023.103300>

Su, M., Guo, R., Chen, B., Hong, W., Wang, J., Feng, Y., & Xu, B. (2020). Sampling Strategy for Detailed Urban Land Use Classification: A Systematic Analysis in Shenzhen. *Remote Sensing*, 12(9), 1497. <https://doi.org/10.3390/rs12091497>

Tenkanen, H., Heikinheimo, V., & Whipp, D. (2024, November 15). *Selecting data based on spatial relationships*. Pythongis.Org. <https://pythongis.org/part2/chapter-06/nb/05-spatial-queries.html>

- Tobler, W. (1987). Measuring Spatial Resolution. *In Proceedings of the Land Resources Information System Conference*, 12–16. [https://www.researchgate.net/publication/291877360\\_Measuring\\_spatial\\_resolution](https://www.researchgate.net/publication/291877360_Measuring_spatial_resolution)
- Undang-Undang No. 1 Tahun 2011 Tentang Perumahan dan Kawasan Permukiman, Pub. L. No. 1, Kementerian Sekretariat Negara RI (2011).
- Undang-Undang No. 4 Tahun 2011 Tentang Informasi Geospasial, Pub. L. No. 4, Kementerian Sekretariat Negara RI (2011).
- VIDA. (2024, October 14). *Global Google-Microsoft Open Buildings Dataset*. Awesome GEE Community Catalog. [https://gee-community-catalog.org/projects/global\\_buildings/#dataset-citation](https://gee-community-catalog.org/projects/global_buildings/#dataset-citation)
- W3schools. (2025, April 11). *Interquartile Range*. W3schools. [https://www.w3schools.com/statistics/statistics\\_interquartile\\_range.php](https://www.w3schools.com/statistics/statistics_interquartile_range.php)
- Wan, X., Wang, W., Liu, J., & Tong, T. (2014). Estimating the sample mean and standard deviation from the sample size, median, range and/or interquartile range. *BMC Medical Research Methodology*, 14(1), 1–13. <https://doi.org/10.1186/1471-2288-14-135/TABLES/3>
- Wang, J., Fleischmann, M., Venerandi, A., Romice, O., Kuffer, M., & Porta, S. (2023). EO + Morphometrics: Understanding cities through urban morphology at large scale. *Landscape and Urban Planning*, 233, 104691. <https://doi.org/10.1016/j.landurbplan.2023.104691>
- Wolff, S., Mdemu, M. V., & Lakes, T. (2021). Defining the Peri-Urban: A Multidimensional Characterization of Spatio-Temporal Land Use along an Urban–Rural Gradient in Dar es Salaam, Tanzania. *Land*, 10(2), 177. <https://doi.org/10.3390/land10020177>
- Woltjer, J. (2014). Jurnal Perencanaan Wilayah dan Kota. *Jurnal Perencanaan Wilayah Dan Kota*, 25(1), 1–16. <https://doi.org/10.5614/jpwwk.2014.25.1.1>

- World Bank. (2024). *Population, total - Indonesia | Data*.  
<https://data.worldbank.org/indicator/SP.POP.TOTL?locations=ID>
- XGBoost. (2024, October 1). *XGBoost Parameters*. XGBoost Documentation.  
<https://xgboost.readthedocs.io/en/stable/parameter.html>
- Yang, L., & Shami, A. (2020). On hyperparameter optimization of machine learning algorithms: Theory and practice. *Neurocomputing*, *415*, 295–316.  
<https://doi.org/10.1016/j.neucom.2020.07.061>
- Yin, J., Dong, J., Hamm, N. A. S., Li, Z., Wang, J., Xing, H., & Fu, P. (2021). Integrating remote sensing and geospatial big data for urban land use mapping: A review. *International Journal of Applied Earth Observation and Geoinformation*, *103*, 102514. <https://doi.org/10.1016/j.jag.2021.102514>
- Yokoya, N., Ghamisi, P., Xia, J., Sukhanov, S., Heremans, R., Tankoyeu, I., Bechtel, B., Le Saux, B., Moser, G., & Tuia, D. (2018). Open Data for Global Multimodal Land Use Classification: Outcome of the 2017 IEEE GRSS Data Fusion Contest. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *11*(5), 1363–1377.  
<https://doi.org/10.1109/JSTARS.2018.2799698>