

DAFTAR PUSTAKA

- Abou, E., and Tanton, T. (2003). Real time Crop coefficient from SEBAL Method for Estimating the Evapotranspiration. *Proceedings of SPIE*. <https://doi.org/10.1117/12.510664>
- Abrishamkar, M., and Ahmadi, A. (2016). Evapotranspiration Estimation Using Remote Sensing Technology Based on SEBAL Algorithm. *Iranian Journal of Science and Technology, Transactions of Civil Engineering*, 41(1), 65–76. <https://doi.org/10.1007/s40996-016-0036-x>
- Achilleos, G. A. (2011). The Inverse Distance Weighted interpolation method and error propagation mechanism – creating a DEM from an analogue topographical map. *Journal of Spatial Science*, 56(2), 283–304. <https://doi.org/10.1080/14498596.2011.623348>
- Adede, C., Oboko, R., Wagacha, P. W., and Atzberger, C. (2019). A mixed model approach to vegetation condition prediction using Artificial Neural Networks (ANN): Case of Kenya’s operational drought monitoring. *Remote Sensing*, 11(9), 1–18. <https://doi.org/10.3390/rs11091099>
- Aghakouchak, A., Farahmand, A., Melton, F. S., Teixeira, J., Anderson, M. C., Wardlow, B. D., and Hain, C. R. (2015). Reviews of geophysics remote sensing of drought: Progress, challenges. *Reviews of Geophysics*, 53, 1–29. <https://doi.org/10.1002/2014RG000456.Received>
- Ali, A., and Al-Mulla, Y. (2020). Comparative Analysis of two Remote Sensing Models Estimating Evapotranspiration of As’Suwaiq Region. *2020 Mediterranean and Middle-East Geoscience and Remote Sensing Symposium (M2GARSS)*, 273–276. <https://doi.org/10.1109/M2GARSS47143.2020.9105310>
- Allen, R. G., Pereira, L. S., Raes, D., and Smith, M. (1998). *FAO Irrigation and Drainage Paper No. 56 - Crop Evapotranspiration* (Issue January).
- Allen, R., Irmak, A., Trezza, R., Hendrickx, J. M. H., Bastiaanssen, W., and Kjaersgaard, J. (2011). Satellite-based ET estimation in agriculture using SEBAL and METRIC. *Hydrological Processes*, 25(26), 4011–4027. <https://doi.org/10.1002/hyp.8408>
- Allen, R.G., Morse, A., Tasumi, M., Bastiaanssen, W. G. M., Kramber, and Anderson, H. (2001). *Landsat Thematic Mapper for Evapotranspiration via the SEBAL Process for Water Rights Management and Hydrology Water Balances, SEBAL*. American Geophysical Union, Spring Meeting. <https://ui.adsabs.harvard.edu/abs/2001AGUSM...B42C01A/abstract>
- Allen, R.G., Tasumi, M., Morse, A., Trezza, R., Wright, J. L., Bastiaanssen, W., Kramber, W., Lorite, I., and Robison, C. W. (2007). Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications. *Journal of Irrigation and Drainage Engineering*, 133(4), 395–406. [https://doi.org/10.1061/\(asce\)0733-9437\(2007\)133:4\(395\)](https://doi.org/10.1061/(asce)0733-9437(2007)133:4(395))
- Almhah, A. A., and Busu, I. (2008). Estimation of Evapotranspiration with Modified SEBAL Model Using Landsat-TM and NOAA-AVHRR Images in Arid Mountains Area. *2008 Second Asia International Conference on Modelling and Simulation (AMS)*, 350–355. <https://doi.org/10.1109/AMS.2008.42>
- Amani, M., Salehi, B., Mahdavi, S., Masjedi, A., and Dehnavi, S. (2017). Temperature-Vegetation-soil Moisture Dryness Index (TVMDI). *Remote Sensing of Environment*, 197, 1–14. <https://doi.org/10.1016/j.rse.2017.05.026>
- Anderson, M. C., Norman, J. M., Mecikalski, J. R., Otkin, J. A., and Kustas, W. P. (2007). A climatological study of evapotranspiration and moisture stress across the continental United States based on thermal remote sensing: 2. Surface moisture climatology. *Journal of Geophysical Research Atmospheres*, 112(11), 1–13. <https://doi.org/10.1029/2006JD007507>

- Anselin, L. (1995). Local Indicators of Spatial Association—LISA. *Geographical Analysis*, 27(2), 93–115. <https://doi.org/10.1111/j.1538-4632.1995.tb00338.x>
- Arab, S. T., Noguchi, R., Matsushita, S., and Ahamed, T. (2021). Prediction of grape yields from time-series vegetation indices using satellite remote sensing and a machine-learning approach. *Remote Sensing Applications: Society and Environment*, 22(February), 100485. <https://doi.org/10.1016/j.rsase.2021.100485>
- Artis, D. A., and Carnahan, W. H. (1982). Survey of emissivity variability in thermography of urban areas. *Remote Sensing of Environment*, 12(4), 313–329. [https://doi.org/10.1016/0034-4257\(82\)90043-8](https://doi.org/10.1016/0034-4257(82)90043-8)
- Aryalekshmi, B. N., Biradar, R. C., Chandrasekar, K., and Mohammed Ahamed, J. (2021). Analysis of various surface energy balance models for evapotranspiration estimation using satellite data. *Egyptian Journal of Remote Sensing and Space Science*, 24(3), 1119–1126. <https://doi.org/10.1016/j.ejrs.2021.11.007>
- Atitar, M., and Sobrino, J. A. (2009). A split-window algorithm for estimating LST from meteosat 9 data: Test and comparison with in situ data and MODIS LSTs. *IEEE Geoscience and Remote Sensing Letters*, 6(1), 122–126. <https://doi.org/10.1109/LGRS.2008.2006410>
- Ayad A. F. B., Ahmed H. Al-Sulttani, Adrian Ochtyra, Anna Jarocińska, and Adriana Marcinkowska. (2016). Estimation of Evapotranspiration Using SEBAL Algorithm and Landsat-8 Data—A Case Study: Tatra Mountains Region. *Journal of Geological Resource and Engineering*, 4(6). <https://doi.org/10.17265/2328-2193/2016.06.002>
- Badan Nasional Penanggulangan Bencana. (2022). *Statistik Bencana Menurut Wilayah. Data Informasi Bencana Indonesia*. <https://dibi.bnpb.go.id/>
- Bakornas PB. (2007). *Pengenalan Karakteristik Bencana dan Upaya Mitigasinya di Indonesia*.
- Baldrige, A. M., Hook, S. J., Grove, C. I., and Rivera, G. (2009). The ASTER spectral library version 2.0. *Remote Sensing of Environment*, 113(4), 711–715. <https://doi.org/10.1016/j.rse.2008.11.007>
- Baltas, E. (2007). Spatial distribution of climatic indices in northern Greece. *Meteorological Applications*, 78, 69–78. <https://doi.org/10.1002/met>
- Bandara, K. M. P. (2003). Monitoring irrigation performance in Sri Lanka with high-frequency satellite measurements during the dry season. *Agricultural Water Management*, 58(2), 159–170. [https://doi.org/https://doi.org/10.1016/S0378-3774\(02\)00132-4](https://doi.org/https://doi.org/10.1016/S0378-3774(02)00132-4)
- Bappeda Provinsi Jawa Timur. Rencana Pembangunan Jangka Menengah Daerah (RPJMD) Provinsi Jawa Timur Tahun 2019-2024, 747 (2019).
- BAPPENAS. (2020). Pedoman Teknis Penyusunan Rencana Aksi - Edisi II Tujuan Pembangunan Berkelanjutan/ Sustainable Development Goals (TPB/SDGs). In *Kedeputian Bidang Kemaritiman dan Sumber Daya Alam, Kementerian Perencanaan Pembangunan Nasional/ Badan Perencanaan Pembangunan Nasional*.
- Basit, A., Khalil, R. Z., and Haque, S. (2018). Application of simplified surface energy balance index (S-SEBI) for crop evapotranspiration using Landsat 8. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(1), 33–37. <https://doi.org/10.5194/isprs-archives-XLII-1-33-2018>
- Bastiaanssen, W. G. M. (2000). SEBAL-based Sensible and Latent Heat Fluxes in the Irrigated Gediz Basin, Turkey. *Journal of Hydrology*, 229, 87–100.
- Bastiaanssen, W. G. M., Ahmad, M., and Chemin, Y. (2002). Satellite Surveillance of Evaporative Depletion across the Indus Basin. *Water Resource Research*, 38(12).
- Bastiaanssen, W. G. M., Meneti, M., Feddes, R. A., and Holtslag, A. A. M. (1998a). A remote sensing surface energy balance algorithm for land (SEBAL) 1. Formulation. *Journal of Hydrology*, 212–213(1–4), 198–212. <https://doi.org/10.1016/S0022->

[1694\(98\)00254-6](#)

- Bastiaanssen, W. G. M., Meneti, M., Feddes, R. A., and Holtslag, A. A. M. (1998b). A Remote Sensing Surface Energy Balance Algorithm for Land (SEBAL) 2. Validation. *Journal of Hydrology*, 212–213, 213–229. [https://doi.org/10.1016/S0022-1694\(98\)00254-6](https://doi.org/10.1016/S0022-1694(98)00254-6)
- Bayong, TH. 2004. Klomatologi. Institut Teknik Bandung. Bandung.
- Becker, F., Li, Z.L., 1990. Towards a local split window method over land surfaces. *International Journal of Remote Sensing*, 11 (3), 369–393. <https://doi.org/10.1080/01431169008955028>
- Beg, A. A. F., Al-Sulttani, A. H., Ochtyra, A., Jarocińska, A., and Marcinkowska, A. (2016). Estimation of Evapotranspiration Using SEBAL Algorithm and Landsat-8 Data—A Case Study: Tatra Mountains Region. *Journal of Geological Resource and Engineering*, 4(6). <https://doi.org/10.17265/2328-2193/2016.06.002>
- Bento, V. A., Gouveia, C. M., DaCamara, C. C., and Trigo, I. F. (2018). A climatological assessment of drought impact on vegetation health index. *Agricultural and Forest Meteorology*, 259(May), 286–295. <https://doi.org/10.1016/j.agrformet.2018.05.014>
- Beran, M. A., and Rodier, J. A. (1985). *Hydrological aspects of drought*. United Nations Educational, Scientific and Cultural Organization.
- Bergman, K. H., Sabol, P., and Miskus, D. (1988). Experimental Indices for Monitoring Global Drought Conditions. *Proceedings of 13th Annual Climate Diagnostics Workshop*.
- Bhuiyan, C. (2000). *Various Drought Indices For Monitoring Drought Condition In Aravalli Terrain Of India*.
- Bhuiyan, C., (2004). Various drought indices for monitoring drought condition in Aravalli terrain of India. *Proceedings of the XXth ISPRS Conference, January 2004*. <http://www.isprs.org/proceedings/XXXV/congress/comm7/papers/243.pdf>
- BNPB. (2012). Buku Saku Tanggap Tangkas Tangguh Menghadapi Bencana. In *BNPB* (2012th ed.). <http://dx.doi.org/10.1016/j.tsc.2016.10.002>
- BNPB. (2016). *Risiko Bencana Indonesia (RBI)* (R. Jati and M. R. Amri (eds.); Pertama). BNPB.
- Boegh, E., and Soegaard, H. (2004). Remote sensing based estimation of evapotranspiration rates. *International Journal of Remote Sensing*, 25(13), 2535–2551. <https://doi.org/10.1080/01431160310001647975>
- Bolen, B., Sodwatana, M., & Hampson, H. (2021). Drought Prediction in the Western U.S. Using a Long Short-Term Memory (LSTM) Model.
- Bolstad, P. (2016). *GIS Fundamentals: A First Text on Geographic Information Systems* (5th editio). XanEdu Change the Course.
- Bourras, D., Eymard, L., and Liu, W. T. (2002). A Neural Network To Estimate The Latent Heat Flux Over Oceans From Satellite Observations. *International Remote Sensing*, 23, 2405–2424.
- Brabyn, L., Zawar-Reza, P., Stichbury, G., Cary, C., Storey, B., Laughlin, D. C., and Katurji, M. 2014. Accuracy assessment of land surface temperature retrievals from Landsat 7 ETM + in the Dry Valleys of Antarctica using iButton temperature loggers and weather station data. *Environmental Monitoring and Assessment*, 186(4), 2619–2628. <https://doi.org/10.1007/s10661-013-3565-9>
- Brian, D. W., Tsegaye, T., Jesslyn, F. B., Karin, C., Sharmistha, S., and Eric, H. (2012). Vegetation Drought Response Index. *Remote Sensing of Drought*, 51–74. <http://dx.doi.org/10.1201/b11863-5>
- British Columbia Ministry of Agriculture. (2015). Soil Water Storage Capacity and Available Soil Moisture. In *Water Conservation Factsheet* (Vol. 1, Issue 619, pp. 1–4).
- Brown, J. F., Wardlow, B. D., Tadesse, T., Hayes, M. J., and Reed, B. C. (2008). The

- Vegetation Drought Response Index (VegDRI): A new integrated approach for monitoring drought stress in vegetation. *GIScience and Remote Sensing*, 45(1), 16–46. <https://doi.org/10.2747/1548-1603.45.1.16>
- Brown, M. E. (2008). Vegetation Index Measurements. In *Famine Early Warning Systems and Remote Sensing Data* (pp. 97–118). https://doi.org/10.1007/978-3-540-75369-8_6
- Brutsaert, W. (1982). *Evaporation into the Atmosphere: Theory, history, and Applications*. Reidel Publishing Co.
- Brutsaert, W. (2010). Environmental Fluid Mechanics. In *Evaporation Into the Atmosphere: Theory, History, and Applications* (First). Springer Dordrecht. https://doi.org/10.1007/978-94-017-1497-6_1
- Brutsaert, Wilfried, and Stricker, H. (1979). An advection-aridity approach to estimate actual regional evapotranspiration. *Water Resources Research*, 15(2), 443–450. <https://doi.org/https://doi.org/10.1029/WR015i002p00443>
- Calcagno, G., Mendicino, G., Monacelli, G., Senatore, A., and Versace, P. (2007). Distributed Estimation of Actual Evapotranspiration Through Remote Sensing Techniques. *Methods and Tools for Drought Analysis and Management, 2004*, 125–147. https://doi.org/10.1007/978-1-4020-5924-7_7
- Callejas-Rodelas, J. Á., Knohl, A., van Ramshorst, J., Mammarella, I., and Markwitz, C. (2024). Comparison between lower-cost and conventional eddy covariance setups for CO₂ and evapotranspiration measurements above monocropping and agroforestry systems. *Agricultural and Forest Meteorology*, 354, 110086. <https://doi.org/10.1016/j.agrformet.2024.110086>
- Cao, X., Feng, Y., and Wang, J. (2016). An improvement of the Ts-NDVI space drought monitoring method and its applications in the Mongolian plateau with MODIS, 2000–2012. *Arabian Journal of Geosciences*, 9(6). <https://doi.org/10.1007/s12517-016-2451-5>
- Carlson, T. N., and Ripley, D. A. (1997). On the relation between NDVI, fractional vegetation cover, and leaf area index. *Remote Sensing of Environment*, 62(3), 241–252. [https://doi.org/10.1016/S0034-4257\(97\)00104-1](https://doi.org/10.1016/S0034-4257(97)00104-1)
- Cebrian, A. C., and Abaurrea, J. (2006). Drought Analysis Based on a Marked Cluster Poisson Model. *Journal Hydrometeorol*, 7, 713–723.
- Chatterjee, R. S., Singh, N., Thapa, S., Sharma, D., and Kumar, D. (2017). Retrieval of land surface temperature (LST) from landsat TM6 and TIRS data by single channel radiative transfer algorithm using satellite and ground-based inputs. *International Journal of Applied Earth Observation and Geoinformation*, 58, 264–277. <https://doi.org/10.1016/j.jag.2017.02.017>
- Chaudhari, S., Sardar, V., Rahul, D. S., Chandan, M., Shivakale, M. S., & Harini, K. R. (2021). Performance Analysis of CNN, AlexNet and VGGNet Models for Drought Prediction using Satellite Images. 2021 Asian Conference on Innovation in Technology (ASIANCON), 1–6. <https://doi.org/10.1109/ASIANCON51346.2021.9545068>
- Chavez, J. (1988). An improved dark-object subtraction technique for atmospheric scattering correction of multispectral data. *Remote Sensing of Environment*, 24, 159–279. [https://doi.org/10.1016/0034-4257\(88\)90019-3](https://doi.org/10.1016/0034-4257(88)90019-3)
- Chedin, A., Scott, N. A., and Berrior, A. (1982). A single-channel, double-viewing angle method for sea surface temperature determination from coincident METEOSAT and TIROS-N radiometric measurements. *Journal of Applied Meteorology*, 21(4), 613–618. [https://doi.org/10.1175/1520-0450\(1982\)021<0613:ASCDVA>2.0.CO;2](https://doi.org/10.1175/1520-0450(1982)021<0613:ASCDVA>2.0.CO;2)
- Chemin, Y. (2023). The application of the surface energy balance algorithm for land (SEBAL) for estimating daily evaporation. *A Handbook of Published Methodologies Version 0.6*, 8.

- Chemin, Y., and Ahmad, M. ud D. (2000). *Estimating Evaporation using the Surface Energy Balance Model (SEBAL)*. <https://econpapers.repec.org/paper/iwtrrtrpts/h026660.htm>
- Chen, C.F., Son, N.T., Chen, C.R., Chiang, S.H., Chang, L.Y., Valdez, M., (2017). Drought monitoring in cultivated areas of Central America using multi-temporal MODIS data. *Geomatics, Natural Hazards and Risk*, 8 (2), 402–417. <https://doi.org/10.1080/19475705.2016.1222313>
- Chen, J. M., and Cihlar, J. (1996). Retrieving leaf area index of boreal conifer forests using landsat TM images. *Remote Sensing of Environment*, 55(2), 153–162. [https://doi.org/10.1016/0034-4257\(95\)00195-6](https://doi.org/10.1016/0034-4257(95)00195-6)
- Chen, S., Wen, Z., Jiang, H., Zhao, Q., Zhang, X., and Chen, Y. (2015). Temperature vegetation dryness index estimation of soil moisture under different tree species. *Sustainability (Switzerland)*, 7(9), 11401–11417. <https://doi.org/10.3390/su70911401>
- Chen, X., Yu, S., Zhang, H., Li, F., Liang, C., and Wang, Z. (2023). Estimating the Actual Evapotranspiration Using Remote Sensing and SEBAL Model in an Arid Environment of Northwest China. In *Water* (Vol. 15, Issue 8). <https://doi.org/10.3390/w15081555>
- Chesworth, W. (2008). Encyclopedia of Soil Science. In *Encyclopedia of Earth Sciences Series* (p. 849). Springer.
- Chong, K. L., Huang, Y. F., Koo, C. H., Najah Ahmed, A., and El-Shafie, A. (2022). Spatiotemporal variability analysis of standardized precipitation indexed droughts using wavelet transform. *Journal of Hydrology*, 605(August 2021), 127299. <https://doi.org/10.1016/j.jhydrol.2021.127299>
- Coll, C., Caselles, V., Galve, J. M., Valor, E., Niclòs, R., Sánchez, J. M., and Rivas, R. (2005). Ground measurements for the validation of land surface temperatures derived from AATSR and MODIS data. *Remote Sensing of Environment*, 97(3), 288–300. <https://doi.org/10.1016/j.rse.2005.05.007>
- Coll, C., Caselles, V., Valor, E., and Niclòs, R. (2012). Comparison between different sources of atmospheric profiles for land surface temperature retrieval from single channel thermal infrared data. *Remote Sensing of Environment*, 117, 199–210. <https://doi.org/10.1016/j.rse.2011.09.018>
- Coll, C., and Caselles, V. (1997). A split-window algorithm for land surface temperature from advanced very high resolution radiometer data: Validation and algorithm comparison. *Journal of Geophysical Research: Atmospheres*, 102(D14), 16697–16713. <https://doi.org/https://doi.org/10.1029/97JD00929>
- Coll, C., Hook, S. J., and Galve, J. M. (2009). Land Surface Temperature From the Advanced Along-Track Scanning Radiometer: Validation Over Inland Waters and Vegetated Surfaces. *IEEE Transactions on Geoscience and Remote Sensing*, 47(1), 350–360. <https://doi.org/10.1109/TGRS.2008.2002912>
- Coll, C., Galve, J. M., Sánchez, J. M., and Caselles, V. (2010). Validation of landsat-7/ETM+ thermal-band calibration and atmospheric correction with ground-based measurements. *IEEE Transactions on Geoscience and Remote Sensing*, 48(1), 547–555. <https://doi.org/10.1109/TGRS.2009.2024934>
- Congalton, R. G. (1991). A review of assessing the accuracy of classifications of remotely sensed data. *Remote Sensing of Environment*, 37(1), 35–46. [https://doi.org/10.1016/0034-4257\(91\)90048-B](https://doi.org/10.1016/0034-4257(91)90048-B)
- Courault, D., Seguin, B., and Olioso, A. (2005). Review on estimation of evapotranspiration from remote sensing data: From empirical to numerical modeling approaches. *Irrigation and Drainage Systems*, 19(3), 223–249. <https://doi.org/10.1007/s10795-005-5186-0>
- Cristóbal, J., Jiménez-Muñoz, J. C., Sobrino, J. A., Ninyerola, M., and Pons, X. (2009). Improvements in land surface temperature retrieval from the Landsat series thermal

- band using water vapor and air temperature. *Journal of Geophysical Research: Atmospheres*, 114(D8). <https://doi.org/10.1029/2008JD010616>
- Curran. (1985). *Principle of Remote Sensing*. Longman.
- Dai, A., Trenberth, K. E., and Qian, T. (2004). A Global Dataset of Palmer Drought Severity Index for 1870–2002: Relationship with Soil Moisture and Effects of Surface Warming. *Journal of Hydrometeorology*, 5(6), 1117–1130. <https://doi.org/10.1175/JHM-386.1>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Andi Offset.
- Dash, P., Göttsche, F. M., Olesen, F. S., and Fischer, H. (2005). Separating surface emissivity and temperature using two-channel spectral indices and emissivity composites and comparison with a vegetation fraction method. *Remote Sensing of Environment*, 96(1), 1–17. <https://doi.org/10.1016/j.rse.2004.12.023>
- Dede, M., Widiawaty, M. A., Ramadhan, Y. R., Ismail, A., and Nurdin, W. (2020). Prediksi Suhu Permukaan Menggunakan Artificial Neural Network-Cellular Automata Di Wilayah Cirebon Dan Sekitarnya. *Seminar Nasional Geomatika: Informasi Geospasial Untuk Inovasi Percepatan Pembangunan Berkelanjutan*.
- Department of the Interior U.S. Geological Survey. (2016). Landsat 8 Data Users Handbook. In *Nasa* (Vol. 8, Issue June). <https://landsat.usgs.gov/documents/Landsat8DataUsersHandbook.pdf>
- Du, C., Ren, H., Qin, Q., Meng, J., and Zhao, S. (2015). A practical split-window algorithm for estimating land surface temperature from landsat 8 data. *Remote Sensing*, 7(1), 647–665. <https://doi.org/10.3390/rs70100647>
- Du, L., Song, N., Liu, K., Hou, J., Hu, Y., Zhu, Y., Wang, X., Wang, L., Guo, Y., (2017). Comparison of two simulation methods of the temperature vegetation dryness index (TVDI) for drought monitoring in semi-arid regions of China. *Remote Sensing*, 9 (2). <https://doi.org/10.3390/rs9020177>
- Du, J., Xu, X., Liu, H., Wang, L., and Cui, B. (2023). Deriving a high-quality daily dataset of large-pan evaporation over China using a hybrid model. *Water Research*, 238, 120005. <https://doi.org/10.1016/j.watres.2023.120005>
- Du, Q., Guan, Q., Sun, Y., Wang, Q., Zhang, J., Xiao, X., Liu, H., Yang, X., & Zhang, E. (2024). Legacy effects of extreme drought and wetness events on mountain grassland ecosystems and their elevation dependence. *Journal of Hydrology*, 630, 130757. <https://doi.org/https://doi.org/10.1016/j.jhydrol.2024.130757>
- Duan, S.-B., Li, Z.-L., Zhao, W., Wu, P., Huang, C., Han, X.-J., Gao, M., Leng, P., and Shang, G. (2021). Validation of Landsat land surface temperature product in the conterminous United States using in situ measurements from SURFRAD, ARM, and NDBC sites. *International Journal of Digital Earth*, 14(5), 640–660. <https://doi.org/10.1080/17538947.2020.1862319>
- Dumitra, M., Mocanu, I., Mitric, B., Dragot, C., Grigorescu, I., and Dumitric, C. (2018). The assessment of socio-economic vulnerability to drought in Southern Romania (Oltenia Plain). *International Journal of Disaster Risk Reduction*, 27(September 2017), 142–154. <https://doi.org/10.1016/j.ijdrr.2017.09.049>
- Dutta, D., Kundu, A., Patel, N. R., Saha, S. K., and Siddiqui, A. R. (2015). Assessment of agricultural drought in Rajasthan (India) using remote sensing derived Vegetation Condition Index (VCI) and Standardized Precipitation Index (SPI). *Egyptian Journal of Remote Sensing and Space Science*, 18(1), 53–63. <https://doi.org/10.1016/j.ejrs.2015.03.006>
- Dutta, D., Nanda, M. K., Kundu, R., Tewari, S., Jain, P., Bhadra, B. K., Khemka, T., Naik, A., & Chakraverty, A. (2024). El Nino Southern Oscillation and Indian Ocean Dipole teleconnection to the wetness and drought trend of Bhutan using time series (1983-2022) PERSIANN rainfall data. *International Journal of Applied Earth Observation and Geoinformation*, 135, 104228.

- <https://doi.org/https://doi.org/10.1016/j.jag.2024.104228>
- Elnmer, A., Khadr, M., Kanae, S., and Tawfik, A. (2019). Mapping daily and seasonally evapotranspiration using remote sensing techniques over the Nile delta. *Agricultural Water Management*, 213(November 2017), 682–692. <https://doi.org/10.1016/j.agwat.2018.11.009>
- Everingham, Y., Sexton, J., Skocaj, D., and Inman-Bamber, G. (2016). Accurate Prediction Of Sugarcane Yield Using A Random Forest Algorithm. *Agronomy for sustainable development*, 36(27).
- Fisher, J. B., Melton, F., Middleton, E., Hain, C., Anderson, M., Allen, R., McCabe, M. F., Hook, S., Baldocchi, D., Townsend, P. A., Kilic, A., Tu, K., Miralles, D. D., Perret, J., Lagouarde, J.-P., Waliser, D., Purdy, A. J., French, A., Schimel, D., ... Wood, E. F. (2017). The future of evapotranspiration: Global requirements for ecosystem functioning, carbon and climate feedbacks, agricultural management, and water resources. *Water Resources Research*, 53(4), 2618–2626. <https://doi.org/10.1002/2016WR020175>
- Frey, C. M., Kuenzer, C., and Dech, S. (2013). *Cross-Comparison of Daily Land Surface Temperature Products from NOAA-AVHRR and MODIS*. 17, 215–231. <https://doi.org/10.1007/978-94-007-6639-6>
- Galve, J. M., Coll, C., Caselles, V., Valor, E., and Mira, M. (2008). Comparison of Split-Window and Single-Channel Methods for Land Surface Temperature Retrieval from MODIS and AATSR Data. *IGARSS 2008 - 2008 IEEE International Geoscience and Remote Sensing Symposium*, 3, III-294-III-297. <https://doi.org/10.1109/IGARSS.2008.4779341>.
- Gao, B.C. (1996). NDWI - A normalized difference water index for remote sensing of vegetation liquid water from space. *Remote Sensing of Environment*, 58(3), 257–266. [https://doi.org/10.1016/S0034-4257\(96\)00067-3](https://doi.org/10.1016/S0034-4257(96)00067-3)
- Gao, B.-C., and Kaufman, Y. J. (2003). Water vapor retrievals using Moderate Resolution Imaging Spectroradiometer (MODIS) near-infrared channels. *Journal of Geophysical Research: Atmospheres*, 108(D13). <https://doi.org/10.1029/2002JD003023>
- Gao, Z., Gao, W., and Chang, N. Bin. (2011). Integrating temperature vegetation dryness index (TVDI) and regional water stress index (RWSI) for drought assessment with the aid of LANDSAT TM/ETM+images. *International Journal of Applied Earth Observation and Geoinformation*, 13(3), 495–503. <https://doi.org/10.1016/j.jag.2010.10.005>
- García, M., Fernández, N., Villagarcía, L., Domingo, F., Puigdefábregas, J., and Sandholt, I. (2014a). Accuracy of the Temperature-Vegetation Dryness Index using MODIS under water-limited vs. energy-limited evapotranspiration conditions. *Remote Sensing of Environment*, 149, 100–117. <https://doi.org/10.1016/j.rse.2014.04.002>
- García, M., Fernández, N., Villagarcía, L., Domingo, F., Puigdefábregas, J., and Sandholt, I. (2014b). Accuracy of the Temperature-Vegetation Dryness Index using MODIS under water-limited vs. energy-limited evapotranspiration conditions. *Remote Sensing of Environment*, 149, 100–117. <https://doi.org/10.1016/j.rse.2014.04.002>
- García-Mora, T. J., Mas, J. F., and Hinkley, E. A. (2012). Land cover mapping applications with MODIS: A literature review. *International Journal of Digital Earth*, 5(1), 63–87. <https://doi.org/10.1080/17538947.2011.565080>
- Gedamu, W. T., Plank-Wiedenbeck, U., and Wodajo, B. T. (2024). A spatial autocorrelation analysis of road traffic crash by severity using Moran's I spatial statistics: A comparative study of Addis Ababa and Berlin cities. *Accident Analysis and Prevention*, 200, 107535. <https://doi.org/10.1016/j.aap.2024.107535>
- Gieske, A. S. M. (2003). Operational Solutions of Actual Evapotranspiration. In *Understanding Water in Dry Environment: Hydrological Process in Arid and Semi Arid Zone* (pp. 65–114). Rotterdam.

- Gillespie, A., Rokugawa, S., Hook, S. J., Matsunaga, R., and Kahle, A. B. (1999). Temperature/emissivity separation algorithm theoretical basis document, version 2.4. *Nasa/Gsfc*, 1–64. <http://eosps0.gsfc.nasa.gov/sites/default/files/atbd/atbd-ast-05-08.pdf>
- Gillies, R. R., Carlson, T. N., Cui, J., Kustas, W. P., and Humes, K. S. (1997). A verification of the ‘triangle’ method for obtaining surface soil water content and energy fluxes from remote measurements of the normalized difference vegetation index (ndvi) and surface e. *International Journal of Remote Sensing*, 18(15), 3145–3166. <https://doi.org/10.1080/014311697217026>
- Girard, M.-C., and Girard, C. (2003). *Processing of Remote Sensing Data*. A.A. Balkema, a member of Swets and Zeitlinger Publishers.
- Girolimetto, D., and Venturini, V. (2013). Water Stress Estimation from NDVI-Ts Plot and the Wet Environment Evapotranspiration. *Advances in Remote Sensing*, 02(04), 283–291. <https://doi.org/10.4236/ars.2013.24031>
- Golian, S., Mazdiyasi, O., and Aghakouchak, A. (2014). Trends in meteorological and agricultural droughts in Iran. *Theoretical and Applied Climatology*, April. <https://doi.org/10.1007/s00704-014-1139-6>
- Griend, A. A. Van De, and Owe, M. (1993). On the relationship between thermal emissivity and the normalized difference vegetation index for natural surfaces. *International Journal of Remote Sensing*, 14(6), 1119–1131. <https://doi.org/10.1080/01431169308904400>
- Gu, Y., Brown, J. F., Verdin, J. P., and Wardlaw, B. (2007). A five-year analysis of MODIS NDVI and NDWI for grassland drought assessment over the central Great Plains of the United States. *Geophysical Research Letters*, 34(6), 1–6. <https://doi.org/10.1029/2006GL029127>
- Guo, H., Bao, A., Liu, T., Ndayisaba, F., and Jiang, L. (2019). Determining variable weights for an Optimal Scaled Drought Condition Index (OSDCI): Evaluation in Central Asia. *Remote Sensing of Environment*, 231(June), 111220. <https://doi.org/10.1016/j.rse.2019.111220>
- Han, H., Bai, J., Yan, J., Yang, H., and Ma, G. (2021). A combined drought monitoring index based on multi-sensor remote sensing data and machine learning. *Geocarto International*, 36(10), 1161–1177. <https://doi.org/10.1080/10106049.2019.1633423>
- Han, L., Wang, P., Yang, H., Liu, S., and Wang, J. (2006). Study on NDVI-Ts space by combining LAI and evapotranspiration. *Science in China, Series D: Earth Sciences*, 49(7), 747–754. <https://doi.org/10.1007/s11430-006-0747-0>
- Hao, Z., Yuan, X., Xia, Y., Hao, F., and Singh, V. P. (2017). An overview of drought monitoring and prediction systems at regional and global scales. *Bulletin of the American Meteorological Society*, 98(9), 1879–1896. <https://doi.org/10.1175/BAMS-D-15-00149.1>
- He, Q., Wang, M., Liu, K., & Wang, B. (2025). High-resolution Standardized Precipitation Evapotranspiration Index (SPEI) reveals trends in drought and vegetation water availability in China. *Geography and Sustainability*, 6(2), 100228. <https://doi.org/https://doi.org/10.1016/j.geosus.2024.08.007>
- Heydari, H., Zojj, M. J. V., Maghsoudi, Y., and Dehnavi, S. (2018). An investigation of drought prediction using various remote-sensing vegetation indices for different time spans. *International Journal of Remote Sensing*, 39(6), 1871–1889. <https://doi.org/10.1080/01431161.2017.1416696>
- Hidalgo, H. G. (2004). Climate Precursors of Multidecadal Drought Variability in the Western United States. *Water Resource Research*, May. <https://doi.org/10.1029/2004WR003350>
- Himika, K. S., and Randhawa, S. (2018). Global Land Temperature Prediction by Machine

- Learning Combo Approach. *2018 9th International Conference on Computing, Communication and Networking Technologies, ICCCNT 2018*, 1–8. <https://doi.org/10.1109/ICCCNT.2018.8494173>
- Hollunder, R. K., Mariotte, P., Carrizo, T. T., Holmgren, M., Luber, J., Stein-Soares, B., Guidoni-Martins, K. G., Ferreira-Santos, K., Scarano, F. R., & Garbin, M. L. (2021). Topography and vegetation structure mediate drought impacts on the understory of the South American Atlantic Forest. *Science of the Total Environment*, 766, 144234. <https://doi.org/10.1016/j.scitotenv.2020.144234>
- Hong, S. H., Hendrickx, J. M. H., and Borchers, B. (2011). Down-scaling of SEBAL derived evapotranspiration maps from MODIS (250 m) to landsat (30 m) scales. *International Journal of Remote Sensing*, 32(21), 6457–6477. <https://doi.org/10.1080/01431161.2010.512929>
- Hong, S., Hendrickx, J. M. H., and Borchers, B. (2009). Up-scaling of SEBAL derived evapotranspiration maps from Landsat (30m) to MODIS (250m) scale. *Journal of Hydrology*, 370(1), 122–138. <https://doi.org/10.1016/j.jhydrol.2009.03.002>
- Hongjie, X., Hendrickx, J., Papuga, S., and Small, E. (2002). Comparison of evapotranspiration estimates from the Surface Energy Balance Algorithm (SEBAL) and flux tower data, middle Rio Grande Basin. *AGU Fall Meeting Abstracts*.
- Hu, X., Shi, L., Lin, L., Zhang, B., and Zha, Y. (2018). Optical-based and thermal-based surface conductance and actual evapotranspiration estimation, an evaluation study in the North China Plain. *Agricultural and Forest Meteorology*, 263, 449–464. <https://doi.org/10.1016/j.agrformet.2018.09.015>
- Huang, D., Ma, T., Liu, J., & Zhang, J. (2025). Agricultural drought monitoring using modified TVDI and dynamic drought thresholds in the upper and middle Huai River Basin, China. *Journal of Hydrology: Regional Studies*, 57, 102069. <https://doi.org/https://doi.org/10.1016/j.ejrh.2024.102069>
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., and Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*, 83, 195–213. <https://doi.org/10.3390/rs4103201>
- Huete, Ar. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309. [https://doi.org/10.1016/0034-4257\(88\)90106-X](https://doi.org/10.1016/0034-4257(88)90106-X)
- Hulley, G. C., Hook, S. J., and Baldrige, A. M. (2009). Validation of the North American ASTER Land Surface Emissivity Database (NAALSED) version 2.0 using pseudo-invariant sand dune sites. *Remote Sensing of Environment*, 113(10), 2224–2233. <https://doi.org/10.1016/j.rse.2009.06.005>
- Idso, S. B., Jackson, R. D., Pinter, P. J., Reginato, R. J., and Hatfield, J. L. (1981). Normalizing the stress-degree-day parameter for environmental variability. *Agricultural Meteorology*, 24(August 2015), 45–55. [https://doi.org/10.1016/0002-1571\(81\)90032-7](https://doi.org/10.1016/0002-1571(81)90032-7)
- Jackson, R. D., Idso, S. B., Reginato, R. J., and Pinter, P. J. (1981). Canopy temperature as a crop water stress indicator. *Water Resources Research*, 17(4), 1133–1138. <https://doi.org/10.1029/WR017i004p01133>
- Jacob, F., Olioso, A., Gu, X. F., Su, Z., and Seguin, B. (2002). Mapping surface fluxes using airborne visible, near infrared, thermal infrared remote sensing data and a spatialized surface energy balance model. *Agronomie*, 22(6), 669–680. <https://doi.org/10.1051/agro:2002053>
- Jang, K., Kang, S., Kim, J., Lee, C. B., Kim, T., Kim, J., Hirata, R., and Saigusa, N. (2010). Mapping evapotranspiration using MODIS and MM5 Four-Dimensional Data Assimilation. *Remote Sensing of Environment*, 114(3), 657–673. <https://doi.org/https://doi.org/10.1016/j.rse.2009.11.010>
- Januar, T. W., Lin, T.-H., Huang, C.-Y., and Chang, K.-E. (2020). Modifying an Image

- Fusion Approach for High Spatiotemporal LST Retrieval in Surface Dryness and Evapotranspiration Estimations. *Remote Sensing* (Vol. 12, Issue 3). <https://doi.org/10.3390/rs12030498>
- Japan Aerospace Exploration Agency (JAXA). (2020). *Utilizing Space Through Satellites*. <https://global.jaxa.jp/projects/sat/>
- Jeevalakshmi, D., Narayana Reddy, S., and Manikiam, B. (2017). Land surface temperature retrieval from LANDSAT data using emissivity estimation. *International Journal of Applied Engineering Research*, 12(20), 9679–9687.
- Jensen JR. (2005). *Introductory Digital Image Processing* (Third Edit). South California: Pearson Prentice Hall.
- Ji, Z., Wang, Y., and Wang, L. (2024). Threshold identification of evapotranspiration under different land-use types in the Loess Plateau, China. *Journal of Hydrology: Regional Studies*, 53, 101780. <https://doi.org/10.1016/j.ejrh.2024.101780>
- Jiménez-Muñoz, J. C., and Sobrino, J. A. (2003). A generalized single-channel method for retrieving land surface temperature from remote sensing data. *Journal of Geophysical Research: Atmospheres*, 108(D22). <https://doi.org/10.1029/2003JD003480>
- Jimenez-Munoz, J. C., Cristobal, J., Sobrino, J. A., Soria, G., Ninyerola, M., and Pons, X. (2009). Revision of the Single-Channel Algorithm for Land Surface Temperature Retrieval From Landsat Thermal-Infrared Data. *IEEE Transactions on Geoscience and Remote Sensing*, 47(1), 339–349. <https://doi.org/10.1109/TGRS.2008.2007125>
- Joshi, R. C., Ryu, D., Sheridan, G. J., and Lane, P. N. J. (2021). Modeling vegetation water stress over the forest from space: temperature vegetation water stress index (TVWSI). *Remote Sensing*, 13(22). <https://doi.org/10.3390/rs13224635>
- Julien, Y., Sobrino, J. A., and Verhoef, W. (2006). Changes in land surface temperatures and NDVI values over Europe between 1982 and 1999. *Remote Sensing of Environment*, 103(1), 43–55. <https://doi.org/10.1016/j.rse.2006.03.011>
- Kalluri, S., Gilruth, P., Bergman, R., and Plante, R. (2002). *Impacts of NASA's remote sensing data on policy and decision making at state and local agencies in the United States*. 1691–1693 vol.3. <https://doi.org/10.1109/IGARSS.2002.1026223>
- Kamenova, I., and Dimitrov, P. (2021). Evaluation of Sentinel-2 vegetation indices for prediction of LAI, fAPAR and fCover of winter wheat in Bulgaria. *European Journal of Remote Sensing*, 54(sup1), 89–108. <https://doi.org/10.1080/22797254.2020.1839359>
- Kant, Y., and Badarinath, K. V. S. (1998). Atmospheric corrections to thermal IR data for estimation of land surface temperature. *Journal of the Indian Society of Remote Sensing*, 26(3), 113–120. <https://doi.org/10.1007/BF03026668>
- Kansara, M., Maity, P., Malgaonkar, H., & Save, A. (2020). A Novel Approach for Early Prediction of Drought. 2020 6th International Conference on Advanced Computing and Communication Systems (ICACCS), 768–773. <https://doi.org/10.1109/ICACCS48705.2020.9074405>
- Karnieli, A., Agam, N., Pinker, R. T., Anderson, M., Imhoff, M. L., Gutman, G. G., Panov, N., and Goldberg, A. (2010). Use of NDVI and land surface temperature for drought assessment: Merits and limitations. *Journal of Climate*, 23(3), 618–633. <https://doi.org/10.1175/2009JCLI2900.1>
- Kaufman, Y. J., and Gao, B. (1992). Remote Sensing of Water Vapor in the Near IR from EOS/MODIS. *IEEE Transactions on Geoscience and Remote Sensing*, 30(5), 871–844. <https://doi.org/10.1109/36.175321>
- Kaur, A., and Sood, S. K. (2020). Deep learning based drought assessment and prediction framework. *Ecological Informatics*, 57(May 2019), 101067. <https://doi.org/10.1016/j.ecoinf.2020.101067>
- KBBI. (2022). *Kamus Besar Bahasa Indonesia (KBBI)*. Kamus Versi Online/Daring (Dalam Jaringan). <https://kbbi.web.id>

- Ke, Y., Im, J., Lee, J., Gong, H., and Ryu, Y. (2015). Characteristics of Landsat 8 OLI-derived NDVI by comparison with multiple satellite sensors and in-situ observations. *Remote Sensing of Environment*, 164, 298–313. <https://doi.org/10.1016/j.rse.2015.04.004>
- Kebiao, M., Ying, M., Xinyi, S., Zhiwen, S., Tianjue, H., Lang, X., and Tongren, X. 2014. The Study of Estimation of Broadband Emissivity from EOS/MODIS Data. *Hing Technology Letters*, 20(1), 88–91.
- Kementerian Lingkungan Hidup dan Kehutanan RI. (2020). *Status Hutan and Kehutana Indonesia 2020*.
- Keyantash, J. A., and Dracup, J. A. (2004). An aggregate drought index : Assessing drought severity based on fluctuations in the hydrologic cycle and surface water storage. *Water Resource Research*, 40, 1–14. <https://doi.org/10.1029/2003WR002610>
- Khan, N., Sachindra, D. A., Shahid, S., Ahmed, K., Shiru, M. S., & Nawaz, N. (2020). Prediction of droughts over Pakistan using machine learning algorithms. *Advances in Water Resources*, 139(January), 103562. <https://doi.org/10.1016/j.advwatres.2020.103562>
- Kim, Y. (2013). Drought and elevation effects on MODIS vegetation indices in northern Arizona ecosystems. *International Journal of Remote Sensing*, 34(14), 4889–4899. <https://doi.org/10.1080/2150704X.2013.781700>
- King-Okumu, C. (2021). A rapid review of drought risk mitigation measures–integrated drought management. In *Food and Agriculture Organization*. FAO - Food and Agriculture Organization of the United Nations. <https://doi.org/10.4060/cb7085en>
- Klein, C., and Taylor, C. M. (2020). Dry soils can intensify mesoscale convective systems. *Proceedings of the National Academy of Sciences*, 117(35), 21132–21137. <https://doi.org/10.1073/pnas.2007998117>
- Kodimalar, T., Vidhya, R., and Eswar, R. (2020). Land surface emissivity retrieval from multiple vegetation indices: a comparative study over India. *Remote Sensing Letters*, 11(2), 176–185. <https://doi.org/10.1080/2150704X.2019.1692384>
- Kogan, F. N. (1990). Remote sensing of weather impacts on vegetation in non-homogeneous areas. *International Journal of Remote Sensing*, 11(8), 1405–1419. <https://doi.org/10.1080/01431169008955102>
- Kogan, F. N. (1995a). Application of vegetation index and brightness temperature for drought detection. *Advances in Space Research*, 15(11), 91–100. [https://doi.org/https://doi.org/10.1016/0273-1177\(95\)00079-T](https://doi.org/https://doi.org/10.1016/0273-1177(95)00079-T)
- Kogan, F. N. (1995b). Droughts of the Late 1980s in the United States as Derived from NOAA Polar-Orbiting Satellite Data. In *Bulletin of the American Meteorological Society* (Vol. 76, Issue 5, pp. 655–668). [https://doi.org/10.1175/1520-0477\(1995\)076](https://doi.org/10.1175/1520-0477(1995)076)
- Kogan, F. N. (1997). Global Drought Watch from Space. *Bulletin of the American Meteorological Society*, 78(4), 621–636. [https://doi.org/10.1175/1520-0477\(1997\)078<0621:GDWFS>2.0.CO;2](https://doi.org/10.1175/1520-0477(1997)078<0621:GDWFS>2.0.CO;2)
- Kogan, F. N. (2001). Operational space technology for global vegetation assessment. *Bulletin of the American Meteorological Society*, 82(9), 1949–1964. [https://doi.org/10.1175/1520-0477\(2001\)082<1949:OSTFGV>2.3.CO;2](https://doi.org/10.1175/1520-0477(2001)082<1949:OSTFGV>2.3.CO;2)
- Kogan, F. N. (2002). World droughts in the new millennium from avhrr-based vegetation health indices. *Eos*, 83(48), 3–7. <https://doi.org/10.1029/2002EO000382>
- Komasi, M., and Sharghi, S. (2023). Improving the remote sensing process of evapotranspiration in the SEBAL algorithm using meta-heuristic models. *Water Supply*, 23(9), 3694–3714. <https://doi.org/10.2166/ws.2023.237>
- Kuenzer, C., and Dech, S. (2013). Thermal Remote Sensing; Sensors, Methods, Applications. In *Remote Sensing and Digital Image Processing* (Vol. 17). Springer. https://doi.org/10.1007/978-94-007-6639-6_15
- Kudryavtsev, A. A., Simkin, I. V, Dragun, M. A., Alexandrova, O. P., Malashin, I. P.,

- Sukhanov, D. A., Nelyub, V. A., Borodulin, A. S., Yurchenko, S. O., and Tynchenko, V. S. (2024). BCSnet: A U-Net-Based Model for Segmentation of Brain Cells in Trypan Blue Images. *IEEE Access*, 12, 192915–192930. <https://doi.org/10.1109/ACCESS.2024.3519893>
- Lal, M., Chemin, Y., and Chandrapala, L. (2001). Variability of Soil Moisture in the Walawe River Basin: A Case Study in Sri Lanka using Low-Resolution Satellite Data. *Asian Conference on Remote Sensing*.
- Lee, J.-W., Hong, E., Jang, W., and Kim, S. (2022). Assessment of socio-economic drought information using drought-related Internet news data (Part A: Socio-economic drought data construct and evaluation socio-economic drought information). *International Journal of Disaster Risk Reduction*, 75(March), 1–14. <https://doi.org/10.1016/j.ijdr.2022.102961>
- Lee, J.-W., Hong, E., Kim, J., Jang, W., Jung, C., and Kim, S. (2022). Evaluation of agricultural drought in South Korea using socio-economic drought information. *International Journal of Disaster Risk Reduction*, 74(March), 1–13. <https://doi.org/10.1016/j.ijdr.2022.102936>
- Li, F., Jackson, T. J., Kustas, P., Schmugge, T. J., French, A. N., Cosh, H., and Bindlish, R. (2004). Deriving land surface temperature from Landsat 5 and 7 during SMEX02/SMACEX. *Remote Sensing of Environment*, 92, 521–534. <https://doi.org/10.1016/j.rse.2004.02.018>
- Li, F., Cao, R., Zhao, Y., Mu, D., Fu, C., and Ping, F. (2017). Remote sensing Penman–Monteith model to estimate catchment evapotranspiration considering the vegetation diversity. *Theoretical and Applied Climatology*, 127(1–2), 111–121. <https://doi.org/10.1007/s00704-015-1628-2>
- Li, L., Ying, Z., Feng, Y., and Guoqiang, S. (1998). Monitoring drought of Guizhou using remote sensing vegetation index. *Journal of Guizhou Meteorology*, 22(6), 50–54.
- Li, P., Zhu, D., Wang, Y., & Liu, D. (2020). Elevation dependence of drought legacy effects on vegetation greenness over the Tibetan Plateau. *Agricultural and Forest Meteorology*, 295(May), 108190. <https://doi.org/10.1016/j.agrformet.2020.108190>
- Li, X., and Strahler, A. H. (1992). Geometric-optical bidirectional reflectance modeling of the discrete crown vegetation canopy: effect of crown shape and mutual shadowing. *IEEE Transactions on Geoscience and Remote Sensing*, 30(2), 276–292.
- Li, Z. L., Tang, B. H., Wu, H., Ren, H., Yan, G., Wan, Z., Trigo, I. F., and Sobrino, J. A. (2013a). Satellite-derived land surface temperature: Current status and perspectives. *Remote Sensing of Environment*, 131, 14–37. <https://doi.org/10.1016/j.rse.2012.12.008>
- Li, Z. L., Wu, H., Wang, N., Qiu, S., Sobrino, J. A., Wan, Z., Tang, B. H., and Yan, G. (2013b). Land surface emissivity retrieval from satellite data. *International Journal of Remote Sensing*, 34(9–10), 3084–3127. <https://doi.org/10.1080/01431161.2012.716540>
- Li, Z., Stoll, M. P., Zhang, R., Jia, L., and Su, Z. (2001). On the separate retrieval of soil and vegetation temperatures from ATSR data. *Science in China, Series D: Earth Sciences*, 44(2), 97–111. <https://doi.org/10.1007/bf02879653>
- Liang, S. (2001). Narrowband to broadband conversions of land surface albedo I: Algorithms. *Remote Sensing of Environment*, 76(2), 213–238. [https://doi.org/https://doi.org/10.1016/S0034-4257\(00\)00205-4](https://doi.org/https://doi.org/10.1016/S0034-4257(00)00205-4)
- Lillesand, T. M., Kiefer, R. W., and Chipman, J. W. (2008). *Remote Sensing and Image Interpretation* (6th ed.). Wiley.
- Lisnawati, L., Makmur, E., and Permana, D. (2017). *Profil Lapse Rate Vertikal di Wilayah Indonesia (Vertical Lapse Rate Profile over Indonesia)* (In Indonesian).
- Liu, L., Liao, J., Chen, X., Zhou, G., Su, Y., Xiang, Z., Wang, Z., Liu, X., Li, Y., Wu, J., Xiong, X., and Shao, H. (2017). The Microwave Temperature Vegetation Drought

- Index (MTVDI) based on AMSR-E brightness temperatures for long-term drought assessment across China (2003–2010). *Remote Sensing of Environment*, 199, 302–320. <https://doi.org/10.1016/j.rse.2017.07.012>
- Liu, S., Bai, J., Jia, Z., Jia, L., Zhou, H., and Lu, L. (2010). Estimation of evapotranspiration in the Mu Us Sandland of China. *Hydrology and Earth System Sciences*, 14(3), 573–584. <https://doi.org/10.5194/hess-14-573-2010>
- Liu, W., Ma, S., Xi, H., Liang, L., Feng, K., & Tsunekawa, A. (2025). Impact of the potential evapotranspiration models on drought monitoring. *Journal of Hydrology: Regional Studies*, 58, 102236. <https://doi.org/https://doi.org/10.1016/j.ejrh.2025.102236>
- Liu, Y., Qian, J., and Yue, H. (2021). Comparison and evaluation of different dryness indices based on vegetation indices-land surface temperature/albedo feature space. *Advances in Space Research*, 68(7), 2791–2803. <https://doi.org/10.1016/j.asr.2021.05.007>
- Losgedaragh, S. Z., and Rahimzadegan, M. (2018). Evaluation of SEBS, SEBAL, and METRIC models in estimation of the evaporation from the freshwater lakes (Case study: Amirkabir dam, Iran). *Journal of Hydrology*, 561(November 2017), 523–531. <https://doi.org/10.1016/j.jhydrol.2018.04.025>
- Luhmann, T., Piechel, J., and Roelfs, T. (2013). *Geometric Calibration of Thermographic Cameras BT - Thermal Infrared Remote Sensing: Sensors, Methods, Applications* (C. Kuenzer and S. Dech (eds.); pp. 27–42). Springer Netherlands. https://doi.org/10.1007/978-94-007-6639-6_2
- Lv, Y., Liu, G., Wang, Y., Wang, Y., Jin, X., Chen, H., & Wu, N. (2024). Near-natural streams: Spatial factors are key in shaping multiple facets of zooplankton α and β diversity. *Environmental Research*, 255, 119174. <https://doi.org/https://doi.org/10.1016/j.envres.2024.119174>
- Ma, W., Hafeez, M., Rabbani, U., Ishikawa, H., and Ma, Y. (2012). Retrieved actual ET using SEBS model from Landsat-5 TM data for irrigation area of Australia. *Atmospheric Environment*, 59, 408–414. <https://doi.org/10.1016/j.atmosenv.2012.05.040>
- Ma, Z., Dong, C., Tang, Z., & Wang, N. (2024). Altitude-dependent responses of dryland mountain ecosystems to drought under a warming climate in the Qilian Mountains, NW China. *Journal of Hydrology*, 630, 130763. <https://doi.org/https://doi.org/10.1016/j.jhydrol.2024.130763>
- Maduako, I. D., Yun, Z., and Patrick, B. (2016). Simulation and Prediction of Land Surface Temperature (LST) Dynamics within Ikom City in Nigeria Using Artificial Neural Network (ANN). *Journal of Remote Sensing and GIS*, 5(1), 1–7.
- Mafi-gholami, D., Zenner, E. K., and Jaafari, A. (2022). Mapping recent (1997 – 2017) and future (2030) county-level social vulnerability to socio-economic conditions and natural hazards throughout Iran. *Journal of Cleaner Production*, 355(December 2021), 131841. <https://doi.org/10.1016/j.jclepro.2022.131841>
- Mallick, J., Singh, C. K., Shashtri, S., Rahman, A., and Mukherjee, S. (2012). Land surface emissivity retrieval based on moisture index from LANDSAT TM satellite data over heterogeneous surfaces of Delhi city. *International Journal of Applied Earth Observation and Geoinformation*, 19(1), 348–358. <https://doi.org/10.1016/j.jag.2012.06.002>
- Mao, K., Qin, Z., Shi, J., and Gong, P. (2005). A practical split-window algorithm for retrieving land-surface temperature from MODIS data. *International Journal of Remote Sensing*, 26(15), 3181–3204. <https://doi.org/10.1080/01431160500044713>
- Mondal, I., Thakur, S., De, A., and De, T. K. (2022). Application of the METRIC model for mapping evapotranspiration over the Sundarban Biosphere Reserve, India. *Ecological Indicators*, 136, 108553. <https://doi.org/10.1016/j.ecolind.2022.108553>

- McKee, T. B., Doesken, N. J., and Kleist, J. (1993). The relationship of drought frequency and duration to time scales. *Eighth Conference on Applied Climatology*, 179–184. <https://doi.org/https://doi.org/citeulike-article-id:10490403>
- McMahon, T. A., and Arenas, A. D. (1982). *Methods of computation of low streamflow*. United Nations Educational, Scientific and Cultural Organization.
- McMillin, L. M. (1975). Estimation of sea surface temperatures from two infrared window measurements with different absorption. *Journal of Geophysical Research*, 80(36), 5113–5117. <https://doi.org/10.1029/jc080i036p05113>
- McVicar, T. R., and Jupp, D. L. B. (1998a). The current and potential operational uses of remote sensing to aid decisions on drought exceptional circumstances in Australia: a review. *Agricultural Systems*, 57(3), 399–468. [https://doi.org/https://doi.org/10.1016/S0308-521X\(98\)00026-2](https://doi.org/https://doi.org/10.1016/S0308-521X(98)00026-2)
- McVicar, T. R., and Jupp, D. L. B. (1998b). The current and potential operational uses of remote sensing to aid decisions on drought exceptional circumstances in Australia: A review. *Agricultural Systems*, 57(3), 399–468. [https://doi.org/10.1016/S0308-521X\(98\)00026-2](https://doi.org/10.1016/S0308-521X(98)00026-2)
- Mehrarvar, S., Amani, M., Moghimi, A., Dadrass Javan, F., Samadzadegan, F., Ghorbanian, A., Stein, A., Mohammadzadeh, A., and Mirmazloumi, S. M. (2021). Temperature-Vegetation-soil Moisture-Precipitation Drought Index (TVMPDI); 21-year drought monitoring in Iran using satellite imagery within Google Earth Engine. *Advances in Space Research*, 68(11), 4573–4593. <https://doi.org/10.1016/j.asr.2021.08.041>
- Mementi, M., and Choudhury, B. J. (2007). Parameterization of land surface evaporation by means of location dependent potential evaporation and surface temperature range. *IAHS Publ.*
- Merlin, O., Al Bitar, A., Walker, J. P., and Kerr, Y. (2010). An improved algorithm for disaggregating microwave-derived soil moisture based on red, near-infrared and thermal-infrared data. *Remote Sensing of Environment*, 114(10), 2305–2316. <https://doi.org/10.1016/j.rse.2010.05.007>
- Meyer, S. J., Hubbard, K. G., and Wilhite, D. A. (1993a). Crop-Specific Drought Index for Corn: I. Model Development and Validation, A (AJ). *Agronomy Journal*, 86, 388–395. <https://doi.org/10.2134/agronj1993.00021962008500020040x>
- Meyer, S. J., Hubbard, K. G., and Wilhite, D. A. (1993b). Crop-Specific Drought Index for Corn: II. Application in Drought Monitoring and Assessment, A (AJ). *Agronomy Journal*, 85, 396–399.
- Minacapilli, M., Iovino, M., and Blanda, F. (2009). High resolution remote estimation of soil surface water content by a thermal inertia approach. *Journal of Hydrology*, 379(3–4), 229–238. <https://doi.org/10.1016/j.jhydrol.2009.09.055>
- Mitra, D. S., and Majumdar, T. J. (2004). Thermal inertia mapping over the Brahmaputra basin, India using NOAA-AVHRR data and its possible geological applications. *International Journal of Remote Sensing*, 25(16), 3245–3260. <https://doi.org/10.1080/01431160310001632701>
- Modarres, R. (2007). Streamflow drought time series forecasting. *Stoch Environ. Res. Risk Assess*, 21, 223–233. <https://doi.org/10.1007/s00477-006-0058-1>
- Mohammed, Z. E. (2019). Using The Artificial Neural Networks For Prediction And Validating Solar Radiation. *Journal of the Egyptian Mathematical Society*, 27(47), 1–13.
- Mohseni, F., Kiani Sadr, M., Eslamian, S., Areffian, A., and Khoshfetrat, A. (2021). Spatial and temporal monitoring of drought conditions using the satellite rainfall estimates and remote sensing optical and thermal measurements. *Advances in Space Research*, 67(12), 3942–3959. <https://doi.org/10.1016/j.asr.2021.02.017>
- Mokhtari, R., and Akhoondzadeh, M. (2019). Neural network method for drought modeling using satellite data. *International Archives of the Photogrammetry, Remote Sensing*

- and Spatial Information Sciences - ISPRS Archives*, 42(4/W18), 749–753.
<https://doi.org/10.5194/isprs-archives-XLII-4-W18-749-2019>
- Moradzadeh, M., Momeni, M., and R., S. M. (2007). Estimation of atmospheric column and near surface water vapor content using the radiance values of modis. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 307(B8), 523–528.
- Moran, M. ., Clarke, T. R., Inoue, Y., and Vidal, A. (1994). Estimating Crop Water Deficit Using the Relation between Surface-Air Temperature and Spectral Vegetation Index. *Remote Sensing of Environment*, 49, 246–263. [https://doi.org/10.1016/0034-4257\(94\)90020-5](https://doi.org/10.1016/0034-4257(94)90020-5)
- Mosavi, A., & Ardabili, S. (2023). Machine Learning for Drought Prediction; Review, Bibliometric Analysis, and Models Evaluation. 2023 IEEE 27th International Conference on Intelligent Engineering Systems (INES), 95–104. <https://doi.org/10.1109/INES59282.2023.10297771>
- Mtshawu, B., Bezuidenhout, J., and Kilel, K. K. (2023). Spatial autocorrelation and hotspot analysis of natural radionuclides to study sediment transport. *Journal of Environmental Radioactivity*, 264, 107207. <https://doi.org/https://doi.org/10.1016/j.jenvrad.2023.107207>
- Mushore, T. D., Odindi, J., Dube, T., and Mutanga, O. (2017). Prediction of future urban surface temperatures using medium resolution satellite data in Harare metropolitan city, Zimbabwe. *Building and Environment*, 122(June), 397–410. <https://doi.org/10.1016/j.buildenv.2017.06.033>
- Mustafa, E. K., Co, Y., Liu, G., Kaloop, M. R., Beshr, A. A., Zarzoura, F., and Sadek, M. (2020). Study for Predicting Land Surface Temperature (LST) Using Landsat Data: A Comparison of Four Algorithms. *Advances in Civil Engineering*, 2020. <https://doi.org/10.1155/2020/7363546>
- Myneni, R. B., Keeling, C. D., Tucker, C. J., Asrar, G., and Nemani, R. R. (1997). Increased plant growth in the northern high latitudes from 1981 to 1991. *Nature*, 386(6626), 698–702. <https://doi.org/10.1038/386698a0>
- Neela, K., & Rani, P. S. (2023). Estimation of Meteorological Drought Prediction by SPEI Using SVM. 2023 Intelligent Computing and Control for Engineering and Business Systems (ICCEBS), 1–6. <https://doi.org/10.1109/ICCEBS58601.2023.10448611>
- Nam, W. H., Tadesse, T., Wardlow, B. D., Hayes, M. J., Svoboda, M. D., Hong, E. M., Pachepsky, Y. A., and Jang, M. W. (2018). Developing the vegetation drought response index for south korea (Vegdri-skorea) to assess the vegetation condition during drought events. *International Journal of Remote Sensing*, 39(5), 1548–1574. <https://doi.org/10.1080/01431161.2017.1407047>
- Nanzad, L., Zhang, J., Tuvdendorj, B., Nabil, M., Zhang, S., and Bai, Y. (2019). NDVI anomaly for drought monitoring and its correlation with climate factors over Mongolia from 2000 to 2016. *Journal of Arid Environments*, 164(May 2018), 69–77. <https://doi.org/10.1016/j.jaridenv.2019.01.019>
- NASA. (2022). *Air Temperature*. <https://www.grc.nasa.gov/www/k-12/VirtualAero/BottleRocket/airplane/tempr.html>
- National Integrated Drought Information System. (2022). *Drought Basics*. Drought.Gov. <https://www.drought.gov/what-is-drought/drought-basics>
- National Integrated Drought Information System (NIDIS). (2022). *Key Impacts of Drought around the Globe*. Drought.Gov. <https://www.drought.gov/international#main-content>
- National Space Development Agency. (2001). *TRMM Users Handbook*.
- Nemani, R., Pierce, L., Running, S., and Goward, S. (1993). Developing Satellite-Derived Estimates of Surface Moisture Status. *Journal of Applied Meteorology*, 32, 548–557. [https://doi.org/10.1175/1520-0450\(1993\)032<0548:DSDEOS>2.0.CO;2](https://doi.org/10.1175/1520-0450(1993)032<0548:DSDEOS>2.0.CO;2)

- Nguyen, N. M., & Choi, M. (2023). Evapotranspiration partitioning and agricultural drought quantification with an optical trapezoidal framework. *Agricultural and Forest Meteorology*, 338, 109520. <https://doi.org/https://doi.org/10.1016/j.agrformet.2023.109520>
- Nichol, J. E., and Abbas, S. (2015). Integration of remote sensing datasets for local scale assessment and prediction of drought. *Science of the Total Environment*, 505, 503–507. <https://doi.org/10.1016/j.scitotenv.2014.09.099>
- Nikam, B. R., Ibragimov, F., Chouksey, A., Garg, V., and Aggarwal, S. P. 2016. Retrieval of land surface temperature from Landsat 8 TIRS for the command area of Mula irrigation project. *Environmental Earth Sciences*, 75(16), 1169. <https://doi.org/10.1007/s12665-016-5952-3>
- NOAA. (2008). *Drought National Oceanic And Atmosphere Administration National Weather Service*.
- Nomokonova, T., Ebell, K., Löhnert, U., Maturilli, M., and Ritter, C. (2020). The influence of water vapor anomalies on clouds and their radiative effect at Ny-Ålesund. *Atmos. Chem. Phys.*, 20(8), 5157–5173. <https://doi.org/10.5194/acp-20-5157-2020>
- Norman, J. M., Kustas, W. P., and Humes, K. S. (1995). Source approach for estimating soil and vegetation energy fluxes in observations of directional radiometric surface temperature. *Agricultural and Forest Meteorology*, 77(3–4), 263–293. [https://doi.org/10.1016/0168-1923\(95\)02265-Y](https://doi.org/10.1016/0168-1923(95)02265-Y)
- Norman, J. M., and Becker, F. (1995). Terminology in thermal infrared remote sensing of natural surfaces. *Agricultural and Forest Meteorology*, 77(3–4), 153–166. [https://doi.org/10.1016/0168-1923\(95\)02259-Z](https://doi.org/10.1016/0168-1923(95)02259-Z)
- Nugraha, A S A, Gunawan, T., and Kamal, M. (2019c). Comparison of Land Surface Temperature Derived From Landsat 7 ETM+ and Landsat 8 OLI/TIRS for Drought Monitoring. *IOP Conference Series: Earth and Environmental Science*, 313(1), 12041. <https://doi.org/10.1088/1755-1315/313/1/012041>
- Nugraha, A S A, Gunawan, T., and Kamal, M. (2022). Modification of Temperature Vegetation Dryness Index (TVDI) Method for Detecting Drought with Multi-Scale Image. *IOP Conference Series: Earth and Environmental Science*, 1039(1), 12048. <https://doi.org/10.1088/1755-1315/1039/1/012048>
- Nugraha, A.S.A. (2019a). Pemanfaatan Metode Split-Windows Algorithm (Swa) Pada Landsat 8 Menggunakan Data Uap Air Modis Terra. *Geomatika*, 25(1), 9. <https://doi.org/10.24895/jig.2019.25-1.877>
- Nugraha, A S A, Gunawan, T., and Kamal, M. (2019b). Downscaling land surface temperature on multi-scale image for drought monitoring. In S. B. Wibowo, A. B. Rimba, S. Phinn, A. A. Aziz, J. T. S. Sumantyo, H. Widyasamratri, and S. Arjasakusuma (Eds.), *Sixth Geoinformation Science Symposium* (Vol. 11311, p. 113110A). SPIE. <https://doi.org/10.1117/12.2544550>
- Nugraha, A. S. A., and Atmaja, D. M. (2021). Split-windows algorithm (swa) methods using fractional vegetation cover (fvc) on landsat 8 oli/tirs. *IOP Conference Series: Earth and Environmental Science*, 683(1), 012107. <https://dx.doi.org/10.1088/1755-1315/683/1/012107>
- Nugraha, A. S. A., Gunawan, T., and Kamal, M. (2022). Modification of Temperature Vegetation Dryness Index (TVDI) Method for Detecting Drought with Multi-Scale Image. *IOP Conference Series: Earth and Environmental Science*, 1039(1), 012048. <https://dx.doi.org/10.1088/1755-1315/1039/1/012048>
- Nugraha, A. S. A., Kamal, M., Murti, S. H., and Widyatmanti, W. (2023). Development of the triangle method for drought studies based on remote sensing images: A review. *Remote Sensing Applications: Society and Environment*, 29, 100920. <https://doi.org/10.1016/j.rsase.2023.100920>
- Nugraha, A S A, and Kurniawan, W. D. W. (2024). Thermal index effect in forest canopy

- density (FCD) methods based on remote sensing imagery. *Proc.SPIE*, 12977, 129771Y. <https://doi.org/10.1117/12.3009322>
- Nugraha, A S A, Kamal, M., Heru Murti, S., and Widyatmanti, W. (2024a). Accuracy assessment of land surface temperature retrievals from remote sensing imagery: pixel-based, single and multi-channel methods. *Geomatics, Natural Hazards and Risk*, 15(1), 2324975. <https://doi.org/10.1080/19475705.2024.2324975>
- Nugraha, A. S. A, Kamal, M., Murti, S. H., and Widyatmanti, W. (2024b). Comparison of Lambertian Model on Multi-Channel Algorithm for Estimating Land Surface Temperature Based on Remote Sensing Imagery. *Korean Journal of Remote Sensing*, 40(4), 397–418. <https://doi.org/10.7780/kjrs.2024.40.4.7>
- Nse, O. U., Okolie, C. J., and Nse, V. O. (2020). Dynamics of land cover, land surface temperature and NDVI in Uyo City, Nigeria. *Scientific African*, 10, e00599. <https://doi.org/10.1016/j.sciaf.2020.e00599>
- Olesen, F., Trigo, I. F., and Bork-unkelbach, A. (2013). Validation of Land Surface Temperature Products With 5 Years of Permanent in-Situ Measurements in 4 Different Climate Regions. *EGU General Assembly 2013, Vienna, Austria, February 2021*, 7–8.
- Oliveira, B. S., Moraes, E. C., Carrasco-Benavides, M., Bertani, G., and Mataveli, G. A. V. (2018). Improved Albedo Estimates Implemented in the METRIC Model for Modeling Energy Balance Fluxes and Evapotranspiration over Agricultural and Natural Areas in the Brazilian Cerrado. *Remote Sensing*, 10(8), 1181. <https://doi.org/10.3390/rs10081181>
- Ottlé, C., and Vidal-Madjar, D. (1992). Estimation of land surface temperature with NOAA9 data. *Remote Sensing of Environment*, 40(1), 27–41. [https://doi.org/10.1016/0034-4257\(92\)90124-3](https://doi.org/10.1016/0034-4257(92)90124-3)
- Padhee, S., Nikam, B., Dutta, S., and Aggarwal, S. (2017). Using Satellite-Based Soil Moisture To Detect And Monitor Spatiotemporal Traces Of Agricultural Drought Over Bundelkhand Region Of India. *GIScience Remote Sensing*, 54, 144–166.
- Pal, S., and Sharma, P. (2021). A Review of Machine Learning Applications in Land Surface Modeling. *Earth*, 2(1), 174–190. <https://doi.org/10.3390/earth2010011>
- Paolini, L., Grings, F., Sobrino, J., Jiménez Muñoz, J. C., and Karszenbaum, H. (2006). Radiometric correction effects in Landsat multi-date/multi-sensor change detection studies. *International Journal of Remote Sensing*, 27(4), 685–704. <https://doi.org/10.1080/01431160500183057>
- Park, H., Kim, K., and Lee, D. K. (2019). Prediction of severe drought area based on random forest: Using satellite image and topography data. *Water (Switzerland)*, 11(4), 1–15. <https://doi.org/10.3390/w11040705>
- Park, S., Seo, E., Kang, D., Im, J., and Lee, M. I. (2018). Prediction of drought on pentad scale using remote sensing data and MJO index through random forest over East Asia. *Remote Sensing*, 10(11), 1–18. <https://doi.org/10.3390/rs10111811>
- Patel, N. R., Anapashsha, R., Kumar, S., Saha, S. K., and Dadhwal, V. K. (2008). Assessing potential of MODIS derived temperature/vegetation condition index (TVDI) to infer soil moisture status. *International Journal of Remote Sensing*, 30(1), 23–39. <https://doi.org/10.1080/01431160802108497>
- Patel, N. R., Parida, B. R., Venus, V., Saha, S. K., and Dadhwal, V. K. (2012). Analysis of agricultural drought using vegetation temperature condition index (VTCI) from Terra/MODIS satellite data. *Environmental Monitoring and Assessment*, 184(12), 7153–7163. <https://doi.org/10.1007/s10661-011-2487-7>
- Patel, N. R., Rakhesh, D., and Mohammed, A. J. (2006). Mapping of regional evapotranspiration in wheat using Terra/MODIS satellite data. *Hydrological Sciences Journal*, 51(2), 325–335. <https://doi.org/10.1623/hysj.51.2.325>
- Penman, H. L. (1948). Natural evaporation from open water, bare soil and grass.

- Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences*, 193(1032), 120–145. <https://doi.org/10.1098/rspa.1948.0037>
- Peres, L. F., and DaCamara, C. C. (2005). Emissivity maps to retrieve land-surface temperature from MSG/SEVIRI. *IEEE Transactions on Geoscience and Remote Sensing*, 43(8), 1834–1844. <https://doi.org/10.1109/TGRS.2005.851172>
- Peres, L. F., Sobrino, J. A., Libonati, R., Jiménez-Muñoz, J. C., Dacamara, C. C., and Romaguera, M. (2008). Validation of a temperature emissivity separation hybrid method from airborne hyperspectral scanner data and ground measurements in the SEN2FLEX field campaign. *International Journal of Remote Sensing*, 29(24), 7251–7268. <https://doi.org/10.1080/01431160802036532>
- Perez, M., Lombardi, D., Bardino, G., & Vitale, M. (2024). Drought assessment through actual evapotranspiration in Mediterranean vegetation dynamics. *Ecological Indicators*, 166, 112359. <https://doi.org/https://doi.org/10.1016/j.ecolind.2024.112359>
- Pinker, R. T., Sun, D., Hung, M.-P., Li, C., and Basara, J. B. (2009). Evaluation of Satellite Estimates of Land Surface Temperature from GOES over the United States. *Journal of Applied Meteorology and Climatology*, 48(1), 167–180. <https://doi.org/https://doi.org/10.1175/2008JAMC1781.1>
- Prata, A. J. (1994a). Land Surface Temperature Determination from Satellite. *Advances in Space*, 14(3), 15–26. <https://doi.org/10.2514/3.29578>
- Prata, A. J. (1994b). Land surface temperatures derived from the advanced very high resolution radiometer and the along-track scanning radiometer 2. Experimental results and validation of AVHRR algorithms. *Journal of Geophysical Research*, 99(D6). <https://doi.org/10.1029/94jd00409>
- Przeździecki, K., and Zawadzki, J. (2020a). Modification of the Land Surface Temperature – Vegetation Index Triangle Method for soil moisture condition estimation by using SYNOP reports. *Ecological Indicators*, 119(August). <https://doi.org/10.1016/j.ecolind.2020.106823>
- Przeździecki, K., and Zawadzki, J. J. (2020b). Triangle method modification with second degree polynomial edges fitting in LST NDVI scatterplot in lignite mine influence area. *Remote Sensing Applications: Society and Environment*, 20(September), 1–6. <https://doi.org/10.1016/j.rsase.2020.100404>
- Qi, J., Chehbouni, A., Huete, A. R., Kerr, Y. H., and Sorooshian, S. (1994). A modified Soil Adjusted Vegetation Index. *Remote Sensing of Environment*, 48, 119–126. [https://doi.org/10.1016/0034-4257\(94\)90134-1](https://doi.org/10.1016/0034-4257(94)90134-1)
- Qin, Z., Karnieli, A., and Berliner, P. (2001a). A mono-window algorithm for retrieving land surface temperature from Landsat TM data and its application to the Israel-Egypt border region. *International Journal of Remote Sensing*, 22(18), 3719–3746. <https://doi.org/10.1080/01431160010006971>
- Qin, Z., Dall'Olmo, G., Karnieli, A., and Berliner, P. (2001b). Derivation of split window algorithm and its sensitivity analysis for retrieving land surface temperature from NOAA-advanced very high resolution radiometer data. *Journal of Geophysical Research: Atmospheres*, 106(D19), 22655–22670. <https://doi.org/10.1029/2000JD900452>
- Qiu, G. Y., Yano, T., and Momii, K. (1998). An improved methodology to measure evaporation from bare soil based on comparison of surface temperature with a dry soil surface. *Journal of Hydrology*, 210(1), 93–105. [https://doi.org/https://doi.org/10.1016/S0022-1694\(98\)00174-7](https://doi.org/https://doi.org/10.1016/S0022-1694(98)00174-7)
- Rahimi, S., Gholami Sefidkouhi, M. A., Raeini-Sarjaz, M., and Valipour, M. (2015). Estimation of actual evapotranspiration by using MODIS images (a case study: Tajan catchment). *Archives of Agronomy and Soil Science*, 61(5), 695–709. <https://doi.org/10.1080/03650340.2014.944904>

- Rahimzadeh-Bajgiran, P., Omasa, K., and Shimizu, Y. (2012). Comparative evaluation of the Vegetation Dryness Index (VDI), the Temperature Vegetation Dryness Index (TVDI) and the improved TVDI (iTVDI) for water stress detection in semi-arid regions of Iran. *ISPRS Journal of Photogrammetry and Remote Sensing*, 68(1), 1–12. <https://doi.org/10.1016/j.isprsjprs.2011.10.009>
- Rao, M., Silber-Coats, Z., Powers, S., Fox, L., and Ghulam, A. (2017). Mapping Drought-Impacted Vegetation Stress In California Using Remote Sensing. *GIScience Remote Sensing*, 54, 185–201.
- Rawat, K. S., Bala, A., Singh, S. K., and Pal, R. K. (2017). Quantification of wheat crop evapotranspiration and mapping: A case study from Bhiwani District of Haryana, India. *Agricultural Water Management*, 187, 200–209. <https://doi.org/10.1016/j.agwat.2017.03.015>
- Richardson, A. J., and Wiegand, C. L. (1977). Distinguishing vegetation from soil background information. *Photogrammetric Engineering and Remote Sensing*, 43(12), 1541–1552.
- Richter, R., Kellenberger, T., and Kaufmann, H. (2009). Comparison of Topographic Correction Methods. *Remote Sensing*, 1(3), 184–196. <https://doi.org/10.3390/rs1030184>
- Rendana, M., Razi Idris, W. M., Alia, F., Effendi Rahim, S., Yamin, M., & Izzudin, M. (2024). Relationship between drought and soil erosion based on the normalized differential water index (NDWI) and revised universal soil loss equation (RUSLE) model. *Regional Sustainability*, 5(4), 100183. <https://doi.org/https://doi.org/10.1016/j.regsus.2024.100183>
- Roerink, G. J., Su, Z., and Menenti, M. (2000). S-SEBI: A simple remote sensing algorithm to estimate the surface energy balance. *Physics and Chemistry of the Earth, Part B: Hydrology, Oceans and Atmosphere*, 25(2), 147–157. [https://doi.org/https://doi.org/10.1016/S1464-1909\(99\)00128-8](https://doi.org/https://doi.org/10.1016/S1464-1909(99)00128-8)
- Rongali, G., Keshari, A. K., Gosain, A. K., and Khosa, R. (2018). Split-Window Algorithm for Retrieval of Land Surface Temperature Using Landsat 8 Thermal Infrared Data. *Journal of Geovisualization and Spatial Analysis*, 2(2), 14. <https://doi.org/10.1007/s41651-018-0021-y>
- Roujean, J. L., Leroy, M., and Deschamps, P. Y. (1992). A bidirectional reflectance model of the Earth's surface for the correction of remote sensing data. *Journal of Geophysical Research*, 97(D18). <https://doi.org/10.1029/92jd01411>
- Rouse, J. W., Haas, J. A. W., R.H., Schell, J. A., Deering, D. W. W., Rouse, R. W. H., Haas, J. A. W., and Deering, D. W. W. (1974). Monitoring Vegetation Systems in the Great Plains with ERTS. *3rd ERTS-1 Symposium*, 309–317. <https://ntrs.nasa.gov/search.jsp?R=19740022614>
- Rozenstein, O., Qin, Z., Derimian, Y., and Karnieli, A. (2014). Derivation of land surface temperature for landsat-8 TIRS using a split window algorithm. *Sensors (Switzerland)*, 14(4), 5768–5780. <https://doi.org/10.3390/s140405768>
- Rubio, E., Caselles, V., Coll, C., Valour, E., and Sospedra, F. (2003). Thermal-infrared emissivities of natural surfaces: Improvements on the experimental set-up and new measurements. *International Journal of Remote Sensing*, 24(24), 5379–5390. <https://doi.org/10.1080/0143116031000102412>
- Rwasoka, D. T., Gumindoga, W., and Gwenzi, J. (2011). Estimation of actual evapotranspiration using the Surface Energy Balance System (SEBS) algorithm in the Upper Manyame catchment in Zimbabwe. *Physics and Chemistry of the Earth*, 36(14–15), 736–746. <https://doi.org/10.1016/j.pce.2011.07.035>
- Sabin, F. (1996). Remote sensing: Principal and interpretation 3rd Ed. *WH Freeman and Company, New York*, 494pp.
- Sabol, D. E., Gillespie, A. R., Abbott, E., and Yamada, G. (2009). Field validation of the

- ASTER Temperature-Emissivity Separation algorithm. *Remote Sensing of Environment*, 113(11), 2328–2344. <https://doi.org/10.1016/j.rse.2009.06.008>
- Sahani, N. (2021). Assessment of spatio-temporal changes of land surface temperature (LST) in Kanchenjunga Biosphere Reserve (KBR), India using Landsat satellite image and single channel algorithm. *Remote Sensing Applications: Society and Environment*, 24(October), 100659. <https://doi.org/10.1016/j.rsase.2021.100659>
- Salisbury, J. W., and D’Aria, D. M. (1992). Emissivity of terrestrial materials in the 8–14 μm atmospheric window. *Remote Sensing of Environment*, 42(2), 83–106. [https://doi.org/https://doi.org/10.1016/0034-4257\(92\)90092-X](https://doi.org/https://doi.org/10.1016/0034-4257(92)90092-X)
- Sánchez-Ruiz, S., Piles, M., Sánchez, N., Martínez-Fernández, J., Vall-llossera, M., and Camps, A. (2014). Combining SMOS with visible and near/shortwave/thermal infrared satellite data for high resolution soil moisture estimates. *Journal of Hydrology*, 516, 273–283. <https://doi.org/10.1016/j.jhydrol.2013.12.047>
- Sandholt, I., Rasmussen, K., and Andersen, J. (2002). A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status. *Remote Sensing of Environment*, 79(2–3), 213–224. [https://doi.org/10.1016/S0034-4257\(01\)00274-7](https://doi.org/10.1016/S0034-4257(01)00274-7)
- Sang, Y., Tian, F., Jin, H., Cai, Z., Feng, L., Dou, Y., & Eklundh, L. (2024). Assessing topographic effects on forest responses to drought with multiple seasonal metrics from Sentinel-2. *International Journal of Applied Earth Observation and Geoinformation*, 128, 103789. <https://doi.org/https://doi.org/10.1016/j.jag.2024.103789>
- Santos, C. A. C. dos, Bezerra, B. G., Silva, B. B. da, and Rao, T. V. R. (2010). Assessment of daily actual evapotranspiration with SEBAL and S-SEBI algorithms in cotton crop. *Revista Brasileira de Meteorologia*, 25(3), 383–392. <https://doi.org/10.1590/s0102-77862010000300010>
- Sardar, V., Chaudhari, S., Anchalia, A., Kakati, A., Paudel, A., & B., B. N. (2022). Ensemble Learning with CNN and BMO for Drought Prediction. 2022 IEEE 3rd Global Conference for Advancement in Technology (GCAT), 1–6. <https://doi.org/10.1109/GCAT55367.2022.9971991>
- Saxena, D., Choudhary, M., and Sharma, G. (2024). Spatiotemporal trends and evapotranspiration estimation using an improvised SEBAL convergence method for the semi-arid region of Western Rajasthan, India. *AQUA - Water Infrastructure, Ecosystems and Society*, 73(3), 407–423. <https://doi.org/10.2166/aqua.2024.220>
- Schaetzl, R. J., Enander, H., Luehmann, M. D., Lusch, D. P., Fish, C., Bigsby, M., Steigmeyer, M., Guasco, J., Forgacs, C., and Pollyea, A. (2013). Mapping the physiography of Michigan with GIS. *Physical Geography*, 34(1), 2–39. <https://doi.org/10.1080/02723646.2013.778531>
- Schroeder, T. A., Cohen, W. B., Song, C., Canty, M. J., and Yang, Z. (2006). Radiometric correction of multi-temporal Landsat data for characterization of early successional forest patterns in western Oregon. *Remote Sensing of Environment*, 103(1), 16–26. <https://doi.org/10.1016/j.rse.2006.03.008>
- Seevers, P. M., and Ottmann, R. W. (1994). Evapotranspiration estimation using a normalized difference vegetation index transformation of satellite data. *Hydrological Sciences Journal*, 39(4), 333–345. <https://doi.org/10.1080/02626669409492754>
- Sekertekin, A., and Bonafoni, S. (2020). Land surface temperature retrieval from Landsat 5, 7, and 8 over rural areas: Assessment of different retrieval algorithms and emissivity models and toolbox implementation. *Remote Sensing*, 12(2). <https://doi.org/10.3390/rs12020294>
- Septiani, R., Citra, I. P. A., and Nugraha, A. S. A. (2019). Perbandingan Metode Supervised Classification dan Unsupervised Classification terhadap Penutup Lahan di Kabupaten Buleleng. *Jurnal Geografi: Media Informasi Pengembangan Dan Profesi*

- Kegeografian*, 16(2), 90–96. <https://doi.org/10.15294/jg.v16i2.19777>
- Senay, G. B., Bohms, S., Singh, R. K., Gowda, P. H., Velpuri, N. M., Alemu, H., and Verdin, J. P. (2013). Operational Evapotranspiration Mapping Using Remote Sensing and Weather Datasets: A New Parameterization for the SSEB Approach. *JAWRA Journal of the American Water Resources Association*, 49(3), 577–591. <https://doi.org/https://doi.org/10.1111/jawr.12057>
- Shamloo, N., Taghi Sattari, M., Apaydin, H., Valizadeh Kamran, K., and Prasad, R. (2021). Evapotranspiration estimation using SEBAL algorithm integrated with remote sensing and experimental methods. *International Journal of Digital Earth*, 14(11), 1638–1658. <https://doi.org/10.1080/17538947.2021.1962996>
- Shamsipour, A. A., Azizi, G., Ahmadabad, M. K., and Moghbel, M. (2013). Surface temperature pattern of asphalt, soil and grass in different weather condition. *Journal Biodiversity Environment. Sci*, 3, 80-89.
- Shirgholami, M., and Masoodian, S. A. (2022). Assessment of spatial and temporal variations of land surface temperature (LST) due to elevation changes in Yazd Province, Iran. *Arabian Journal of Geosciences*, 15(16), 1372. <https://doi.org/10.1007/s12517-022-09943-1>
- Sholihah, R. I., Trisasongko, B. H., Shiddiq, D., Iman, L. O. S., Kusdaryanto, S., Manijo, and Panuju, D. R. (2016). Identification of Agricultural Drought Extent Based on Vegetation Health Indices of Landsat Data: Case of Subang and Karawang, Indonesia. *Procedia Environmental Sciences*, 33, 14–20. <https://doi.org/10.1016/j.proenv.2016.03.051>
- Shwetha, H. R., and Kumar, D. N. (2015). Prediction of Land Surface Temperature Under Cloudy Conditions Using Microwave Remote Sensing and ANN. *Aquatic Procedia*, 4(Icwrcoe), 1381–1388. <https://doi.org/10.1016/j.aqpro.2015.02.179>
- Skokovic, D., Sobrino, J. A., Jiménez Muñoz, J. C., Soria, G., Julien, Y., Mattar, C., and Cristóbal, J. (2014). Calibration and Validation of land surface temperature for Landsat8- TIRS sensor. *Land Product Validation and Evolution ESA/ESRIN*, 27. <https://doi.org/10.1063/1.452862>
- Slater, P. N., Biggar, S. F., Thome, K. J., Gellman, D. I., and Spyak, P. R. 1996. Vicarious Radiometric Calibrations of EOS Sensors. *Journal of Atmospheric and Oceanic Technology*, 13(2), 349–359. [https://doi.org/https://doi.org/10.1175/1520-0426\(1996\)013<0349:VRCOES>2.0.CO;2](https://doi.org/https://doi.org/10.1175/1520-0426(1996)013<0349:VRCOES>2.0.CO;2)
- Snyder, W. C., Wan, Z., Zhang, Y., and Feng, Y. Z. (1998). Classification-based emissivity for land surface temperature measurement from space. *International Journal of Remote Sensing*, 19(14), 2753–2774. <https://doi.org/10.1080/014311698214497>
- Snyder, W. C., and Wan, Z. (1998). BRDF models to predict spectral reflectance and emissivity in the thermal infrared. *IEEE Transactions on Geoscience and Remote Sensing*, 36(1), 214–225. <https://doi.org/10.1109/36.655331>
- Sobaga, A., Habets, F., Beaudoin, N., Léonard, J., and Decharme, B. (2024). Decreasing trend of groundwater recharge with limited impact of intense precipitation: Evidence from long-term lysimeter data. *Journal of Hydrology*, 637, 131340. <https://doi.org/10.1016/j.jhydrol.2024.131340>
- Sobrino, J. A., Zhao-Liang, L., Stoll, M. P., and Becker, F. (1994). Improvements in the split-window technique for land surface temperature determination. *IEEE Transactions on Geoscience and Remote Sensing*, 32(2), 243-253. <https://doi.org/10.1109/36.295038>
- Sobrino, J. A., Li, Z. L., Stoll, M. P., and Becker, F. (1996). Multi-channel and multi-angle algorithms for estimating sea and land surface temperature with atsr data. *International Journal of Remote Sensing*, 17(11), 2089–2114. <https://doi.org/10.1080/01431169608948760>
- Sobrino, J. A., and Raissouni, N. (2000). Toward remote sensing methods for land cover

- dynamic monitoring: Application to Morocco. *International Journal of Remote Sensing*, 21(2), 353-366. <https://doi.org/10.1080/014311600210876>
- Sobrino, J. A., Raissouni, N., and Li, Z.-L. (2001). A Comparative Study of Land Surface Emissivity Retrieval from NOAA Data. In *Remote Sensing of Environment* (Vol. 75). [https://doi.org/10.1016/S0034-4257\(00\)00171-1](https://doi.org/10.1016/S0034-4257(00)00171-1)
- Sobrino, J. A., El Kharraz, J., and Li, Z. L. (2003). Surface temperature and water vapour retrieval from MODIS data. *International Journal of Remote Sensing*, 24(24), 5161–5182. <https://doi.org/10.1080/0143116031000102502>
- Sobrino, J. A., Jiménez-Muñoz, J. C., and Paolini, L. (2004a). Land surface temperature retrieval from LANDSAT TM 5. *Remote Sensing of Environment*, 90(4), 434–440. <https://doi.org/10.1016/j.rse.2004.02.003>
- Sobrino, J. A., Jimenez-Munoz, J. C., El-Kharraz, J., Gomez, M., Romaguera, M., and Soria, G. (2004b). Single-channel and two-channel methods for land surface temperature retrieval from DAIS data and its application to the Barrax site. *International Journal of Remote Sensing*, 25(1), 215–230. <https://doi.org/10.1080/0143116031000115210>
- Sobrino, J. A., Sòria, G., and Prata, A. J. (2004c). Surface temperature retrieval from Along Track Scanning Radiometer 2 data: Algorithms and validation. *Journal of Geophysical Research: Atmospheres*, 109(D11). <https://doi.org/10.1029/2003JD004212>
- Sobrino, J. A., and Jiménez-Muñoz, J. C. (2005). Land surface temperature retrieval from thermal infrared data: An assessment in the context of the Surface Processes and Ecosystem Changes Through Response Analysis (SPECTRA) mission. *Journal of Geophysical Research D: Atmospheres*, 110(16), 1–10. <https://doi.org/10.1029/2004JD005588>
- Sobrino, J. A., Jiménez-Muñoz, J. C., Sòria, G., Romaguera, M., Guanter, L., Moreno, J., Plaza, A., and Martínez, P. (2008). Land surface emissivity retrieval from different VNIR and TIR sensors. *IEEE Transactions on Geoscience and Remote Sensing*, 46(2), 316–327. <https://doi.org/10.1109/TGRS.2007.904834>
- Sobrino, J. A., Oltra-Carrió, R., Sòria, G., Jiménez-Muñoz, J. C., Franch, B., Hidalgo, V., Mattar, C., Julien, Y., Cuenca, J., Romaguera, M., Gómez, J. A., de Miguel, E., Bianchi, R., and Paganini, M. (2013). Evaluation of the surface urban heat island effect in the city of Madrid by thermal remote sensing. *International Journal of Remote Sensing*, 34(9–10), 3177–3192. <https://doi.org/10.1080/01431161.2012.716548>
- Son, N. T., Chen, C. F., Chen, C. R., Chang, L. Y., and Minh, V. Q. (2012). Monitoring agricultural drought in the lower mekong basin using MODIS NDVI and land surface temperature data. *International Journal of Applied Earth Observation and Geoinformation*, 18(1), 417–427. <https://doi.org/10.1016/j.jag.2012.03.014>
- Sòria, G., and Sobrino, J. A. 2007. ENVISAT/AATSR derived land surface temperature over a heterogeneous region. *Remote Sensing of Environment*, 111(4), 409-422. <https://doi.org/10.1016/j.rse.2007.03.017>
- Stisen, S., Sandholt, I., Nørgaard, A., Fensholt, R., and Jensen, K. H. (2008). Combining the triangle method with thermal inertia to estimate regional evapotranspiration - Applied to MSG-SEVIRI data in the Senegal River basin. *Remote Sensing of Environment*, 112(3), 1242–1255. <https://doi.org/10.1016/j.rse.2007.08.013>
- Strahler, A. H., Woodcock, C. E., and Smith, J. A. (1986). On the Nature of Models in Remote Sensing. *Remote Sensing of Environment*, 20, 121–139. <https://doi.org/10.1080/01431161.2014.965287>
- Su, Z. (2002). The Surface Energy Balance System (SEBS) for estimation of turbulent heat fluxes. *Hydrology and Earth System Sciences*, 6(1), 85–99. <https://doi.org/10.5194/hess-6-85-2002>

- Sudhakar, S., Sridevi, G., Ramana, I. V., Rao, V. V., and Raha, A. K. (1999). Techniques of Classification for Landuse / Landcover with Special Reference to Forest Type Mapping in Jaldapara Wildlife Sanctuary , Jalpaiguri District , West Bengal- a Case Study. *Journal of the Indian Society of Remote Sensing*, 27(4), 217–224.
- Sugiyono. (2021). *Statistika untuk Penelitian*. ALAFABETA Bandung.
- Sultana, S., and Satyanarayana, A. N. V. (2020). Assessment of urbanisation and urban heat island intensities using landsat imageries during 2000 – 2018 over a sub-tropical Indian City. *Sustainable Cities and Society*, 52(August 2019), 101846. <https://doi.org/10.1016/j.scs.2019.101846>
- Sun, D., and Pinker, R. T. (2003). Estimation of land surface temperature from a Geostationary Operational Environmental Satellite (GOES-8). *Journal of Geophysical Research: Atmospheres*, 108(D11). <https://doi.org/10.1029/2002JD002422>
- Sur, C., Kang, S., Kim, J. S., and Choi, M. (2015). Remote sensing-based evapotranspiration algorithm: A case study of all sky conditions on a regional scale. *GIScience and Remote Sensing*, 52(5), 627–642. <https://doi.org/10.1080/15481603.2015.1056288>
- Surbakti, M. S., Lim, H. S., MatJafri, M. Z., Abdullah, K., and Salen, N. M. (2007). Land cover fractions mapping using Modis Imagery over Nanggroe Aceh Darussalam (NAD) Province after Tsunami. *Proceedings of the 3rd International Conference on Recent Advances in Space Technologies, RAST 2007*, 264–267. <https://doi.org/10.1109/RAST.2007.4283991>
- Surmaini, E. (2016). Pemantauan dan Peringatan Dini Kekeringan Pertanian di Indonesia. *Jurnal Sumberdaya Lahan*, 10(1), 37–50. <https://doi.org/10.2018/jsdl.v10i1.6320>
- Suyono, and Sudarmadji. (1997). *Hidrologi Dasar*. Fakultas Geografi UGM. Yogyakarta
- Tadesse, T. (2016, August). Strategic framework for drought risk management and enhancing resilience in Africa. In African drought conference (pp. 15-19). https://www.unccd.int/sites/default/files/relevant-links/2018-07/African_drought_white_paper.pdf
- Tadesse, T., Champagne, C., Wardlow, B. D., Hadwen, T. A., Brown, J. F., Demisse, G. B., Bayissa, Y. A., and Davidson, A. M. (2017). Building the vegetation drought response index for Canada (VegDRI-Canada) to monitor agricultural drought: first results. *GIScience and Remote Sensing*, 54(2), 230–257. <https://doi.org/10.1080/15481603.2017.1286728>
- Tadese, S., Soromessa, T., & Bekele, T. (2021). Analysis of the Current and Future Prediction of Land Use/Land Cover Change Using Remote Sensing and the CA-Markov Model in Majang Forest Biosphere Reserves of Gambella, Southwestern Ethiopia. In *Scientific World Journal* (Vol. 2021). <https://doi.org/10.1155/2021/6685045>
- Tan, K., Liao, Z., Du, P., and Wu, L. (2017). Land surface temperature retrieval from Landsat 8 data and validation with geosensor network. *Frontiers of Earth Science*, 11(1), 20–34. <https://doi.org/10.1007/s11707-016-0570-7>
- Tan, L., Zheng, K., Zhao, Q., and Wu, Y. (2021). Evapotranspiration Estimation Using Remote Sensing Technology Based on a SEBAL Model in the Upper Reaches of the Huaihe River Basin. In *Atmosphere* (Vol. 12, Issue 12). <https://doi.org/10.3390/atmos12121599>
- Tang, B. H., Shao, K., Li, Z. L., Wu, H., and Tang, R. (2015). An improved NDVI-based threshold method for estimating land surface emissivity using MODIS satellite data. *International Journal of Remote Sensing*, 36(19–20), 4864–4878. <https://doi.org/10.1080/01431161.2015.1040132>
- Tang, D., Feng, Y., Gong, D., Hao, W., and Cui, N. (2018). Evaluation Of Artificial Intelligence Models For Actual Crop Evapotranspiration Modeling In Mulched And

- Non-Mulched Maize Croplands. *Computer Electron Agriculture*, 152, 375–384.
- Tang, H., and Li, Z.-L. (2014). *Quantitative Remote Sensing in Thermal Infrared*. Springer.
- Tang, R., Li, Z. L., and Tang, B. (2010). An application of the Ts-VI triangle method with enhanced edges determination for evapotranspiration estimation from MODIS data in arid and semi-arid regions: Implementation and validation. *Remote Sensing of Environment*, 114(3), 540–551. <https://doi.org/10.1016/j.rse.2009.10.012>
- Tang, R., Li, Z. L., & Tang, B. (2010). An application of the Ts-VI triangle method with enhanced edges determination for evapotranspiration estimation from MODIS data in arid and semi-arid regions: Implementation and validation. *Remote Sensing of Environment*, 114(3), 540–551. <https://doi.org/10.1016/j.rse.2009.10.012>
- Tate, E. L., and Gustard, A. (2000). Drought Definition: A Hydrological Perspective. In *Drought and Drought Mitigation in Europe* (1st ed., pp. 23–48). Kluwer Academic Publishers.
- Telesca, L., Lovallo, M., Lopez-moreno, I., and Vicente-serrano, S. (2012). Investigation of scaling properties in monthly streamflow and Standardized Streamflow Index (SSI) time series in the Ebro basin (Spain). *Physica A*, 391(4), 1662–1678. <https://doi.org/10.1016/j.physa.2011.10.023>
- Timmermans, W. J., Meijerink, A. M. J., and Lubczynski, M. W. (2001). Satellite Derived Actual Evapotranspiration and Groundwater Modeling, Botswana. *Proceedings of a Symposium Held at Santa Fe*, 267.
- Thin, N. A., & Hens, L. (2017). A Digital Shoreline Analysis System (DSAS) applied on mangrove shoreline changes along the Giao Thuy coastal area (Nam Dinh, Vietnam) during 2005-2014. *Vietnam Journal of Earth Sciences*, 39(1 SE-Articles), 87–96. <https://doi.org/10.15625/0866-7187/39/1/9231>
- Twine, T. E., Kustas, W. P., Norman, J. M., Cook, D. R., Houser, P. R., Meyers, T. P., Prueger, J. H., Starks, P. J., and Wesely, M. L. (2000). Correcting eddy-covariance flux underestimates over a grassland. *Agricultural and Forest Meteorology*, 103(3), 279–300. [https://doi.org/10.1016/S0168-1923\(00\)00123-4](https://doi.org/10.1016/S0168-1923(00)00123-4)
- Tsou, J., Zhuang, J., Li, Y., and Zhang, Y. (2017). Urban Heat Island Assessment Using the Landsat 8 Data : A Case Study in Shenzhen and Hong Kong. *Urban Science*, 1(10), 1–22. <https://doi.org/10.3390/urbansci1010010>
- Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8(2), 127-150. [https://doi.org/10.1016/0034-4257\(79\)90013-0](https://doi.org/10.1016/0034-4257(79)90013-0).
- Umarhadi, D. A., and Danoedoro, P. (2019). *Correcting topographic effect on Landsat-8 images: an evaluation of using different DEMs in Indonesia*. Paper presented at the Proc.SPIE. pp 113110. <https://doi.org/10.1117/12.2549109>
- Umarhadi, D. A., and Danoedoro, P. (2020). The effect of topographic correction on canopy density mapping using satellite imagery in mountainous area. *International Journal on Advanced Science, Engineering and Information Technology*, 10(3), 1317–1325. <https://doi.org/10.18517/ijaseit.10.3.7739>
- United Nations Convention to Combat Desertification (UNCCD). (2022). *World “at a crossroads” in drought management, up 29% in a generation and worsening, says UN*. UNCCD. <https://www.unccd.int/news-stories/press-releases/world-crossroads-drought-management-29-generation-and-worsening-says-un>
- USGS-a. (2015). *Landsat 8 data users handbook*. Earth Resources Observation and Science (EROS). Sioux Falls.
- USGS-b. (2015). *Shuttle Radar Topography Mission (SRTM) 1 Arc-Second Global*. <https://lta.cr.usgs.gov/SRTM1Arc>
- Vanhellemont, Q. 2020. Combined land surface emissivity and temperature estimation from Landsat 8 OLI and TIRS. *ISPRS Journal of Photogrammetry and Remote Sensing*, 166, 390–402.

- <https://doi.org/https://doi.org/10.1016/j.isprsjprs.2020.06.007>
- Van De Griend, A. A., and Owe, M. 1993. On the relationship between thermal emissivity and the normalized difference vegetation index for natural surfaces. *International Journal of Remote Sensing*, 14(6), 1119-1131. <https://doi.org/10.1080/01431169308904400>
- Valor, E., and Caselles, V. (1996). Mapping land surface emissivity from NDVI: Application to European, African, and South American areas. *Remote Sensing of Environment*, 57(3), 167–184. [https://doi.org/10.1016/0034-4257\(96\)00039-9](https://doi.org/10.1016/0034-4257(96)00039-9)
- Verstappen, H. T. (1983). *Applied Geomorphology. Geomorphological Surveys for Environmental Development*. Elsevier.
- Viau, A. A., and Vogt, J. V. (2000). Scale Issues In Drought Monitoring. In *Drought and Drought Mitigation in Europe* (1st ed., pp. 185–193). Kluwer Academic Publishers.
- Vogt, J. V., and Somma, F. (2000). Drought and Drought Mitigation in Europe. In *Gastronomia ecuatoriana y turismo local*. (1st ed., Vol. 1, Issue 69). Springer Science+Business Media Dordrecht.
- Wagle, P., Bhattarai, N., Gowda, P. H., and Kakani, V. G. (2017). Performance of five surface energy balance models for estimating daily evapotranspiration in high biomass sorghum. *ISPRS Journal of Photogrammetry and Remote Sensing*, 128, 192–203. <https://doi.org/10.1016/j.isprsjprs.2017.03.022>
- Wan, Z. (2014). New refinements and validation of the collection-6 MODIS land-surface temperature/emissivity product. *Remote Sensing of Environment*, 140, 36–45. <https://doi.org/10.1016/j.rse.2013.08.027>
- Wan, Z. (2008). New refinements and validation of the MODIS Land-Surface Temperature/Emissivity products. *Remote Sensing of Environment*, 112(1), 59–74. <https://doi.org/10.1016/j.rse.2006.06.026>
- Wan, Z., and Dozier, J. (1996). A generalized split-window algorithm for retrieving land-surface temperature from space. *IEEE Transactions on Geoscience and Remote Sensing*, 34(4), 892-905. <https://doi.org/10.1109/36.508406>
- Wan, Z., and Li, Z. L. (2008). Radiance-based validation of the V5 MODIS land-surface temperature product. *International Journal of Remote Sensing*, 29(17–18), 5373–5395. <https://doi.org/10.1080/01431160802036565>
- Wan, W., Liu, Z., Li, K., Wang, G., Wu, H., and Wang, Q. (2021). Drought monitoring of the maize planting areas in Northeast and North China Plain. *Agricultural Water Management*, 245(2), 106636. <https://doi.org/10.1016/j.agwat.2020.106636>
- Wan, Z., Wang, P., and Li, X. (2004). Using MODIS land surface temperature and normalized difference vegetation index products for monitoring drought in the southern Great Plains, USA. *International Journal of Remote Sensing*, 25(1), 61–72. <https://doi.org/10.1080/0143116031000115328>
- Wan, Z., and Dozier, J. (1996). A generalized split-window algorithm for retrieving land-surface temperature from space. *IEEE Transactions on Geoscience and Remote Sensing*, 34(4), 892–905. <https://doi.org/10.1109/36.508406>
- Wan, Z., Zhang, Y., Zhang, Q., and Li, Z. liang. (2002). Validation of the land-surface temperature products retrieved from terra moderate resolution imaging spectroradiometer data. *Remote Sensing of Environment*, 83(1–2), 163–180. [https://doi.org/10.1016/S0034-4257\(02\)00093-7](https://doi.org/10.1016/S0034-4257(02)00093-7)
- Wan, Z., Zhang, Y., Zhang, Q., & Li, Z.L. (2004). Quality assessment and validation of the MODIS global land surface temperature. *International Journal of Remote Sensing*, 25, 261-274. <https://doi.org/10.1080/0143116031000116417>
- Wang, H, Li, Z., Zhang, W., Ye, X., and Liu, X. (2022). A Modified Temperature-Vegetation Dryness Index (MTVDI) for Assessment of Surface Soil Moisture Based on MODIS Data. *Chinese Geographical Science*, 32(4), 592–605. <https://doi.org/10.1007/s11769-022-1288-y>

- Wang, H, and Asefa, T. (2019). Drought monitoring, mitigation, and adaptation. *Extreme Hydrology and Climate Variability: Monitoring, Modelling, Adaptation and Mitigation*, 457–474. <https://doi.org/10.1016/B978-0-12-815998-9.00036-1>
- Wang, M., He, G., Zhang, Z., Wang, G., Wang, Z., Yin, R., Cui, S., Wu, Z., and Cao, X. (2019). A radiance-based split-window algorithm for land surface temperature retrieval: Theory and application to MODIS data. *International Journal of Applied Earth Observation and Geoinformation*, 76, 204–217. <https://doi.org/https://doi.org/10.1016/j.jag.2018.11.015>
- Wang, S., Liu, C., Tan, Y., Wang, J., Du, F., Han, Z., Jiang, Z., and Wang, L. (2021). Remote sensing inversion characteristic and driving factor analysis of wetland evapotranspiration in the Sanmenxia Reservoir area, China. *Journal of Water and Climate Change*, 13(3), 1599–1611. <https://doi.org/10.2166/wcc.2021.247>
- Wang, Y., Wang, S., Zhao, W., & Liu, Y. (2022). The increasing contribution of potential evapotranspiration to severe droughts in the Yellow River basin. *Journal of Hydrology*, 605, 127310. <https://doi.org/https://doi.org/10.1016/j.jhydrol.2021.127310>
- Waters, R., Allen, R., Tasumi, M., Trezza, R., and Bastiaanssen, W. (2002). Surface Energy Balance Algorithms for Land (SEBAL). *Advanced Training and Users Manual*, 1–97.
- Wei, W., Pang, S., Wang, X., Zhou, L., Xie, B., Zhou, J., and Li, C. (2020). Temperature Vegetation Precipitation Dryness Index (TVPDI)-based dryness-wetness monitoring in China. *Remote Sensing of Environment*, 248(June), 111957. <https://doi.org/10.1016/j.rse.2020.111957>
- Weng, W., Becker, S. L., Lüdeke, M. K. B., and Lakes, T. (2020). Landscape matters: Insights from the impact of mega-droughts on Colombia's energy transition. *Environmental Innovation and Societal Transitions*, 36(June 2019), 1–16. <https://doi.org/10.1016/j.eist.2020.04.003>
- Westra, T., and De Wulf, R. R. (2007). Monitoring Sahelian floodplains using Fourier analysis of MODIS time-series data and artificial neural networks. *International Journal of Remote Sensing*, 28(7), 1595–1610. <https://doi.org/10.1080/01431160600887698>
- Wilhite, D. A., and Buchanan-Smith, M. (2005). Drought As Hazard: Understanding The Natural And Social Context. *Drought and Water Crises: Science, Technology, and Management Issues*, 3–29.
- Wilhite, D. A., Hayes, M. J., and Svoboda, M. D. (2000). Drought Monitoring And Assessment: Status And Trends In The United States. In J. V.Vogt and F. Somma (Eds.), *Drought and Drought Mitigation in Europe* (1st ed., p. 319). Springer Science+Business Media.
- Wilhite, D. A, and Glantz, M. H. (1985). Understanding the Drought Phenomenon: The Role of Definitions. *Water International*, 10(3), 111–120. <https://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1019andcontext=droughtfacpub>.
- Windahl, E., and Beurs, K. de. (2016). An intercomparison of Landsat land surface temperature retrieval methods under variable atmospheric conditions using in situ skin temperature. *International Journal of Applied Earth Observation and Geoinformation*, 51, 11–27. <https://doi.org/10.1016/j.jag.2016.04.003>
- Wisnubroto, S. (2003). Menggagas Strategi Alternatif Dalam Menyiasati Penyimpangan Iklim Serta Implikasinya Pada Tataguna Lahan Dan Ketahanan Pangan Nasional. *Seminar Nasional Ilmu Tanah*.
- WMO, (2006). Drought monitoring and early warning : concepts , progress and future challenges. *World Meteorological Organization*, 1006, 24. <http://www.wamis.org/agm/pubs/brochures/WMO1006e.pdf>

- Woodcock, C. E., and Strahler, A. H. (1987). The factor of scale in remote sensing. *Remote Sensing of Environment*, 21(3), 311–332. [https://doi.org/10.1016/0034-4257\(87\)90015-0](https://doi.org/10.1016/0034-4257(87)90015-0)
- World Meteorological Organization. (1975). *Drought and Agriculture* (No. 392).
- World Meteorological Organization (WMO). (2012). Standardized Precipitation Index User Guide. In *WMO-No.1090*. WMO.
- World Meteorological Organization (WMO). (2016). *Handbook of Drought Indicators and Indices* (Issue 1173). <https://doi.org/10.1201/9781315265551-12>
- WMO and GWP, (2016). *Handbook of Drought Indicators and Indices*. WMO No. 1173. World Meteorological Organization (WMO) and Global Water Partnership (GWP). Accessed 19 November 2019.
- WMO/UNESCO, (2012). International Glossary of Hydrology. WMO-No. 385. World Meteorological Organization (WMO) / United Nations Educational, Scientific and Cultural Organization (UNESCO). Accessed 19 November 2019.
- Xiao, L., Zhou, J., Wu, X., Anas Khan, M., Zhao, S., & Wu, X. (2024). The dominant influence of terrain and geology on vegetation mortality in response to drought: Exploring resilience and resistance. *CATENA*, 243, 108156. <https://doi.org/https://doi.org/10.1016/j.catena.2024.108156>
- Xie, F., and Fan, H. (2021). Deriving drought indices from MODIS vegetation indices (NDVI/EVI) and Land Surface Temperature (LST): Is data reconstruction necessary? *International Journal of Applied Earth Observation and Geoinformation*, 101, 102352. <https://doi.org/10.1016/j.jag.2021.102352>
- Xu, M., Yao, N., Hu, A., Gustavo Goncalves de Goncalves, L., Abrahão Mantovani, F., Horton, R., Heng, L., and Liu, G. (2022). Evaluating a new temperature-vegetation-shortwave infrared reflectance dryness index (TVSDI) in the continental United States. *Journal of Hydrology*, 610(July 2021). <https://doi.org/10.1016/j.jhydrol.2022.127785>
- Xu, Z., Man, X., Hou, Y., Wei, X., and Zhang, S. (2024). Partition evapotranspiration into transpiration and evaporation in a natural boreal larch forest in China: A framework from concurrent eddy covariance systems. *Journal of Hydrology*, 640, 131734. <https://doi.org/10.1016/j.jhydrol.2024.131734>
- Yan, H., Zhou, G., Yang, F., and Lu, X. (2019). DEM correction to the TVDI method on drought monitoring in karst areas. *International Journal of Remote Sensing*, 40(5–6), 2166–2189. <https://doi.org/10.1080/01431161.2018.1500732>
- Yang, R.W., Wang, H., Hu, J.M., Cao, J., Yang, Y., (2017). An improved temperature vegetation dryness index (iTVDI) and its applicability to drought monitoring. *Journal of Mountain Science*, 14 (11), 2284–2294. <https://doi.org/10.1007/s11629-016-4262-2>
- Yu, H., Zhang, Q., Xu, C., Du, J., Sun, P., and Hu, P. (2019). Modified Palmer Drought Severity Index : Model improvement and application. *Environment International*, 130(June), 104951. <https://doi.org/10.1016/j.envint.2019.104951>
- Yu, X., Guo, X., and Wu, Z. (2014). Land surface temperature retrieval from landsat 8 TIRS-comparison between radiative transfer equation-based method, split window algorithm and single channel method. *Remote Sensing*, 6(10), 9829–9852. <https://doi.org/10.3390/rs6109829>
- Yuvaraj, R. M. (2020). Extents of Predictors for Land Surface Temperature Using Multiple Regression Model. *Scientific World Journal*, 2020. <https://doi.org/10.1155/2020/3958589>
- Zahrotunisa, S., Danoedoro, P., and Arjasakusuma, S. (2023). Estimation of actual evapotranspiration using SEBAL algorithm based on Landsat 8 imagery in Semarang area, Indonesia. *AIP Conference Proceedings*, 2654(1), 50015. <https://doi.org/10.1063/5.0115979>

- Zargar, A., Sadiq, R., Naser, B., and Khan, F. I. (2011). A review of drought indices. *Environmental Reviews*, 19(1), 333–349. <https://doi.org/10.1139/a11-013>
- Zahrotunisa, S., Jatmiko, R. H., & Widyatmanti, W. (2020). Analisis Pengaruh Suhu Permukaan Lahan Terhadap Elemen Iklim Mikro Di Surakarta Menggunakan Citra Penginderaan Jauh Multitemporal. *Majalah Ilmiah Globe*, 22(1), 31-40.
- Zhang, F., Zhang, L. W., Shi, J. J., and Huang, J. F. (2014). Soil moisture monitoring based on land surface temperature-vegetation index space derived from MODIS data. *Pedosphere*, 24(4), 450–460. [https://doi.org/10.1016/S1002-0160\(14\)60031-X](https://doi.org/10.1016/S1002-0160(14)60031-X)
- Zhang, J., Bai, Y., Yan, H., Guo, H., Yang, S., and Wang, J. (2020). Linking observation, modelling and satellite-based estimation of global land evapotranspiration. *Big Earth Data*, 4(2), 94–127. <https://doi.org/10.1080/20964471.2020.1743612>
- Zhang, L., Cai, Y., Huang, H., Li, A., Yang, L., & Zhou, C. (2022). A CNN-LSTM Model for Soil Organic Carbon Content Prediction with Long Time Series of MODIS-Based Phenological Variables. *Remote Sensing*, 14(18), 4441. <https://doi.org/10.3390/rs14184441>
- Zhang, R. (2024). Construction of a Meteorological Data Support Vector Machine Drought Prediction Model Based on Machine Learning Algorithms. 2024 Second International Conference on Networks, Multimedia and Information Technology (NMITCON), 1–5. <https://doi.org/10.1109/NMITCON62075.2024.10699072>
- Zhang, T., Wen, J., Van Der Velde, R., Meng, X., Li, Z., Liu, Y., and Liu, R. (2008). Estimation of the total atmospheric water vapor content and land surface temperature based on AATSR thermal data. *Sensors*, 8(3), 1832–1845. <https://doi.org/10.3390/s8031832>
- Zhang, X. C., Wu, J. W., Wu, H. Y., and Li, Y. (2011). Simplified SEBAL method for estimating vast areal evapotranspiration with MODIS data. *Water Science and Engineering*, 4(1), 24–35. <https://doi.org/10.3882/j.issn.1674-2370.2011.01.003>
- Zhang, X., Zhao, H., and Yang, J. (2019). Spatial downscaling of land surface temperature in combination with TVDI and elevation. *International Journal of Remote Sensing*, 40(5–6), 1875–1886. <https://doi.org/10.1080/01431161.2018.1489164>
- Zhao, B., Wei, J., Shang, J., & Zhang, W. (2023). Application of Drought Prediction Based on Deep Learning. 2023 3rd International Symposium on Computer Technology and Information Science (ISCTIS), 267–272. <https://doi.org/10.1109/ISCTIS58954.2023.10213059>
- Zhao, H., Zhou, Z., Zhang, F., Bourque, C. P.-A., Jia, X., Li, X., Liu, P., Yu, H., Tian, Y., Jin, C., Hao, S., & Zha, T. (2025). Sensitivity of gross primary production and evapotranspiration to heat and drought stress in a young temperate plantation in northern China. *Forest Ecosystems*, 12, 100275. <https://doi.org/https://doi.org/10.1016/j.fecs.2024.100275>
- Zhao, J., Yang, J., Huang, R., Xie, H., Qin, X., & Hu, Y. (2024). Estimating evapotranspiration and drought dynamics of winter wheat under climate change: A case study in Huang-Huai-Hai region, China. *Science of The Total Environment*, 949, 175114. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2024.175114>
- Zhang, Q., Shi, R., Singh, V. P., Xu, C. Y., Yu, H., Fan, K., and Wu, Z. (2022). Droughts across China: Drought factors, prediction and impacts. *Science of the Total Environment*, 803, 150018. <https://doi.org/10.1016/j.scitotenv.2021.150018>
- Zhao, S., Qin, Q., Yang, Y., Xiong, Y., and Qiu, G. (2009). Comparison of two split-window methods for retrieving land surface temperature from MODIS data. *Journal of earth system science*, 118(4). <https://doi.org/10.1007/s12040-009-0027-4>
- Zhou, S., and Xu, L. (2023). Rice Yield Prediction in Hubei Province Based on Deep Learning and the Effect of Spatial Heterogeneity. *Remote Sensing*, 1–17. <https://doi.org/10.3390/rs15051361>
- Zhao, C., Jensen, J., Weng, Q., and Weaver, R. (2018). A Geographically Weighted

- Regression Analysis of the Underlying Factors Related to the Surface Urban Heat Island Phenomenon. *Remote Sensing*, 10(1428).
- Zhao, L., Tian, Q., Wan, W., Yu, T., Gu, X., and Chen, H. (2010). Atmospheric sensitivity on land surface temperature retrieval using single channel thermal infrared remote sensing data: Comparison among models. *2010 18th International Conference on Geoinformatics*, 1–6. <https://doi.org/10.1109/GEOINFORMATICS.2010.5567621>
- Zhao, Z., Wang, H., Qin, D., and Wang, C. (2021). Large-scale monitoring of soil moisture using Temperature Vegetation Quantitative Index (TVQI) and exponential filtering: A case study in Beijing. *Agricultural Water Management*, 252(April). <https://doi.org/10.1016/j.agwat.2021.106896>
- Zhu, J., Sun, Y., Song, S., Yang, J., & Ding, H. (2020). Cellular automata for simulating land-use change with a constrained irregular space representation: A case study in Nanjing city, China. *Environment and Planning B*, 48(7), 1841–1859. <https://doi.org/10.1177/2399808320949889>
- Zhu, W., Jia, S., and Lv, A. (2017). A time domain solution of the Modified Temperature Vegetation Dryness Index (MTVDI) for continuous soil moisture monitoring. *Remote Sensing of Environment*, 200(July), 1–17. <https://doi.org/10.1016/j.rse.2017.07.032>
- Zhuo, G., La, B., Pubu, C., and Luo, B. (2014). Study on daily surface evapotranspiration with SEBS in Tibet Autonomous Region. *Journal of Geographical Sciences*, 24(1), 113–128. <https://doi.org/10.1007/s11442-014-1076-4>
- Zormand, S., Jafari, R., and Koupaei, S. S. (2017). Assessment of PDI, MPDI and TVDI drought indices derived from MODIS Aqua/Terra Level 1B data in natural lands. *Natural Hazards*, 86(2), 757–777. <https://doi.org/10.1007/s11069-016-2715-0>
- Zoratipour, E., Mohammadi, A. S., and Zoratipour, A. (2023). Evaluation of SEBS and SEBAL algorithms for estimating wheat evapotranspiration (case study: central areas of Khuzestan province). *Applied Water Science*, 13(6), 137. <https://doi.org/10.1007/s13201-023-01941-2>
- Zuidam, R. A. Van, and Zuidam-Cancelado, V. (1979). *Terrain analysis and classification using aerial photographs. A geomorphological approach* (ITC (ed.)). ITC Textbook of Photo-interpretation.