

DAFTAR PUSTAKA

- Abdollahi, Y., N. Ahmadifard, N. Agh, K. Rahmanifarah & M.A. Hejazi. 2019. β -Carotene-enriched Artemia as a natural carotenoid improved skin pigmentation and enhanced the mucus immune responses of platyfish, *Xiphophorus maculatus*. *Aquaculture International*, 27:1847-1858.
- Anderson, S. 2000. Salmon Colour and Consumer. Hoffman-La Roche Limited. Ontario. Canada.
- Amar, E. C., V.Kiron, S. Satoh & T. Watanabe. 2001. Influence of various dietary synthetic carotenoids on bio-defence mechanisms in rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Aquaculture research*, 32:162-173.
- Aravindan, C. M., S. Preethi & K.M. Abraham. 2001. Effect of increased bio-availability of beta carotene on the pigmentation of gold fish *Carassius auratus*. *Journal of the Inland Fisheries Society of India*, 33(1):49-53.
- Bell, J. G., M. J.McEvoy, D. R.Tocher & J. R.Sargent. 2000. Depletion of α -tocopherol and astaxanthin in Atlantic salmon (*Salmo salar*) affects autoxidative defense and fatty acid metabolism. *The Journal of nutrition*, 130(7):1800-1808.
- Biedenbach, J. M., L. L.Smith, T. K.Thomsen & A. L. Lawrence.1989. Use of the nematode *Panagrellus redivivus* as an Artemia replacement in a larval penaeid diet. *Journal of the World Aquaculture Society*, 20(2):61-71.
- Biswas, P., S. K. Singh, R. Debbarma, A. Dey, G.Waikhom, S.Deb & A. B. Patel. 2024. Effects of carotenoid supplementation on colour, growth and physiological function of the endemic dwarf chameleon fish (*Badis badis*). *Journal of Animal Physiology and Animal Nutrition*, 108(1):126-138.
- Blount, J. D., N. B. Metcalfe, T. R. Birkhead & P. F. Surai. 2003. Carotenoid modulation of immune function and sexual attractiveness in zebra finches. *Science*, 300 (5616):125-127.
- Boroditsky, J. M. & M. R. Samoiloff. 1973. Effects of growth inhibitors on development of the reproductive system of the free-living nematode *Panagrellus redivivus* (Cephalobidae). *Canadian Journal of Zoology*, 51(5):483-492.
- Brüggemann, J. 2012. Nematodes as live food in larviculture—a review. *Journal of the world aquaculture society*, 43(6): 739-763.
- Butterworth, P. E., & J. Barrett.1985. Anaerobic metabolism in the free-living nematode *Panagrellus redivivus*. *Physiological zoology*, 58(1):9-17.
- Castenmiller, J. J., & C. E. West. 1998. Bioavailability and bioconversion of carotenoids. *Annual review of nutrition*, 18(1):19-38.
- Cooper, C. J., C. A. Mueller & J. Eme. 2019. Temperature tolerance and oxygen consumption of two South American tetras, *Paracheirodon innessi* and *Hyphessobrycon herbertaxelrodi*. *Journal of Thermal Biology*, 86, 102434:7p

- Colihueque, N. 2010. Genetics of salmonid skin pigmentation: clues and prospects for improving the external appearance of farmed salmonids. *Reviews in Fish Biology and Fisheries*, 20:71-86.
- Cryan, W.S., E. Hansen, M.Martin, F.W.Sayre and E.A. Yarwood. 1963. Axenic cultivation of the dioecious nematode *Panagrellus redivivus*. *Nematologica*, 9 (3):313-319
- Csontos, D., Z. P. Bartal & L. Bakacsy. 2024. Removal of nitrate and phosphate by aquatic plants during aquarium-based ornamental fish production. *North American Journal of Aquaculture*, 86(4): 413-423.
- Datta, S. 2012. Aquarium Water Quality Management. *FISHCOOPS Edition*, 25(3):9-16.
- Fawzy, S., W. Wang, Y. Zhou, Y.Xue, G.Yi, M.Wu & X. Huang. 2022. Can dietary β -carotene supplementation provide an alternative to astaxanthin on the performance of growth, pigmentation, biochemical, and immuno-physiological parameters of *Litopenaeus vannamei*?. *Aquaculture Reports*, 23, 101054:11p
- Gerlach, S. A., & M. Schrage. 1969. Free-living nematodes as food of the sand shrimp, *Crangon crangon*. Experiments on the role of meiofauna as food of the marine macrobenthos. *Oecologia*, 2:362-375.
- Hoff, F. H., & T.W.Snell. 1987. Plankton culture manual. Florida Aqua farms. *Inc.*, 125p.
- Hien, T. T. T., T. V.Loc, T. L. C.Tu, T. M.Phu, P. M.Duc, H. T.Nhan & P. T. Liem. 2022. Dietary effects of carotenoid on growth performance and pigmentation in bighead catfish (*Clarias macrocephalus* Günther, 1864). *Fishes*, 7(1): 16p
- Ho, A.L.F.C., S. Zong & J. Lin. 2014. Skin color retention after dietary carotenoid deprivation and dominance mediated skin coloration in clown anemonefish, *Amphiprion ocellaris*. *Aquaculture, Aquarium, Conservation & Legislation*, 7(2), 103-115.
- Jiang, X., S. Zhu, G. Zhang, Y.Gong & X. Wu. 2024. Effect of dietary β -carotene supplementation on growth and antioxidant capability of pre-adult male Chinese mitten crab, *Eriocheir sinensis*. *Aquaculture Reports*, 35, 101968: 9p
- Kalinowski, C. T., L. E. Robaina, H.F. Palacios, D. Schuchardt & M. S. Izquierdo. 2005. Effect of different carotenoid sources and their dietary levels on red porgy (*Pagrus pagrus*) growth and skin colour. *Aquaculture*, 244(1-4): 223-231.
- Kalinowski C.T., M. S. Izquierdo, D. Schuchardt, L. E. Robaina. 2007. Dietary supplementation time with shrimp shell meal on red porgy (*Pagrus pagrus*) skin colour and carotenoid concentration. *Aquaculture*, 272(1-4):451-457.
- Kaur, S., V. I. Kaur, S. A. Holeyappa, & S. O. Khairnar. 2016. Effect of dietary supplementation of synthetic and natural-carotene on survival, growth and pigmentation in freshwater ornamental koi (*Cyprinus carpio* L.) carp. *Indian Journal of Animal Nutrition*, 33(4): 448-455.

- Keleştemur, G. T., & O. E. Çoban. 2016. Effects of the β -carotene on the growth performance and skin pigmentation of rainbow trout (*Oncorhynchus mykiss*, W. 1792). *Journal of Fisheries Lives Product*, 4:164-169.
- Kumlu, M. & D. A. Jones. 1994. Recent advances in the development of microencapsulated diets for shrimp larval culture. In 9th International Symposium on Microencapsulation, Sept. 13–15, 1993, Ankara, Turkey. *Turquía* : 205-208.
- Kumlu, M., D. J. Fletcher & C. M. Fisher. 1998. Larval pigmentation, survival, and growth of *Penaeus indicus* fed the nematode *Panagrellus redivivus* enriched with astaxanthin and various lipids. *Aqua culture Nutrition*, 4:193–200.
- Lavens, P. & P. Sorgeloos. 1996. Manual on the production and use of live food for aquaculture. FAO Fisheries Technical Paper. No. 361. Rome, FAO. 1996. 295p.
- Ling, S., R. Hashim, S. Kolkovski, & A.C.S.Chien. 2006. Effect of varying dietary lipid and protein levels on growth and reproductive performance of female swordtails *Xiphophorus helleri* (Poeciliidae). *Aquaculture Research*, 37(13):1267-1275.
- Liu, J., M. Yin, Z. Ye, J. Hu & Z. Bao. 2024. Harnessing Hue: Advances and Applications of Fish Skin Pigmentation Genetics in Aquaculture. *Fishes*, 9(6):22p.
- Manikandan, K., N. Felix & E. Prabu. 2020. A review on the application and effect of carotenoids with respect to canthaxanthin in the culture of fishes and crustaceans. *International Journal of Fisheries and Aquatic Studies*, 8(5B):128–133.
- Maoka, T. 2011. Carotenoids in marine animals. *Marine drugs*, 9(2): 278-293.
- McCoy, D. E., A. J. Shultz, J. E. Dall, J. A. Dionne & S. Johnsen. 2023. The carotenoid redshift: Physical basis and implications for visual signaling. *Ecology and Evolution*, 13(9):12p.
- Misawa, N. 2009. Pathway engineering of plants toward astaxanthin production. *Plant Biotechnology*, 26(1) :93-99.
- Mostafa, M., M.G. Sarower, P. Al-Imran and A.F.M, Hasanuzzaman, 2016. Detection and culture feasibility of a soil nematode (*Panagrellus redivivus*), a potential live feed for prawn larvae in Bangladesh. *Bangladesh Journal of Veterinary and Animal Sciences*, 4(1):31-37
- Mohney, L.L., D. V. Lightner, R.R. Williams & M. Bauerlein. 1990. Bioencapsulation of therapeutic quantities of the antibacterial romet 30 in nauplii of the brine shrimp *Artemia* and in the nematode *Panagrellus redivivus*. *Journal of the World Aquaculture Society*, 21(3):186-191
- Murniasih, S., B. Nur, L. Sholichah, S. Rohmy, T. Kadarini & S.Sukarman. 2023. Carotenoid pigment content and skin microscopic appearance of cultured Ajamaru Rainbowfish (*Melanotaenia ajamaruensis*). *BIO Web of Conferences*, 74:10p

- Nakano, T., & G. Wiegertjes. 2020. Properties of carotenoids in fish fitness: a review. *Marine drugs*, 18(11):17p
- Oliveira, S. R. D., R. T. Y. Souza, É. D. S. S. Nunes, C. S. M. D. Carvalho, G. C. D. Menezes, J. L. Marcon, R. Roubach, E. A. Ono & E. G. Affonso. 2008. Tolerance to temperature, pH, ammonia and nitrite in cardinal tetra, *Paracheirodon axelrodi*, an amazonian ornamental fish. *Acta Amazonica*, 38(4):773-779.
- Olson, J. A., & N. I. Krinsky. 1995. Introduction: the colorful, fascinating world of the carotenoids: important physiologic modulators. *The FASEB Journal*, 9(15): 1547-1550
- Pailan, G.H., P. Sardar, B.K. Mahapatra. 2015. Marigold petal meal: A natural carotenoid source for pigmentation in Swordtail (*Xiphophorus helleri*). *Animal Nutrition and Feed Technology*, 15: 417-425.
- Raible, D. W., A. Wood, W. Hodsdon, P. D. Henion, J. A. Weston & J. S. Eisen. 1992. Segregation and early dispersal of neural crest cells in the embryonic zebrafish. *Developmental dynamics*, 195(1):29-42.
- Radwin, I. A & D. B. Rouse. 1990. Communications: Yield Characteristics of the Free-Living Nematode *Panagrellus redivivus* in Different Culture Media. *The Progressive Fish-Culturist*, 52(4):237-240.
- Ramee, S., T. Lipscomb & M. DiMaggio. 2019. *Microworm* Culture for Use in Freshwater Ornamental Aquaculture: FA214, 4/2019. *EDIS*, 2019(2):4p
- Ramamoorthy, K., S. Bhuvaneshwari, G. Sankar & K. Sakkaravarthi. 2010. Proximate composition and carotenoid content of natural carotenoid sources and its colour enhancement on marine ornamental fish *Amphiprion ocellaris* (Cuveir, 1880). *World Journal of Fish and Marine Sciences*, 2(6): 545-550.
- Rana, S., A. Al Bari, S.A. Shimul, M. Al Mazed & S.A. Al Nahid, 2023. Enhancement of body coloration of sword-tail fish (*Xiphophorus helleri*): Plant-derived bio-resources could be converted into a potential dietary carotenoid supplement. *Heliyon*, 9(4):6p
- Robertson, A. R. (1977). The CIE 1976 color-difference formulae. *Color Research & Application*, 2(1):7-11.
- Robinson, S. M. C., J. D. Castell & E. J. Kennedy. 2002. Developing suitable colour in the gonads of cultured green sea urchins (*Strongylocentrotus droebachiensis*). *Aquaculture*, 206(3-4): 289-303.
- Rodriguez, A., D. B. Kimura, Mihoko. 2004. Harvest Plus Handbook for Carotenoid Analysis. Hand Book Technical Monograph Series 2. Washington
- Rottman, R.W. 1988. *Microworms* culture for aquarium fish producers. IFAS Fact Sheet FA-9, University of Florida, Gainesville, Florida, USA
- Ricci, M., A. Fifi, A. Ragni, C. Schleichriem & U. Focken. 2003. Development of a low-cost technology for mass production of the free-living nematode *Panagrellus*

redivivus as an alternative live food for first feeding fish larvae. *Applied Microbiology and Biotechnology*, 60:556-559.

- Ruby, P., B. Ahilan, C. Antony, D. Manikandavelu, T. L. S. Moses & S. Selvaraj. 2022. Effect of dietary supplementation of astaxanthin and beta-carotene on colouration, growth and survival in pearlspot (*Eetroplus suratensis*) fingerlings under controlled conditions. *Animal Nutrition and Feed Technology*, 22(2):419-432.
- Santiago, C. B., A. C. Gonzal, M. Ricci & S. Harpaz. 2003. Response of bighead carp *Aristichthys nobilis* and Asian catfish *Clarias macrocephalus* larvae to free-living nematode *Panagrellus redivivus* as alternative feed. *Journal of Applied Ichthyology*, 19(4): 239-243.
- Sautter, J., H. Kaiser, U. Focken & K. Becker. 2007. *Panagrellus redivivus* (Linné) as a live food organism in the early rearing of the catfish *Synodontis petricola* (Matthes). *Aquaculture research*, 38(6):653-659.
- Schlechtriem, C., U. Focken & K. Becker. 2005. Digestion and Assimilation of the Free-living Nematode *Panagrellus redivivus* Fed to First Feeding Coregonid Larvae: Evidence from Histological and Isotopic Studies. *Journal of the World Aquaculture Society*, 36(1):24-31.
- Schlechtriem, C., M. Ricci, U.Focken & K. Becker. 2004. Mass produced nematodes *Panagrellus redivivus* as live food for rearing carp larvae: preliminary results. *Aquaculture Research*, 35(6):547-551.
- Sukarman, H. R., & R. Hirnawati. 2014. Alternatif karotenoid sintesis (astaxanthin) untuk meningkatkan kualitas warna ikan koki (*Carassius auratus*). *Widyariset*, 17(3): 333-342.
- Sukarman, A. Sofyan, B. Nur, S. Cindelaras, S. Murniasih, S. Rohmy, T. Kadarini, Nurhidayat, M. Zamroni, M.F.Chaniago & R Ginanjar. 2025. Dietary effect of carotenoids from golden snail eggs on colour enhancement in Koi fish *Cyprinus carpio* Linnaeus 1758. *Brazilian Journal of Biology*, 85, e292148: 11p
- Stahl, W., & H. Sies. 2005. Bioactivity and protective effects of natural carotenoids. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1740(2):101-107
- Toomey, M. B., C. I. Marques, P. M. Araújo, D. Huang, S. Zhong, Y. Liu, G. D. Schreiner, C. A. Myers, P. Pereira, S. Afonso, P. Andrade, M.A. Gazda, R.J.Lopes, I. Viegas, R. E. Koch, M.E. Haynes, D.J. Smith, Y. Ogawa, D. Murphy, R.E. Kopec & J. C. Corbo. 2022. A mechanism for red coloration in vertebrates. *Current Biology*, 32(19): 4201-4214.
- Torrissen, O.J., Hardy, R.W. and Shearer, K.D., 1989. Pigmentation of salmonids-carotenoid deposition and metabolism. *CRC Crit. Rev. Aquat. Sci*, 1(2), pp.209-225.
- Torrissen, O.J & G. Naevdal. 1984. Pigmentation of salmonids-genetical variation in carotenoid deposition in rainbow trout. *Aquaculture*. 38(1):59-66

- Wagde, M. S., S. K. Sharma & B. K. Sharma. 2018. Effect of natural β -carotene sources-Carrot (*Daucus carota*) and Spinach (*Spinacia oleracea*) on the growth of an ornamental fish-sword tail (*Xiphophorus helleri*). *Journal of Entomology and Zoology Studies*, 6(5): 2112-2115.
- Wu, S., L. Zhao, J. Huang, Y. Li, Z. Liu & Zhang, D. 2023. miR-330 targeting BCO2 is involved in carotenoid metabolism to regulate skin pigmentation in rainbow trout (*Oncorhynchus mykiss*). *BMC genomics*, 24(124):15p
- Wang, Y. J., Y. H. Chien & C. H. Pan. 2006. Effects of dietary supplementation of carotenoids on survival, growth, pigmentation, and antioxidant capacity of characins, *Hyphessobrycon callistus*. *Aquaculture*, 261(2), 641-648.
- Yedier, S., E. Gümüs, E. J. Livengood & F. A. Chapman. 2014. The relationship between carotenoid type and skin color in the ornamental red zebra cichlid *Maylandia estherae*. *Aquaculture, Aquarium, Conservation & Legislation*, 7(3): 207-216.
- Yeşilayer, N., O. Aral, Z. Karsli, M. Öz, A. Karaçuha & F. Yağci. 2011. The effects of different carotenoid sources on skin pigmentation of Goldfish (*Carassius auratus*). *Israeli Journal of Aquaculture-Bamidgeh*, 11C(63): 9p.
- Yeşilayer, N. 2020. Comparison of Flesh Colour Assessment Methods for Wild Brown Trout (*Salmo trutta macrostigma*), Farmed Rainbow Trout (*Oncorhynchus mykiss*) and Farmed Atlantic Salmon (*Salmo salar*). *Pakistan Journal of Zoology*, 52(3):8p.
- Zutshi, B & R. Madiyappa. 2020. Impact of *Lantana camara*, a carotenoid source, on growth and pigmentation in Koi swordtail (*Xiphophorus helleri*). *Aquaculture, Aquarium, Conservation & Legislation*, 13(1): 286-295.