

DAFTAR PUSTAKA

- Abbas, G. M., & Gursel Dino, I. (2022). COVID-19 dispersion in naturally-ventilated classrooms: a study on *inlet-outlet* characteristics. *Journal of Building Performance Simulation*, 15(5), 656–677.
- Al-Homoud, M. S. (2009). Envelope thermal design optimization of buildings with intermittent occupancy. *Journal of Building Physics*, 33(1), 65–82. <https://doi.org/10.1177/1744259109102799>
- Aldawoud, A. (2017). Windows design for maximum cross-ventilation in buildings. *Advances in Building Energy Research*, 11(1), 67–86. <https://doi.org/10.1080/17512549.2016.1138140>
- Alhraki, A. R., & Sultan Qurraie, B. (2025). CFD evaluation of wind catcher geometry and internal partitions for enhanced ventilation in Nizwa, Oman. *Journal of Innovative Engineering and Natural Science*, 5(1), 55–69. <https://doi.org/10.61112/jiens.1496075>
- Allard, F., & Santamouris, M. (1998). *Natural ventilation in buildings-a design handbook*.
- American society of heating, refrigerating and air-conditioning engineers. (2021). 2021 ASHRAE Handbook: Fundamentals. ASHRAE. <https://books.google.co.id/books?id=5P-szgEACAAJ>
- Ananta, B. S., & Suryabrata, J. A. (2024). Pengaruh Konfigurasi Balkon pada Performa Kinerja Ventilasi Alami Dalam Ruangan Bangunan Rusunawa di Indonesia *Impact of Balcony Configuration on Natural Ventilation Performance in Indoor Spaces of Social Buildings (Rusunawa) in Indonesia*. 8, 37–50.
- Asfour, O. (2006). *Ventilation characteristics of buildings incorporating different configurations of curved roofs and wind catchers*. September, 288.
- Asfour, O. S. (2015). *Natural ventilation in buildings: An overview*. Nova Science Publishers, Inc.
- ASHRAE-55. (2017). Thermal Environmental Conditions for Human Occupancy-2017. *ANSI/ASHRAE Standard 55*, 7, 60.
- ASHRAE, A. (2017). ASHRAE Standard 55: Thermal environmental conditions for human occupancy. *American Society of Heating, Refrigerating and Air-Conditioning Engineers: Atlanta, GA, USA*.
- Asif, N., Utaberta, N., Ismail, S., & Shaharil, M. I. (2021). the Study on the Functional Aspects of Mosque Institution. *Journal of Islamic Architecture*, 6(4), 229–236. <https://doi.org/10.18860/jia.v6i4.11749>
- Asif, N., Utaberta, N., Ismail, S., Yan, X., & Zhou, Y. (2023). Mosque Institution and Building: Evaluating Sustainable Space, Function, Program, and Activities. *Advances in Civil Engineering Materials: Selected Articles from the 6th International Conference on Architecture and Civil Engineering (ICACE 2022), August 2022, Kuala Lumpur, Malaysia*, 139–151.
- Atmaca, A. B., & Gedik, G. Z. (2020). Determination of thermal comfort of religious buildings by measurement and survey methods: Examples of mosques in a temperate-humid climate. *Journal of Building Engineering*, 30, 101246. <https://doi.org/10.1016/J.JOBE.2020.101246>

- Aynsley, R. M., Melbourne, W. H., & Vickery, B. J. T. A.-T. T.-. (1977). *Architectural aerodynamics* (NV-1 o). Applied Science Publishers. <https://doi.org/LK> - <https://worldcat.org/title/569295778>
- Azmi, N. A., Arıcı, M., & Baharun, A. (2021a). A review on the factors influencing energy efficiency of mosque buildings. *Journal of Cleaner Production*, 292, 126010. <https://doi.org/10.1016/J.JCLEPRO.2021.126010>
- Azmi, N. A., Arıcı, M., & Baharun, A. (2021b). A review on the factors influencing energy efficiency of mosque buildings. *Journal of Cleaner Production*, 292, 126010. <https://doi.org/10.1016/J.JCLEPRO.2021.126010>
- Azmi, N. A., Baharun, A., Arıcı, M., & Ibrahim, S. H. (2023a). C. *Frontiers of Architectural Research*, 12(2), 361–385. <https://doi.org/10.1016/J.FOAR.2022.07.001>
- Azmi, N. A., Baharun, A., Arıcı, M., & Ibrahim, S. H. (2023b). Improving thermal comfort in mosques of hot-humid climates through passive and low-energy design strategies. *Frontiers of Architectural Research*, 12(2), 361–385. <https://doi.org/10.1016/J.FOAR.2022.07.001>
- Azmi, N. A., & Ibrahim, S. H. (2020a). A comprehensive review on thermal performance and envelope thermal design of mosque buildings. *Building and Environment*, 185, 107305. <https://doi.org/10.1016/J.BUILDENV.2020.107305>
- Azmi, N. A., & Ibrahim, S. H. (2020b). A comprehensive review on thermal performance and envelope thermal design of mosque buildings. *Building and Environment*, 185, 107305. <https://doi.org/10.1016/J.BUILDENV.2020.107305>
- Bastide, A., Lucas, F., & Boyer, H. (2014). Impact of the atmospheric boundary layer profile on the ventilation of a cubic building with two large opposite openings. *ArXiv Preprint ArXiv:1409.7080*.
- Blocken, B., Carmeliet, J., & Stathopoulos, T. (2007). CFD evaluation of wind speed conditions in passages between parallel buildings—effect of wall-function roughness modifications for the atmospheric boundary layer flow. *Journal of Wind Engineering and Industrial Aerodynamics*, 95(9–11), 941–962.
- Blocken, B., Stathopoulos, T., & Carmeliet, J. (2007). CFD simulation of the atmospheric boundary layer: wall function problems. *Atmospheric Environment*, 41(2), 238–252. <https://doi.org/10.1016/J.ATMOENV.2006.08.019>
- Boutet, T. S. (1987). *Controlling air movement: A manual for architects and builders*. <https://api.semanticscholar.org/CorpusID:106450957>
- Brambilla, A., Bonvin, J., Flourentzou, F., & Jusselme, T. (2018). On the influence of thermal mass and natural ventilation on overheating risk in offices. *Buildings*, 8(4), 1–12. <https://doi.org/10.3390/buildings8040047>
- Bramiana, C. N., Aminuddin, A. M. R., Ismail, M. A., Widiastuti, R., & Pramesti, P. U. (2023). The Effect of window placement on natural ventilation capability in a Jakarta high-rise building unit. *Buildings*, 13(5), 1141.

- BSN. (2001). Tata Cara Perancangan Sistem Ventilasi dan Pengkondisian Udara pada Bangunan Gedung. *Sni 03-6572-2001*, 1–55. https://pdfdokumen.com/download/sni-03-6572-2001-tata-cara-perencanaan-sistem-ventilasi-dan-pengkondisian-udara-pada-bangunan-gedung_5a38b43d1723dda9dc05a37e_pdf
- Cao, S.-J., Deng, H.-Y., Zhou, X., & Deng, Y. (2018). Ventilation *inlets* design based on ventilation performance assessment using a dimensionless time scale. *Indoor and Built Environment*, 28(8), 1049–1063. <https://doi.org/10.1177/1420326X18815321>
- Cebeci, T., Shao, J. P., Kafyeke, F., & Laurendeau, E. (2005). *Computational Fluid Dynamics for engineers: from panel to Navier-Stokes methods with computer programs. (No Title)*.
- Chen, T., Feng, Z., & Cao, S.-J. (2019). The effect of vent *inlet* aspect ratio and its location on ventilation efficiency. *Indoor and Built Environment*, 29(2), 180–195. <https://doi.org/10.1177/1420326X19865930>
- Darwish, F. M. L. M. M. (2016). *The finite volume method in Computational Fluid Dynamics*.
- de Toldi, T., Craig, S., & Sushama, L. (2022). Internal thermal mass for passive cooling and ventilation: adaptive comfort limits, ideal quantities, embodied carbon. *Buildings & Cities*, 3(1).
- Derakhshan, S., & Shaker, A. (2017). Numerical study of the cross-ventilation of an isolated building with different opening aspect ratios and locations for various wind directions. *International Journal of Ventilation*, 16(1), 42–60.
- Dergisi, F. B., & Aktepe, B. (2024). *Impact of Window Opening Shapes on Wind-Driven Cross Ventilation Performance in a Generic Isolated Building : A Simulation Study* *Impact of Window Opening Shapes on Wind-Driven Cross Ventilation Performance in a Generic Isolated Building : A Simulation Stu.* <https://doi.org/10.29109/gujsc.1524553>
- Dirgantara, G. (2024). *Menjadikan Jakarta sebagai kota ramah lingkungan*. Antara Kantor Berita Indonesia. <https://www.antaranews.com/berita/4155360/menjadikan-jakarta-sebagai-kota-ramah-lingkungan>
- Dong, Q., Li, S., & Han, C. (2020). Numerical and experimental study of the effect of solar radiation on thermal comfort in a radiant heating system. *Journal of Building Engineering*, 32, 101497. <https://doi.org/10.1016/J.JOBE.2020.101497>
- Elsaid, A. M., & Ahmed, M. S. (2021). Indoor Air Quality Strategies for Air-Conditioning and Ventilation Systems with the Spread of the Global Coronavirus (COVID-19) Epidemic: Improvements and Recommendations. *Environmental Research*, 199, 111314. <https://doi.org/10.1016/J.ENVRES.2021.111314>
- Esfeh, M. K., Sohankar, A., Shahsavari, A. R., Rastan, M. R., Ghodrat, M., & Nili, M. (2021). Experimental and numerical evaluation of wind-driven natural ventilation of a curved roof for various wind angles. *Building and Environment*, 205(August), 108275. <https://doi.org/10.1016/j.buildenv.2021.108275>
- Etheridge, D. W., & Sandberg, M. (1996). *Building ventilation: theory and measurement*. John Wiley & Sons.

- Faheem, M., Bhandari, N., Tadeipalli, S., & Abinaya, J. (2022). Investigation on window opening behavior in naturally ventilated hostels of warm and humid climate. *Energy and Buildings*, 268, 112184. <https://doi.org/10.1016/J.ENBUILD.2022.112184>
- Farea, T. G., Ossen, D. R., Alkaff, S., & Kotani, H. (2015). CFD modeling for natural ventilation in a lightwell connected to outdoor through horizontal voids. *Energy and Buildings*, 86, 502–513. <https://doi.org/10.1016/J.ENBUILD.2014.10.030>
- Ferziger, J. H., & Perić, M. (2002). *Computational methods for fluid dynamics*. Springer.
- Franke, J., Hellsten, A., Schlünzen, K. H., & Carissimo, B. (2011). The COST 732 Best Practice Guideline for CFD simulation of flows in the urban environment: A summary. *International Journal of Environment and Pollution*, 44(1–4), 419–427. <https://doi.org/10.1504/IJEP.2011.038443>
- Frick, H. (2008). *Ilmu Fisika Bangunan* (Vol. 8). Kanisius.
- Ghaleb Noman, F., Kamsah, N., & Mohamed Kamar, H. (2016). *Jurnal Teknologi Full Paper IMPROVEMENT OF THERMAL COMFORT INSIDE A MOSQUE BUILDING*. 78, 2180–3722. www.jurnalteknologi.utm.my
- Givoni, B. (1994). *Passive low energy cooling of buildings*. John Wiley & Sons.
- Guo, W., Liu, X., & Yuan, X. (2015). Study on Natural Ventilation Design Optimization Based on CFD Simulation for Green Buildings. *Procedia Engineering*, 121, 573–581. <https://doi.org/10.1016/j.proeng.2015.08.1036>
- Han, O., & Li, A. (2021). Velocity distribution of wall-attached jets in slotted-inlet ventilated rooms. *Building and Environment*, 194(February), 107708. <https://doi.org/10.1016/j.buildenv.2021.107708>
- Harsito, C., & Permata, A. N. S. (2021). Investigation of air distribution in mosque rooms with different angles of supply and inlet velocity. *International Journal of Heat and Technology*, 39(4), 1383–1388. <https://doi.org/10.18280/ijht.390439>
- Harsito, C., Satiya Permana, A. N., & Sihta, F. (2021). Energy Efficiency Calculation and Air Handling Unit Design Based on Cooling Load Capacity at MASTEK Mosque. *IOP Conference Series: Earth and Environmental Science*, 746(1). <https://doi.org/10.1088/1755-1315/746/1/012032>
- Hayati, R., Kustati, M., & Imam Bonjol Padang, U. (2023). Pendampingan Keagamaan Remaja Masjid Dalam Membentuk Karakter Pemuda Yang Berakhlak Mulia Religious Assistance of Mosque Youth in Forming the Character of Youth With Noble March. *Pengabdian Kepada Masyarakat*, 1(5), 1298–1308.
- Heiselberg, P., & Perino, M. (2010). Short-term airing by natural ventilation—implication on IAQ and thermal comfort. *Indoor Air*, 20(2), 126–140.
- Henk Kaarle Versteeg. (2020). On the Study of Autonomous Underwater Vehicles by Computational Fluid-Dynamics. In *Open Journal of Fluid Dynamics* (Vol. 10, Issue 01). <https://doi.org/10.4236/ojfd.2020.101005>
- Huifen, Z., Fuhua, Y., & Qian, Z. (2014). Research on the Impact of Wind Angles on the Residential Building Energy Consumption. *Mathematical Problems in Engineering*, 2014. <https://doi.org/10.1155/2014/794650>

- Hwang, Y., & Gorré, C. (2022). Large-Eddy Simulations of Wind-Driven Cross Ventilation, Part1: Validation and Sensitivity Study. *Frontiers in Built Environment*, 8, 1–34. <https://doi.org/10.3389/fbuil.2022.911005>
- Jiang, Y., Alexander, D., Jenkins, H., Arthur, R., & Chen, Q. (2003). Natural ventilation in buildings: measurement in a wind tunnel and numerical simulation with large-eddy simulation. *Journal of Wind Engineering and Industrial Aerodynamics*, 91(3), 331–353. [https://doi.org/10.1016/S0167-6105\(02\)00380-X](https://doi.org/10.1016/S0167-6105(02)00380-X)
- Jumhan, A., Wijaya, I., & Mardiah, M. (2019). Menghidupkan Shalat Berjamaah Di Masjid Nurul Jannah Serikembang Iii Kecamatan Payaraman Kabupaten Ogan Ilir. *Suluh Abdi*, 1(2), 98–102. <https://doi.org/10.32502/sa.v1i2.2299>
- Karava, P., Stathopoulos, T., & Athienitis, A. K. (2011). Airflow assessment in cross-ventilated buildings with operable façade elements. *Building and Environment*, 46(1), 266–279.
- Katni, K., Sumarni, S., & Muslim, A. (2022). The Role of Mosque-Based Non-Formal Islamic Education in Building Sakinah Families. *Al-Hayat: Journal of Islamic Education*, 6(1), 192. <https://doi.org/10.35723/ajie.v6i1.243>
- Kaushik, A., Singh, S., & Kapshe, M. (2025). Changing vertical wind profile and its importance for wind-induced natural ventilation in high-rise buildings—a case of Pune. *Journal of Engineering, Design and Technology, ahead-of-print*.
- Khedari, J., Yamtraipat, N., Pratintong, N., & Hirunlabh, J. (2000). Thailand ventilation comfort chart. *Energy and Buildings*, 32(3), 245–249. [https://doi.org/10.1016/S0378-7788\(00\)00050-5](https://doi.org/10.1016/S0378-7788(00)00050-5)
- Kobayashi, T., Sandberg, M., Kotani, H., & Claesson, L. (2010). Experimental investigation and CFD analysis of cross-ventilated flow through single room detached house model. *Building and Environment*, 45(12), 2723–2734. <https://doi.org/10.1016/J.BUILDENV.2010.06.001>
- Lechner, N. (2015). HEATING, COOLING, LIGHTING. In *John Wiley & Sons, Inc., Hoboken, New Jersey* (fourth edi). John Wiley & Sons, Inc., Hoboken, New Jersey. http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI
- Li, Q., Zhang, L., Zhang, L., & Wu, X. (2021). Optimizing energy efficiency and thermal comfort in building green retrofit. *Energy*, 237, 121509. <https://doi.org/10.1016/J.ENERGY.2021.121509>
- Li, Y., Delsante, A., & Symons, J. (2000). Prediction of natural ventilation in buildings with large openings. *Building and Environment*, 35(3), 191–206. [https://doi.org/10.1016/S0360-1323\(99\)00011-6](https://doi.org/10.1016/S0360-1323(99)00011-6)
- Liu, S., & Huang, C. (2016). Optimization of natural ventilation of “yinzi” dwellings in western hunan based on orthogonal experiment and CFD. *Buildings*, 6(3). <https://doi.org/10.3390/buildings6030025>
- Liu, T., Wang, J., Zhou, D., Meng, X., Luo, X., & Wang, Y. (2024). Research on Optimization Design Strategies for Natural Ventilation in Living Units of Institutional Elderly Care Facilities Based on *Computational Fluid Dynamics* Simulation. *Buildings*, 14(6). <https://doi.org/10.3390/buildings14061648>

- Maher, D., Hana, A., Arjmand, J. T., Issakhov, A., Sammouda, H., Sheremet, M., & Sharma, S. (2021). Effect of *inlet/outlet* on thermal performance of naturally ventilated building. *International Journal of Low-Carbon Technologies*, 16(4), 1348–1362. <https://doi.org/10.1093/ijlct/ctab055>
- Marzouk, M., El-Maraghy, M., El-Shihy, A., & Metawie, M. (2024). Evaluating energy retrofit strategies in enhancing operational performance of mosques: A case study of Al-Imam Al-Hussein Mosque. *Cleaner Energy Systems*, 9, 100144. <https://doi.org/10.1016/J.CLES.2024.100144>
- Mendes, M. de A., Da Silva, I., Ramires, V., Reichert, F., Martins, R., Ferreira, R., & Tomasi, E. (2018). Metabolic equivalent of task (METs) thresholds as an indicator of physical activity intensity. *PloS One*, 13(7), e0200701.
- Meroney, R. (2009). CFD Prediction of airflow in buildings for natural ventilation. *Proceedings of the 11th Americas Conference on Wind Engineering*, 1–11.
- Moey, L. K., Sing, Y. H., Tai, V. C., Go, T. F., & Ng, J. Y. (2022). Numerical investigation of *inlet* opening size on wind-driven cross ventilation. *Journal of Mechanical Engineering and Sciences*, 16(1), 8662–8672. <https://doi.org/10.15282/jmes.16.1.2022.02.0685>
- Moey, L. K., Wan, K. S., Tai, V. C., Go, T. F., & Chong, P. L. (2023). Effect of Roof Design Configurations on Natural Ventilation with an Obstacle Inside the Building Model. *International Journal of Integrated Engineering*, 15(7), 11–23. <https://doi.org/10.30880/IJIE.2023.15.07.002>
- Mohamed, M. F., King, S., Behnia, M., & Prasad, D. (2013). Coupled outdoor and indoor airflow prediction for buildings using *Computational Fluid Dynamics* (CFD). *Buildings*, 3(2), 399–421. <https://doi.org/10.3390/buildings3020399>
- Moore, G. A. (2011). *Escape Velocity: Free Your Company's Future from the Pull of the Past*. Harper Collins. https://books.google.co.id/books/about/Escape_Velocity.html?id=_J1dMitdeHwC&redir_esc=y
- Mughal, M. O., Kubilay, A., Fatichi, S., Meili, N., Carmeliet, J., Edwards, P., & Burlando, P. (2021). Detailed investigation of vegetation effects on microclimate by means of *Computational Fluid Dynamics* (CFD) in a tropical urban environment. *Urban Climate*, 39, 100939.
- Naldzhiev, D., Mumovic, D., & Strlic, M. (2020). Polyurethane insulation and household products—A systematic review of their impact on indoor environmental quality. *Building and Environment*, 169, 106559.
- Nawayai, S. S. B. M., & Denan, Z. B. (2023). Indoor Thermal Comfort: The Case of Masjid Tuanku Mizan Zainal Abidin (Putrajaya, Malaysia). *Advances in Science, Technology and Innovation*, June, 73–83. https://doi.org/10.1007/978-3-031-24751-4_9
- Novita, R., Sari, L., & Ariatsyah, A. (2023). An Appraisal of Indoor Thermal Comfort in a Naturally Ventilated Modified Old Mosque in Banda Aceh, Indonesia. *Journal of Islamic Architecture*, 7, 364–370. <https://doi.org/10.18860/jia.v7i3.17131>
- Novita, R. T., Sari, L. H., & Ariatsyah, A. (2023). an Appraisal of Indoor Thermal Comfort in a Naturally-Ventilated Modified Old Mosque in Banda Aceh, Indonesia. *Journal of Islamic Architecture*, 7(3), 364–370. <https://doi.org/10.18860/JIA.V7I3.17131>

- Pasmah, C. (2020). Faktor-Faktor Yang Mempengaruhi Rendahnya Minat Masyarakat Melaksanakan Shalat Berjamaah (Studi Kasus Pada Jamaah Masjid Al-Mannar, Bengkulu Selatan). *Ta'lim*, 2(2), 59–74. <https://doi.org/10.36269/tlm.v2i2.203>
- Patankar, S. V., & Spalding, D. B. (1972). A calculation procedure for heat, mass and momentum transfer in three-dimensional parabolic flows. *International Journal of Heat and Mass Transfer*, 15(10), 1787–1806. [https://doi.org/10.1016/0017-9310\(72\)90054-3](https://doi.org/10.1016/0017-9310(72)90054-3)
- Pathirana, S., Rodrigo, A., & Halwatura, R. (2019). Effect of building shape, orientation, window to wall ratios and zones on energy efficiency and thermal comfort of naturally ventilated houses in tropical climate. *International Journal of Energy and Environmental Engineering*, 10(1), 107–120. <https://doi.org/10.1007/s40095-018-0295-3>
- Perén, J. I., van Hooff, T., Leite, B. C. C., & Blocken, B. (2015a). CFD analysis of cross-ventilation of a generic isolated building with asymmetric opening positions: Impact of roof angle and opening location. *Building and Environment*, 85, 263–276. <https://doi.org/10.1016/j.buildenv.2014.12.007>
- Perén, J. I., van Hooff, T., Leite, B. C. C., & Blocken, B. (2015b). CFD analysis of cross-ventilation of a generic isolated building with asymmetric opening positions: Impact of roof angle and opening location. *Building and Environment*, 85, 263–276. <https://doi.org/10.1016/J.BUILDENV.2014.12.007>
- Putri, E., Yolanda, N., & Munir, R. (2022). Analysis of Air Changes per Hour on Ventilation of Laboratory in a Tropical Rain forests Area. *Jurnal Inotera*, 7(2), 96–102. <https://doi.org/10.31572/inotera.vol7.iss2.2022.id171>
- Qataya, R. S., Mohamed, M. A., Alshanwany, H., & Sabour, S. (2024). Optimizing courtyard orientation for wind-driven ventilation in hot-arid climates: a case study from Egypt. *Eqa*, 63(August), 26–40. <https://doi.org/10.6092/issn.2281-4485/20043>
- Rahim, M., & Marasabessy, F. (2019). Evaluation of natural ventilation characteristics on the Sultanate of Ternate Mosque. *IOP Conference Series: Materials Science and Engineering*, 506(1), 12035.
- Rahman, A., Qorib, M., & Zuliana, Z. (2023). Pelatihan Tahsin Bacaan Sholat Dalam Meningkatkan Kualitas Bacaan Sholat Melalui Metode Muqotha'Ah Pada Ibu-Ibu Aisyiyah Ranting Puji Mulio. *JMM (Jurnal Masyarakat Mandiri)*, 7(6), 6158. <https://doi.org/10.31764/jmm.v7i6.17846>
- Rahmawati, N. (2016). *Kenyamanan Ruang Dalam Masjid Dan Pembentukan Generasi Islam Kenyamanan Ruang Dalam Masjid Dan Pembentukan Generasi Islam*. October 2013.
- Ramponi, R., & Blocken, B. (2012). CFD simulation of cross-ventilation for a generic isolated building: Impact of computational parameters. *Building and Environment*, 53, 34–48.
- Reda, I., AbdelMessih, R. N., Steit, M., & Mina, E. M. (2022). Experimental assessment of thermal comfort and indoor air quality in worship places: The influence of occupancy level and period. *International Journal of Thermal Sciences*, 179, 107686. <https://doi.org/10.1016/J.IJTHERMALSCI.2022.107686>

- Ridzqo, I. F., Rochimah, E., & Soedarno, J. (2021). Quantifying Window Effectiveness To Affect Wind Velocity By Experimental Study. *Sinergi*, 25(2), 127. <https://doi.org/10.22441/sinergi.2021.2.003>
- Rijal, S. (2009). Friday prayer and an Indonesian Islamic identity in Canberra, Australia. *Journal of Indonesian Islam*, 3(1), 148–167.
- Rizki, I., & Zulaikha, S. (2022). the Role of Mosques in Community Economic Recovery During the Covid-19 Pandemic. *Jurnal Ekonomi Dan Bisnis Airlangga*, 32(1), 54–69. <https://doi.org/10.20473/jeba.v32i12022.54-69>
- Sacht, H., & Lukiantchuki, M. A. (2017). Windows Size and the Performance of Natural Ventilation. *Procedia Engineering*, 196, 972–979. <https://doi.org/10.1016/J.PROENG.2017.08.038>
- Safitra, A. G., Diana, L., Pratilastiarso, J., & Hidayat, N. (2024). *Numerical study the effect of inlet and outlet ventilation configurations for passive cooling air conditioning system*. <https://doi.org/10.31284/j.jmesi.2024.v4i2.6659>
- Santamouris, M. (2017). Passive cooling of buildings. In *Advances in Solar Energy: Volume 16* (pp. 295–344). Routledge.
- Sayed Hassan Abdallah, A. (2023). Improved energy consumption and smart eco system for mosques in hot arid climates. *Ain Shams Engineering Journal*, 14(7), 101997. <https://doi.org/10.1016/J.ASEJ.2022.101997>
- Schlichting, H., & Gersten, K. (2016). *Boundary-layer theory*. springer.
- Shi, J., Zhao, C., & Liu, Y. (2023). CFD Analysis of Building Cross-Ventilation with Different Angled Gable Roofs and Opening Locations. In *Buildings* (Vol. 13, Issue 11). <https://doi.org/10.3390/buildings13112716>
- Shirzadi, M., Tominaga, Y., & Mirzaei, P. A. (2020). Experimental study on cross-ventilation of a generic building in highly-dense urban areas: Impact of planar area density and wind direction. *Journal of Wind Engineering and Industrial Aerodynamics*, 196(September 2019), 104030. <https://doi.org/10.1016/j.jweia.2019.104030>
- Song, B., Bai, L., & Yang, L. (2022). Analysis of the long-term effects of solar radiation on the indoor thermal comfort in office buildings. *Energy*, 247, 123499. <https://doi.org/10.1016/J.ENERGY.2022.123499>
- Standard, A. A., & Environmental, T. (2022). *Standard 55-2020*. 20037.
- Sudirman, M., Gillmeier, S., van Hooff, T., & Blocken, B. (2024). Wind tunnel measurements of cross-ventilation flow in a realistic building geometry: Influence of building partitions and wind direction. *Journal of Wind Engineering and Industrial Aerodynamics*, 254(October), 105907. <https://doi.org/10.1016/j.jweia.2024.105907>
- Sudirman, M., van Hooff, T., Gillmeier, S., & Blocken, B. (2025). Validation study of cross-ventilation in a realistic building geometry: RANS, SAS and LES. *Building and Environment*, 269, 112354. <https://doi.org/10.1016/J.BUILDENV.2024.112354>
- Sumalyo, Y. (2000). *Arsitektur Masjid dan Monumen Sejarah Islam*. Yogyakarta, Indonesia: Gadjah Mada University Press.
- Syamsiyah, N. R., & Nur Izzati, H. (2021). Strategi Kenyamanan Termal Masjid Al-Kautsar Kertonatan, Kartasura, Sukoharjo. *Langkau Betang: Jurnal Arsitektur*, 8(2), 98. <https://doi.org/10.26418/lantang.v8i2.45792>
- Szokolay, S. V. (2004). *Introduction to ARCHITECTURAL SCIENCE the basis of sustainable design*. Architectural Press.

- Taqwim S, M. A., Hardiman, G., & Budi, W. S. (2020). Kondisi Thermal Masjid Al-Fairus Pekalongan. *Arsitektura*, 18(1), 27. <https://doi.org/10.20961/arst.v18i1.31418>
- Taufan, A., Zaki, S. A., Tuck, N. W., & Rijal, H. B. (2025). Thermal comfort and ventilation performance in an air- conditioned mosque in tropical climates of Malaysia. *Advances in Building Energy Research*, 19(2), 199–240. <https://doi.org/10.1080/17512549.2025.2451347>
- Tominaga, Y., Mochida, A., Yoshie, R., Kataoka, H., Nozu, T., Yoshikawa, M., & Shirasawa, T. (2008). AIJ guidelines for practical applications of CFD to pedestrian wind environment around buildings. *Journal of Wind Engineering and Industrial Aerodynamics*, 96(10–11), 1749–1761. <https://doi.org/10.1016/j.jweia.2008.02.058>
- Versteeg, H. K. (2007). *An introduction to Computational Fluid Dynamics the finite volume method*, 2/E. Pearson Education India.
- Wahab, A., Arsyad, S., & Syahrani, R. (2021). Implementation of Sharia Economy as a Model of Community Empowerment Mosque-Based. *Indonesian Interdisciplinary Journal of Sharia Economics (IIJSE)*, 4(1), 168–178. <https://doi.org/10.31538/ijse.v4i1.1426>
- Wang, B., & Malkawi, A. (2019). Design-based natural ventilation evaluation in early stage for high performance buildings. *Sustainable Cities and Society*, 45, 25–37. <https://doi.org/10.1016/J.SCS.2018.11.024>
- Warming, R. F., & Beam, R. M. (1976). Upwind second-order difference schemes and applications in aerodynamic flows. *AIAA Journal*, 14(9), 1241–1249.
- White, F. M. (2011). *Fluid Mechanics*. McGraw Hill. <https://books.google.co.id/books?id=egk8SQAACAAJ>
- WHO. (2009). *WHO guidelines for indoor air quality: dampness and mould*.
- Widiastuti, R., Hasan, M. I., Bramiana, C. N., & Pramesti, P. U. (2020). CFD Simulation on the Natural Ventilation and Building Thermal Performance. *IOP Conference Series: Earth and Environmental Science*, 448(1). <https://doi.org/10.1088/1755-1315/448/1/012004>
- William, R. N., Hariyanto, A. D., & Budhiyanto, A. (2024). The Effect of Inlet-Outlet Position and Ratio on Airflow Patterns and Privacy in Low-Cost Flat Units in Surabaya. *IOP Conference Series: Earth and Environmental Science*, 1301(1). <https://doi.org/10.1088/1755-1315/1301/1/012007>
- Yi, Q., Li, H., Wang, X., Zong, C., & Zhang, G. (2019). Numerical investigation on the effects of building configuration on discharge coefficient for a cross-ventilated dairy building model. *Biosystems Engineering*, 182, 107–122. <https://doi.org/10.1016/J.BIOSYSTEMSENG.2019.04.003>
- Yüksel, A., Arıcı, M., Krajčák, M., Civan, M., & Karabay, H. (2023). Developing a strategy to reduce energy consumption and CO2 emissions from underfloor heating systems in mosques: A case study of a typical neighbourhood mosque. *Energy and Buildings*, 287, 112984. <https://doi.org/10.1016/J.ENBUILD.2023.112984>
- Yüksel, A., Arıcı, M., Krajčák, M., Civan, M., & Karabay, H. (2024). Cooling operation strategies in a typical neighborhood mosque: A Case study on electricity consumption, CO2 emissions, and thermal comfort. *Energy and Buildings*, 310, 114073. <https://doi.org/10.1016/J.ENBUILD.2024.114073>

- Yusoff, W. F. M. (2020). The effects of various opening sizes and configurations to air flow dispersion and velocity in cross-ventilated building. *Jurnal Teknologi*, 82(4), 17–28. <https://doi.org/10.11113/jt.v82.14537>
- Zahid, Q. M., & Chan, A. L. S. (2016). *Pedestrian level wind environment assessment around group of highrise cross-shaped buildings: Effect of building shape, separation and orientation*. January. <http://dx.doi.org/10.1016/j.buildenv.2016.02.015>
- Zai. (2012). Evaluation of Various Turbulence Models in Predicting Airflow and Turbulence in Enclosed Environments by CFD: Part-1. *Ashrae*, 13(6), 1–26.
- Zhang, X., Weerasuriya, A. U., & Tse, K. T. (2020). CFD simulation of natural ventilation of a generic building in various incident wind directions: Comparison of turbulence modelling, evaluation methods, and ventilation mechanisms. *Energy and Buildings*, 229, 110516. <https://doi.org/10.1016/J.ENBUILD.2020.110516>
- Zhang, X., Weerasuriya, A. U., Wang, J., Li, C. Y., Chen, Z., Tse, K. T., & Hang, J. (2022). Cross-ventilation of a generic building with various configurations of external and internal openings. *Building and Environment*, 207, 108447. <https://doi.org/10.1016/J.BUILDENV.2021.108447>
- Zhang, Y., Zhou, X., Zheng, Z., Oladokun, M. O., & Fang, Z. (2020). Experimental investigation into the effects of different metabolic rates of body movement on thermal comfort. *Building and Environment*, 168, 106489. <https://doi.org/10.1016/J.BUILDENV.2019.106489>
- Zhang, Z., Wei, Z., Zhiqiang John, Z., & and Chen, Q. Y. (2007). Evaluation of Various Turbulence Models in Predicting Airflow and Turbulence in Enclosed Environments by CFD: Part 2—Comparison with Experimental Data from Literature. *HVAC&R Research*, 13(6), 871–886. <https://doi.org/10.1080/10789669.2007.10391460>
- Zhong, W., Pan, Y., Xiao, W., & Zhang, T. (2023). Identifying bioclimatic techniques for sustainable low-rise high-density residential units: Comparative analysis on the ventilation performance of vernacular dwellings in China. *Journal of Building Engineering*, 80, 108008. <https://doi.org/10.1016/J.JOBE.2023.108008>
- Zhou, J., Zhang, G., Lin, Y., & Li, Y. (2008). Coupling of thermal mass and natural ventilation in buildings. *Energy and Buildings*, 40(6), 979–986.