

DAFTAR PUSTAKA

- Adhar, S., Barus, T. A., Nababan, E. S. N., & Wahyuningsih, H. (2023). Trophic state index and spatio-temporal analysis of trophic parameters of Laut Tawar Lake. *Aquaculture, Aquarium, Conservation & Legislation Bioflux*, 16(1), 342–355. <http://www.bioflux.com.ro/aac1>
- Agustiningsih, D., Sasongko, S. B., & Sudarno. (2020). Analisis Kualitas Air dan Strategi Pengendalian Pencemaran Air Sungai Blukar Kabupaten Kendal. *Presipitasi*, 6(2), 105–114.
- Amanatullah, D. A. (2023). *Pemetaan Kondisi Status Trofik Danau Singkarat Provinsi Sumatera Barat Menggunakan Citra Sentinel-2 MSI*. Universitas Gadjah Mada.
- Ariyanto, E., Karim, M. A., & Firmansyah, A. (2014). Biobriket Enceng Gondok (*Eichhornia Crassipes*) Sebagai Bahan Bakar Energi Terbarukan. *Reaktor*, 15(1), 59. <https://doi.org/10.14710/reaktor.15.1.59-63>
- Asdak, C. (2007). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Gadjah Mada University Press.
- Awad, M. (2014). Sea water chlorophyll-a estimation using hyperspectral images and supervised Artificial Neural Network. *Ecological Informatics*, 24, 60–68. <https://doi.org/10.1016/j.ecoinf.2014.07.004>
- Bechmann, M. E., Berge, D., Eggestad, H. O., & Vandsemb, S. M. (2005). Phosphorus transfer from agricultural areas and its impact on the eutrophication of lakes - Two long-term integrated studies from Norway. *Journal of Hydrology*, 304(1–4), 238–250. <https://doi.org/10.1016/j.jhydrol.2004.07.032>
- Binding, C. E., Greenberg, T. A., & Bukata, R. P. (2013). The MERIS Maximum Chlorophyll Index; Its Merits and Limitations for Inland Water Algal Bloom Monitoring. *Journal of Great Lakes Research*, 39, 100–107. <https://doi.org/https://doi.org/10.1016/j.jglr.2013.04.005>
- Breiman, L. (2001). *Random Forests* (Vol. 45).
- Brivio, P. A., Giardino, C., & Zilioli, E. (2001). Determination of Chlorophyll Concentration Changes in Lake Garda using an Image-Based Radiative

- Transfer Code for Landsat TM Images. *International Journal of Remote Sensing*, 22(2–3), 487–502. <https://doi.org/10.1080/014311601450059>
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (Fifth Edit). The Guilford Press.
- Cao, Y., Ye, Y., Liang, L., Zhao, H., Jiang, Y., Wang, H., & Yan, D. (2020). Remote sensing retrieval of chlorophyll- α in inland waters based on ensemble modeling: a case study on Panjiakou and Daheiting reservoirs. *Journal of Applied Remote Sensing*, 14(02), 1. <https://doi.org/10.1117/1.jrs.14.024503>
- Carlson, R. E. (1977). A trophic state index for lakes. *Limnology and Oceanography*, 22(2), 361–369. <https://doi.org/10.4319/lo.1977.22.2.0361>
- Carlson, R., & Simpson, J. (1996). *A Coordinator's Guide to Volunteer Lake Monitoring Methods*.
- Chan, J. C.-W., & Paelinckx, D. (2008). Evaluation of Random Forest and Adaboost tree-based ensemble classification and spectral band selection for ecotope mapping using airborne hyperspectral imagery. *Remote Sensing of Environment*, 112(6), 2999–3011. <https://doi.org/https://doi.org/10.1016/j.rse.2008.02.011>
- Cheng, X., Huang, Y., Li, R., Pu, X., Huang, W., & Yuan, X. (2020). Impacts of Water Temperature on Phosphorus Release of Sediments Under Flowing Overlying Water. *Journal of Contaminant Hydrology*, 235, 103717. <https://doi.org/https://doi.org/10.1016/j.jconhyd.2020.103717>
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation. *PeerJ Computer Science*, 7, 1–24. <https://doi.org/10.7717/PEERJ-CS.623>
- Chowdhury, M. S. (2024). Comparison of Accuracy and Reliability of Random Forest, Support Vector Machine, Artificial Neural Network and Maximum Likelihood Method in Land Use/Cover Classification of Urban Setting.

- Environmental Challenges*, 14.
<https://doi.org/10.1016/j.envc.2023.100800>
- Cole, G. A. (1988). *Textbook of Limnology* (3rd ed.). Waveland Press Inc.
- Cook, C. (1996). *Aquatic and Wetland Plants of India: A reference book and identification manual for the vascular plants found in permanent or seasonal fresh water in the subcontinent of India South of the Himalayas*. Oxford University Press.
- Cooley, S. W., Smith, L. C., Stepan, L., & Mascaro, J. (2017). Tracking Dynamic Northern Surface Water Changes with High-Frequency Planet CubeSat Imagery. *Remote Sensing*, 9(12).
<https://doi.org/10.3390/rs9121306>
- Daily, G. C. (1997). Nature's services: Societal dependence on natural ecosystems. *Pacific Conservation Biology*, January, 454–461.
<https://doi.org/10.1071/pc000274>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital* (B. R. W, Ed.). Penerbit ANDI.
- Darajati, W., Pratiwi, S., Herwinda, E., Radiansyah, A. D., Nalang, V. S., Nooryanto, B., Rahajoe, J. S., Ubaidillah, R., Maryanto, I., Kurniawan, R., Prasetyo, T. A., Rahim, A., Jefferson, J., & Hakim, F. (2016). Indonesia Biodiversity Strategi and Action Plan 2015-2020. Dalam *Kementrian Perencanaan Pembangunan Nasional/ BAPPENAS*. Kementerian Perencanaan Pembangunan Nasional.
- Dewi, N. K., Dyah Syafitri, U., & Mulyadi, S. Y. (2011). Penerapan Metode Random Forest dalam Driver Analysis (The Application of Random Forest in Driver Analysis). *Forum Statistika dan Komputasi*, 16(1), 35–43.
- Direktorat Pengendalian Kerusakan Perairan Darat. (2019). Rencana Pengelolaan Danau Kaskade Mahakam. Dalam *Kementrian Lingkungan Hidup dan Kehutanan*. Kementerian Lingkungan Hidup dan Kehutanan.
<https://doi.org/10.1088/1751-8113/44/8/085201>

- Elsa, R. (2025). *Pengaruh Parameter Meteorologi Terhadap Status Trofik dan Spesies Nitrogen Danau Maninjau*. Universitas Andalas.
- Endah, N. H., & Nadjib, M. (2017). Pemanfaatan dan Peran Komunitas Lokal dalam Pelestarian Danau Maninjau. *Jurnal Ekonomi dan Pembangunan*, 25(1), 55–67.
- ESA. (2015). *Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services*. ESA Communications Production.
- European Space Agency. (2025, Juli 25). *S2 Products: MSI Products Overview*. [https://sentiwiki.copernicus.eu/web/s2-products-MSIProductsOverview](https://sentiwiki.copernicus.eu/web/s2-products#S2Products-MSIProductsOverview). <https://sentiwiki.copernicus.eu/web/s2-products>
- Fu, P., Li, X., Zhang, J., Ma, C., Wang, Y., & Meng, F. (2024). Remote Sensing Inversion on Heavy Metal Content in Salinized Soil of Yellow River Delta Based on Random Forest Regression—a Case Study of Gudao Town. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-62087-y>
- Garg, V., Aggarwal, S. P., & Chauhan, P. (2020). Changes in Turbidity along Ganga River using Sentinel-2 Satellite Data during Lockdown Associated with COVID-19. *Geomatics, Natural Hazards and Risk*, 11(1), 1175–1195. <https://doi.org/10.1080/19475705.2020.1782482>
- Gatti, A., & Bertolini, A. (2015). Sentinel-2 Products Specification. Dalam *Thales Alenia Space*. Thales Alenia Space.
- Gower, J., King, S., & Goncalves, P. (2008). Global monitoring of plankton blooms using MERIS MCI. *International Journal of Remote Sensing*, 29(21), 6209–6216. <https://doi.org/10.1080/01431160802178110>
- Graupe, D. (2007). Principles of Artificial Neural Networks. Dalam *World Scientific Publishing Co. Pte. Ltd* (2nd Editio). World Scientific Publishing Co. Pte. Ltd. https://doi.org/10.1142/9789813146464_fmatter
- Gumelar, O. (2015). Teknik Resampling Citra Satelit. *Prosiding Pertemuan Ilmiah Tahunan XX dan Kongres VI Masyarakat Ahli Penginderaan Jauh Indonesia (MAPIN)*, 650–663.
- Guo, L., Chehata, N., Mallet, C., & Boukir, S. (2011). Relevance of airborne lidar and multispectral image data for urban scene classification using

- Random Forests. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(1), 56–66. <https://doi.org/10.1016/j.isprsjprs.2010.08.007>
- Harlina. (2021). *Limnologi - Kajian Menyeluruh Mengenai Perairan Darat*. 8.
- Hasim. (2017). Model Pengelolaan Danau - Sebuah Kajian Transdisipliner. Dalam *Ideas Publishing*. Ideas Publishing.
- Iqbal, M. M., Rashid, T., Hussain, S., Nadeem, M. U., Waqas, M. S., Amin, M., & Anjum, M. N. (2023). Eutrophic Status Assessment Based on Very High-Resolution Satellite Imagery in the Coastline Environment of Korea. *Pollutants*, 3(1), 59–73. <https://doi.org/10.3390/pollutants3010006>
- Islam, K. I., Elias, E., Carroll, K. C., & Brown, C. (2023). Exploring Random Forest Machine Learning and Remote Sensing Data for Streamflow Prediction: An Alternative Approach to a Process-Based Hydrologic Modeling in a Snowmelt-Driven Watershed. *Remote Sensing*, 15(16). <https://doi.org/10.3390/rs15163999>
- Jayadi, I. F., Linda, R., & Setyawati, T. R. (2017). Struktur Komunitas Makrofitakuatik di Sungai Embau Kecamatan Hulu Gurung Kabupaten Kapuas Hulu. *Jurnal Protobiont*, 6(2), 51–62.
- J.B. Campbell. (2002). *Introduction to Remote Sensing* (3rd Edition). Guildford Press.
- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective 4th Edition* (4th ed.). Pearson Education.
- Jiang, N., Wang, J., & Mu, Y. (2015). Quantum Image Scaling Up Based on Nearest-Neighbor Interpolation with Integer Scaling Ratio. *Quantum Information Processing*, 14(11), 4001–4026. <https://doi.org/10.1007/s11128-015-1099-5>
- Kartawinata, K. (2013). *Diversitas Ekosistem Alami Indonesia Ungkapan Singkat dengan Sajian Foto dan Gambar*. LIPI Press dan Yayasan Pustaka Obor Indonesia.
- Kementerian Lingkungan Hidup dan Kehutanan. (2018). *Pedoman Penyusunan Rencana Pengelolaan Danau*. 68.

- Klippel, G., Macêdo, R. L., & Branco, C. W. C. (2020). Comparison of different trophic state indices applied to tropical reservoirs. *Lakes and Reservoirs: Science, Policy and Management for Sustainable Use*, 25(2), 214–229. <https://doi.org/10.1111/lre.12320>
- Kosten, S., Lacerot, G., Jeppesen, E., Da Motta Marques, D., Van Nes, E. H., Mazzeo, N., & Scheffer, M. (2009). Effects of Submerged Vegetation on Water Clarity Across Climates. *Ecosystems*, 12(7), 1117–1129. <https://doi.org/10.1007/s10021-009-9277-x>
- Kulkarni, V. Y., & Sinha, P. K. S. (2024). Effective Learning and Classification using Random Forest Algorithm. *International Journal of Engineering and Innovative Technology (IJEIT)*, 3(11), 267–273.
- Kutser, T., Hedley, J., Giardino, C., Roelfsema, C., & Brando, V. E. (2020). Remote sensing of shallow waters – A 50-year retrospective and future directions. *Remote Sensing of Environment*, 240(December 2019), 111619. <https://doi.org/10.1016/j.rse.2019.111619>
- Laksitaningrum, K. W., Widyatmanti, W., & Gunawan, T. (2017). Aplikasi Citra Landsat 8 OLI untuk Identifikasi Status Trofik Waduk Gajah Mungkur Wonogiri, Jawa Tengah. *Majalah Ilmiah Globe*, 9(2), 113–122.
- Li, S., Chen, F., Song, K., Liu, G., Tao, H., Xu, S., Wang, X., Wang, Q., & Mu, G. (2022a). Mapping the trophic state index of eastern lakes in China using an empirical model and Sentinel-2 imagery data. *Journal of Hydrology*, 608(February), 127613. <https://doi.org/10.1016/j.jhydrol.2022.127613>
- Li, S., Chen, F., Song, K., Liu, G., Tao, H., Xu, S., Wang, X., Wang, Q., & Mu, G. (2022b). Mapping the trophic state index of eastern lakes in China using an empirical model and Sentinel-2 imagery data. *Journal of Hydrology*, 608(February), 127613. <https://doi.org/10.1016/j.jhydrol.2022.127613>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). Remote Sensing and Image Interpretation. Dalam *Australian Journal of Geodesy, Photogrammetry & Surveying* (Seventh Ed). Wiley.

- Liu, N., Hu, Y., & Ai, X. (2019). Research on Power Load Forecasting Based on Random Forest Regression. *IOP Conference Series: Earth and Environmental Science*, 252(3). <https://doi.org/10.1088/1755-1315/252/3/032171>
- Louis, J., Debaecker, V., Pflug, B., Main-Knorn, M., Bieniarz, J., Mueller-Wilm, U., Cadau, E., & Gascon, F. (2016). Sentinel-2 SEN2COR: L2A processor for users. *European Space Agency, (Special Publication) ESA SP, SP-740*(May), 9–13.
- Lukiawan, R., Purwanto, E. H., & Ayundyahrini, M. (2019). Standar Koreksi Geometrik Citra Satelit Resolusi Menengah Dan Kebutuhan Manfaat Bagi Pengguna. *Jurnal Standardisasi*, 21(1), 45. <https://doi.org/10.31153/js.v21i1.735>
- Lutfhi, W. (2020, September 2). Data Danau Diperbarui, Kini Ada 5.807 Danau yang Tersebar di Indonesia. *goodnewsfromindonesia.id*.
- Mahmud, S. L., & Achmad, N. (2020). Analisis Dinamik Model Pendangkalan Danau Limboto Dengan Pembersihan Eceng Gondok Dan Pengerukan Endapan. *BAREKENG: Jurnal Ilmu Matematika dan Terapan*, 14(4), 597–608. <https://doi.org/10.30598/barekengvol14iss4pp597-608>
- Maletic, J. I., & Marcus, A. (2000). Data Cleansing: Beyond Integrity Analysis. Dalam B. D. Klein & D. F. Rossin (Ed.), *Proceedings of the Fifth Conference on Information Quality* (hlm. 200–209). MIT.
- Mather, P. M., & Koch, M. (2011). Computer Processing of Remotely Sensed Images - An Introduction. Dalam *John Wiley & Sons* (4th ed., Vol. 71, Nomor 2). John Wiley & Sons. <https://doi.org/10.1227/00006123-197707000-00015>
- McFeeters, S. K. (1996). The Use of The Normalized Difference Water Index (NDWI) in The Delineation of Open Water Features. *International Journal of Remote Sensing*, 17(7), 1425–1432. <https://doi.org/10.1080/01431169608948714>
- Melani, W. R., Apriadi, T., Lestari, F., Saputra, Y. O., Hasan, A., Mawaddah, M. A. R., & Fatmayanti, N. (2020). Keanekaragaman Makrofit dan

- Fitoplankton di Waduk Gesek, Pulau Bintan, Kepulauan Riau. *Limnotek : perairan darat tropis di Indonesia*, 27(1), 1–12.
<https://doi.org/10.14203/limnotek.v27i1.260>
- Meng, D., Mao, J., Li, W., Zhu, S., & Gao, H. (2023). An Integrated Framework for Remote Sensing Assessment of the Trophic State of Large Lakes. *Remote Sensing*, 15(17). <https://doi.org/10.3390/rs15174238>
- Mishra, S., & Mishra, D. R. (2012). Normalized Difference Chlorophyll Index: A Novel Model for Remote Estimation of Chlorophyll-a Concentration in Turbid Productive Waters. *Remote Sensing of Environment*, 117, 394–406.
<https://doi.org/10.1016/j.rse.2011.10.016>
- Mislan, Hendra, M., Lariman, Trimurti, S., Anwar, Y., Rahman, N., Iskandar, A., Pratama, A., & Aprianti, D. A. (2022). *Laporan Studi Keanekaragaman Hayati di Danau Kaskakde Mahakam Tahun 2022*.
- Mislan, M., & Anwar, Y. (2020). Problems and restoration of cascade Mahakam Lakes in the climate change perspective. *IOP Conference Series: Earth and Environmental Science*, 535(1).
<https://doi.org/10.1088/1755-1315/535/1/012003>
- Mukonza, S. S., & Chiang, J. L. (2024). Machine and deep learning-based trophic state classification of national freshwater reservoirs in Taiwan using Sentinel-2 data. *Physics and Chemistry of the Earth*, 134(December 2023), 103541. <https://doi.org/10.1016/j.pce.2023.103541>
- Musfiroh, Z., Ridwansyah, I., & Murti, S. H. (2020). The application of PlanetScope imagery to map out the trophic state of Cirata Reservoir, West Java. *IOP Conference Series: Earth and Environmental Science*, 535(1). <https://doi.org/10.1088/1755-1315/535/1/012032>
- Muthmainnah, D., & Fatah, K. (2021). Keberlanjutan Kegiatan Perikanan Darat Nelayan Skala Kecil Selama Masa Pandemi Covid-19 dan Mendatang (Studi Kasus di Danau Semayang, Kalimantan Timur). *Seminar Nasional Lahan Suboptimal*, 9(1), 114–124.
- Nakayama, T., & Watanabe, M. (2010). Missing Role of Groundwater in Water and Nutrient Cycles in The Shallow Eutrophic Lake Kasumigaura, Japan.

- Hydrological Processes*, 2274(November 2008), 2267–2274.
<https://doi.org/10.1002/hyp>
- Nuryadi, Astuti, T. D., Utami, E. S., & Budiantara, M. (2017). Buku Ajar Dasar-dasar Statistik Penelitian. Dalam *Sibuku Media*. Sibuku Media.
- O’Sullivan, P. E., & Reynolds, C. S. (2003). The Lakes Handbook. Dalam *Blackwell Publishing* (Vol. 1). Blackwell Publishing.
- Pahlevan, N., Sarkar, S., Franz, B. A., Balasubramanian, S. V., & He, J. (2017). Sentinel-2 MultiSpectral Instrument (MSI) Data Processing for Aquatic Science Applications: Demonstrations and Validations. *Remote Sensing of Environment*, 201, 47–56. <https://doi.org/10.1016/j.rse.2017.08.033>
- Pahlevan, N., Smith, B., Schalles, J., Binding, C., Cao, Z., Ma, R., Alikas, K., Kangro, K., Gurlin, D., Hà, N., Matsushita, B., Moses, W., Greb, S., Lehmann, M. K., Ondrusek, M., Oppelt, N., & Stumpf, R. (2020). Seamless retrievals of chlorophyll-a from Sentinel-2 (MSI) and Sentinel-3 (OLCI) in inland and coastal waters: A machine-learning approach. *Remote Sensing of Environment*, 240(February), 111604. <https://doi.org/10.1016/j.rse.2019.111604>
- Peppas, M., Vasilakos, C., & Kavrouidakis, D. (2020). Eutrophication monitoring for Lake Pamvotis, Greece, using sentinel-2 data. *ISPRS International Journal of Geo-Information*, 9(3). <https://doi.org/10.3390/ijgi9030143>
- Peraturan Presiden (PERPRES) Nomor 60 Tahun 2021 tentang Penyelamatan Danau Prioritas Nasional, Pub. L. No. 60 (2021).
- Permatasari, P. A., & Koestoer, R. H. T. S. (2022). Pengelolaan sempadan danau di kawasan pertanian: ulasan bandingan Polandia, Tiongkok dan Indonesia. *Jurnal Pengelolaan Lingkungan Berkelanjutan (Journal of Environmental Sustainability Management)*, 6(3), 139–158. <https://doi.org/10.36813/jplb.6.3.139-158>
- Priadi, T., & Sudaryatno. (2016). *Identifikasi Status Trofik Perairan Menggunakan Data Penginderaan Jauh Citra Landsat-8 OLI*

(Operationa Land Imager) di Waduk Sutami (Karangkates) Jawa Timur.
1–23.

- Priyadi, T., & Sudaryatno. (2014). Identifikasi Status Trofik Perairan Menggunakan Data Penginderaan Jauh Citra Landsat-8 Oli (Operational Land Imager) Di Waduk Sutami (Karangkates) Jawa Timur. *Jurnal Bumi Indonesia*, 1–8.
- Ren, J., Zheng, Z., Li, Y., Lv, G., Wang, Q., Lyu, H., Huang, C., Liu, G., Du, C., Mu, M., Lei, S., & Bi, S. (2018). Remote observation of water clarity patterns in Three Gorges Reservoir and Dongting Lake of China and their probable linkage to the Three Gorges Dam based on Landsat 8 imagery. *Science of the Total Environment*, 625, 1554–1566. <https://doi.org/10.1016/j.scitotenv.2018.01.036>
- Rivani, A., & Wicaksono, P. (2018). Water Trophic Status Mapping of Tectonic Volcanic Maninjau Lake during Algae Bloom using Landsat 8 OLI Satellite Imagery. *ICARES 2018 - Proceedings of the 2018 IEEE International Conference on Aerospace Electronics and Remote Sensing Technology*, 127–133. <https://doi.org/10.1109/ICARES.2018.8547055>
- Rodrigues, G., Potes, M., Costa, M. J., Novais, M. H., Penha, A. M., Salgado, R., & Morais, M. M. (2020). Temporal and Spatial Variations of Secchi Depth and Diffuse Attenuation Coefficient from Sentinel-2 MSI Over a Large reservoir. *Remote Sensing*, 12(5). <https://doi.org/10.3390/rs12050768>
- Sabrina, R. N. F., & Sudaryatno, S. (2021). Multitemporal Analysis for Trophic State Mapping in Batur Lake at Bali Province Based on High-Resolution PlanetScope Imagery. *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 17(2), 149. <https://doi.org/10.30536/j.ijreses.2020.v17.a3381>
- Salama, M. S., Spaias, L., Poser, K., Peters, S., & Laanen, M. (2021). Validation of Sentinel-2 (MSI) and Sentinel-3 (OLCI) Water Quality Products in Turbid Estuaries Using Fixed Monitoring Stations. *Frontiers in Remote Sensing*, 2. <https://doi.org/10.3389/frsen.2021.808287>

- Santoso, S. (2016). *Statistik Parametrik: Konsep dan Aplikasi dengan SPSS*. Media Komputindo.
- Schallenberg, M., De Winton, M. D., Verburg, P., Kelly, D. J., Hamill, K. D., & Hamilton, D. P. (2013). Ecosystem Services of Lakes. *Ecosystem services in New Zealand - Conditions and trends*, 203–225.
- Shaw, B., Mechenich, C., & Klessig, L. (2004). *Understanding Lake Data*. Cooperative Extension Publishing Operation.
- Shi, K., Zhang, Y., Song, K., Liu, M., Zhou, Y., Zhang, Y., Li, Y., Zhu, G., & Qin, B. (2019). A semi-analytical approach for remote sensing of trophic state in inland waters: Bio-optical mechanism and application. *Remote Sensing of Environment*, 232(September 2018), 111349. <https://doi.org/10.1016/j.rse.2019.111349>
- Shi, X., Qiu, Z., Hu, Y., Zhao, D., Zhao, A., Lin, H., Zhan, Y., Wang, Y., & Zhang, Y. (2024). Monitoring the Water Quality Distribution Characteristics in the Huaihe River Basin Based on the Sentinel-2 Satellite. *Water (Switzerland)*, 16(6). <https://doi.org/10.3390/w16060860>
- Singh, R., Saritha, V., & Pande, C. B. (2024). Monitoring of Wetland Turbidity using Multi-Temporal Landsat-8 and Landsat-9 Satellite Imagery in the Bisalpur Wetland, Rajasthan, India. *Environmental Research*, 241. <https://doi.org/10.1016/j.envres.2023.117638>
- Smith, M. E., Lemley, D. A., Whitfield, E., & Adams, J. B. (2024). Evaluation of Sentinel-2 for Water Quality Monitoring in A Eutrophic Estuary in South Africa. *Remote Sensing Applications: Society and Environment*. <https://ssrn.com/abstract=4819372>
- Song, K., Wang, Q., Liu, G., Jacinthe, P. A., Li, S., Tao, H., Du, Y., Wen, Z., Wang, X., Guo, W., Wang, Z., Shi, K., Du, J., Shang, Y., Lyu, L., Hou, J., Zhang, B., Cheng, S., Lyu, Y., & Fei, L. (2022). A Unified Model for High Resolution Mapping of Global Lake (>1 ha) Clarity using Landsat imagery data. *Science of the Total Environment*, 810. <https://doi.org/10.1016/j.scitotenv.2021.151188>

- Steele, J. H. (1962). Environmental Control of Photosynthesis in The Sea. *Limnology and Oceanography*, 363–382. https://doi.org/10.1007/978-3-319-97625-9_18
- Sugiyono. (2011). *Metode Penelitian Administrasi*. Alfabeta.
- Suliman, A., & Zhang, Y. (2015). A Review on Back-Propagation Neural Networks in the Application of Remote Sensing Image Classification. *Journal of Earth Science and Engineering*, 5, 52–65. <https://doi.org/10.17265/2159-581X/2015>
- Swain, P. H., & Davis, S. M. (1978). *Remote Sensing - The Quantitative Approach*. McGraw-Hill.
- Tilahun, A. B., Dürr, H. H., Schweden, K., & Flörke, M. (2024). Perspectives on Total Phosphorus Response in Rivers: Examining the Influence of Rainfall Extremes and Post-dry Rainfall. *Science of The Total Environment*, 940, 173677. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2024.173677>
- van der Woerd, H. J., & Wernand, M. R. (2015). True colour classification of natural waters with medium-spectral resolution satellites: SeaWiFS, MODIS, MERIS and OLCI. *Sensors (Switzerland)*, 15(10), 25663–25680. <https://doi.org/10.3390/s151025663>
- Vanhellemont, Q., & Ruddick, K. (2015, Juni). Assessment of Sentinel-3/OLCI Sub-Pixel Variability and Platform Impact using Landsat-8/OLI. *Proceedings of the Sentinel-3 for Science Workshop*.
- Vinçon-Leite, B., & Casenave, C. (2019). Modelling eutrophication in lake ecosystems: A review. *Science of the Total Environment*, 651, 2985–3001. <https://doi.org/10.1016/j.scitotenv.2018.09.320>
- Wahyuning, S. (2021). Dasar-dasar Statistik. Dalam I. A. Dianta (Ed.), *2019 5th International Conference on Advanced Computing & Communication Systems (ICACCS)*. IEEE. Yayasan Prima Agus Teknik.
- Waite, T. D. (1984). *Principle of Water Quality*. Academic Press Inc.
- Wang, L., Han, Y., Yu, H., Fan, S., & Liu, C. (2019). Submerged Vegetation and Water Quality Degeneration from Serious Flooding in Liangzi Lake,

- China. *Frontiers in Plant Science*, 10.
<https://doi.org/10.3389/fpls.2019.01504>
- Wang, S., Shen, M., Liu, W., Ma, Y., Shi, H., Zhang, J., & Liu, D. (2022). Developing Remote Sensing Methods for Monitoring Water Quality of Alpine Rivers on The Tibetan Plateau. *GIScience and Remote Sensing*, 59(1), 1384–1405. <https://doi.org/10.1080/15481603.2022.2116078>
- Watanabe, F. S. Y., Miyoshi, G. T., Rodrigues, T. W. P., Bernardo, N. M. R., Rotta, L. H. S., Alcântara, E., & Imai, N. N. (2020). Inland water's trophic status classification based on machine learning and remote sensing data. *Remote Sensing Applications: Society and Environment*, 19(February). <https://doi.org/10.1016/j.rsase.2020.100326>
- Wilhm, J. (1975). Biological Indicator of Pollutans in River Ecological. *Blackwell Scientific Publication*, 375–402.
- Winanda, L. A. R. (2010). Estimasi Produktivitas Pekerja Konstruksi dengan Probabilistic Neural Network. *Spectra*, VIII, 40–50.
- Wu, C., Wu, J., Qi, J., Zhang, L., Huang, H., Lou, L., & Chen, Y. (2010). Empirical estimation of total phosphorus concentration in the mainstream of the Qiantang River in China using Landsat TM data. *International Journal of Remote Sensing*, 31(10), 2309–2324. <https://doi.org/10.1080/01431160902973873>
- Zhang, Y., Zhou, Y., Shi, K., Qin, B., Yao, X., & Zhang, Y. (2018). Optical properties and composition changes in chromophoric dissolved organic matter along trophic gradients: Implications for monitoring and assessing lake eutrophication. *Water Research*, 131, 255–263. <https://doi.org/10.1016/j.watres.2017.12.051>
- Zhao, Z., Islam, F., Waseem, L. A., Tariq, A., Nawaz, M., Islam, I. U., Bibi, T., Rehman, N. U., Ahmad, W., Aslam, R. W., Raza, D., & Hatamleh, W. A. (2024). Comparison of Three Machine Learning Algorithms Using Google Earth Engine for Land Use Land Cover Classification. *Rangeland Ecology and Management*, 92, 129–137. <https://doi.org/10.1016/j.rama.2023.10.007>

Zhou, Z., Qiu, C., & Zhang, Y. (2023). A comparative analysis of linear regression, neural networks and random forest regression for predicting air ozone employing soft sensor models. *Scientific Reports*, *13*(1), 1–23. <https://doi.org/10.1038/s41598-023-49899-0>

Zhu, S., & Mao, J. (2021). A machine learning approach for estimating the trophic state of urban waters based on remote sensing and environmental factors. *Remote Sensing*, *13*(13). <https://doi.org/10.3390/rs13132498>