

DAFTAR PUSTAKA

- [1] K. Leibrandt, C. Bergeles, and G.-Z. Yang, “Concentric tube robots: Rapid, stable path-planning and guidance for surgical use,” *IEEE Robotics & Automation Magazine*, vol. 24, no. 2, pp. 42–53, 2017.
- [2] G. Brantner and O. Khatib, “Controlling ocean one: Human–robot collaboration for deep-sea manipulation,” *Journal of Field Robotics*, vol. 38, no. 1, pp. 28–51, 2021.
- [3] M. Faqih, A. Ataka, A. I. Cahyadi, and Y. K. Badriawan, “Soft-growing robot navigation in unknown environment via deep reinforcement learning,” in *2024 16th International Conference on Information Technology and Electrical Engineering (ICITEE)*. IEEE, 2024, pp. 340–345.
- [4] S. Grazioso, A. Tedesco, R. Sabella, S. Fusco, M. Selvaggio, L. Duraccio, E. De Benedetto, A. Lanzotti, and L. Angrisani, “Using a soft growing robot as a sensor delivery system in remote environments: A practical case study,” in *2022 IEEE International Symposium on Measurements & Networking (M&N)*. IEEE, 2022, pp. 1–5.
- [5] K. Zhu and T. Zhang, “Deep reinforcement learning based mobile robot navigation: A review,” *Tsinghua Science and Technology*, vol. 26, no. 5, pp. 674–691, 2021.
- [6] Y. Satake and H. Ishii, “Path planning method with constant bending angle constraint for soft growing robot using heat welding mechanism,” *IEEE Robotics and Automation Letters*, vol. 8, no. 5, pp. 2836–2843, 2023.
- [7] A. Ataka and A. P. Sandiwan, “Growing robot navigation based on deep reinforcement learning,” in *2023 9th International Conference on Control, Automation and Robotics (ICCAR)*. IEEE, 2023, pp. 115–120.
- [8] S. Grazioso, A. Tedesco, R. Sabella, S. Fusco, M. Selvaggio, L. Duraccio, E. De Benedetto, A. Lanzotti, D. Dallet, and L. Angrisani, “Soft growing robot to enable monitoring applications in remote constrained environments,” in *2022 6th International Symposium on Instrumentation Systems, Circuits and Transducers (INSCIT)*. IEEE, 2022, pp. 1–5.
- [9] H. Tsukagoshi, A. Kitagawa, and M. Segawa, “Active hose: an artificial elephant’s nose with maneuverability for rescue operation,” in *Proceedings 2001 ICRA. IEEE International Conference on Robotics and Automation (Cat. No. 01CH37164)*, vol. 3. IEEE, 2001, pp. 2454–2459.
- [10] K. Isaki, A. Niitsuma, M. Konyo, F. Takemura, and S. Tadokoro, “Development of an active flexible cable by ciliary vibration drive for scope camera,” in *2006 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 2006, pp. 3946–3951.
- [11] D. Mishima, T. Aoki, and S. Hirose, “Development of pneumatically controlled expandable arm for search in the environment with tight access,” *Field and Service Robotics: Recent Advances in Reserch and Applications*, pp. 509–518, 2006.

- [12] A. Sadeghi, A. Mondini, E. Del Dottore, V. Mattoli, L. Beccai, S. Taccola, C. Luca-rotti, M. Totaro, and B. Mazzolai, "A plant-inspired robot with soft differential bending capabilities," *Bioinspiration & biomimetics*, vol. 12, no. 1, p. 015001, 2016.
- [13] A. Sadeghi, E. Del Dottore, A. Mondini, and B. Mazzolai, "Passive morphological adaptation for obstacle avoidance in a self-growing robot produced by additive manufacturing. soft rob. 7, 85–94 (2020)," 2019.
- [14] E. Hawkes, L. Blumenschein, J. Greer, and A. Okamura, "A soft robot that navigates its environment through growth sci," *Robot*, vol. 2, p. eaan3028, 2017.
- [15] L. H. Blumenschein, A. M. Okamura, and E. W. Hawkes, "Modeling of bioinspired apical extension in a soft robot," in *Conference on Biomimetic and Biohybrid Systems*. Springer, 2017, pp. 522–531.
- [16] M. M. Coad, L. H. Blumenschein, S. Cutler, J. A. R. Zepeda, N. D. Naclerio, H. El-Hussieny, U. Mehmood, J.-H. Ryu, E. W. Hawkes, and A. M. Okamura, "Vine robots," *IEEE Robotics & Automation Magazine*, vol. 27, no. 3, pp. 120–132, 2019.
- [17] H. El-Hussieny, S.-G. Jeong, and J.-H. Ryu, "Dynamic modeling of a class of soft growing robots using euler-lagrange formalism," *Society of Instrument and Control Engineers*, pp. 453–458, 2019.
- [18] T. Yan, S. Teshigawara, and H. H. Asada, "Design of a growing robot inspired by plant growth," in *2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 2019, pp. 8006–8011.
- [19] H. El-Hussieny, I. A. Hameed, and J.-H. Ryu, "Nonlinear model predictive growth control of a class of plant-inspired soft growing robots," *IEEE Access*, vol. 8, pp. 214 495–214 503, 2020.
- [20] C. Watson, R. Obregon, and T. K. Morimoto, "Closed-loop position control for growing robots via online jacobian corrections," *IEEE Robotics and Automation Letters*, vol. 6, no. 4, pp. 6820–6827, 2021.
- [21] Z. Wu, M. D. I. Reyzaabal, S. H. Sadati, H. Liu, S. Ourselin, D. Leff, R. K. Katzschmann, K. Rhode, and C. Bergeles, "Towards a physics-based model for steerable eversion growing robots," *IEEE robotics and automation letters*, vol. 8, no. 2, pp. 1005–1012, 2023.
- [22] B. A. Jones and I. D. Walker, "Kinematics for multisection continuum robots," *IEEE Transactions on Robotics*, vol. 22, no. 1, pp. 43–55, 2006.
- [23] Y. Satake, A. Takanishi, and H. Ishii, "Novel growing robot with inflatable structure and heat-welding rotation mechanism," *IEEE/ASME Transactions on Mechatronics*, vol. 25, no. 4, pp. 1869–1877, 2020.
- [24] V. Mnih, K. Kavukcuoglu, D. Silver, A. A. Rusu, J. Veness, M. G. Bellemare, A. Graves, M. Riedmiller, A. K. Fidjeland, G. Ostrovski *et al.*, "Human-level control through deep reinforcement learning," *nature*, vol. 518, no. 7540, pp. 529–533, 2015.

- [25] V. Mnih, K. Kavukcuoglu, D. Silver, A. Graves, I. Antonoglou, D. Wierstra, and M. Riedmiller, "Playing atari with deep reinforcement learning," *arXiv preprint arXiv:1312.5602*, 2013.
- [26] M. Bryant, C. Watson, and T. K. Morimoto, "Tactile perception for growing robots via discrete curvature measurements," in *2022 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 2022, pp. 4257–4264.
- [27] H. Takanobu, H. Imai, K. Yokota, K. Suzuki, and H. Miura, "A robot that grows like human," in *2009 IEEE/ASME International Conference on Advanced Intelligent Mechatronics*. IEEE, 2009, pp. 554–559.
- [28] M. Cianchetti, T. Ranzani, G. Gerboni, T. Nanayakkara, K. Althoefer, P. Dasgupta, and A. Menciassi, "Soft robotics technologies to address shortcomings in today's minimally invasive surgery: the stiff-flop approach," *Soft robotics*, vol. 1, no. 2, pp. 122–131, 2014.
- [29] T. Abrar, F. Putzu, A. Ataka, H. Godaba, and K. Althoefer, "Highly manoeuvrable eversion robot based on fusion of function with structure," in *2021 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 2021, pp. 12 089–12 096.
- [30] H. El-Hussieny, U. Mehmood, Z. Mehdi, S.-G. Jeong, M. Usman, E. W. Hawkes, A. M. Okarnura, and J.-H. Ryu, "Development and evaluation of an intuitive flexible interface for teleoperating soft growing robots," in *2018 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 2018, pp. 4995–5002.
- [31] D. B. Camarillo, C. F. Milne, C. R. Carlson, M. R. Zinn, and J. K. Salisbury, "Mechanics modeling of tendon-driven continuum manipulators," *IEEE transactions on robotics*, vol. 24, no. 6, pp. 1262–1273, 2008.
- [32] H. Donat, S. Lilge, J. Burgner-Kahrs, and J. J. Steil, "Estimating tip contact forces for concentric tube continuum robots based on backbone deflection," *IEEE Transactions on Medical Robotics and Bionics*, vol. 2, no. 4, pp. 619–630, 2020.
- [33] D. Rus and M. T. Tolley, "Design, fabrication and control of soft robots," *Nature*, vol. 521, no. 7553, pp. 467–475, 2015.
- [34] D. Trivedi, C. D. Rahn, W. M. Kier, and I. D. Walker, "Soft robotics: Biological inspiration, state of the art, and future research," *Applied bionics and biomechanics*, vol. 5, no. 3, pp. 99–117, 2008.
- [35] S. Kim, C. Laschi, and B. Trimmer, "Soft robotics: a bioinspired evolution in robotics," *Trends in biotechnology*, vol. 31, no. 5, pp. 287–294, 2013.
- [36] C. Laschi, B. Mazzolai, and M. Cianchetti, "Soft robotics: Technologies and systems pushing the boundaries of robot abilities," *Science robotics*, vol. 1, no. 1, p. eaah3690, 2016.
- [37] A. Ataka, T. Abrar, F. Putzu, H. Godaba, and K. Althoefer, "Observer-based control of inflatable robot with variable stiffness," in *2020 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 2020, pp. 8646–8652.

- [38] Y. Satake and H. Ishii, "Pitch-up motion mechanism with heat welding by soft inflatable growing robot," *IEEE Robotics and Automation Letters*, vol. 7, no. 2, pp. 5071–5078, 2022.
- [39] H. El-Hussieny and I. Hameed, "Obstacle-aware navigation of soft growing robots via deep reinforcement learning," *IEEE Access*, 2024.
- [40] S.-G. Jeong, M. M. Coad, L. H. Blumenschein, M. Luo, U. Mehmood, J. H. Kim, A. M. Okamura, and J.-H. Ryu, "A tip mount for transporting sensors and tools using soft growing robots," in *2020 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 2020, pp. 8781–8788.
- [41] J. D. Greer, L. H. Blumenschein, R. Alterovitz, E. W. Hawkes, and A. M. Okamura, "Robust navigation of a soft growing robot by exploiting contact with the environment," *The International Journal of Robotics Research*, vol. 39, no. 14, pp. 1724–1738, 2020.
- [42] F. Przybylski, Y. Adagolodjo, M. Anna, G. Cerruti, J. Dequidt, C. Duriez, and P. Berthet-Rayne, "3d kinematics and quasi-statics of a growing robot eversion," in *2023 IEEE International Conference on Soft Robotics (RoboSoft)*. IEEE, 2023, pp. 1–6.
- [43] A. Ataka, T. Abrar, F. Putzu, H. Godaba, and K. Althoefer, "Model-based pose control of inflatable eversion robot with variable stiffness," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 3398–3405, 2020.
- [44] H. Sasaki, T. Horiuchi, and S. Kato, "Experimental study on behavior acquisition of mobile robot by deep q-network," *Journal of Advanced Computational Intelligence and Intelligent Informatics*, vol. 21, no. 5, pp. 840–848, 2017.
- [45] J. Gao, W. Ye, J. Guo, and Z. Li, "Deep reinforcement learning for indoor mobile robot path planning," *Sensors*, vol. 20, no. 19, p. 5493, 2020.
- [46] H. Hu, H. Chai, P. Xi, and M. Guo, "Position control of mobile robot based on deep reinforcement learning," in *Proceedings of SPIE*, vol. 36, 2024.
- [47] Y. Chen, Z. Lu, J. Cui, H. Luo, and Y. Zheng, "A complete coverage path planning algorithm for lawn mowing robots based on deep reinforcement learning," *Sensors*, vol. 25, no. 2, p. 416, 2025.
- [48] R. Huang, C. Qin, J. Li, and X. Lan, "Path planning of mobile robot in unknown dynamic continuous environment using reward-modified deep q-network," *Optimal Control Applications and Methods*, vol. 44, no. 3, pp. 1570–1587, 2021.
- [49] J. Schulman, F. Wolski, P. Dhariwal, A. Radford, and O. Klimov, "Proximal policy optimization algorithms," *arXiv preprint arXiv:1707.06347*, 2017.
- [50] L. Wang and G. Liu, "Research on multi-robot collaborative operation in logistics and warehousing using a3c optimized yolov5-ppo model," *Frontiers in Neurobotics*, vol. 17, 2024.

- [51] M. M. Premarathna, R. K. Weerasinghe, N. N. Peiris, A. L. Kulasekera, and P. C. Dassanayake, "Experimental evaluation of steering actuator configuration on the behaviour of a soft growing robot," in *2022 Moratuwa Engineering Research Conference (MERCon)*. IEEE, 2022, pp. 1–5.
- [52] K. Chen, "A study of model predictive control and reinforcement learning control system," in *Proceedings of SPIE 12794, Second International Conference on Computer Science and Communication Technology (ICCSCT 2024)*, 2024, p. 11.
- [53] G. Aikins, S. Jagtap, and K. Nguyen, "A robust strategy for uav autonomous landing on a moving platform under partial observability," *Drones*, vol. 8, no. 6, p. 232, 2024.
- [54] N. Zengeler and U. Handmann, "Contracts for difference: A reinforcement learning approach," *Journal of Risk and Financial Management*, vol. 13, no. 4, p. 78, 2020.
- [55] Z. Fan, H. Yang, F. Liu, L. Liu, and Y. Han, "Reinforcement learning method for target hunting control of multi-robot systems with obstacles," *International Journal of Intelligent Systems*, vol. 37, no. 12, pp. 11 275–11 298, 2022.
- [56] P. Long, T. Fan, X. Liao, W. Liu, H. Zhang, and J. Pan, "Towards optimally decentralized multi-robot collision avoidance via deep reinforcement learning," in *2018 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 2018, pp. 6252–6259.
- [57] S. Honda, Y. Imura, K. Sasaki, and R. Takeda, "Adaptive vibration control of smart structure using deep reinforcement learning," *EPI International Journal of Engineering*, vol. 5, no. 2, pp. 92–97, 2022.
- [58] Q. Cheng, X. Wang, Y. Niu, and L. Shen, "Reusing source task knowledge via transfer approximator in reinforcement transfer learning," *Symmetry*, vol. 11, no. 1, p. 25, 2018.
- [59] S. Pradhan, "Evaluating deep reinforcement learning algorithms," *International Journal of Scientific Research in Engineering and Management*, vol. 8, no. 8, pp. 1–6, 2024.
- [60] S. Garrido-Castañeda, J. Vasquez-Gomez, and M. Antonio-Cruz, "Coverage path planning using actor–critic deep reinforcement learning," *Sensors*, vol. 25, no. 5, p. 1592, 2025.
- [61] S. Jo, T. Kim, C. Park, and B. Choi, "Reinforcement learning-based injection schedules for co₂ geological storage under operation constraints," *International Journal of Energy Research*, 2025.
- [62] Y. Wang, C. Zhang, T. Yu, and M. Ma, "Recursive least squares advantage actor-critic algorithms," *arXiv preprint arXiv:2201.05918*, 2022.
- [63] H. Hellaoui, B. Yang, and T. Taleb, "Towards using deep reinforcement learning for connection steering in cellular uavs," in *2021 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2021, pp. 1–6.

- [64] M. Neves and P. Neto, "Deep reinforcement learning applied to an assembly sequence planning problem with user preferences," *The International Journal of Advanced Manufacturing Technology*, vol. 122, no. 11–12, pp. 4235–4245, 2022.
- [65] V. Mnih, A. P. Badia, M. Mirza, A. Graves, T. Harley, T. Lillicrap, D. Silver, and K. Kavukcuoglu, "Asynchronous methods for deep reinforcement learning," in *Proceedings of the 33rd International Conference on Machine Learning (ICML)*. PMLR, 2016, pp. 1928–1937. [Online]. Available: <https://proceedings.mlr.press/v48/mniha16.html>
- [66] R. Sutton and A. Barto, *Reinforcement Learning: An Introduction*, 2nd ed. Cambridge, MA: MIT Press, 2018. [Online]. Available: <http://incompleteideas.net/book/the-book-2nd.html>
- [67] J. D. Greer, L. H. Blumenschein, A. M. Okamura, and E. W. Hawkes, "Obstacle-aided navigation of a soft growing robot," in *2018 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, 2018, pp. 4165–4172.
- [68] P. Liljebäck, K. Y. Pettersen, Ø. Stavadahl, and J. T. Gravdahl, "A review on modeling, implementation, and control of snake robots," *Robotics and Autonomous systems*, vol. 60, no. 1, pp. 29–40, 2012.
- [69] J. D. Greer, T. K. Morimoto, A. M. Okamura, and E. W. Hawkes, "A soft, steerable continuum robot that grows via tip extension," *Soft robotics*, vol. 6, no. 1, pp. 95–108, 2019.
- [70] L. H. Blumenschein, M. Koehler, N. S. Usevitch, E. W. Hawkes, D. C. Rucker, and A. M. Okamura, "Geometric solutions for general actuator routing on inflated-beam soft growing robots," *IEEE Transactions on Robotics*, vol. 38, no. 3, pp. 1820–1840, 2021.
- [71] J.-h. Kim, J. Jang, S.-m. Lee, S.-G. Jeong, Y.-J. Kim, and J.-H. Ryu, "Origami-inspired new material feeding mechanism for soft growing robots to keep the camera stay at the tip by securing its path," *IEEE Robotics and Automation Letters*, vol. 6, no. 3, pp. 4592–4599, 2021.
- [72] S. Grazioso, A. Tedesco, M. Selvaggio, S. Debei, S. Chiodini, E. De Benedetto, G. Di Gironimo, and A. Lanzotti, "Design of a soft growing robot as a practical example of cyber-physical measurement systems," in *2021 IEEE International Workshop on Metrology for Industry 4.0 & IoT (MetroInd4.0&IoT)*. IEEE, 2021, pp. 23–26.
- [73] M. Verghese, F. Richter, A. Gunn, P. Weissbrod, and M. Yip, "Model-free visual control for continuum robot manipulators via orientation adaptation," in *The international symposium of robotics research*. Springer, 2019, pp. 959–970.
- [74] N. D. Naclerio and E. W. Hawkes, "Simple, low-hysteresis, foldable, fabric pneumatic artificial muscle," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 3406–3413, 2020.